Tetrahedron Letters

The International Journal for the Rapid Publication of Preliminary Communications in Organic Chemistry

Founded jointly by Sir Robert Robinson and R. B. Woodward
Chairman of the executive board of editors for Tetrahedron publications
Sir Derek Barton Texas A&M University U.S.A.

SUBJECT/AUTHOR INDEX
NUMBERS 1–52 1987

Pergamon Press: Oxford New York
Beijing Frankfurt São Paulo Sydney Tokyo Toronto

TETRAHEDRON LETTERS

The International Journal for the Rapid Publication of Preliminary Communications in Organic Chemistry

EXECUTIVE BOARD OF EDITORS FOR TETRAHEDRON PUBLICATIONS

Chairman: **Professor Sir Derek Barton, FRS,** Department of Chemistry, Texas A&M University, College Station, TX 77843-3255, USA

Professor J. E. Baldwin, FRS, Dyson Perrins Laboratory, Oxford, England
Professor L. Ghosez, Laboratoire de Chimie Organique de Synthèse, Université Catholique de Louvain, Place L. Pasteur 1, B-1348 Louvain-la-Neuve, Belgium
Professor T. Goto, Faculty of Agriculture, Nagoya University, Chikusa, Nagoya 464, Japan
Professor S. Ito, Tetrahedron Regional Office, Sendai-Naka, P.O. Box 521, Sendai 980, Japan
Professor A. R. Katritzky, FRS, Department of Chemistry, University of Florida, Gainesville, FL 32611, USA
Professor N. K. Kochetkov, N. D. Zelinsky Institute of Organic Chemistry, Academy of Sciences USSR, Leninsky Prospekt 47, Moscow B-334, USSR
Professor A. McKillop, University of East Anglia, School of Chemical Sciences, University Plain, Norwich NR4 7TJ, England
Professor A. Nickon, Department of Chemistry, The Johns Hopkins University, Baltimore, MD 21218, USA
Professor W. D. Ollis, FRS, University of Sheffield, Sheffield S3 7HF, England
Professor G. Ourisson, Centre National de la Recherche Scientifique, Centre de Neurochimie, 5 rue Blaise Pascal, 67084 Strasbourg, Cedex, France
Professor W. Steglich, Institut für Organische Chemie und Biochemie der Universität Bonn, D-5300 Bonn 1, Gerhard-Domagk-Strasse 1, BRD
Professor H. H. Wasserman, Department of Chemistry, Yale University, PO Box 6666, New Haven, CT 06511, USA

Co-ordinating Editor: **Dr. T. Stephen,** 8 Lewis Close, Risinghurst, Headington, Oxford OX3 8JD, England

BOARD OF CONSULTING EDITORS

D. Arigoni, Zurich
P. D. Bartlett, Fort Worth, TX
A. R. Battersby, Cambridge
A. L. J. Beckwith, Canberra
A. J. Birch, Canberra
R. Breslow, New York, NY
H. C. Brown, Lafayette, IN
E. J. Corey, Cambridge, MA
J. W. Cornforth, Brighton
D. J. Cram, Los Angeles, CA
P. Deslongchamps, Quebec
M. J. S. Dewar, Austin, TX
C. Djerassi, Stanford, CA
W. von E. Doering, Cambridge, MA
J. E. Dubois, Paris
A. Eschenmoser, Zurich
D. A. Evans, Cambridge, MA
G. Fodor, Morgantown, WV
D. Ginsburg, Haifa
A. González González, Tenerife
Y. Hirata, Nagoya
R. Huisgen, Munich
W. S. Johnson, Stanford, CA
M. Julia, Paris
A. Kjaer, Lyngby
E. Lederer, Gif-sur-Yvette
R. U. Lemieux, Alberta
X. T. Liang, Beijing
P. de Mayo, Ontario
J. Michalski, Lodz
M. L. Mihailovic, Belgrade
K. Mori, Tokyo
T. Mukaiyama, Tokyo
K. Nakanishi, New York, NY
T. Norin, Stockholm
R. Noyori, Nagoya
S. Nozoe, Sendai
W. Oppolzer, Geneva
Yu. A Ovchinnikov, Moscow
H. Paulsen, Hamburg
P. Potier, Gif-sur-Yvette
S. K. Pradhan, Bombay
V. Prelog, Zurich
G. Quinkert, Frankfurt am Main
R. A. Raphael, Cambridge
C. W. Rees, London
J. D. Roberts, Pasadena, CA
A. I. Scott, College Station, TX
K. B. Sharpless, Cambridge, MA
G. Snatzke, Bochum
H. A. Staab, Heidelberg
G. Stork, New York, NY
Sukh Dev, Baroda
W. Tochtermann, Kiel
A. Todd, Cambridge
H. G. Viehe, Louvain-la-Neuve
E. Vogel, Cologne
Y. Wang, Shanghai
K. B. Wiberg, New Haven, CT
E. Winterfeldt, Hanover
G. Wittig, Heidelberg

Publishing, Subscription and Advertising Offices

Pergamon Journals Ltd., Headington Hill Hall, Oxford OX3 0BW (phone Oxford 64881: telex 83177) and Pergamon Journals Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, USA (phone 914 592 7700: telex 137328).

Fifty-two issues per year

Annual Subscription Rates (1988)

Annual institutional subscription rate (1988) DM 5100.00.
Two-year institutional rate (1988/89) DM 9690.00.
Personal subscription rate for those whose library subscribes at the regular rate (1988) DM 324.00.
Rates include postage and insurance.
Prices are subject to change without notice.

Microform Subscriptions and Back Issues

Back issues of all previously published volumes are available in the regular editions and on microfilm and microfiche. Current subscriptions are available on microfiche simultaneously with the paper edition and on microfilm on completion of the annual index at the end of the subscription year.

Copyright © 1987 Pergamon Journals Ltd.

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organizations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article including reprints, photographic reproductions, microform, or any other reproduction of similar nature, and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording, or otherwise, without permission in writing from the copyright holder.

Photocopying information for users in the USA. The Item-fee Code for this publication indicates that authorization to photocopy items for internal or personal use is granted by the copyright holder for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service provided the stated fee for copying beyond that permitted by Section 107 or 108 of the United States Copyright Law is paid. The appropriate remittance of $3.00 per copy per article is paid directly to the Copyright Clearance Center Inc., 27 Congress Street, Salem, MA 01970.

Permission for other use. The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

The Item-fee Code for this publication is: 0040-4039/87 $3.00 + .00

Subject Index 1987

Corrigenda
Ardisson J. Ferezou J.P., Julia M. and Pancrazi A.: **28**, 2001 (1987): an important omitted reference supplied, 3050
Becker H.-D and Andersson K., **28**, 1323 (1987): structure and photoproduct **8** and graphical abstract have both been revised, 1954
Buchwald S.L. and LaMaire S.J. **28**, 295 (1987): scheme 1 corrected, 1834
Davies H.M.L. and Crisco L. van T.: **28**, 371 (1987): on p.374 ref 8 corrected, 3170
Evans D.A. and Chapman K.T., **27**, 5939 (986): sentence 3, paragraph 2 on p.5939 has been crrected, 2314
Fauve A. and Veschambre H.: **42**, 5037 (1987): product **1b** is enantiomer of natural pheromone, 5770
Huss S., Gosselin G. and Imbach J.L.: **28** 415 (1987): date of submission corrected, 1714
Kobiro K., Takahashi M., Nishikawa N., Kakiuchi K., Tabe Y., and Odaira Y.: **28**, 3825 (1987): on p. 2825 Scheme 1 has been corrected, 5578
Kraus W., Bokel M., Klenk A. and Pohnl H., **28**, 221 (1987); Ref 2 corrected, 1594
Lannoye G.and Cook J.M.: **41** 4821 (1987): omitted graphical abract presented, 6242
Milenkov B., Guggisberg AS. and Hesse M., **28**, 315 (1987): exaltolide is a trade marked product, 2666
Oare D.A. and Heathcock C.H., **51**, 6169 (1986): corrected Table is reproduced, 1354
Paquette L.A. and Trova M.P.:**28**, 2795 (1987): penultimate paragraph on p.3 has been rewritten, 4354
Plusquellec D. and Baczko K.:**28**,3809 (1987): on p.3810, line 5 from bottom of page, "another signal..." has been corrected. On p.3812 ref 10 has been corrected, 5050
Prabhakaran P.C., Woo N.T., Vorgey P.S. and Could S.J.: **27**, 3815 (1896): Reference not 11 (page 3817) has been corrected, 3994
Schlecht M.F. and Kim Ho-jin: **27**,4889 (1986): spectral data for compd **6** on p.4892 corrected, 4354
Trost B.M., Urch C.H. and Hung M.-H.: **27**, 4949 (1986): on p4950 line 5 corrected, 1354

Acetals
2,3-epoxy-, regioselective reductions with zinc-chloro-trimethylsilane and LAH, synthesis of 1,2- and 1,3-diones, 551
3-methylthio-2-oxopropanal-, prep using methylthiomethyl p-tolyl sulphone, 5703
α-imino-, and corresponding monoacetal derivs of α-diketones, formation with complete regiocontrol, 4657
and trimehylsilyl enol ethers, aldol-type reactions via rhodium complex, 6657
bicyclic-, stereoselective reduction, method for reductive generation of heterocyclic ring systems, 6613
chiral α,β-ethylenic-, stereoselective reaction with alkenyl $CuIBF_3$, asymmetric synthesis of γ,δ-ethylenic aldehydes and approach to Californian red-scale pheromone, 2363
chiral α-keto β,γ-unsaturated-, stereoselective reduction, synthesis of both epimeric allyl alcohols by choice of additive, 5681
derived from phenethyl alcohols, $TiCl_4$ cyclisation in prep of 3,4-dihydro-1H-2-benzopyrans, 2567
hemiacetal vinylogs, reaction with cyclic enol ethers, conversion of resulting ketoacetals to bicyclic heterocycles or enone aldehyde, 3337
hydroxy dihydrofuran-, related azadirachtin, synthesis of insect antifeedant, 221
ketene-, addition to n,π*-excited thiocarbonyl compds to give thietanes involving 1,4-diradicals, 2701
ketenealkyl silyl-, reaction with chlorovinylcarbene, synthesis of new α- and β-allenic carboxylates, 1651
ketene silyl-, reactions with imine-complexes of $TiCl_4$, new routes to 5,6-dihydro-2-pyridones and 5-amino-2-alkenoates, 613
medium ring-, and ethers, route via Paterno-Büchi reaction, 5933
O-silylated ketene-, stereo-controlled synthesis of N-benzoyl L-daunosamine, 1431
O-silylated ketene-, synthesis of α-thio-N-heterocycles from ω-amidosulphoxides by intra-molecular Pummerer-type rearrangement, 6479
S,S'-diphenyl-, and phenyl sulphides by direct conversion of carboxylic acids and esters with thexylphenylthioborane, 1913
silyl ketene-, trimethylsilyl trifluoromethanesulphonate catalysed condensation, stereocontrolled synthesis of 3-(1'-hydroxyethyl)-2-azetidinones, 4335
silyl ketene-, trimethylsilyl trifluoromethanesulphonate catalysed reaction with imines, diastereoselectivity, 4331
templates, asymmetric synthesis, prep of enantiomerically pure (3S,4S)- and (3S,4R)-statine derivs, 6535

Acridines
1,2,3,4,5,6,7,8-octahydro-, synthesis from 1,5-diketone equivalents using cupric acetate and ammonium acetate, 4817

Acylation
carboxylic acids and alcohols, activation by intramolecular cyclisation, acylation of trimethylsilylacetylenes and alkylation of aromatic compds, 6205
desilylative-, and hydroxy-alkylation of 1-trimethyl-silylmethyl-2-pyridone, 5419
eremantholides, prep of ring A/B model system via conjugate

addition-acylation protocol, 3551
Friedel-Crafts-, at C-2, and regiospecific metallation at C-5 of 3-aryl or alkyl-4-tosyl-furans, 4123
intermolecular hydro-, of olefins, ruthenium complex catalysed, 6229
metal template ortho-, of phenols, 1533
new cyclisation to non-acylated imidazole derivs, unexpected reactions of 1,4-diaza-1,3-dienes under acylating conditions, 4605
Pd-catalysed-, of activated alkenes with bridgehead acid chlorides, 5883

Adamantanes
2,6-dithiaadamantane-2,2,6,6-tetraoxide deriv, skeletal rearrangement during thermal and photo SO_2 extrusion, 5189

Addition reactions, see also Cycloaddition reactions
1,2-adduct from 3-cyano-indolizines and dimethyl acetylenedicarboxylate, 5707
1,4-, 2-trimethylsilyloxyfuran to quinones, route to furo[3,2-b]benzofuran nucleus, 4891
1,6-Michael type-, primary amine to electrophilic diene, indolizidine synthesis, 1761
2H-pyrrolo[3,4-b]pyridine and 2H-pyrrolo[3,4-c]pyridine, synthesis of parent ring system and Diels-Alder reaction, 1419
[2+2] photo-, mixed, effect of solvent, alkene concentration and temp on asymmetric induction, 2833
3H-indoles, reaction with acetylenecarboxylic esters and structure of adducts, 3687
adduct of furan to organo-metallics, chelation and non chelation controlled, 423
adduct of neocarzinostatin chromophore and methyl thioglycolate, mechanism for nucleophilic activation and proposed structure, 4493
adduct, dihalogenocarbene of cycloheptene deriv, ring expansion and retro-reaction, 1827
adduct, dimeric, of genipin and glycine, structure of genipocyanin G_1, 4699
adducts of a phosphorane with methyl 2-perfluoroalkynoates, Wittig reaction to 2-perfluoro-alkyl-6-methoxybenzoates, 81
adducts of chiral haloacetate enolates, conversion to anti-β-hydroxy-α amino acids, 39
adducts of cyclic ketones with bis(phenylthio)methyllithium, carbenoid type base induced ring expansion, 2203
adducts of diethylamine and 1-naphthyl azide, via tricyclic azirines by photolysis at room temp, 11
adducts, O, N, S, Se and halogeno substituted, synthesis via intermediate organo-Co complexes, homolysis of alkyl Co salophens in presence of radical trapping agents, 1451
alkenyl β-lactams, homolytic cyclisation gave carbapenams by exo addition and carbacephams by endo addition, 2637
alkylzinc iodides to 1-(phenoxy-carbonyl)pyridinium salts, 1843
allenic esters to 1,4-diphenyl-1-azabutadiene, 6679
allylstannanes to 1-alkyl-2-oxo-cyclohex-3-eneacetic acid methyl esters, 1,4-diastereo-selectivity, 1483
anti-Markovnikov-, nucleophiles to non-conjugated olefin via singlet electron transfer photochemistry, 5449
arylmetallics to azodicarbox-ylates, synthesis of aryl-hydrazines via aromatic hydrazination, 4933
asymmeric conjugate-, of zincates or cuprates containing optically active azaenolate of erythro-isopropylidene-2-methoxy-1,2-diphenylamine to 2-cycloalkanones, 6347
asymmetric synthesis of 1,1,2-and 1,2-substituted dihydro-naphthalenes via chiral naphthylimine, 5283
C_2-symmetric bis-dienophile, double Diels-Alder reaction, new enantioselective approach to natural loganin, 3991
carbonyl-, via β-silyl- and β-stannylphosphorous ylides, diastereoselective E-propenylation of α-chiral aldehydes, 4561
conjugate-, alkylCu reagents to enones in presence of trimethyl-silyl chloride/tetramethylene-diamine, 27
conjugate-, of 1-acyloxy-2-propenyl function, 1-acyloxy-2-propenyltrimethylsilane, flouride ion mediated reaction with α,β-unsaturated ketones, 4649
conjugate-, of lithium methyl-cyanocuprate to chiral 2-(R)-and (S)-benzyloxy-2,5-dihydro-4-furancarboxaldehyde, synthesis of (-)-and (+)-botryodiplodin and (+)-and (-)-epi-botryodiplodin, 3589
conjugate-, of organocopper reagents to unsaturated esters, 5719
conjugate-, of organolithium reagent to α,β-unsaturated ketone, 5723
conjugate-, of substituted α-alkoxyorganocuprate reagents with cyclic enones to give homoaldol products, 3911
conjugate-, to cycloalkynones, stereoselective synthesis of cembranolides, 5081
cyanotrimethylsilane to C=N bond of 1,2,4,5-tetrazines, 2139
diastereoselective π-facially controlled nucleophilic-, chiral vinylorganometallics to chiral β,γ-unsaturated ketones; stereocontrolled elaboration of decahydro-as-indacene subunit of ikarugamycin, 31
Diels-Alder-, of tetrachloro-cyclopropene, 1,2-bromochloro-cyclopropene and cyclopropene with butadiene derivs, 5917
Diels-Alder-, sulphinyl dienophiles of chiral styrene oxide, transformation into enantiomeric compds with recovery of chiral auxiliary, 107
diethylzinc to benzaldehyde, effect of temp, alkaloids and amino alcohols in catalytic asymmetric induction, 6163
electrophilic-, phenylselenyl chloride to 3-exomethylene-1-cephams, 5539
eliminative nucleophilic-, of β-ketophosphonium salts, synthesis of tetrasubstituted fluoro-olefins, 449
enantioselective-, dialkyl zincs to aryl aldehydes, chiral piperazine as new catalyst, 4841
enantioselective-, diethylzinc to benzaldehyde using chiral catalyst, 5233
enantioselective-, organozinc reagents to aromatic aldehydes, Zn complexes of chiral phenols as catalysts, 5237
eremantholides, prep of ring A/B model system via conjugate addition-acylation protocol, 3551
ester enolates to heterocumulenes, formation of thio or oxo malonimides and further to 4-thioacetoxy azetidinones, 3593
free radical type-, toluene-sulphonyl cyanide to unsaturated hydrocarbons, 2853
glycosyl radicals to olefins, synthesis of C-glycosyl compds, 5853
HI to unsaturated hydrocarbons using I_2 on Al_2O_3, 4497
inter- and intra-molecular oxidative-, acyl radicals(from acylcobalt salophens) to activated C=C leading to enones and functionalised ring systems, 5949
intramolecular-, amines to chiral vinyl sulphoxides, total synthesis of (R)-(+)-canadine, 4737
intramolecular Michael and anti-Michael-, of thiolate to conjugated acetylenic ketones, 4267
lithium dithioacetate with α,β-disubstituted enones, stereo-selectivity of protonation of generated enolates, anti-Houk selectivity, 409
maleic anhydride and furan, Diels-Alder reaction accelerated in ultracentrifuge, 707
Michael-, ascorbic acid to tigloyl cyanide, synthesis of piptosidin, 5469
Michael-, of acyl anion equivalents (generated by electroreduction of oxazolinium salts), to activated olefins, 4411
n,π*-excited thiocarbonyl compds to ketene acetals to give thietanes involving 1,4-diradicals, 2701
nitroalkanes to o-quinones, 3975
nucleophilic-, of substituted γ- and δ-lactols to Ti-reagents, new method of asymmeric induction, 6335
penicillin Grignards to substituted glyoxals, prep of penam α-ketoalcohol anti-bacterials structurally related to penicillins, 3431
phenylselenium azide to alkenes, new stereospecific introduction of Se and N into organic molecules, 5185
photo-, and photoreduction of pyrenediones, 2057
regio- and stereochemical-, hypervalent iodine reagents to cycloalkenols, substituent directed oxidation, 5229
regio-and stereoselective-, PhSeCl and PhSCl to isomeric 2-hydroxy-2-methyl-7-oxabicyclo-[2.2.1]hept-5-enes, 5549
regioselective-, of organocuprates to 2-siloxypyrylium salt, prep of 2-siloxy-4H-pyrans and their reaction with electrophiles, 6305
regioselective-, organocuprate to

acetylenic trifluoromethyl ketones, synthesis of unsaturated trifluoromethyl ketones, 5271
regioselective tandem Diels-Alder-, synthesis of 6,7-bis(chloromethyl)-8,9-bis(methylene)-2-oxabicyclo[3.2.1]nonan-3-one, 2239
selective carbophilic-, of organolithiums to thioamides, synthesis of unsymmetrical ketones and α-alkylated amines, 1529
silyl enol ethers to aldehydes, and trimethylsilyl cyanide to aldehydes and ketones, synthesis of β-cyanosilyl ethers, lanthanide catalysis, 5513
stereoselective-, enatiomerically pure vinyllithium reagent to prochiral carbonyl compds, 5145
stereoselective-, of aldehydes to product of reaction of lithium enolate of N-propionyl-pyrrolidine with titanium reagent, 2037
stereoselective-, of E- and Z-Y-alkoxyallyltins to aldehydes, formation of threo(or syn) vicinal diol monoalkyl ether unit, 143
stereoselective-, to α,β-epoxy aldehydes, formation of "non chelation" controlled products, 2629
stereoselective Et, induced radical-, of Ph_3GeH to acetylenes, application to isomerisation of olefins, 3709
stereoselective intramolecular Michael-, induced by thermolabile group, synthesis of optically active 5-membered O-containing ring, 5819
stereoselective Michael-, of amide dienolates to α,β-unsaturated esters, stereocontrolled construction of adjacent tertiary and quaternary asymmetric centers, 1785
stereoselective S_N2'-, of chiral acyclic vinyloxiranes, to give allylic alcohols, 4985
stereospecific 1,4-, sulphinyl-allyl anion, synthesis of (±)-pentalenolactone E methyl ester, 5465
stereospecific conjugate-, organolithium reagents to naphthylimines, 1,1,2-and 1,2-substituted dihydronaphthalenes, 5279
tandem ene/intramolecular Diels-Alder reactions of 1,4-cyclohexadiene and mono- or di-activated acetylenes, 6553
thioketones as spin traps for group VI radicals, 3737
thiols to dimethylsquarate leading to 2-hydroxy-2,5-alkyl-3,4-dimethoxy-3-cyclobutenones, 1765
thiophilic-, of alkyllithium to dithiocarboxylic acid anions, synthesis of 2-[bis(alkylthio)-methylene]-1,3-dithioles, 3805
trichlorocyclopropenylium ion with alkenes, novel access to cyclopropene- and cyclopropenone derivs, 4517
triple bond of 1,1-diphenyl-propargyl cation to 1,3-dienes at ambient temp, 5969
twice-, of dihalogenocarbenes, ring expansion of [6]paracyclophane-8,9-dicarboxylic diethyl ester to hexanocycloocta-tetraene- and [8]paracyclophane-derivs, 3483
uncatalysed conjugated-, of 2-(1,3-dioxolan-2-yl)-ethyl-magnesium bromide with cyclic α,β-enones, 3217
unexpected-, reactions and new synthesis of tetracyclo-[5.1.0^{1},^{4}.0^{3},^{7}]octane, 3099
unsaturated carboxylic acid dienolates to substituted cyclohexanones, inverted kinetic and thermodynamic stereoselectivities, 3853
vinyl lithium compd, facile retro Diels-Alder reaction, 5437

Aglycones
gilvocardin-M-, synthesis, 5435
pseudo-, and viridopentaoses, isolation via treatment of N-acetylsporaviridins with 1,8-diazabicyclo[5.4.0]undesen-7, 1917
pseudo-, via degradation of N-acetylsporaviridins leading to its total structure, 1921

Alcohols see also Amino alcohols
1-alkene-3-ols, conversion to ketone homoenolates leading to β-alkylated ketones, 2587
1,5-hexadien-3-ols, cyclisation to 4-halogeno-cyclohexenes, formation of halogeno-octahydronaphthalenes from allyl-pulegols, 2583
(2E,4Z)-dienyl-, stereoselective prep, 65
2,3-epoxy-, N-benzoylcarbamates, base catalysed cyclisation-/isomerisation, 5395
2,3-epoxy-, optically active, via optically active 3-chloro-2-hydroxyalkanoates, 2709
2,3-epoxy-, regioselective opening with organocuprates, enhanced C-2 selectivity through solvent effects, 5009
2,3-epoxy-, stereo- and regio-specific conversion to 4-(1-hydroxyalkyl)-1,3-dioxolanes, 383
3-butenols, inter- and intramolecular di-alkoxy-carbonylation catalysed by Pd(II), 325
4-DMAP catalysed ester exchange reactions with phosphono-acetates, prep of differentially substituted phosphonacetates and phosphonoacetamides, 2713
β,γ-epoxy-, 1,2-rearrangement to α,α-disubstituted aldols stereospecifically, 5891
β-ethylenic-, prep from α-ethylenic bromide, a carbonyl compd and Zn, 4551
β-methyl-cis-homoallylic-, anti- and syn-selective epoxidation, 6191
β-seleno-γ-silyl-, Si-controlled rearrangement vs Krief-Reich reaction, stereoselective synthesis of terminally substituted allylsilanes, 2061
γ,δ-cis-epoxy-β-methyl alcohols, regioselective epoxide-ring opening by alkylation, formation of consecutive asymmetric centers, 6195
γ-iodo allylic-, optically pure , synthesis and conversion to optically pure allylic alcohols, 6351
allyl-, both epimeric forms, prep by choice of additives in stereoselective reduction of chiral α-keto α,γ-unsaturated acetals 5681
and alkanes and ethers, route via dehydrodimerisation, 5599
and carboxylic acids, activation by intramolecular cyclisation, acylation of trimethyl-silylacetylenes and alkylation of aromatic compds, 6205
and diols, papain catalysed esterification of alanine, 5153
and magnesium iodide in n-pentane, prep of hindered alkyl iodides, 6441
benzocyclobutenol hypoiodites, β-scission, new synthesis of phthalides, 3369
benzylic-, reduction to aryl alkanes using Me_3SiCl-NaI-CH_3CN, application to synthesis of (±)-ar-turmerone, 3817
chiral (R)- and (S)-1-octenol, (R)- and (S)-sacromycin methyl ether, EPC-syntheses via Diels-Alder reactions/retro Diels-Alder reactions, 183
conversion into alkyl bromides and iodides via O-alkylisoureas, 4445
conversion into dibenzyl phosphorotriesters using N,N-diethyl dibenzyl phosphor-amidite, 101
cyclopropanol, medium- and large-scale prep via enzymatic hydrolysis of cyclopropyl acetate, 2767
cyclopropyl methoxyallenyl carbinols, rearrangement promoted by HF-pyridine-metal fluoride, synthesis of 3-fluoroethylcyclopentenones, 3119
cyclopropylmethanols, ring expansion-fluorination to monofluorocyclobutanes with amine-metal fluoride-pyridium poly(hydrogen fluoride)-complex, 6313
cyclopropylmethanols, ring opening, synthesis of homoallylic fluorides, 663
dehydration catalysed by copper(II)sulphate adsorbed on silica gel, 4565
dehydrogenation, iridium pentahydride complex catalysed in absence of H-acceptor, 3115
fluorinated-, derived bromoacetals, 5-exo ring closure and formation of fluorinated double bonds, 671
lactols, 4-DMAP catalysed ester exchange with phosphonoacetates, synthesis of (-)-pyrenophorin, 2717
methanol and ethanol, equilibria in reactions with sulphuric acid or in hydrolyses of alkyl sulphates, 1627
oxidation to carbonyl compds using catalytic amounts of CrO_3 and excess aqueous t-BuOOH, 2133
prim, sec and tert-, and aminoalcohols, selective protection with hexamethyl-disilazane and chloro-trimethylsilane mixture, 6039
propargyl-, CO_2 and sec amine, synthesis of O-β-oxopropyl-N,N-dialkylcarbamate, 2005
protection as (p-methoxybenzyl-oxy)methyl ethers, 5125
racemic primary allenic-, lipase catalysed enantioselective esterification, 1647
sec and tert-, of C_{15}-diterpenoid alkaloids, deoxygenation, 3883
stereoselective synthesis of disubstituted cyclic ethers, 6339
sterically hindered-, and vicinal diol, stepwise phosphorylation directed toward D-myo-inositol 2,4,5-trisphosphate, 2607
substituted γ- and δ-lactols, nucleophilic addition to Ti-reagents, new method of asymmeric induction, 6335

tert-, iminophosphorane-mediated transformation into t-alkylamines and their N-phosphorylated derivs, 6513
unsaturated-, cyclofunctionalisation with aryltellurium trihalides, 5611
via conversion of steroid esters, 6549
via decarbonylation of formate esters using rhodium carbonyl/2-methoxyethanol, 2215

Aldehydes see also Carbonyl compounds and Halogeno carbonyl compounds
9-cis and 11-cis isomers of 18,18,18- , 19,19,19- and 20,20,20-trifluororetinal, 259
α,α-disubstituted aldols via stereospecific 1,2-rearrangement of β,γ-epoxy alcohols, 5891
α,β-epoxy-, diastereofacial selectivity in reaction with β-silylphosphorous ylide, 2379
α,β-epoxy-, stereoselective addition, formation of "non chelation" controlled products, 2629
α-alkoxyallylkstannane-, macrocyclisation, stereoselective synthesis of cembranolide precursors, 527
α-chiral-, diastereoselective E-propenylation,carbonyl addition via β-silyl- and β-stannylphosphorous ylides, 4561
α-oxoseleno-, and ketones, generation and dienophilic activity, 4423
β-siloxy-, and Lewis acids, absence of chelation, 281
γ,δ-ethylenic-, asymmetric synthesis and approach to Californian red-scale pheromone via stereoselective reaction of chiral α,β-ethylenic acetals with alkenyl $CuIBF_3$, 2363
γ-aldehyde esters, enantioselective methylation via their chiral oxazolidine derivs, effect of ester group, 5659
addition of silyl enol ethers and addition of trimethylsilyl cyanide to aldehydes and ketones, synthesis of β-cyanosilyl ethers, lanthanide catalysis, 5513
aldol condensation with 2-trimethylsiloxyfuran, stereodivergent route to threo and erythro δ-hydroxy-γ-lactones, 4037
aldol products, resulting from catalytic version of epoxy silyl ether rearrangements, 3515
aldol reaction of carbonyl compds with chlorodifluoromethyl ketones promoted by Zn-Cu(1) chloride or -silver acetate, route to α,α-difluoroß-hydroxy ketones, 6481
aldol reaction of F-alkyl ketone enolates with carbonyl compds, 3501
aldol reactions, asymmetric double, of boron enolates (derived from 3-(3-ethyl)pentyl propanethioate and ethane thioate) with (R R)-2,5-dimethylborolanyl triflate, 2841
aldol reactions, tandem Michael, potential ring precursor of forskolin A-B, 2799
aldol-type reactions between trimehylsilyl enol ethers and acetals via rhodium complex, 6657
aldolase catalysed condensations, use of dihydroxyacetone phosphate, 1641
aliphatic-, cyclotrimerisation and condensation with phenylisocyanate activated by Ti(bpy)$_3$, 2169
allylic-, via one-step oxidation of terminal epoxides, 2175
allylsilylated-, intramolecular cyclisation, synthesis of bicyclic α-methylene-γ-lactones, 655
and α-methylcrotylstannanes, stereoselective synthesis of
aromatic and α,β-unsaturated-, stereoselective pinacolisation mediated by titanium(11)-magnesium(11) complex, 5717
aromatic-, enantioselective addition of organozinc reagents catalysed by Zn complexes of chiral phenols, 5237
aryl-, enantioselective addition of dialkyl zincs, chiral piperazine as new catalyst, 4841
benzaldehyde addition to diethylzinc, effect of temp, alkaloids and amino alcohols in catalytic asymmetric induction, 6163
benzaldehyde, enantioselective addition to diethylzinc using chiral catalyst, 5233
by transformation of carboxylic acids via stepwise treatment of acyloxy-9-borabicyico[3.31]-nonanes with t-BuLi and 9-borabicyclo[3.3.1]nonane, 6231
chiral 2-(R)-and (S)-benzyloxy-2,5-dihydro-4-furancarboxaldehyde, conjugate addition of lithium methylcyanocuprate, synthesis of (-)-and (+)-botryodiplodin and (+)-and (-)-epibotryodiplodin, 3589
cis-selective Wittig reaction with oxido-allylic phosphorane, synthesis of 11-cis-retinoids, 65
condensation with allyllithiums of benzothiazole, benzoxazole and pyrimidine to α or γ position, 6385
conversion into trans-disubstituted oxaphosphetanes via DPB ylides based on dibenzophosphole ring system, 3445
conversion into trans-disubstituted oxaphosphetanes via DPB ylides based on dibenzophosphole ring system, 3445
conversion to methyl esters using pyridinium dichromate and MeOH in DMF, 3235
conversion using silicon, prep of substituted dienes, 693
enals, condensation with ethyl and methyl 4-(triphenylphosphoranylidene)-3-oxabutanoate, 4721
enantioselective homoaldol reaction with chiral 1-oxyallyllithium derivs, reagent-controlled, enantio-divergent tuning by achiral titanium reagents, 5149
enone-, or bicyclic heterocycles via conversion of ketoacetals formed from hemiacetal vinylogs by reaction with cyclic enol ethers, 3337
formaldehyde, regiospecific reaction with ω-monoalkylaminopropargyltrimethylsilane, to give 3-vinylidene pyrrolidines, piperidines and perhydroazepines, 4689
isobutyro-, reaction with optically active heptadienylsilane, stereochemistry of S_E2' reaction, 5291
L-(S)glycer-, L-(R)-glycerol and L-(S)-methyl glycerate acetonides, prep via protected L-(S)-3,4-O-isopropylidene-erythrulose, 4757
L-aspartic acid β-semialdehyde, use in synthesis of non protein amino acids, 3605
L-aspartic acid ß-semialdehyde, conversion ino L-2-amino hept-4,6-dienoic acid and 2S,4R,5S,2-amino-4,5,6-trihydroxyhexanoic acid, 3505
(R)-1-benzyloxy-3-buten-2-ol, synthesis, a potential chiral synthon from L-(+)-tartaric acid, application to natural product synthesis, 6497
reaction with 2-amino-4-methyloxazole gives 5-substitution and not Schiff bases, 3381
reactivity with tetramic acid subunit of streptolydigin as Emmons reagent, 4385
regiospecific and stereoselective allylation with allyltrifluorosilane activated by fluoride ions, 4081
selective reduction in presence of ketone with chlorotrimethylsilane and nickel boride, 5741
seleno-, cycloadditions, regiochemical preferences, 5121
stereoselective addition to E- and Z-γ-alkoxyallyltins, formation of threo(or syn) vicinal diol monoalkyl ether unit, 143
stereoselective addition to product of reaction of lithium enolate of N-propionyl-pyrrolidine with titanium reagent, 2037
stereoselective synthesis of (E)-alkenylsilanes, reagent prepared by Cr(11) reduction of $Me_3SiCHBr_2$, 1443
stereoselective synthesis of aldols via reaction of aldehydes with 3-(2-bromopropionyl)-2-oxazolidone, 6629
syn-α,β-dihydroxy-, optically active masked, stereoselective synthesis, 3139
synthesis of E alkenes, dibenzophosphole ylides as Wittig reagents, 3445
via conversion of carboxylic acids with activated silyl carboxylates, 3941
via direct conversion of saturated and unsaturated carboxylic acids by thexylbromoborane-dimethyl sulphide, 2389
via one-pot conversion of carboxylic acids, reaction of acyloxy-9-borobicyclo[3.3.1]-nonanes with lithium 9-borata-bicyclo[3.3.1]nonane, 4575
vitamin D C-22-, new key intermediates for synthesis of side chain modified vitamin D analogs, 6129

Alkaloids
(-)-secologanin aglucon-O-silyl ether from (+)-genipin via oxidative fragmentation of γ-hydroalkylstannane, 5865
(-)-tubotaiwine skeleton, enantioselective access, 3573
(±)-crinine and (±)-buphanisine, total syntheses, 503
(+)-dumetorine, stereospecific synthesis and stereochemical structure confirmation, 3151
and amino alcohols in catalytic asymmetric induction, effect of temp on addition of diethylzinc to benzaldehyde, 6163
antileukemic-, prianosin from Prianos melanos, 4939

antimicrobial-, keramamine A and B from Pellina sp, 621
aporhoeadane-, synthesis via photocyclisation, 5323
aporphine and homoaporphine skeletons, access to and structural studies, 543
Aspidosperma-, related to pentacyclic indole derivs, new approach to synthesis, 4901
Aspidosperma-, synthesis of (±)-kopsinine and related compds, 3985
Aspidosperma-type indole-, compatibility of 16-OMe substituent with indole-2,3-quinodimethane strategy, 3303
Aspidosperma-type-, iodoxybenzene-diphenyldiselenide reagent system for the introduction of O-functionality, 3307
C_{19}-diterpenoid-, sec and tert alcohols, deoxygenation, 3883
cephalotaxus-, stereoselective synthesis of related azaspirolactam, 577
geneserine, total synthesis, 6389
hinckdentine-A, structure and isolation from Hincksinoflustra denticulata, 5561
indole-, intermediates, prep of 3-(indol-2-yl)-propenoate derivs of tryptamine, 2879
indole-, new type, structure of coniomitine, 2123
indole-, new, salvadoricine from Salvadora persica, 163
indole-, total synthesis of ngouniensine and epingouniensine, 231
indolenine-, reaction with Na to yield tuboxenine, 19-epi-tuboxenine, indoline and two indoles, 1773
indolocarbazole-, a biomimetic approach via indoleacetic acid trianion or methyl indoleacetic acid dianion coupling, 4441
isoindolobenzazepine-, lennoxamine synthesis, 6089
isoretronecanol, new route, 6597
kopsijasminilam, deoxykopsijasminilam and 14,15-dehydrokopsijasminilam, isolation from Kopsia jasminiflora, 3679
kopsijasminilam, deoxykopsijasminilam and 14,15-dehydrokopsijasminilam, isolation from Kopsia jasminiflora, 3679
manzamine B and C, structure and isolation from Haliclona sp, 5493
new approach to synthesis of-, asymmetric synthesis of chiral pyrrolidine synthon, 547
new pyrrolidine-, structure of daechualkaloid-A from zizyphus jujuba, 3957
obscurinine, new Lycopodium alkaloid, 5993
protoberberine-, (±)-tetrahydropalmatine, (±)-sinactine, (±)-canadine and (±)-stylopine, new synthesis, 2399
protopines, enzymatic formation by microsomal cytochrome P-450 of Corydalis vaginans, 5307
pyrrolizidine-, ester attachment, relaible NMR-SPI method, 3729
pyrrolizidine-, ester attachment, relaible NMR-SPI method, 3729
pyrrolizidine-, mode of ester attacrment, deviations from "mass spectrometric method', 3725
pyrrolophenanthridone-, new approach via allene intramolecular cycloaddition, total synthesis of hippadine, 5895
(R)-(+)-canadine, total synthesis via intramolecular addition of amines to chiral vinyl sulphoxides, 4737
solanocastrine, a 16,23-cyclo-22,26-epiminocholestane from Solanum capscastrum, 4753
stricticine, new, from Rhazya stricta, 3609
Strychnos indole-, synthesis, direct entry to 4-ethylidene-hexahydro-1,5-methanoazocino-[4.3-b]indoles, 4457
zwitterionic indole-, metallation synthesis of indolo[2.3-a]quinolizine, flavopereirine, flavocarpine and dihydroflavopereirine, 5259

Alkanes
and alcohols and ethers, route via dehydrodimerisation, 5599

Alkenes
activated-, Pd-catalysed acylation with bridgehead acid chlorides, 5883
addition of cyclopropenylium ion, novel access to cyclopropene- and cyclopropenone derivs, 4517
asymmetric induction in mixed [2+2] photoadditions, effect of solvent, alkene concentration and temp, 2833
aziridination by 3-amino-2-ethyl-quinazolin-3H-4-one and lead tetraacetate-trifluoroacetic acid, 1711
benzylic methylene groups, oxidation using 70% t-BuOOH and catalytic amounts of chromic anhydride, 2131
chiral Z-olefin derived from L-alanine and L-malic acid, iodocyclocarbamation, stereocontrolled synthesis of 6-epi-D-purpurosamine B, 3123
conversion into α,β-unsaturated carbonyl compds via t-butylhydroperoxide and catalytic chromium oxide, 4665
cyclisation of carbonyl and vinyl radicals, effect of ring size, 2895
E-, from aldehydes via dibenzophosphole ylides as Wittig reagents, 3445
electron deficient-, reaction with [1.1.1]propellane, 151
epoxidation by dimethyldioxirane, evidence for spiro transition state, 3311
epoxidation using H_2O_2 catalysed by phosphonotungstic complexes, 2237
ethylene, formation from β-halopropionic acids, 3439
ethylene, formation from β-halopropionic acids, 3439
exocyclic-, stereoselective synthesis via cyclialkylation, 5793
fluoroolefins, tetrasubstituted, synthesis via eliminative nucleophilic addition of β-keto-phosphonium salts, 449
hydroboration via methylborane, 3771
isomers of butene-d_x, isotope effects in ene reaction with N-phenyl-1,2,4-triazoline-3,5-dione, stereochemistry, 15
ketone-olefin, stereocontrolled reductive coupling promoted by samarium diiodide, 4367
lower-, calculated isodesmic enthalpies of hydrogenation, 1967
olefin, intramolecular cycloadditions of nitrile oxide, stereoselectivity and synthesis of fused azetidines, 4097
olefin, non-conjugated, anti-Markovnikov addition to nucleophiles via singlet electron transfer photochemistry, 5449
olefins, activated, Michael addition to acyl anion equivalents generated by electroreduction of oxazolinium salts, 4411
olefins, addition to glycosyl radicals, synthesis of C-glycosyl compds, 5853
olefins, cytochrome P-450 modelling oxygenation within space-restricted cavity of iron "NINAP porphyrin", 1,5-diphenylimidazole rate enhancement, 4553
olefins, isomerisation via application of stereoselective Et_3 induced radical addition of Ph_3GeH to acetylenes, 3709
olefins, oxidation plus electrooxidation to methyl ketones, 3683
olefins, presence in selective reduction of α,β-unsaturated esters, 5287
olefins, reaction with sulphur trioxide, β-sultone as initial product, NMR, 3383
olefins, regiospecific hydrocyanation, 295
olefins, ruthenium complex catalysed intermolecular hydroacylation, 6229
olefins, trisubstituted, mechanism of nitrous acid induced dealkylation to acetylenes, 4921
olefins via stereospecific deoxygenation 1,2-diols, 3919
phenylselenium azide addition, new stereospecific introduction of Se and N into organic molecules, 5185
sulphonation with excess SO_3, stereospecific formation of carbyl sulphates, 1703
sulphonation with SO_3, stereospecific β-sultone formation, 1699
trans olefins, stereoselective synthesis by reaction of Wittig reagents with selenium, formation of selenocarbonyl compds, 6649
Z-, stereoselective synthesis from α-methylcrotylstannanes and aldehydes, 5343

Alkylations
α-, and consecutive β-carboxylation of cyclic α,β-enones, new route to sarkomycin, 2147
α-, of acylic amino acids with self reproduction of centre of chirality, new route to (S)-(+)-α-alkylated aspartic acid, 2243
α-, of β-aminobutanoates with 1k-1,2-induction, 3103
and intramolecular Michael addition of cyclic β-ketoester ynones to produce tricyclic compds, 3457
and reduction of 14-membered ring macrolides, stereoselection, 35
asymmetric Michael-type-, of chiral imines, enantioselective synthesis of ring A aromatic steroids, 2367
benzylation of ascorbic acid at C-2, stereospecific construction of delesserine, leucodrin and dilaspirolactone aglycone, 2555
butylation of pyranosides under phase transfer conditions, 319
C_3-, and arylation of indole nucleus by phenyl(β-indolyl)-iodonium trifluoroacetate via reductive elimination of iodobenzene, 3071

carboxylic acids and alcohols, activation by intramolecular cyclisation, acylation of trimethylsilylacetylenes and alkylation of aromatic compds, 6205
consecutive asymmetric centers via regioselective epoxide-ring opening of Y,δ-cis-epoxy-β-methyl alcohols, 6195
cycli-, synthesis of exocyclic alkenes, 5793
desilylative hydroxy-, and acylation of 1-trimethylsilylmethyl-2-pyridone, 5419
dianions of β-hydroxysulphoxides and β-hydroxysulphones, stereochemistry, 3705
diastereoselective α-, of β-hydroxy sulphoxides, application to synthesis of (+)- and (-)-disparlure, 5677
diastereoselective-, of 5-ethoxy-4(S)-hydroxy-1-isopropyl-2-pyrrolidinone dianion, synthesis of enantiomerically pure azabicycles, 1581
electrophilic-, of methoxy(phenylthio)methane followed by allylation or propargylation giving methoxy- or phenylthiomethylene 1,1-dipole depending on Lewis acid used, 6299
enantioselective methylation of glycine, effect of structure of chiral nucleofugal, 3801
enantioselective methylation of Y-aldehyde esters via their chiral oxazolidine derivs, effect of ester group, 5659
fused butyrolactone, synthesis from D-glucose and stereospecific alkylation in off-tempate position, silyl protecting group migration, 1933
hydroxy compds bearing dioxane ring by phase transfer catalysis, and their selective synthesis by transacetalation of triols from DMM, 6601
hydroxymethylation of esters, dimethylamides, acid chlorides and nitriles to hydroxymethyl carbonyl compds via α-lithio trimethylsilylmethyl lithium carbonate, 1847
methoxylation of cephalosporins at 7-position, 2745
methylation of O⁶-methylguanine , derivs, 6285
regioselective-, of methyl 3,5-dioxohexanoate, Cu-complex protection, prep of 3-alkyl derivs of 4-hydroxy-6-methyl-2-pyrone, 3715
regiospecific methylation of N¹-desmethylwyosine using organo-Zn, synthesis of wyosine, 3275

Alkynes
1-silyl-, allylmetallation by 2-bromozincmethyl-2-propenyl ethers followed by Pd-catalysed cyclisation, synthesis of 4-methylenecyclopentenes via 2889
2-methyl-1-buten-3-yne, chloroplatinic acid catalysed hydrosilylation with chlorosilanes, reinvestigation, 3719
[3+2] cycloaddition to allyl cations, direct route to bicyclo[3.2.1]oct-6-enes, 235
11-13-membered diacetylenic and 18-membered tetraacetylenic ring systems, synthesis, 5981
(-)-3,3,4-trimetjyl-2-hydroxybutanoic acid, (-)-3,3,4-trimethyl-3-hydroxy-1-pentyne and (-)-3-t-butyl-3-methyl-1-chloroallene, configuration, 4813
acetylenes, mono- or di-activated, and 1,4-cyclohexadiene, tandem ene/intramolecular Diels-Alder reactions, 6553
acetylenes, stereoselective Et, induced radical addition of Ph_3GeH, application to isomerisation of olefins, 3709
acetylenes, synthesis of allenic sulphones using seleno-sulphonation, 1737
acetylenes, terminal non-activated, cyclo-codimerisation of 1,3-butadiene derivs catalysed by cationic Rh complex, 3361
acetylenes via nitrous acid induced dealkylation of trisubstituted olefins, mechanism, 4921
acetylenic compds, hetero-cyclisation Ag-assisted, 6447
bis(trimethylsilyl)butadiyne, double silylation via of disilanes, 1807
carboxylic acids and alcohols, activation by intramolecular cyclisation, acylation of trimethylsilylacetylenes and alkylation of aromatic compds, 6205
electron deficient-, reaction with [1.1.1]propellane, 151
oxidative rearrangement to carboxylic acid esters by [hydroxy(tosyloxy)iodo]benzene in MeOH, 2845
presence in prep of annulated cyanophenols via thermolysis of 3,6-diaryl-2,5-diazido-1,4-benzoquinones, 5013
terminal-, insertion into phosphirene ring, 5021

Allenes
cross-conjugated mono- and di-, prep, 2697
intramolecular cycloaddition, new approach to pyrrolo-phenanthridone alkaloids, total synthesis of hippadine, 5895

Allylations
and regiospecific prep of fluoromethyl ketone enol ethers via fluoroolefination of 1,2,3-triol derivs, 1677
aromatic-, via reaction of (η³-allyl)Fe(CO)₃⁺ with aromatics, 5415
desulphenylative-, of C-nucleophiles with allylic sulphides via molybdenum hexacarbonyl, 443
Pd-catalysed-, of α-isocyanocarboxylates, 4949
regiospecific and stereoselective-, of aldehydes with allyltrifluorosilane activated by fluoride ions, 4081

Aluminium and compounds
chiral alkoxyaluminium dichloride catalysis, stereochemical aspects of asymmetric Diels-Alder reaction, 5687
chloromethylaluminium 2-(2-propenyl)anilide, conversion of lactones into protected hydroxy acids, 3327
fluoride-alumina reagents, heterogeneous base for catalytic and non-catalytic reactions, 1421
HI addition to unsaturated hydrocarbons using I_2 on Al_2O_3, 4497
photolysis of dibenzyl ketone adsorbed on faujasite zeolites, products determined by framework composition(Si to Al content) and exchangeable cations, 5637

Amidation
electrochemical-, of esters, 441

Amides see also Keto amides
(2E)- and (2E,4E)-unsaturated-, and related natural products, stereoselective synthesis, 2159
aliphatic-, and amines, conversion to azides and/or conversion of RNHCOR' into RNHCOR'' avoiding hydrolysis, 341
and carbamates, prep via 2,2'-carbonyl-bis(3,5-dioxo-4-methyl-1,2,4-oxadiazolidine, application to synthesis of dipeptides, 5823
and imides, incorporation of molecular nitrogen, use of titanium-nitrogen complexes, 6187
and sec amines, reaction with perhalofluoroalkanes to give N-perhalofluoroalkylated tert amines by a halophilic attack of N-nucleophile on C-Br bond, 3699
arylpolyene isobutyl-, stereo-selective synthesis, 3857
bonds-, in pseudopeptides, synthetic route to trans C=C bond replacement, 3225
C-terminal peptide-, new acid-labile anchor group for solid phase synthesis by Fmoc method, 2107
carbox-, with rearranged skeleton, prep via reaction of isocyanates with Grignard reagents catalysed by Cp_2TiCl_2 , 3815
carbox-, regioselective hydrolysis with lithium hydroperoxide, 6141
dimethyl-, acid chlorides, nitriles and esters, hydroxymethylation to hydroxymethyl carbonyl compds via α-lithio trimethylsilylmethyl lithium carbonate, 1847
group of echinosporine, electroreduction to alcohol or aldehyde, 4679
isobutyl-, natural, hydrozirconation, 4875
isobutyl-, of insecticidal interest, synthesis, 4879
isocyanatoalkane carboxylic acid-, and esters, new synthesis, 3087
N-(3 or 4)-[[[(4-hydroxymethyl)-phenoxy-t-butylphenyl]silyl]-phenyl]pentanedioic acid monoamide, handle for use in solid-phase peptide synthesis, prep and characterisation, 491
N-acetoxy-acetanilides, solvolysis under neutral conditions, two major pathways for model ultimate carcinogens, 5427
N-alkylacet-, and N-acetylamino acids, selective Y-H abstraction with titanous ion and H_2O_2, 2747
N-bridgehead-, reductive deamidation, Ritter reactions, 11585
new synthesis from acyl fluorides and N-silylamines, 5099
peptide aminoalkyl-, new solid phase synthesis using modified Fmoc strategy, 5647
peptide-, synthesis by Fmoc solid phase synthesis, prep and application of new acid labile anchor groups, 5651
phthalides, new synthesis via β-scission of benzocyclobutenol hypoiodites, 3369
tertiary-, conversion to ketones via alkyl and aryl lanthanum triflates, 4391
unsaturated-, intramolecular

cyclisation to sulphenated oxazolines, oxazines or tetrahydropyrroles, 1949

Amination
chloro- and bromo-fumaric acid with 3-methylaspartate ammonia-lyase, stereochemistry, 2413

Amines see also under various Amino headings
(1R,2S,3R,4R)-2,3-dihydroxy-4-hydroxymethyl-1-cyclopentanamine, intermediate of (-)-aristeromycin, synthesis from D-erythrose, 2741
2-amino-4-methyl-, reaction with aldehydes gives 5-substitution and not Schiff bases, 3381
4-amino-1-nitronaphthalene and 4-methoxy-1-nitronaphthalene, reaction with dimethyl phosphite under basic conditions, 1707
5-amino-6-methyluracils and 4-aminoantipyrine, easy conversion of Me group to cyano group, 4579
β-substituted-α-allenyl primary -, synthesis, 2207
ω-primary amino electrophilic olefins, intramolecular cyclisation to functionalised pyrrolidines and piperidines, 1757
aliphatic and aromatic-, phenylation by phenyllead triacetate using Cu catalysis, 3111
aliphatic-, and amides, conversion to azides and/or conversion of RNHCOR' into RNHCOR'' avoiding hydrolysis, 341
allyl-, N-acetylimines and enamines, hydrocarboxylation, 2829
aminoglycoside, new antimicrobial, synthesis via maltose, 2871
and amino acid N-benzyl derivs, deprotected, conversion to free amino acids and amines using ammonium formate as hydrogen source, 515
anilines, polysubstituted, synthesis via vinylketenimine and an acetylene, 397
anilines, reaction with $ArCH_2SO_2Cl$ and $ArCH_2SDO_2F$ is via sulphene ($ArCH{=}SO_2$), a correction, 5001
asymmeric conjugate addition of zincates or cuprates containing optically active azaenolate of erythro-isopropylidene-2-methoxy-1,2-diphenylamine to 2-cycloalkanones, 6347
axial primary cyclic-, synthesis, and diastereoselective reductions of N-diphenylphosphinyl imines, 5619
chiral ynamines and nitroalkenes, asymmetric induction in [4+2] cycloaddition, chiral 4-membered cyclic nitrones, 6397
di-, stereocontrolled synthesis from iodolactams, 3213
di-, stereocontrolled synthesis from iodolactams, 3213
extraction under neutral conditions, mild method, 4389
N-1-(2-alkenylidene)-t-butyl-, reaction with singlet oxygen, 6633
N-alkyl N-trimethylsilyl alkoxymethyl-, prep as reagents for unsymmetrical sec amines from organometallic compds, 1659
N-silyl-, and acyl fluorides, new synthesis of amides, 5099
new method for resolution of-, application to 3-aminobenzodiazepines, 521
o-phenylenedi-, reaction with 2-hydroxy-6-methyl-4-pyrone, prep of 1,5-benzodiazepine derivs and benzimidazoles, 1389
prim-, and 2,6-diisopropylpyrylium salts, prep of 6,6-dimethyl-2,4-cyclohexadienylidene-1-imines, 3143
prim and sec-, protection in hydroboration reaction, 6041
prim-, heterocyclisation with activated cyclopropanes, 6597
protection with 1-isopropyl-allyloxycarbonyl and deprotection catalysed by Pd-phosphine complex, 2737
reaction with N,N-dimethyl-2,4-bistrifluoroacetyl-1-naphthylamine, nucleophilic N-N exchange reaction at aromatic C-atoms, 6199
sec-, and amides, reaction with perhalofluoroalkanes to give N-perhalofluoroalkylated tert amines by a halophilic attack of N-nucleophile on C-Br bond, 3699
sec-, nitrone synthesis via selenium dioxide catalysed oxidation with H_2O_2, 2383
sec-, reaction with cholestanyl 2H-perfluorobutanoate to give β-enaminoesters or β-ketoesters, 1655
sec-, reaction with CO_2 and terminal alkynes to give enol carbamates, 4417
synthesis of amino acids and N-hydroxyamino acids, 6469
t-alkylamines and their N-phosphorylated derivs via iminophosphorane-mediated transformation of tert-alcohols, 6513
tert alkyl-, selective debenzylation using β-trimethylsilylethyl chloroformate, 2331
trialkyl-, base catalysed autooxidation, ESR study, 3387
unsymmetrical α-alkylated-, and ketones, synthesis via selective carbophilic addition of organolithiums to thioamides, 1529
via reduction of azides, using new synthetic reagents $[Et_2NH]$-$[Sn(SPh)_3]$ and Bu_2SnH_2, 5941

Amino acids
(4R)-4-((E)-2-butenyl)-4,N-dimethyl-L-threonine, amino acid of cyclosporine, synthesis, 2849
9-fluorenylmethoxycarbonyl-, improved anchoring to 4-alkoxybenzyl alcohol resins, 6147
α-, synthesis of γ-amino-β-keto-alkylphosphonates, 611
acylic-, α-alkylation with self reproduction of centre of chirality, new route to (S)-(+)-α-alkylated aspartic acid, 2243
alanine, papain catalysed esterification by alcohols and diols, 5153
and amine N-benzyl derivs, deprotected, conversion to free amino acids and amines using ammonium formate as hydrogen source, 515
and N-hydroxyamino acids, synthesis from amines, 6469
and peptides, diphenyl thioether derivs, synthesis, 2805
anti-β-hydroxy-α-, asymmetric synthesis, 39
C-3 of serine, conversion through methylenetetrahydrofolate and methenyltetrahydrofolate in biosynthesis of tuberin, 4101
containing a γ-lactone ring, domoilactone A and B, structures and isolation from Chondria armata, 633
D-alanine:D-alanine ligase inhibitors, synthesis of 3-amino butenylphosphonic and aminophosphonamidic acids, 6167
D- or L-alanine, synthesis of (+)- or (-)-trans-2,5-dimethyl-pyrrolidine, 2083
derivs, stabilised polypeptide secondary structures, synthesis of 4-alkylamino-3-cyano-6-azabicyclo[3.2.1]oct-3-enes as γ-turn templates, 4645
derivs, stabilised polypeptide secondary structures, properties of β-cyanoenamines as anologs of amides, studies with 1-acylamino-2-aminoalkyl-3-cyano-2-cyclopentenes as amino acid analogs, 4641
didemins, synthetic studies, route to (3S,4R)-statine, 2837
enantiomerically pure α-, and polysubstituted piperidines via nucleophilic opening of chiral bis-aziridines, 3341
Fmoc-, esterification to alkoxybenzyl alcohol polystyrene by 2,6-dichlorobenzoyl chloride, 6147
glycine, dimeric adduct of genipin, structure of genipocyanin G_1, 4699
glycine, enantioselective methylation, effect of structure of chiral nucleofugal, 3801
homoserine lactone, new synthesis, 3167
L-2-amino hept-4,6-dienoic acid and 2S,4R,5S,2-amino-4,5,6-trihydroxyhexanoic acid via conversion of L-aspartic acid β-semialddehyde, 3505
L-, chiral synthesis from boronic acid, 4499
L-α-, by conversion of α-keto acids using E coli aspartate transaminase, 3745
L-amino acids, stereocontrolled synthesis of D-α-hydroxy carboxylic acids, 1873
L-aspartic acid, prep of 2S,3aS,7aS- and 2S,3aR,7aR-perhydroindole-2-carboxylic acid derivs, 1413
L-tyrosine, isotopically labelled, enzymic synthesis, 2303
lysine, synthesis of N^6-acetyl-N^6-hydroxylysine, 1817
N-acetyl-, and N-alkylacetamides, selective Y-H abstraction with titanous ion and H_2O_2, 2747
N-acetylneuraminic acid, stereoselective glycosylation, use of phenylselenyl group as stereocontrolling auxiliary, 6221
N-carboxy α-dehydroamino acid anhydrides, basic two kinds, synthesis and reactions, 3827
N-protected di-acids aspartic and glutamic, prep of mono-esters by activation by chloroformates, 1665
N-protected-, activation with isopropyl chloroformate, prep of esters of prim, sec and tert alcohols with 4-dimethylamino-pyridine as catalyst, 1661
N_G-2,2,5,7,8-pentamethylchroman-6-sulphonyl-L-arginine, new acid labile deriv for peptide synthesis, 2287
non protein α-, optically pure, in both L and D configurations of L-serine, approach to synthesis, 6069
non protein-, synthesis, use of L-aspartic acid β-semialdehyde, 3605
optically active β-, N-

substituted α-(aminoalkyl)-acrylate precursors, kinetic resolution in directed hydrogenation, 2179
phenylglycine, racemisation catalysed by pyridoxal, catalytic effect of phosphate ion, 5695
(R)-Y-amino-β-hydroxybutanoic acid, synthesis from (R)-epichlorohydrin, 1783
sec α-, reaction with carbonyl compds, properties of intermediate azomethine ylides, oxazolidine formation vs 1,4-prototropy, 6077
statine and analogs, stereoselective synthesis, new cyclic carbamate formation via t-butyldimethylsilylcarbamate, 3987
tryptamine, prep of 3-(indol-2-yl)-propenoate derivs as intermediates for indole alkaloids, 2879
tryptophan residues, modification during acidolysis of 4-methoxy-2,3,6-trimethylbenzenesulphonyl groups, effects of scavengers, 1637

Amino alcohols
(+)-(1R,2S,4R)-4-amino-2-hydroxy-1-cyclopentanemethanol and (+)-carbocyclic thymidine, stereospecific synthesis, 6381
1,2- and 1,3-aminohydroxyl systems, stereoselective construction, 3987
2-, new diastereoconversion involving novel cyclocarbamation, 6331
(2R)-2-Boc-amino-3-phenylsulphonyl-1-propanol, synthesis from L-serine, 6069
(2R,4S,5S)-5-acetamido-4-hydroxypipecolinic acid, potential inhibitor of sialidases, synthesis, 6425
α-N-hydroxyamino acids, synthesis, reaction of organometallics with oximes, 4973
and alkaloids in catalytic asymmetric induction, effect of temp on addition of diethylzinc to benzaldehyde, 6163
and prim, sec and tert alcohols, selective protection with hexamethyldisilazane and chlorotrimethylsilane mixture, 6039
catecholamines, prep of 5,6-dihydroxyindole derivs by use of mushroom tyrosinase as oxidant, 3775
dipeptide analogs, synthesis of isostere for development of proteinase inhibitors, 5569
dipeptide analogs, synthesis of isostere for development of proteinase inhibitors, 5569
N-acetyllactosamine, octasaccharide β-(1-3) linked tetramer, block synthesis, 3345
N-hydroxyamino acids and amino acids, synthesis from amines, 6469
phosphatidylethanolamine, bipolar, a model compd for a membrane-spinning probe, 2323
phosphatidylethanolamines, mixed chain, partial synthesis, 2327
serotonin homolog, new conformationally defined, synthesis by intramolecular [4+2] cycloaddition, 3423
stereoselective synthesis from bromohydrins, diols and epoxyalcohols, 5399
tripeptide derived-, inhibitors of angiotensin converting enzyme, synthesis, 1603

Amino esters
5-amino-2-alkenoates and 5,6-dihydro-2-pyridones, new routes via reactions of ketene silyl acetals with imine-complexes of $TiCl_4$, 613
α-(alkylaminoethyl)acrylate cyclisation, prep of pyrrolidine and α-methylene-Y-lactam, synthesis of azasarkomycins, 6675
α-(aminoalkyl)acrylates, N-substituted, precursors of optically active β-amino acids, kinetic resolution in directed hydrogenation, 2179
β-aminobutanoates α-alkylation with 1k-1,2-induction, 3103
alkylated cyclic β-enaminoesters, decarboxylation with boric acid, synthesis of Δ^1-pyrrolines, Δ^1-piperideines and 1-aza-1-cycloheptenes, 2353
esterification of N-protected amino acids activated by isopropenyl chlkoroformate with alcohols, 1661
N-(o-nitroaryl)sarcosine ethyl esters, reaction with bases to give 1-hydroxy-4-methoxyquinoxaline-2,3-diones, 6363
N-acetyl dehydroalanine methyl ester, reaction with 1-methoxy-1,3-cyclohexadiene, fragmentation of adduct and formation of 2-carboxy-6-oxo-cis-octahydroindole, 2371
N-protected di-acids aspartic and glutamic, prep of mono-esters by activation by chloroformates, 1665
O-acyl β,Y-unsaturated hydroxamates, Y-substituent effects on oxidative cyclisation, 6257

Amino ketones
2-aminomethyl-2-(3-hydroxypropyl)-cyclododecanone, transformation to 12-methylene-15-pentadecanolide, 315
3-amino-2-ethylquinazolin-3H-4-one and lead tetraacetate-trifluoroacetic acid, aziridination of alkenes, 1711
Y-amino-β-ketoalkylphosphonates, synthesis from α-amino acids, 611
aminoanthraquinones and derivs via Diels-Alder reaction, 4529
o-amino-, or o-hydroxy-, selective reduction with sodium borohydride-acetic acid to alcohols, 4725

Amino nitriles
Y-alkoxy-aminonitriles, water soluble, hydrolysis with Brevibacterium sp, 4057

Amino sugars
6-epi-D-purpurosamine B, stereocontrolled synthesis by iodocyclocarbamation of chiral Z-olefin derived from L-alanine and L-malic acid, 3123
methyl N-benzoylacosaminide and methyl N-(benzoyloxyoxalyl)-daunosaminide from (S)-ethyl 3-hydroxybutyrate, 4489

Ammonium salts
tetrabutylammonium fluoride, removal of Fmoc group, 6617

Annulations
cyclooctatetraene bridged in 1,5-position, prep by route for introduction of 3-Me group to break axial symmetry, 2795
Mn(III)-promoted-, of enol ethers and esters, to fused or spiro 2-cyclopentenones, 175
one step-, synthesis of ring fused 2-cyclopentenones, 5241

Anthocyanins, see also Pigments
cyanin and pelagonin, chiral stacking, soluble and insoluble aggregates determined by CD, 5907
monomeric-, from Ipomoea tricolor, structure via negative NOE method, 2273
zebrinin from Zebrina pendula, structure, 1901

Anthracene and derivatives
4-acetylamino-99a-acetoxy-1,9,10-anthracenetrione, synthesis, structure and reactivity, 4109
9,10-dichloro-9,10-diphenyldihydro-, reaction with superoxide and ozonate radicalions, 3279
9,10-dichloro-9,10-diphenyldihydro-, reaction with superoxide and ozonate radicalions, 3279
aceanthrylene, photodimerisation, 4801
anthracene, reaction with neophyllithium, 5989
dibenz[a,c]anthracene 1,2-oxide, oxygen-walk rearrangement and synthesis, 6395
Diels-Alder reaction with phosphaalkynes, prep of 2-phosphabarrelenes, 5141

Antibiotics
1β-methylcarbapenem-,.starting from (R)-(-)-3-hydroxybutyric acid ester, 83
1β-methylmethylcarbapenem-, stereoselective synthesis of key intermediate via Reformatsky reaction of 3-(2-brompropionyl)-2-oxazolidone derivs, 6625
1-β-methylcarbapenem intermediates, stereoselective synthesis, 507
1β-methylcarbapenem precursors, stereoselective route via acyclic stereocontrol using hexacarbonyldicobalt stabilised propargyl cations, 1857
3-aminopenems, substituted, synthesis, 2283
3,4-dihydromilbemycin analog, alkenyl β-lactams, homolytic cyclisation gave carbapenams by exo addition and carbacephams by endo addition, 2637
7-methoxymitosene, total synthesis, indole synthesis based on triazole photochemistry, 6125
(9S)-9-dihydroerythronolide, stereoselective total synthesis from D-glucose, 4569
11-deoxydaunomycinone and 11-deoxydaunomycin total syntheses, 4583
14-fluoroanthracyclines, synthesis and antitumour activity, 4419
(-)-and (+)-botryodiplodin and (+)-and (-)-epibotryodiplodin, synthesis, conjugate addition of lithium methylcyanocuprate to chiral 2-(R)-and (S)-benzyloxy-2,5-dihydro-4-furancarboxaldehyde, 3589
anguidine via conversion of T-2 toxin and neosolaniol by deoxygenation at C-8 of the trichothecene nucleus, 2661
anthracycline derivs via reaction of β-ketoesters with 2-acetyl-

1,4-dihydroxyanthraquinone, 2065
anthracyclinones, optically active, prep via new chiral AB-synthon, (-)-2-bromo-6-ethynyl-6-hydroxy-5,6,7,8-tetrahydro-1,4-naphthaquinone and application for (-)-7-deoxy-daunomycinone, 5709
anthramycin acrylamide side chain, attachment by Pd-catalysed coupling of a vinyl triflate, 6573
antitumour agent CC-1065, synthesis of combined centre- and right-hand section, 3163
aplasmomycin, C(3)-C(10) segment, stereospecific synthesis from (R)-pulegone, 3061
(-)-aristeromycin, synthesis of intermediate (1R,2S,3R,4R)-2,3-dihydroxy-4-hydroxymethyl-1-cyclopentanamine from D-erythrose, 2741
aspirochlorine(A30641), structural revision; epidithiopiperazine-2,5-dione produced by Aspergillus Spp, 5607
avermectin, antiparasitic agent, synthesis of fully fuctionalised synthon for bottom half, 5977
avermectin assembly, synthesis of spiroketal system, 5615
avermectin series, degradation, a stereospecific osmylation reaction, 4955
avermectins, hexahydrobenzofuran nucleus, route via diazoketone cyclisation, 6417
avermectins, route to oxahyhrindene subunit, 4959
avermectins, route to the spiroketal subunit, 4951
aza-sarkomycins synthesis, pyrrolidine and α-methylene-γ-lactam from cyclisation of α-(alkylaminoethyl)acrylate, 6675
azetidine-2,3-diones and cis-3β-amino azetidinones, synthesis, 5481
azinomycins A and B, synthesis and absolute stereochemistry of minor component isolated from Streptomyces griseofuscus, 2619
bafilomycin A_1, conformation by X-ray and NMR, 5565
bafilomycin A_1, conformation by X-ray and NMR, 5565
bicyclic pyrazolidinones, new antibacterial based on β-lactam model, 285
bicyclic pyrazolidinones, steric and electronic effects on antibacterial activity, 289
boron containing-, synthetic studies, 5457
carbapenam-2-one system, enantioselective synthesis, approach to (+)-thienamycin and related carbapenems, 5103
carbapenems and other β-lactam derivs, synthesis, 4371
caryoynencins from Pseudomonas caryophylli, 3981
cis-3-amido azetidinones, nitrone-based approach to synthesis, 5485
daunomycin, D-ring thiophene analogs, total synthesis, new strategy for hetero-anthracyclines, 3971
echinosporine, electro-reduction of amide group to alcohol or aldehyde, 4679
erythronolide B, assembly in (C_8-C_9)+(C_1-C_4)+C_{11}-C_{13}) sequence in total synthesis, 3839
erythronolide B, synthesis from levoglucosan, 3835
fortimicin A, total synthesis, 3123
fredericamycin A, protocol for rapid creation of spirocyclic centre, 479
fredericamycin A, regiospecific synthesis of key synthon 9-ethoxy-4,5,6,8-tetramethoxy-1,3-dihydronaphtho[2.3-c]furan-1-one, 455
fredericamycin A, spirocyclic model, Pd- mediated synthesis, 171
fredericamycin A, synthesis of key synthon 4,9-diethoxy-5,6(7),8-trimethoxy-1,3-dihydronaphtho-[2.3-c]furan-1-one, 451
gilvocardin-M aglycone, synthesis, 5435
halichondrins, synthetic studies, 3463
ikarugamycin, stereocontrolled elaboration of decahydro-as-indacene subunit, 31
ilarugamycin, angularly fused trans, anti, cis-5,6,5-carbocyclic segment, construction, 1467
L-armentomycin and D-isomer, optically pure, synthesis and enantioselective reduction of C=C bond of methyl (E)- and (Z)-2,4,4-trichloro-2-butenoate using bakers yeast, 1447
L-(-)-rhodinose and C_4 OH protected deriv, non-congener based synthesis, 4381
lactam-, monocyclic, prep of γ-lactam analogs, 2883
lasalocid A, stereoisomers, epimerisation to natural configuration using metal ions, 2817
latrunculin B, deep-seated rearrangements to new biologically active compds, synthesis of 12-, 16-membered macrolides and thiazolin-2-one deriv, 459
macrolide (R,R)-(-)-grahamimycin A_1, total synthesis, 6587
methyl N-benzoylacosaminide and methyl N-(benzoyloxyoxalyl)-daunosaminide from (S)-ethyl 3-hydroxybutyrate, 4489
(±)-methyl nonactate and (±)-methyl 8-epi-nonactate, stereoselective synthesis, 3597
milbemycin β^1, synthetic route, prep of advanced model system, 5763
milbemycin D synthesis of C11 to C31 fragment stereocontrolled, 3651
milbemycins and avermectins, synthesis of C1 to C10 fragment by selenium initiated cyclisation-2,3 sigmatropic rearrangement, 3647
milbemycins and avermectins, synthesis of monocyclic nonaromatic C-1 to C-10 fragments, 5755
misakinolide A, structure revision, antitumor macrolides from Theonella Sp., 6225
mycoticin A and B, degradation and partial structure, 6001
mycoticin A and B, NMR of tetraformylal deriv, stereochemical studies of skipped-polyol polyene macrolide class, 6005
N-acetylsporaviridins, total structure via degradation to pseudoaglycones, 1921
N-acetylsporaviridins, treatment with 1,8-diaza-bicyclo[5.4.0]undesen-7, isolation of pseudoaglycones and viridopentaoses, 1917
N-benzoyl L-daunosamine, stereo-controlled synthesis via O-silylated ketene acetals, 1431
neocarzinostatin chromophore-methyl thioglycolate adduct, mechanism for nucleophilic activation and proposed structure, 4493
new isochromequinone-, SCH 38519 with novel sugar linkage, 4485
new polyether-, structure of portimicin by new NMR technique, 3357
nucleoside oxetanocin, synthesis via first synthesis of intermediate 9-(2-oxetanyl)adenine, 3967
ovalicin, biosynthesis from β-trans-bergamotene, 6545
pamamycin-607 with aerial mycelium-inducing activity, structure and isolation from Strptomyces alboniger, 5861
polyether salinomycin, stereoselective synthesis and coupling of middle (C10-C17) and right (C18-C30) segments to complete synthesis, 3253
polyether synthesis using polyepoxide cyclisations, 5205
primycin, isolation and structures of 90% of components, 2759
pseudomonic acid A, rearrangement isomers, prep using enzyme catalysed selective deesterification, 5169
quinocarcin, synthesis of opticaly active demethoxydehydroxymethyl-DX-52-1, 4065
ravidomycin ring system, synthesis, 2563
rifamycin S, synthesis of C_{19}-C_{27} fragment, 3-methyl-γ-butyrolactone, source of 2-methyl-3-hydroxyketones and 2-methyl-1,3-diols, 1725
sarkomycin, new route via consecutive β-carboxylation and α-alkylation of cyclic α,β-enones, 2147
streptolydigin, construction of tetramic acid-derived Emmons reagent and its reactivity with aldehydes, 4385
thiamphenicol, new diastereo-specific route via cyclisation-migration of N-benzoylcarbamates to stereodefined oxazolidinones, 5395
(+)-talaromycin A and (-)-taleromycin B, total synthesis via asymmetric induction by sulphinyl chirality, 3135
t-butyl 2-benzylidene-1-carbapenam-3-carboxylate, synthesis via free radical annelation in prep of bicyclic β-lactams, 2887
(+)-thienamycin and related carbapenems, approach via enantioselective synthesis of carbapenam-2-one system, 5103
(+)-thienamycin, stereocontrolled synthesis of key intermediate from (R)-(-)-3-hydroxybutyric acid esters, 69
trichothecenes, macrocyclic, prep of 3,4- and 8,15-polyether analogs, 2657
trichothecenes, macrocyclic, prep of 4,15-polyether analogs, 2653
tubercidin and related 7-deazapurine nucleosides via stereospecific Na-salt glycosylation, 5107

Antimony and compounds
triarylbis(phenylethynyl)-, synthesis and reductive elimination, 3367

Arsenic and compounds
arsonium salt, synthesis of ω-substituted conjugated poly-

enones, application to prep of navenone A, 2155

Arylation
C_3-, and alkylation of indole nucleus with phenyl(β-indolyl)-iodonium trifluoroacetate via reductive elimination of iodobenzene, 3071
phenylation of aliphatic and aromatic amines by phenyllead triacetate using Cu catalysis, 3111
stereospecific Michael-, of 6-alkyl-5,6-dihydro-2H-pyran-2-ones, Pd catalysed, 3179

Asymmetric Induction
1k-1,2-, with α-alkylation of β-aminobutanoates, 3103
by sulphinyl chirality, total synthesis of (+)-talaromycin A and (-)-talaromycin B, 3135
catalytic-, in alkaloids and amino alcohols, effect of temp on addition of diethylzinc to benzaldehyde, 6163
in [4+2] cycloaddition of chiral ynamines and nitroalkenes, chiral 4-membered, cyclic nitrones, 6397
in inverse Diels-Alder reaction of chiral 2-methylene-imidazolidines, 2681
in mixed [2+2] photoadditions, effect of solvent, alkene concentration and temp., 2833

Asymmetric reactions and syntheses
1,1,2-and 1,2-substituted dihydronaphthalenes via chiral naphthylimine, 5283
1,5-reduction of C_2-symmetric acetalketones, effect of Mg cation, 1671
(5S,6S)-aeginetolide and (5S)-dihydroactinisiolide, 3723
β-hydroxy-Y-lactone HMGCoA reductase, new prep of lactone moiety of compactin, 703
adjacent tertiary and quaternary asymmetric centers, stereo-controlled construction, stereoselective Michael addition of amide dienolates to α,β-unsaturated esters, 1785
anti-β-hydroxy-α-amino acids, 39
asymmetric elimination, basis of optically active bicyclo[3.3.0]-oct-2-ene derivs synthesis, 6489
benzomorphans and morphinans, via enantioselective hydrogenation, 4829
bromolactonisation of L-proline amides of α-methyl-β-alkyl-α,β-unsaturated acids, prep of optically pure 2-hydroxy-2-methylalkanoic acids, 2801
(-)-captopril using chiral auxiliary [(η⁵-C_5H_5)Fe(CO)(PPh_3)], 5563
chiral 2-cyano-5-oxazolo-pyrrolidine, 6175
chiral pyrrolidine synthon, new approach to synthesis of alkaloids, 547
cis-hydroxylation via epoxidation-carboxylation in (+)-citreoviral synthesis, 375
conjugate addition of zincates or cuprates containingf optically active azaenolate of erythro-isopropylidene-2-methoxy-1,2-diphenylamine to 2-cycloalkanones, 6347
consecutive asymmetric centers via anti- and syn-selective epoxidation of β-methyl-cis-homoallylic alcohols, 6191
consecutive asymmetric centers via regioselective epoxide-ring opening of Y,δ-cis-epoxy-β-methyl alcohols by alkylation, 6195
Diels-Alder prep of chiral alkyl hydrogen cyclohexene-1,2-dicarboxylate, 5841
Diels-Alder reaction catalysed by chiral alkoxyaluminium dichlorides, stereochemical aspects, 5687
double aldol reactions using boron enolates derived from 3-(3-ethyl)pentyl propanethioate and ethane thioate with (R R)-2,5-dimethylborolanyl triflate, 2841
epoxidation, titanium-tartrate catalysts, titanium(IV)-pyridinediol complex as model, 2825
functionalisation of prochiral gem-bis(hydroxymethyl) groups via sulphinyl chirality, 3131
hydrogenation of unsaturated dicarboxylic acids catalysed by Ru(II)-BINAP complex, 1905
Michael addition/lactamisation via SAMP-RAMP hydrazones, enantioselective synthesis of substituted tetrahydro-2,5-(1H,3H)-quinolinediones, 3795
Michael reaction of chiral enamines of α-alkyl β-keto esters, promoted by chlrotrimethylsilane, 6637
new method in nucleophilic addition of substituted Y- and δ-lactols to Ti-reagents, 6335
optically pure 4-substituted azetidinones, 179
phenylmalonic diacids and hemi-esters via Cu-catalysed decarboxylation, 539
polyhydroxylated natural products, prep of L-arabinitol, 61
prep of optically active anthracyclinones via new chiral AB-synthon, (-)-2-bromo-6-ethynyl-6-hydroxy-5,6,7,8-tetrahydro-1,4-naphthaquinone and application for (-)-7-deoxydaunomycinone, 5709
prochiral selenides, oxidation to optically active selenoxides, 3849
reduction of 3-chloro-2-oxoalkanoates, conversion to optically active 2,3-epoxyalcohols via optically active 3-chloro-2-hydroxy-alkanoates, 2709
ring A aromatic steroids, enantioselective synthesis by asymmetric Michael-type alkylation of chiral imines, 2367
sequential Michael reaction, synthesis of optically active bicyclo[2.2.2]octane derivs, 6641
synthesis of acetal templates, prep of enantiomerically pure (3S,4S)- and (3S,4R)-statine derivs, 6535
trisubstituted cyclohexenones and cyclopentenones from chiral 2,2-dialkyl 1,4- and 1,5-diketones, 1745
trans-β-lactams via $TiCl_4$-mediated addition to imines, 227

Autoxidation
3,4,4-trimethyl-3,4-dihydro-3,5-diaryl-2H-pyrazoles, 1963
and photo-oxidation of cycloalkanes promoted by ceric ammonium nitrate in acetonitrile, 1941
base catalysed-, of tri-alkylamines, ESR study, 3387

Aza compounds
1,2-λ^5 azaphosphinine, prep by flash vacuum thermolysis, 4673
1,4-diphenyl-1-azabutadiene, addition of allenic esters, 6679
aza-β-lactams via Grignard induced cyclisation of α-(2-arylhydrazino)-esters, 6577
azametallocyclopentenes, synthesis, structure and reactions, zirconocene induced coupling of benzyne with nitriles, 3245
azaspirolactam, stereoselective synthesis, 577
N-hydroxyquinoxaline-2,3-diones and aza analogs, new route, 6363
polyaza cavity shaped molecules, new synthesis of 2,2';6',2"-terpyridine, 4123
pyridyl Grignard reagents, prep and cross coupling with sulphoxides bearing azaheterocycles, 5845

Azepines
perhydro-, 3-vinylidene pyrrolidines and piperidines, via regiospecific reaction of ω-monoalkylaminopropargyltri-methylsilane with formaldehyde, 4689

Azetidines
fused-, route via α-bromination of aldoximes, 683
fused-, stereoselectivity and synthesis via intramolecular cycloadditions, of nitrile oxide with olefin, 4097

Azetidinones
4-thioacetoxy-, synthesis via addition of ester enolates to heterocumulenes forming thio or oxo malonimides, 3593
azetidine-2,3-diones and cis-3β-amido azetidinones, synthesis, 5481
azetidine-2,3-diones and cis-3β-amido azetidinones, synthesis, 5481
cis-3-amido-, nitrone-based approach to synthesis, 5485
optically pure 4-substituted-, asymmetric synthesis, 179

Azides
1-naphthyl-, temp dependent photochemistry, 11
allyl-, direct synthesis from allylsilanes via iodosylbenzene-trimethylsilyl azide-boron trifluoride etherate, 6289
from aliphatic amines and amides and/or conversion of RNHCOR' into RNHCR'' avoiding hydrolysis, 341
phenylselenium-, addition to alkenes, new stereospecific introduction of Se and N into organic molecules, 5185
reduction to amines using new synthetic reagents [Et_2NH]-[$Sn(SPh)_2$] and Bu_2SnH_2, 5941
sodium-, reaction with α-bromoketones, prep of α-enaminoketones, 6019
via conversion of aryl and acyl hydrazines with stable nitrosyl salts, 5091

Azido acid and esters
Z-3-azido-3-hexene-2,5-dione and 3-acetyl-5-methylisoxazole, irradiation comparison, 5797

Aziridines
2-sulphonyloxaziridines, hydroxylation by organometallic reagents, mechanism, 5115
aziridination of alkenes by 3-amino-2-ethylquinazolin-3H-4-one and lead tetraacetate-trifluoroacetic acid, 1711
chiral bis-, nucleophilic opening, prep of enantiomerically pure α-amino acids and polysubstituted piperidines, 3341
cis,cis-trialkyl-tri-, synthesis via azo/nitrene addition, N-oxidation, 5497

Azirines
adducts of diethylamine and 1-naphthyl azide via tricyclic azirines by photolysis at room temp, 11

Azo acids and esters
azodicarboxylates, addition of arylmetallics, synthesis of arylhydrazines via aromatic hydrazination, 4933

Azo and Azoxy compounds
azo groups and hetero 3-membered rings, [2+2] photocycloadditions, 4521
azo/nitrene addition, synthesis of cis,cis-trialkyl-triaziridines, N-oxidation, 5497

Azulenes
2,3-dihydro-1(2H)azulenone, derived endoperoxides, thermolysis and CoTPP-catalysed rearrangement, 1689
tricyclic hydroazulenone, synthesis from exo-epoxygermacrene-D in connection with periplanone A, 3831

Barrelenes
2-phospha-, via Diels-Alder reaction of anthracenes with phosphaalkynes, 5141

Benzazepines
3H-2-, via cyclisation of benzonitrile 3,3-diarylallyl ylides, substituent directive effects and mechanism, 2069

Benzene and derivatives
aromatic compds and esters, electro-reduction in liquid ammonia using single-compartment cell with soluble anode, 1173
benzenes, substituted, correlation between D-istope effects and ^{13}C NMR chemical shifts, 1243
cis-aza/-oxa-bis-σ-homobenzenes from 7-cyanotropilidene, prep of dihydroazocines and hydrooxocins, 2513
methylated-, reaction with arylnitrenium-boron trifluoride complexes, aliphatic C-H, N-insertion vs aromatic N-substitution, 961
microbial oxidation to (±)-pinitol, 225
ortho-xylylene, thiophene analog, prep of 2,3-dimethylene-2,3-dihydrothiophene, 6085
p-methoxystyrene oxide, rearrangement, reexamination in light of stereoselection in rearrangement of C1-substituted epoxides, 1333
styrenes and divinylbenzene, copolymerisation of mesi(2-pyridyl)$_2$(CH=CH$_2$), prep of new bis(2-pyridyl)silane ligands, 3233
substituted-, and nitro compds, substituent and coordination effects in singlet reactions with 3-diazo-3H-1,2,4-triazoles, 3221
substituted-, prep via new transfer technology in which transfer reagents are used as synthons or reactive/unstable molecules, 6503
tetrabenzo[b,h,n,t]tetrphenylene, synthesis and crystal structure of its 1:1 clathrate inclusion compds with p-xylene, 6359

Benzimidazoles
1,5-benzodiazepine, prep via reaction of o-phenylenediamines with 2-hydroxy-6-methyl-4-pyrone, 1389

Benzisoxazoles
2,1-, reaction with Vilsmeier reagent to give N-formanilides, 2165

benzodiazepines
3-amino-1,3-dihydro-5-phenyl-2H-1,4-benzodiazepine-2-one, synthesis, 939
3-amino-, resolution, application of new method for amines, 521
o-phenylenediamines with 2-hydroxy-6-methyl-4-pyrone, 1389

Benzofurans
2-substituted-, and benzothiophenes, new synthesis and fragmentation of alkyl substituents, 3717
3-methyl-4,5-benzofurandione, prep and dienophilicity, 3427
benzofuran unit, coupling of C-2 with C-5 of resorcinol ring, transition metal mediated synthesis of moracin M, 2645
hexahydro-, nucleus of avermectins, route via diazoketone cyclisation, 6417
synthesis via reaction of α-chloro-α-phenylthioketones with phenols, 2301
system via enantioselective cyclisation of chiral epoxide, 3075

Benzoninhydrins
benzo[f]ninhydrin, new synthesis, 6539

Benzonitriles
benzonitrile 3,3-diarylallyl ylides, cyclisation to 3H-2-benzazepines, substituent directive effects and mechanism, 2069

Benzopyrans
2,3-dihydro-4H-1-benzopyran-4-ones, 2,3-disubstituted, prep, 6355
3,4-dihydro-1H-2-, prep via TiCl$_4$ cyclisation of acetals derived from phenethyl alcohols, 2567
4-t-butyldimethylsiloxy-1-benzopyrylium salt, reaction with enol silyl ethers and active methylenes, 6355
6-cyano- and 6-nitro-3,4-epoxy-3,4-dihydro-2,2-dimethyl-2H-1-, reaction with aza-cyclotridecanone, 2403
pyrano-, synthsis via photoreorganisation of 4-oxo-4H-1-benzopyrans, 2049

Benzopyrimidines
allyllithiums of benzothiazole, benzoxazole and pyrimidine, condensation with aldehydes to α or γ position, 6385

Benzoquinones
2-(azidobutyl)-1,4-, rearrangement to a furo[3.4-b]indolizidine-2-one via intramolecular reactions, 4929
3,6-diaryl-2,5-diazido-1,4-, thermolysis in presence of alkyne, prep of annulated cyanophenols, 5013
heterocyclic, prep from the same orthoquinonic synthon, 4675

Benzothiazines
route via Lewis acid mediated reactions of alkynes with N-phenyl-(4-methylphenyl)-sulphoximidoyl chloride, 5997

Benzothiazoles
allyllithiums of benzothiazole, benzoxazole and pyrimidine, condensation with aldehydes to α or γ position, 6385

Benzothiophenes
2-substituted benzo-, and benzofurans, new synthesis and fragmentation of alkyl substituents, 3717

Benzoxazines
3-hydroxymethyl-1,3-perhydrobenzoxazinones, synthesis, 115

Benzoxazoles
allyllithiums of benzothiazole, benzoxazole and pyrimidine, condensation with aldehydes to α or γ position, 6385

Benzynes
and pyridyne, generation via reactions of o-halophenyl (or 3-bromo-4-pyridyl) phenyl sulphoxides with Grignard reagents, 2727
intermolecular cycloaddition, entry into benzo[c]-phenanthridine skeleton, 2407
reaction with 1-alkyldihydroisoquinolines, entry into dibenzindolizines, 817
zirconocene induced coupling with nitriles, synthesis, structure and reactions of azametallocyclopentenes, 3245

Biogenesis
1-hydroperoxy-eudesmanolides, prep and conversion to 1,10-sec eudesmanolides, 4203
2,6-dioxabicyclo[3.2.1]octane ring system, viz in aurovertin A, synbthesis based on biogenetic model using epoxide cyclisation steps, 2771
(±)-tricyclohexaprenol possible forerunner of sterols in evolution of biomembranes, 6413
indolenine, reaction with Na to yield tuboxenine, 19-epi-tuboxenine, indoline and two indoles, 1773
lipogenase inhibitor, biomimetic synthesis and function of colneleic acid, 4917
new type of indole alkaloid, structure of coniomitine, 2123
probable biogenetic pathway, photosensitised conversion of 2'-hydroxychalcones to flavonoids, 4615
spirocyclic systems of aerothionin and psammaplysin-A, oxidation of possible biological precursor, 4969

synthesis and biogenetic interrelationship of grevillins with terphenylquinones and pulvinic acids, 4749

Biologically active compounds see also Drugs and pharmacologically active compounds
(+)-(1R,2S,4R)-4-amino-2-hydroxy-1-cyclopentanemethanol and (+)-carbocyclic thymidine, stereospecific synthesis, 6381
1,4-dihydropyridine, intramolecular hydride transfer to an α-ketoester in aqueous soln, lactate hydrogenate model, 2421
2'-azido-2',3'-dideoxyadenosine synthesis, applications of deoxygenative [1,2]-hydride shift and β-elimination of sulphonates with $Mg(Ome)_2$-$NaBH_4$, 4075
2-thiophosphatidylcholines stereospecific synthesis, 3767
2'-5',3'-5' linked triadenylates, synthesis, 2623
3(2H)-furanone derivs, prep, use in synthesis of antitumour geiparvarin, 675
3-amino-1,3-dihydro-5-phenyl-2H-1,4-benzodiazepine-2-one, synthesis, 939
3-deoxy-D-manno-2-octulosonic acid, new synthesis from D-mannose, 6235
3'-substituted-2',3'-dideoxynucleosides including 3'-azido-3'-deoxythymidine and 3'-substituted-2',3'-dideoxy-C-nucleosides, synthesis, 3615
4-C substituted pyrimidine nucleosides, synthesis, 2821
4-substituted thiochromanes, synthesis, 1417
5-alkynylidene-oxazolidin-2-ones, synthesis, 1127
6-glucosyl phospholipid of thymidine, prep from 6-glucose phosphate as model for trans membrane transport, 3581
6-thiosialic acids and 6-thio-N-acetyl-D-neuraminic acid, synthesis, 191
7-hydroxy-6-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthyl)-2-naphthoic acid, synthesis of possible metabolite, 4681
9-cis and 11-cis isomers of 18,18,18-, 19,19,19- and 20,20,20-trifluororetinal, 259
14-fluoroanthracyclines, synthesis and antitumour activity, 4419
22,23-dihydroavermectin B_{1b}, stereocontrolled synthesis of spiroketal unit, 1997
α-fluorosulphoxides and vinyl fluorides, prep, 3901
β-carbolines, three new from Eudistoma olivaceum, 925
allylic phosphonates, synthesis, 1163
(+)-altholactone, total synthesis from D-glucose, 3949
(-)-altholactone, total synthesis from D-glucose, 3945
(-)-ambrox, stereoselective synthesis from l-abietic acid, 2863
amide bonds in pseudopeptides, synthetic route to trans C=C bond replacement, 3225
amides, intramolecular functionalisation to lactams, 2533
antileukemic alkaloid prianosin from Prianos melanos, 4939
antimicrobial alkaloids, keramamine A and B from Pellina sp, 621
aplysinadiene, new dibromotyrosine deriv from Aplysina aerophoba, synthesis, 1693
arabinonucleotides, rapid chemical synthesis, 1633
artificial liposome system modified with flavolipid shows effective elecron flux conversion from NADH model in transmembrane electron transfer, 3363
arylphosphate substituted dioxetane, alkaline phosphatase-catalysed chemiluminescence, 1159
ascorbic acid, benzylation at C-2, stereospecific construction of delesserine, leucodrin and dilaspirolactone aglycone, 2555
asymmetric synthesis of polyhyroxylated natural products; C-1/C-2 unit of amphotericin B, 797
azadirachtin, synthesis of furopyran moiety, 1519
azetidine-2,3-diones and cis-3β-amino azetidinones, synthesis, 5481
benzofuran unit, coupling of C-2 with C-5 of resorcinol ring, transition metal mediated synthesis of moracin M, 2645
benzomorphans and morphinans, asymmetric synthesis via enantioselective hydrogenation, 4829
bicyclic pyrazolidinones, new antibacterial based on β-lactam model, 285
bicyclic pyrazolidinones, steric and electronic effects on antibacterial activity, 289
bifunctional all-trans polyolefinic chains via reaction of aldehydes with trienic phosphorane, 1151
bilirubin esters, conformation by CD spectroscopy, 4133
bioactive marine metabolites, absolute configuration of petrosynol and petrosynone, antimicrobial C_{30} polyacetylenes from Petrosia sp., 4313
bipolar phosphatidylethanolamine, a model compd for a membrane-spinning probe, synthesis, 2323
bissetone antimicrobial pyranone from Briareum polyanthus, 727
bulgecin A, synthesis of dehydroxymethylbulgecin A^1, 5887
carbamate-linked oligonucleoside, synthesis and characterisation, 745
carbohydrates, stereocontrolled entry to 1-oxapenams and 1-oxacephems, 3035
cis-3-amido azetidinones, nitrone-based approach to synthesis, 5485
citreomontanin and $C_{18}Z$ isomer, total synthesis, 2455
clavularin A stereoselective synthesis from 2-cycloheptenone, 2489
coriolic acid, both enantiomers and their geometric isomers, synthesis and physiological activities, 3959
cycloheptadienequinone and cyclopentenequinone systems having electron donating diaminocyclopropenylidene moiety, electronic structural characterisation, 5683
cyclosporin amino acid MeBMT, total synthesis, 1139
cyclosporin analogs, synthesis, 6517
cytotoxic duryne from Cribrochalina dura, 1377
cytotoxic smenospongine from Smenospongia sp, 5815
D-alanine:D-alanine ligase inhibitors, synthesis of 3-amino butenylphosphonic and aminophosphonamidic acids, 6167
D-myo-inositol 2,4,5-trisphosphate, via stepwise phosphorylation of vicinal diol and sterically hindered alcohol 2607
D-myo-inositol 1,3,4,5-tetrakisphosphate, synthesis, 4691
D-myo-inositol 1,4,5-trisphosphate, synthesis, 2309
DL-myo-inositol 1,4,5-trisphosphate, synthesis, 2305
daunomycin, D-ring thiophene analogs, total synthesis, new strategy for hetero-anthracyclines, 3971
dibenzylbutanolide lignans including cordigerines, synthesis and transformation into diarylbutane lignans, oxidative coupling of latter using RuO_2 or Tl_2O_3 to give deoxyschizandrins, 5161
dihydro-γ-pyrones derived from forskolin, new preps, 4061
diterpenoid, stolonidiol with strong cytotoxic activity, new, from Japanese coral, 5673
E-neomanolide, total synthesis via Pd-catalysed coupling of allyl-halide and α-stannylfuran and subsequent reactions, 1191
enantiomerically pure α-hydroxyesters via regioselective reaction of lithio and magnesio-cuprates with glycidic esters, 1993
enantiospecific synthesis of 1-deoxy-castanospermine from D-glucose, 4597
eremantholides, prep of ring A/B model system via conjugate addition-acylation protocol, 3551
ether phospholipids, new approach to synthesis; prep of 1,2-dialkylglycerophosphorylcholines from L-glyceric acid, 271
fluorescent indolactam deriv, synthesis, prep of new probes for receptor analysis of tumour promoters, 3267
fluorinated bioactive compds, synthesis bromodifluoromethyl-acetylene derivs, by application of Reformatsky reaction, 659
fluorodienes, synthesis, transylidation via nucleophilic addition and regiocontrolled elimination, 4283
forskolin A-B, potential ring precursor by tandem Michael-aldol reactions, 2799
forskolin, reconstituted from a ring C of its degradation product dihydropyran-4-one, 2339
goniothalamin and its oxide, isolation as active embryotoxic and tetragenic components of Goniothalamus macrophyllus, 2541
homoserine lactone, new synthesis, 3167
hydantoin plant growth regulators isolated from inflamed rabbit skin tissue, 4587
immunologically active oligosaccharide determinants of Brucella A antigen, synthesisand use of intermediates derived from 4-azido-4,6-dideoxy-α-D-mannopyranoside, 5067
L-660,631, absolute and relative configuration, 5129
liposomal membrane, electron transport rate across controlled by thermally induced phase transition of flavoliposome, 5899

lophirone A, biflavanoid from Lophira lanceolate, 2967
lyngbyatoxin A intermediate, synthesis, use of optically active nitrile oxide, 3189
macrocyclic trichothecenes, prep of 4,15-polyether analogs, 2653
macrocyclic trichothecenes, prep of 3,4- and 8,15-polyether analogs, 2657
methoxylamine pyridine derivs, isolation of niphatynes from Niphates sp, 2467
mimetics of peptide β-turns, methodology for synthesis, 1623
molluscicidal saponins from Allium vineale, 5603
naturally occurring pyrimido[4.5-b][1,4]diazepine, synthesis of 6-acetylhomopterin, 5331
neolignan magnoshinin synthesis, 2857
neurotoxin verrucosidin, absolute configuration and synthesis of tetrahydrofuran poryion, 5473
new spider toxin NSTX-3, synthesis for confirmation of structure and neuroscience study, 3509
new-, via deep-seated rearrangements of latrunculin B, synthesis of 12-, 16-membered macrolides and thiazolin-2-one deriv, 459
norditerpenes, acalycixeniolides, inhibition of cell division of fertilised starfish eggs, 5837
nucleoside oxetanocin, synthesis via first synthesis of intermediate 9-(2-oxetanyl)adenine, 3967
O^6-methylguanine derivs, methylation, 6285
oblique bis-porphyrin system containing 1,10-phenanthroline spacer, synthesis, 5829
octasaccharide β-(1→3) linked tetramer of N-acetyllactosamine, block synthesis, 3345
oligodeoxyribonucleotides, cyclic, solid phase synthesis, 5727
oligonucleoside methylphosphonates, plasma desorption mass spectra, 3349
optically active 1-hydroxyindolizidines, synthesis and configuraion, 2559
optically active macrocyclic host (incorporating an unnatural isoquinoline alkaloid as chiral building block), formation of diastereomeric complexes with (R) and (S) naproxen, 2443
oxetanocin, total synthesis, 4713
periplanone A, correct structure? 1795
periplanone A, structure, biomimetic reaction of germacrene-D epoxides, 1791
pharmacologically active homosesterterpenes from palauan sponges, 431
phosphatidylethanolamines, mixed chain, partial synthesis, 2327
phosphorofluoridates, new synthesis, reaction of phosphoroazolides with benzoyl fluoride, 3561
photoreductive cyclisation, application to total synthesis of (±)-hirsutene, 4547
punaglandin total synthesis, 333
quinocarcin, synthesis of opticaly active demethoxyde-hydroxymethyl-DX-52-1, 4065
(R)-1-benzyloxy-3-buten-2-ol, synthesis, a potential chiral synthon from L-(+)-tartaric acid, application to natural product synthesis, 6497
ribonucleosides and nicotinamide ribose, chemoenzymatic approach to carbocyclic analogs, 1887
S-HPMPA, synthesis, 4963
sesquiterpene muzigadial antifeedant, mode of action via insect chemoreceptive site, 5477
sialidases, potential inhibitor, synthesis of (2R,4S,5S)-5-acetamido-4-hydroxy-pipecolinic acid, 6425
simultaneous phosphorylation of polyhydroxyl groups in myo-inositol derivs using alkoxides and tetrabenzyl pyrophosphate, 4179
spider toxin JSTX-3 and analogs, synthesis, 3511
stereospecific synthesis of α- and β-C-nucleoside intermediates, ring protection of 2-O-trifluoromethanesulphonates of galacto- and altro-pyranosides, 3015
sym-tetra-alkyl monothio-pyrophosphates, synthesis, 4209
talaromycins C,D,E and F, structures and isolation from Talaromyces stipitatus, 1619
taxol A-ring building unit, enantiospecific synthesis, 2753
teleocidin A-1 and A-2, total synthesis, 2265
(±)-teleocidin B-3 and B-4, total syntheses, 3671
tetrodotoxin, stereocontrolled synthesis of cyclohexane moiety, 6485
thyrsiferol, synthetic studies, 4993
tyrosine-specific protein kinases, synthesis of inhibitor erbastin from 2,5-dihydroxycinnamic acid, 2217
unsaturated diketopiperazines, new synthesis, structure of barettin? 4275
vitamin D C-22 aldehydes, new key intermediates for synthesis of side chain modified vitamin D analogs, 6129

Biosynthesis

dechloromikrolin, total synthesis and structural reassignment with biosynthetic implications, 3663
fungal isocyanide xanthocillin monomethyl ether, 3159
lipoxins, biogenetic precursor, synthesis of 5S-hydroxy-14,15 LTA_4, 3449
natural pheromone sitophilure, two-step chemoenzymatic synthesis, 5037
of marine prostanoid by 2-oxidopentadienyl cation pathway, 4247
ovalicin from β-trans-bergamotene, 6545
polycyclic quinones, biomimetic synthesis, 2017
polyether synthesis using polyepoxide cyclisations, 5205
preclavulone, biomimetic synthesis, 3547
reticuline, revision of early steps, 1251
sesquiterpene sterpurene, evidence for consecutive 1,2-alkyl shifts, isolation and characterisation of 7,12-dihydrosterpurene, 4887
sterol-, cyclisation of squalene to 5α-stigmast-9(11)-en-3β-ol via $\delta^{9(11)}$-lanosterol in Costus speciosus, 4085
tuberin-, stereochemistry associated with conversion of C-3 of serine through methylenetetrahydrofolate and methenyltetrahydrofolate, 4101

Bonds see also H-bonds

alkyl radicals, prep and use in selective formation of C-C bonds, 6373
amide-, in pseudopeptides, synthetic route to trans C=C bond replacement, 3225
angle distortion of C_3CZCC, fragments by CZC opening and symmetrical C_3 distortion, 1169
anodic C-C-, formation, electrooxidation of p-aryl phenols to spiro-annulated cyclohexa-2,5-dienones, 5445
bis(9-triptycyl) sulphides, prep and unexpected strict coupling of torsional motions about two C-S bonds, 445
C-C-, catalysed formation from iridium pentahydride complex by C-H bond activation followed by olefin insertion, 3249
C-C-, formation of η^4-(trans-dienol)Fe(CO)$_3$ complexes, 641
fluorinated double-, formation via 5-exo ring closure of bromoacetals derived from fluorinated alcohols, 671
measure of charge transfer vs measure of bond tightness in transition state, 1183
non-activated C-H bonds of steroids and hydrocarbons, oxidation, 6581
rapid internucleotidic-, formation, use of tris(2,4,6-tribromophenoxy)dichloro-phosphorane as condensing agent in phosphotriester approach, 1681

Boron and compounds

1,3-dienylboronates, Diels-Alder addition to aldehydes, new route to functionalised carbocycles, 4169
2-alkyl-, 2-phenyl- and 2-alkoxy-1,2-oxaborolanes, reactions with (dichloromethyl)lithium, synthesis of 1,4-alkanediols, 2599
Δ^3-dihydropyrans and tetrahydro-pyrans, 1341
acyloxy-9-borabicyclo[3.3.1]-nonanes, stepwise treatment with t-BuLi and 9-borabicyclo-[3.3.1]nonane in transformation of carboxylic acids to aldehydes, 6231
alkoxydialkylboranes, 1,3-syn diastereoselective reduction of β-hydroxyketones, 155
aryl boronic acids(obtained by ipso borodesilylation), Pd-catalysed cross coupling with aryl bromides to give unsymmetrical biphenyls and m-terphenyls, 5093
arylnitrenium-boron trifluoride complexes, reaction with methylated benzenes, aliphatic C-H, N-insertion vs aromatic N-substitution, 961
borates and borohydride, photo-reduction of aryl nitriles and halides by electron transfer mechanism, 5295
boric acid, decarboxylation of alkylated cyclic β-enamino-esters, synthesis of Δ^1-pyrrolines, Δ^1-piperideines and 1-aza-1-cycloheptenes, 2353
boron enolates, a force field model, 5209
boron trichloride, conversion of methyl glcosides to glcosyl chlorides, 5595

boronic acid, chiral synthesis of L-amino acids, 4499
chiral α-methoxy-E-crotyl-boronates, stereoselective C-C bond formation under reagent control of diastereoselectivity, 5303
chiral boron enolate of diethyl ketone, condensation with aldehydes to give syn-α-methyl-β-hydroxy ethylketones, 1229
containing antibiotics, synthetic studies, 5457
dimethylboron bromide, promoted mild stereospecific ring fragmentation of β-iodoethers and alllylic iodoethers, 5985
dimethylboron bromide, use in ring cleavage of THP and THF ethers, 2225
dimethylboron bromide, use in ring cleavage of methyl glycopyranosides, stereo-electronic effects, 2485
enolates derived from 3-(3-ethyl)pentyl propanethioate and ethane thioate, use in asymmetric double aldol reactions with (R R)-2,5-dimethylborolanyl triflate, 2841
hydroboration and oxymercuration, relative reaction rates towards alkenes, 943
hydroboration reaction, protection of prim and sec amines, 6041
immonium fluoroborate, peracid oxidation, new example of oxaziridinium salt, 6061
iodosylbenzene-trimethylsilyl azide-boron trifluoride etherate, direct synthesis of allyl azides, from allylsilanes, 6289
lithium 1-alkynyltrialkylborates, prep of allylsilanes and β-(trimethylsilyl)ketones, 1003
methylborane, hydroboration of alkenes, 3771
mono-and diisopinocampheylhalogen boranes, synthesis and chiral catalysts in Diels-Alder reactions, 777
sodium borohydride-acetic acid, selective reduction of o-hydroxy or o-amino ketones to alcohols, 4725
thexylbromoborane-dimethyl sulphide, direct conversion of saturated and unsaturated carboxylic acids into aldehydes, 2389
tris[(trimethylsilyl)methyl]-borane, synthesis of allyl-silanes, 1007

Calixarenes
calix[4]arenes presenting no plane symmetry, synthesis, 6595

Carbamates
2-butenylene di-, Pd-catalysed cyclisation forming 4-vinyl-2-oxazolidones, 4837
α-silyl-, electro-oxidation, 6621
alk-3-en-1-ynyl-, synthesis via trapping stable allenic carbanions and stereospecific 1,4-elimination, 785
allyl-, synthesis using diallyl dicarbonate reagent, 5809
and amides, prep via 2,2'-carbonyl-bis(3,5-dioxo-4-methyl-1,2,4-oxadiazolidine, application to synthesis of dipeptides, 5823
cyclic-, selective ring cleavage to amino alcohols, 4185
cyclocarbamation, involved in new diastereoconversion of 2-amino alcohols, 6331
enol-, Ru-catalysed selective synthesis via fixation of CO_2, 4417
esters of-,via carbonylation of nitrobenzenes catalysed by Pd and cupric acetates under ambient temp, 6411
N-benzoyl-, cyclisation-migration to stereodefined oxazolidinones; new diastereospecific route to thiamphenicol, 5395
N-benzoyl-, cyclisations, 5399
new cyclic-, formation via t-butyldimethylsilylcarbamate, stereoselective synthesis of statine and analogs, 3987
O-β-oxopropyl-N,N-dialkyl-, synthesis via propargyl alcohol, CO_2 and sec amine, 2005

Carbanions
1H-aza- and oxa-heterocinyl anions, planar-diatropic 10π-systems, 2517
α-activated Δ'pyrroline and Δ'-piperideine, 1,2-dipolar and anionic activities,1397
acetone and its enolate anion, formation of $[CH_3COCHCOCH_3]$ enolate anion, 4537
acetylide anions, syn-selective additions to α-alkoxyaldehydes, 1019
acyl anion equivalents (generated by electroreduction of oxazolinium salts), Michael addition to activated olefins, 4411
anion binding and structure of chloroform inclusion complex of polyazamacrocycles, 3489
anion binding properties of intercalative inclusion complex, 6057
anion-cation recombination between aryldiazonium ions and asnionic nucleophiles, small volumes of activation, 3043
anions, reaction with carbenes, 2769
carbanions, diastereoselective protonation, 5805
corordinated isoprene anion (via deprotonation of (η^4-isoprene)Fe(CO),) reacts with electrophiles at low temp and rearranges to isomeric (η^4-trimethylenemethane)Fe(CO), anion at higher temp, 1497
cyclic vicinal diester dianions, annelated Y-lactones via reaction with β-bromoethyl-oxirane, 351
dianion of 4-phenylsulphonyl-butanoic acid, conversion of ketones and aldehydes to lactones, 4243
dianion of 5-ethoxy-4(S)-hydroxy-1-isopropyl-2-pyrrolidinone, diastereoselective alkylation, synthesis of enantiomerically pure azabicycles, 1581
dianions of β-hydroxysulphoxides and β-hydroxysulphones, alkylation, stereochemistry, 3705
indoleacetic acid trianion or methyl indoleacetic acid dianion coupling, a biomimetic approach to indolocarbazole alkaloids, 4441
mono and dianions of aryl 2-alkoxyvinyl sulphones, reactivity and configurations, 4127
mono- and dianions of 3-arylsulphonyl furans, regioselective generation and trapping, bidentate carbanion stabilisation via sulphones, 3241
new β-acylvinyl anion equivalent, (E)-4-lithio-4-tosylbutenone dimethyl ketal, 6709
parent phosphole and phospholyl anion and C-substituted derivs, characterisation by ^1H and ^{13}C NMR, 5025
stable allenic-, trapping and stereospecific 1,4-elimination in synthesis of alk-3-en-1-ynyl carbamates, 785
sulphinylallyl anion, stereospecific 1,4-addition, synthesis of (±)-pentalenolactone E methyl ester, 5465
sulphonyl anions, oxidative desulphonation/condensation to β-hydroxysulphones, application to terpene synthesis, 6273
unsaturated homoenolate anion equivalent via metallation of (E)-1-(2-chlorovinyl)-4-methyl-2,6,7-trioxabicyclo[2.2.2]octane with t-BuLi, 2335
vinyl-, derived from oxygenated vinyl sulphone, prep and reactions, 989

Carbapenems see Antibiotics

Carbazoles
1,2,3,4,4a,5,6,11c-octahydro-3-methyl-7H-pyrido[3.4-c]-, conformationally restricted, synthesis, 3423
derivs, via [4+2] cycloadditions of in situ generated indolyl enol ethers as heterocyclic donor-activated 1,3-dienes, 3079

Carbenes
α-keto-, photolytically and thermally generated from iodonium ylides of β-diketones, 4449
benzyloxychlorocarbene by thermolysis of 3-benzyloxy-3-chlorodiazirine, fragmentation to benzyl cation, 1969
carbenenucleophilicity, chloroacrylonitrile as detector substrate, application to phenylkhalocarbenes, 4779
carbenoid type base induced ring expansion of adducts of cyclic ketones with bis(phenylthio)-methyllithium, 2203
chloro-p-nitrophenyl-, kinetic studies with acetone and diethyl fumarate, 1011
chlorovinyl-, reaction with ketenealkyl silyl acetals, synthesis of new α- and β-allenic carboxylates, 1651
chromium complexes of-, benzannulation to phenols, Pd-catalysed reduction in synthesis of angelicin, olivin and chromamycinone, 1381
cyclic-, as reactive species in base initiated reactions of N-fluoropyridinium salts, 2705
insertion of-, in synthesis of furans, 2167
intermediates in conversion of epoxyhexenyne into 3 pairs of isomeric vinylfuran derivs, 2685
reaction with anions, 2769
vinylcarbenoids, [3+4] cycloaddition with cyclopentadiene proceeds via tandem cyclopropanation/Cope rearrangement, 1853

Carbocations
carbocationic 1,3-alkenyl shift

via cyclobutylcarbinyl cation, 387

Carbohydrates see also Amino sugars
1,2-trans-1-thioglycoses, stereoselective synthesis using $AlCl_3$, 1,2-cis-1-chloro-glycopyranosylperacetate intermediate, 2295
2-acetamido-2-deoxy-β-D-glucopyranosides, prep from crystalline 2-acetamido-3,4,6-tri-O-acetyl-2-deoxy α-glucopyranosyl chloride using stannous triflate, 5041
2-O-trifluoromethanesulphonates of galacto- and altro-pyranosides, ring protection,
3-deoxy-D-manno-2-octulosonic acid derivs, formation of 1,5-lactones, 1393
3-deoxy-D-manno-2-octulosonic acid, new synthesis from D-mannose, 6235
(3S)- and (3R)-[$^{-3}H_1$]ascarylose, 1073
4-azido-4-deoxy-D-glucose, conversion to macrocyclic dextrophane, 6133
5-deoxy-1,2-O-isopropylidene-α-D-xylohexafuranose, new synthesis of 5'-nucleotide phosphonate analogs, 3623
6-glucosyl phospholipid of thymidine, prep from 6-glucose phosphate as model for trans membrane transport, 3581
6-O-acyl-D-glucopyranoses and methyl-6-O-acyla-D-glucopyranosides, regioselective synthesis, 3809
α 1→N linked galactooligosaccharides, stereoselective synthesis, 2731
acetylated-, and phenols, guanidine deprotection at room temp, 3569
anomeric gem dihalogenated glucopyranosyl derivs syntheses, 1405
azacyclic 2-deoxy-KDO, synthesis, 773
C-branched deoxysugar deriv, stereoselective synthesis via radical chain reaction with enolones, 2571
capsular polysaccharide of Haemophilus influenzae type B, synthesis of fragments comprising 2 or 3 repeating units, 1553
cell wall teichoic acid of Bacillus licheniformis ATCC 9945, prep of fragment via solid phase approach, 1557
cerebroside B_{1b} and its stereoisomers, total synthesis and configuration, 6281
cyclodextrins, secondary OH groups, regioselective sulphonation, 321
D-erythrose, synthesis (-)-aristeromycin intermediate (1R,2S,3R,4R)-2,3-dihydroxy-4-hydroxymethyl-1-cyclopentanamine, 2741
D-glucose, enantioselective synthesis of (6R,7S,8aR)-dihydroxyindolizidine and (6R,7R,8S,8aR)-trihydroxyindolizidine, 4601
D-glucose, enantiospecific synthesis of 1-deoxycastanospermine, 4597
D-glucose, stereoselective total synthesis of (9S)-9-dihydroerythronolide, 4569
D-glucose, synthesis of fused butyrolactone, stereospecific alkylation in off-template position, silyl protecting group migration, 1933
D-glucose, total synthesis of (-)-altholactone, 3945
D-glucose, total synthesis of (+)-altholactone, 3949
D-glucose, total synthesis of (-)-anamarine, 47
D-myo-inositol 1,4,5-trisphosphate, synthesis, 2309
D-xylose, stereospecific synthesis of (+)-oxybiotin, prep of final chiral (+)-oxybiotin precursor, 5733
D-xylose, synthesis of pheromone (3Z,6Z,9S,10R)-epoxyheneicosadiene and (3Z,6E)-stereoisomer, 2977
delesserine, leucodrin and dilaspirolactone aglycone, total syntheses, 2555
DL-myo-inositol 1,4,5-trisphosphate, synthesis, 2305
erythronolide B, assembly in (C_3-C_8)+(C_7-C_{14})+C_{11}-C_{15}) sequence in total synthesis, 3839
glucal and galactal, direct 3,6-di-O-protection, 1981
glucals, C-2 activated, C-1 lithiation, 6591
glucose, condensation with acetylacetone in presence of $ZnCl_2$, produces bi-tetrahydrofurans and not a pyranopyran, 2211
glycosyl transferase enzyme, catalytic effect of carboxylate ion, ion-dipole repulsion with carbohydrate ring oxygen, 2925
gram negative bacterial core oligosaccharides, synthesis of heptose region, 1569
immunologically active oligosaccharide determinants of Brucella A antigen, synthesis and use of intermediates derived from 4-azido-4,6-dideoxy-α-D-mannopyranoside, 5067
ketoses, transketolase catalysed synthesis, 5525
L-arabinitol, prep via asymmetric synthesis of polyhydroxylated natural products, 61
L-(-)-rhodinose and C_4 OH protected deriv, non-congener based synthesis, 4381
L-(S)-erythrulose, prep of L-(S)glyceraldehyde, L-(R)-glycerol and L-(S)-methyl glycerate acetonides via protected L-(S)-3,4-O-isopropylideneerythrulose, 4757
levoglucosan, synthesis of erythronolide B, 3835
maltose, synthesis of new antimicrobial aminoglycoside, 2871
methyl 5-O-t-butyldiphenylsilyl-2-deoxy-D-threo-pentofuranoside, synthesis of 3'-substituted-2',3'-dideoxynucleosides including 3'-azido-3'-deoxythymidine and 3'-substituted-2',3'-dideoxy-C-nucleosides, 3615
methyl glycopyranosides, stereoelectronic effects in ring cleavage using dimethylboron bromide, 2485
methyl heptulosonate methyl glycopyranoside, synthesis, 5501
monosaccharides, regioselective addition of primary OH without protecting groups, to alkylisocyanates 4165
N^6,O^2-bis(4,4'-dimethoxytrityl)-9-(3-deoxy-β-D-threo-pentofuranosyl)adenine, intermediate for prep of deoxy- or dideoxysugar nucleosides, 4075
naturally occurring β-(1→5)-linked D-galactofuranosyl heptamer with the artificial likage arm L-homoserine, solid phase synthesis, 6695
novel sugar linkage in new isochromequinone antibiotic, SCH 38519, 4485
octasaccharide β-(1-3) linked tetramer of N-acetyllactosamine, block synthesis, 3345
oligosacchgarides, complicated proton NMR spectra, new technique based on multiple relay magnetisation transfer, 3331
peracetylated D-xylal, regioselective deacetylation, 5529
per-O-acetylated glycopyranoses, conversion to 1,2-trans-1-thioglycopyranosides stereoselectively, 1375
picryl nitrocellulose, prep and characterisation, 159
pyranosides, butylated under phase transfer conditions, 319
pyranosyl fluorides of 3-deoxy-d-manno-2-octulosonic acid (KDO), synthesis via KDO α-glycosides, 6277
ribonucleosides and nicotinamide ribose, chemoenzymatic approach to carbocyclic analogs, 1887
steroidal 5-O-methyl galatofuranoside from Astropecten indicus, structure, 2291
stereocontrolled entry to 1-oxapenams and 1-oxacephems, 3035
sugars, (phenyl)benzyl ethers of, microscale cleavage by ferric chloride, 3823
sugars, synthesis of chiral polyfunctionalised oxetanes via ring contraction of triflates of α-hydroxy-γ-lactones, 4741
tetraacetyl-glucosyl radical, electron spin resonance studies at 77K, evidence for initial formation of unstable conformer, 1455
triacetylcellulose, microcrystalline, preparative optical resolution of chloromezanone, 3751

Carbolines
β-, three new from Eudistoma olivaceum, 925
cis-1,3-disubstituted tetrahydro-β-, formation via Pictet-Spengler reaction, 5177
eudistomins C,K,E,F and L, stereochemistry, 1825
tetrahydro-β-, via pictet-Spengler reaction, mechanism, 5181

Carbonates
diallyl di-, use in synthesis of allyl carbamates, 5809
diastereoselective deoxymercuration in acylic system, assistance by neighboring carbonate group, 1207

Carbonium ions
1- and 2-adamantyl cations, charge dispersal, 1247
4,10-diaza-12-crown-4, N,N-disubstitued amide derivs, structure and complexation of Ca-selective [12]-N_2O_2, 5573
allyl cations, [3+2] cyclo addition of alkynes, direct route to bicyclo[3.2.1]oct-6-enes, 235
anion-cation recombination between aryldiazonium ions and asnionic nucleophiles, small volumes of activation, 3043

benzyl cation, by fragmentation of benzyloxychlorocarbene, 1969
carbocationic 1,3-alkenyl shift via cyclobutylcarbinyl cation, 387
cation binding poperties and syntheses of one- and two-armed lariat ether peptide derivs, 1749
hexacarbonyldicobalt stabilised propargyl cations, use in stereoselective route to 1β-methylcarbapenem precursors, 1857
photolysis of dibenzyl ketone adsorbed on faujasite zeolites, products determined by framework composition(Si to Al content) and exchangeable cations, 5637
propargyl cations, powerful ambient temp dienophiles in Diels-Alder reaction, 5969

Carbonylation
benzyl halides using $CoCl_2/NaBH_4/CO/NaOH$ reagent system, 2633
di-alkoxy-, inter- and intramolecular, of 3-butenols catalysed by Pd(II), 325
nitrobenzenes to carbamate esters catalysed by Pd and cupric acetates under ambient temp, 6411
Pd-catalysed decarboxylative-, of 3-vinyl-1-oxo-2,6-dioxacyclohexanes, synthesis of 2-vinyl-Y-butyrolactones, 3497
reductive double-, of organic halides, synthesis of α-hydroxy acids, 2721
ring expansion-carbonylation, Pd catalysed regiospecific synthesis of α-methylene-β-lactams, 3237

Carbonyl compounds
1,4-di-, synthesis via ceric ammonium nitrate promoted reaction of ketones with isopropenyl acetate, 5357
α-iodo-, atom tranfer cyclisation to cyclic Y-iodo carbonyls, 2477
α-thiocyanato-β-dicarbonyl compds, reactions; a C-S-C + C-N route to thiazoles, 117
α,β-unsaturated-, and thio phenol, synthesis of 4-substituted thiochromanes, 1417
α,β-unsaturated-, by conversion of alkenes, using t-butylhydroperoxide and catalytic chromium oxide, 4665
α,β-unsaturated-, prep via isoxazoline oxidation, 913
α,β-unsaturated-, selective reduction, ultrasonically improved by aqueous $Zn-NiCl_2$ system, 2347
ω-unsaturated β-di-, radical Mn(III)-mediated cyclisation to phenols and cyclopentanones, 6109
aldol reaction with F-alkyl ketone enolates, 3501
and allylsilanes, synthesis of 4-halotetrahydropyrans in presence of Lewis acids, 973
and cyclopropyldiphenylphosphine oxide, route to alkylidenecyclopropanes, 5559
and gem-dihalocyclopropanes, syntheses from β-hydroxyalkylselenides, 1549
and trimethylsilane, condensation with α,β-unsaturated esters catalysed by $RhCl_3$, synthesis of β-siloxy esters, 4809
carbonyl addition via β-silyl- and β-stannylphosphorous ylides, diastereoselective E-propenylation of α-chiral aldehydes, 4561
electroreductive coupling with methallylchloride or methyl chloroacetate catalysed by nickel bipyridine complexes, 55
enantioselective allylation using C-centred optically active allylsilane, 969
functionalised 1,5-, systems, route via heterodiene cycloadditions of 2-acyl-2-enoic acid, 5195
hydroxymethyl-, via hydroxymethylation of esters, dimethylamides, acid chlorides and nitriles with α-lithio trimethylsilylmethyl lithium carbonate, 1847
Lewis acid promoted condensation with alkoxy-allylsilanes, synthesis of substituted tetrahydropyrans, 3441
mechanism of fluoride ion catalysed reduction with hydrosilanes, 2263
prochiral-, stereoselective addition of enatiomerically pure vinyllithium reagent, 5145
protection for-, acetals and ketals of 2-(2-pyridyl)propane-1,3-diol, 1195
reaction with sec α-amino acids, properties of intermediate azomethine ylides, oxazolidine formation vs 1,4-prototropy, 6077
selecocarbonyl compds, formation in stereoselective synthesis of trans olefins by reaction of Wittig reagents with selenium, 6649
SmI_2-induced masked-formylation, 5877
synthesis using organo-Mn pentacarbonyl complexes, 2229
via desulphurisation of thiocarbonyl compds with t-butyl thionitrate, 1669
via oxidation of alcohols using catalytic amounts of CrO_3 and excess aqueous t-BuOOH, 2133
via tosylhydrazones using peroxysulphur intermediate, 4285
Zn-Cu(I) chloride or -silver acetate promoted aldol reaction with chlorodifluoromethyl ketones, route to α,α-difluoro-β-hydroxy ketones, 6481

Carboxylation
consecutive β-, and α-alkylation of cyclic α,β-enones, new route to sarkomycin, 2147
hydro-, of N-acetylimines, enamines and allylamines, 2829
ketone enolates with anisyl cyanoformate, new synthesis of dioloxolenones, 1051

Carboxylic acids and derivatives
1-abietic-, stereoselective synthesis of (-)-ambrox, 2863
1-prenylmethyl esters as photolabile protecting groups, 679
2-acyl-2-enoic-, heterodiene cycloadditions, route to functionalised 1,5-dicarbonyl systems, 5195
2-hydroxy-2-methylalkanoic-, optically pure, via asymmetric bromolactonisation of L-proline amides of α-methyl-β-alkyl-α,β-unsaturated acids, 2801
2S,3aS,7aS- and 2S,3aR,7aR-perhydroindole-2-carboxylic-, derivs from L-aspartic acid, 1413
2,4-pentadienoic-, via pyrolysis of 3,4-epoxy-5-hydroxycyclopentene, 311
2,5-dihydroxycinnamic-, synthesis of erbastin inhibitor of tyrosine-specific protein kinases, 2217
3-acetyltetramic-, metallation, new synthesis of 3-dienoyl- and 3-trienoyl-tetramic acids, 1565
(-)-3,3,4-trimethyl-2-hydroxybutanoic-, (-)-3,3,4-trimethyl-3-hydroxy-1-pentyne and (-)-3-t-butyl-3-methyl-1-chloroallene, configuration, 4813
3,5-anhydro-1,2-O-isopropylidene-α-D-glucuronic-, and 3,5-anhydro-1,2-O-isopropylidene-β-L-iduronic-, and derivs synthesis, 4741
4-(BOC-aminoacyloxymethyl)phenylacetic-, via solid phase peptide synthesis, 1401
4-bromo cis-2,3-dihydroxycyclohexa-4,6-diene-1-carboxylic-, absolute stereochemsitry and formation from 4-bromobenzoic acid by mutant of Pseudomonas putida, 6391
4-phenylsulphonylbutanoic-, dianion, conversion of ketones and aldehydes to lactones, 4243
5,6-dihydroxyindole-2-carboxylic-, new intermediate in oxidative conversion to melanin, 467
α-hydroxy acids, synthesis via Δ^{α}- and Δ^{β}-unsaturated carboxylic acids and diphenyl selenide, electrolysis resulting in phenylselenolactonisation, 6511
acid chlorides, bridgehead, Pd-catalysed acylation of activated alkenes, 5883
acid chlorides, nitriles, esters and dimethylamides, hydroxymethylation to hydroxymethyl carbonyl compds via α-lithio trimethylsilylmethyl lithium carbonate, 1847
acid chlorides, reaction with dialkylcyanamides, 353
acid derivs, prep of acyltrimetylsilanes, 3261
acid halides, stereoselection reaction with vinylogous urethanes, 5423
acyl chlorides, iron mediated reaction with Grignard reagents, prep of functionalised ketones, 2053
alkenoic-, and vinylmercurials, synthesis of vinylic lactones via intramolecular π-allylpalladium displacement, 4977
alkylhydroxamic-, rate maxima observed in acid hydrolysis, 3283
and esters, direct conversion into S,S'-diphenyl acetals and phenyl sulphides with thexylphenylthioborane, 1913
and alcohols, activation by intramolecular cyclisation, acylation of trimethylsilylacetylenes and alkylation of aromatic compds, 6205
conversion to aldehydes via activated silyl carboxylates, 3941
conversion to aldehydes via reaction of acyloxy-9-borobicyclo[3.3.1]nonanes with lithium 9-borata-bicyclo[3.3.1]nonane, 4575
conversion to aldehydes via stepwise treatment of acyloxy-9-borabicyclo[3.31]nonanes with t-BuLi and 9-borabicyclo-[3.3.1]nonane, 6231

conversion to esters by diorganotin dichloride catalysed reaction with alcohols, 3713
direct esterification via 2,2'-carbonyl-bis(3,5-dioxo-4-methyl-1,2,4-oxadiazolidine, 5827
D-α-hydroxy acids, stereo-controlled synthesis from L-amino acids, 1873
(E)-3-alkenoic-, synthesis via modified Knoevenagel condensations, 93
flavokermesic-, chemical nature, 1199
hydroxy-, protected, via conversion of lactones with chloromethylaluminium 2-(2-propenyl)anilide, 3327
indanepropionic-, optically active, use in enantioselective synthesis of adrenosterone, 2087
isocitric-, sesquiterpenoid ethers crytoporic acid A and B from Cryptoporus volvatus, 6303
L-glyceric-, prep of 1,2-dialkyl-glycerophosphorylcholines, new approach to synthesis of ether phospholipids, 271
L-tartaric-, synthesis of optically active 3-hydroxy-4-alkoxycarbonyl-2-azeridinones, 1861
maleic anhydride and furan, Diels-Alder reaction accelerated in ultracentrifuge, 707
phenylmalonic diacids and hemi-esters, asymmetric synthesis by Cu-catalysed decarboxylation, 539
photoreductive decarboxylation via their benzophenone oxime esters, 6207
pipecolic-, derivs, and proline, silicon assisted cyclocondensation of glyoxylic esters, intramolecular reactions of acyclic N-acyliminium ions, 3285
pseudomonic acid A, rearrangement isomers, prep using enzyme catalysed selective deesterification, 5169
(S)-(+)-α-alkylated aspartic acid, new route via α-alkylation of acylic amino acids with self reproduction of centre of chirality, 2243
santonic acid, bromination product in wet chloroform, 5641
saturated and unsaturated-, direct conversion into aldehydes by thexylbromoborane-dimethyl sulphide, 2389
tartaric-, optically active, prep of (R)- and (S)-2-benzyloxy- and 2-(t-butyldiphenylsilyloxy)-aldehydes, 2999
thiazole- and oxazole-carboxylic-, derivs, regiospecific lithiation in homolgation of thiazoles and oxazoles, 3585
unsaturated dicarboxylic-, Ru(II)-BINAP complex catalysed asymmetric hydrogenation, 1905

Carcinogens
biologically active fluorescent indolactam deriv, synthesis, prep of new probes for receptor analysis of tumour promoters, 3267
dibenz[a,c]anthracene, dihydro-diols, synthesis, 4363
N-acetoxy-acetanilides, solvolysis under neutral conditions, two major pathways for model ultimate carcinogens, 5427
teleocidin A-1 and A-2, total synthesis, 2265

Carotenoids
crocin, singlet oxygen reactions, physical and chemical quenching rate constants, 4221
prolucopene, total synthesis, 5751

Catalysis see also Phase transfer catalysis
activity of analogs of 2-iodoxy-benzoic acid in hydrolysis of active phosphates, 3899
alkaloids and amino alcohols in catalytic asymmetric induction, effect of temp on addition of diethylzinc to benzaldehyde, 6163
by activated barium hydroxide in presence of ultrasound of Wittig-Horner reaction 2951
carbonylation of nitrobenzenes to carbamate esters by Pd and cupric acetates under ambient temp, 6411
electron transfer-, mechanism in Cannizzaro reaction catalysed by solid bases under sonochemical conditions, 2947
epoxy silyl ether rearrangements, catalytic version leading to aldol products, 3515
fluoride-alumina reagents, heterogeneous base for catalytic and non-catalytic reactions, 1421
hydrogenation of olefins in biphasic water-liquid system, 2507
mono-and diisopinocampheylhalogen boranes, synthesis and chiral catalysts in Diels-Alder reactions, 777
new chiral bisphosphine-Rh complex, catalytic activity and enantioselectivity for asymmetric hydrogenation of ketopantolactone, new designing concept, 3675
p-nitrophenyl acetate, chemistry of acyloxyiodinane intermediate, 251
racemisation of phenylglycine catalysed by pyridoxal, catalytic effect of phosphate ion, 5695
Rh-diphosphine complexes as catalysts in aldol additions, 793
$RhCl_3$-aliquat 336 catalyst system, presence in selective C-C bond hydrogenation of unsaturated nitro compds, 1321
stereoselective-, use of lipases in polycondensations between racemic diesters and achiral diols in organic solvents, 1607
titanium(IV)pyridinediol complex, model for titanium-tartrate asymmetric epoxidation , 2825

Cavity molecules
$AsPh_4Cl$ and $[Ph_3P{=}N{-}PPh_3OO4]Cl$; and NMe_4Cl and benzo-15-crown-5, effect on branching of reaction paths of allyl bromide with bromoform/NaOH/catalyst, complete changeover of mechanism, check 5489
macrocyclic dextrophane via conversion of 4-azido-4-deoxy-D-glucose, 6133

Cephalosporins
3-exomethylene-1-cephams, electrophilic addition to phenylselenyl chloride, 5539
stereoselective methoxylation at 7-position, 2745

Cephems
ceph-3-ems, new C-4 substitution and sulphoxide deoxygenation, 6687

Cerium and compounds
ceric ammonium nitrate in acetonitrile, promoted photo-oxidation and autoxidation of cycloalkanes, 1941
ceric methanesulphonate and ceric trifluoromethanesulphonate, selective oxidations, 1067
mediated conversion of esters to allylsilanes, 6261

Chain reactions
electro-, of $S_{RN}1$ type, new synthesis of unsymmetrical biaryls, 6171
insertion of SO_2 into Co-C bond of organocobaloximes is a radical chain process, 1219
radical-, with enolones, stereo-selective synthesis of C-branched deoxysugar deriv, 2571
sec amines and amides with perhalofluoroalkanes to give N-perhalofluoroalkylated tert amines by a halophilic attack of N-nucleophile on C-Br bond, 3699

Chalcones
2'-hydroxy-, and related compds, synthesis in interfacial solid-liquid conditions, 1515
2'-hydroxy-, photosensitised conversion to flavonoids, probable biogenetic pathway, 4615
α-hydroxydihydro-, poly-oxygenated, enantioselective synthesis and CD absolute configuration, 4857
catalysed synthesis under interfacial solid-liquid conditions with ultrasound, 4541

Chelation
absent from β-siloxy aldehydes and Lewis acids, 281
and non chelation controlled addition of Diels-Alder adduct of furan to organometallics, 423
control, effect of protecting groups, 279
controlled alkylation and 1,4-chirality transfer of optically active 1-alkoxy-1,4-cyclo-hexadienes, 4195
stereoselective addition to α,β-epoxy aldehydes, formation of "non chelation" controlled products, 2629

Chemiluminescence
alkaline phosphatase-catalysed-, in arylphosphate substituted dioxetane, 1159
and ozonation, dual reaction pathways for 8,8,9,9-tetra-methylacenaphtho[1.2-b]-1,4-dioxin, 329
aryl esterase-catalysed-, in naphthyl acetate substituted dioxetane, 935
fluoride induced-, in t-butyl-dimethylsilyloxy substituted dioxetanes, 1155

Chiral compounds
1,4-chirality transfer and chelation controlled alkylation of optically active 1-alkoxy-1,4-cyclohexadienes, 4195
2-methylene-imidazolidines, asymmetric induction in inverse Diels-Alder reaction, 2681
24,25-dihydroxy-cholesterol, prep of chiral side chain, use of

malic acid and synthesis of 24,25-dihydroxycholecaliferol, 1685
β,γ-unsaturated ketones, diastereoselective π-facially controlled nucleophilic addition to vinylorganometallics, 31
acylic amino acids, α-alkylation with self reproduction of centre of chirality, new route to (S)-(+)-α-alkylated aspartic acid, 2243
alkoxyaluminium dichloride catalysis, stereochemical aspects of asymmetric Diels-Alder reaction 5687
amide-allylsilanes, stereoselective hydroxy-lactonisation, 2051
asymmetric synthesis of 1,1,2-and 1,2-substituted dihydro-naphthalenes via chiral naphthylimine, 5283
cyclic nitrones, 4-membered, asymmetric induction in [4+2] cycloaddition of chiral ynamines and nitroalkenes, 6397
Diels-Alder addition, sulphinyl dienophiles of chiral styrene oxide, transformation into enantiomeric compds with recovery of chiral auxiliary, 107
diene-$Mo(CO)_2Cp$ cations, chiral recognition during reaction with enolate nucleophiles bearing chiral auxiliaries, 2459
enantioselective addition of diethylzinc to benzaldehyde using chiral catalyst, 5233
ester-allylsilanes, stereoselective reaction with with m-CPBA, 2045
lithium amides, enantioselective dehydrohalogenation via asymmetric deprotonation, deracemisation of 4-t-butylcyclohexylidene acetic acid, 5517
new bisphosphine-Rh complex, catalytic activity and enantioselectivity for asymmetric hydrogenation of ketopantolactone, new designing concept, 3675
phenylthio migration, synthesis of compds with 1,4-related chiral centres, syn nx anti-E-2,4-dimethylhex-3-ene-1,5-diol, 1925
piperazine, new catalyst for enantioselective addition of dialkyl zincs to aryl aldehydes, 4841
prochiral gem-bis(hydroxymethyl) groups, asymmetric functionalisation via sulphinyl chirality, 3131
(R)-1-benzyloxy-3-buten-2-ol, synthesis, a potential chiral synthon from L-(+)-tartaric acid, application to natural product synthesis, 6497
(R)- and (S)-1-octenol, (R)- and (S)-sacromycin methyl ether, EPC-syntheses via Diels-Alder reactions/retro Diels-Alder reactions, 183
(R)- and (S)-5-trimethylsilyl-2-cyclohexenone, chiral source for synthesis of optically active cyclohexanone derivs, 5669
sulphinyl chirality, asymmetric induction, total synthesis of (+)-talaromycin A and (-)-taleromycin B, 3135
synthesis of isocarbacyclin (+)-9(O)methano-$6^{a(6)}$-PGI$_1$ intermediate via RH-catalysed intramolecular C-H insertion, 637
Zn complexes of chiral phenols as catalysts for enantioselective addition of organozinc reagents to aromatic aldehydes, 5237
zinc homoenolate of methyl isobutyrate, new building block for synthesis of chiral α-methyl esters, 337

Chromatography
Carrol rearrangements on the surface of chromatographic grade alumina, ? 4893
reversed phase liquid chromatography column, selectivity in aromatic chlorination of n-alkyl phenyl ether, 4805

Chromium and compounds
arene-Cr tricarbonyl complexation, activated cathodic reduction of stilbene and phenanthrene, 1349
chromate oxidation of secododecahedrene and its monoepoxide, unusual course, 3531
chromic anhydride, catalytic amounts and 70% t-BuOOH, use in oxidation of benzylic methylene groups, 2131
chromium carbene complexes, formation of phenols via benzannulation, Pd-catalysed reduction in synthesis of angelicin, olivin and chromomycinone, 1381
CrO_3, catalytic amounts, and excess aqueous t-BuOOH, use in oxidation of alcohols to carbonyl compds, 2133

Circular dichroism
absolute configuration and enantioselective synthesis of poly-oxygenated α-hydroxy-dihydrochalcones, 4857
bilirubin esters conformation, 4133
determination of soluble and insoluble aggregates in chiral stacking of cyanin and pelagonin, 5907
diterpenoids, scopadulcic acid A and B, new from Scoparia dulcis, structures, 3693
spectra of optically active vinyl sulphoxides reveals conformation is affected by substituents in α or β position, 3689

Cleavage reactions
Ag-ion assisted-, of trichlorocyclopropane, 3047
cis-oxadiaziridines, thermal stability, anchimerically assisted ring opening, 275
cyclic ketones facile ring-, synthesis of 9-(alkyoxycarbonyl-alkyl)pyrido[1.2-a]pyrimidines, 1527
electrophilic alkylation of methoxy(phenylthio)methane followed by allylation or propargylation giving methoxy- or phenylthiomethylene 1,1-dipole depending on Lewis acid used, 6299
enantiomerically pure α-amino acids and polysubstituted piperidines via nucleophilic opening of chiral bis-aziridines, 3341
gas-phase acid induced ring opening of 1-phenylcyclohexene oxide, stereochemistry, 3393
heterogeneous asymmetric ring opening of prochiral epoxides included as quest molecules in tri-o-thymotide clathrates, 4685
iodosobenzoate catalysed-, of p-nitrophenyl acetate, chemistry of acyloxyiodinane intermediate, 251
microbial reductive-, of N-O bond of dihydrooxazines, 2677
photo-, of benzyllic stannanes, 2813
protophosphatase catalysed-, of adenosine triphosphate by dissociative type mechanism within receptor-substrate complex, 2779
radical-, of cyclobutanes, alternative routes to (±)-silphinene, 5063
reductive-, of disulphides and diselenides to thiols and selenols, 3271
regioselective-, of 2,3-epoxy alcohols with organo cuprates, enhanced C-2 selectivity through solvent effects, 5009
ring opening of cyclopropyl-methanols, synthesis of homoallylic fluorides, 663
ring-, and dichlorocyclo-propanation of bridgehead enol lactones, stereocontrolled ring expansion sequence, 5623
ring-, of cyclopentanones and cyclohexanones with CO group at C_3 or C_4 of β-side chain, to new ring, 3373
ring-, of methyl glycopyranosides, stereoelectronic effects using dimethylboron bromide, 2485
S-O fission in S_N2 reactions reduced by t-butyl- and 2,2,2-trifluoro-1,1-diphenylethane-sulphonates, 2115
selective ring-, of cyclic carbamates to amino alcohols, 4185
selective-, and reduction of N-N bond in fused tetrahydro-pyridazines, route to function-alised lactams, 1573
t-butyldimethylsilyl ether with t-butyl hydroperoxide and dioxobis(2,4-pentanedionato)-molybdenum(vl) system, 6329
tert alkylamines, selective debenzylation using β-trimethylsilylethyl chloroformate, 2331
THP and THF ether rings using dimethylboron bromide, 2225
triisobutylaluminium promoted ring-, of spiroketals of l-menthone as key reaction, enantioselective functional-isation of 2-substituted 1,3-propanediols, 4181

Cobalt and compounds
alkyl Co-salophens, homolysis in presence of radical trapping agents, 1451
and stannane mediated radical cyclisations, dichotomous reactivity, 1317
Co-C bond of organocobaloximes, insertion of SO_2 is a radical chain process, 1219
cyclopentadienylcobalt, capping of superphane of cyclobutadiene 195
hexacarbonyldicobalt stabilised propargyl cations, use in stereoselective route to 1β-methylcarbapenem precursors, 1857
inter- and intra-molecular oxidative addition, acyl radicals(from acylcobalt salophens) to activated C=C leading to enones and functionalised ring systems, 5949

new alkenylcobalt(III) complexes from oxidative denitrogenation of hydrazones by Co Schiff base complex-dioxygen system, 6309

Coenzymes see also Enzymes
5-arylidene 1,3-dimethylbarbituric acid, oxidation of aromatic and aliphatic thiols to give disulphides and reduction of oxidant to dihydro compd and synthesis of unsymmetrical disulphide, 4173
cytochrome P-450 modelling oxygenation of olefins within space-restricted cavity of iron "NINAP porphyrin", 1,5-diphenylimidazole rate enhancement, 4553
flavin hosts, redox-dependent complexation ability in aqueous soln, 5111
PQQ function, addition of nitroalkanes to o-quinones, 3975

Complexation
adenine-thymine pairing in water induced by intercalating agent, 1777
and structure of Ca-selective [12]-N_2O_2 macrocycle incorporating amide substituents, 5573
arene-chromium tricarbonyl-, activated cathodic reduction of stilbene and phenanthrene, 1349
macrocyclic polyethers incororating two dihydroxynaphthalene residues, complexation of diquat and paraquat, 6367
redox-dependent-, ability of flavin hosts in aqueous soln, 5111
selective-, of amines with Cu(II) ion-exchanged zeolites, 4389
tris(3,6-dioxaheptyl)amine, complexing agent for dissolving metal reactions, 2503

Complexes
2:1-, of cycloocta[2.1-b:3.4-b']diquinoline with copper(I)-perchlorate, synthesis and x-ray structures, 5833
18-crown-6 ether and KNCS-, solid phase stereochemical dynamics by low temp ^{13}C NMR, 4783
π-, formation and collapse in electrophilic halogenation of aromatic hydrocarbons, 2417
π-allyl Pd-, SmI_2-induced polarity inversion, prep of $(\eta^3\text{-allyl})Fe(CO)_4^+$, aromatic allylation via reaction with aromatics, 5415
η^4-(trans-dienol)Fe(CO)$_3$ -, regio- and stereospecific C-C bond formation, 641
amine-metal fluoride-pyridium poly(hydrogen fluoride)-complex, ring expansion-fluorination of cyclopropylmethanols, prep of monofluorocyclobutanes, 6313
arylnitrenium-boron trifluoride-, reaction with methylated benzenes, aliphatic C-H, N-insertion vs aromatic N-substitution, 961
chiral auxiliary $[(\eta^5\text{-}C_5H_5)Fe(CO)(PPh_3)]$, asymmetric synthesis of (-)-captopril, 5563
CT-, with electrical conductivities formed from dihydroindeno[2.1-a]indene, bisdialkylaminoalkylidene derivs as electron donors and dihydroindeno[2.1-a]indene-5,10-dione-biscyanoimines and bisdicyanomethylene-dihydroindeno[1.2-b]fluorenes as acceptors, 3083
diastereomeric-, between (R) and (S) naproxen and optically active macrocyclic host incorporating an unnatural isoquinoline alkaloid as chiral building block, 2443
E,Z butadiene-Fe-tricarbonyl-, syntheses and reactivity, 2959
Fe- or Mn-bleomycin-, with $KHSO_5$ as O donor, olefin epoxidation, evidence for metal-oxo intermediate, 2955
fluorescent potential hapten, synthesis of catechol covalently bound to tris-bipyridyl complex of ruthenium, 4339
fluoride-4-cyanophenol-, strongly H-bonded, formation and reactivity, 3627
HF-pyridine-metal fluoride-, promoted rearrangement of cyclopropyl methoxyallenyl carbinols, synthesis of 3-fluoroethylcyclopentenones, 3119
homotropone iron tricarbonyl-, absolute configuration, 6465
imine-, of $TiCl_4$, reactions with ketene silyl acetals, new routes to 5,6-dihydro-2-pyridones and 5-amino-2-alkenoates, 613
intercalative inclusion-, synthesis, structure and binding properties, 6057
iridium pentahydride-, catlysed formation of C-C bond by C-H bond activation followed by olefin insertion, 3249
$M(CO)_5$-, of 3,5-diphenyl-λ^3-phosphinins, [3+2] and [4+2] cycloadditions, 3475
new alkenylcobalt(III)-, from oxidative denitrogenation of hydrazones by Co Schiff base complex-dioxygen system, 6309
new chiral bisphosphine-Rh -, catalytic activity and enantioselectivity for asymmetric hydrogenation of ketopantolactone, new designing concept, 3675
nickel bipyridine-, catalysed electroreductive coupling of methallylchloride or methyl chloroacteate with carbonyl compds, 55
organo-Mn pentacarbonyl-, use in synthesis of carbonyl compds, 2229
organo-Mn pentacarbonyl-, use in synthesis of carbonyl compds, 2233
phosphonotungstic-, catalysed epoxidation of olefins using H_2O_2, 2237
polyazamacrocycles of cyclophane type, synthesis, structure of chloroform inclusion complex and anion binding, 3489
Pt(II)nucleoside-, linked through a Pt-C δ-bond, synthesis and characterisation, 2757
Rh-diphosphine-, as catalysts in aldol additions, 793
sigma-, anionic, formation in polymeric system, prep and characterisation of picryl nitrocellulose, 159
sigma-, of glycerol triplicrate with methoxide, synthesis and characterisation, replacing ONO_2 of nitroglycerine with $-OC_6H_2(NO_2)_2$, 6009
stereoselectivity in synthesis of substituted 2-(2-tetrahydrofuranyl)acrylates via intramolecular oxymercurations or oxypalladations of allenes, 1023
titanium(II)-magnesium(II)-, mediated stereoselective pinacolisation of aromatic and α,β-unsaturated aldehydes, 5717
titanium(IV)pyridinediol-, model for titanium-tartrate asymmetric epoxidation catalysts, 2825
titanium-nitrogen-, use in incorporation of molecular nitrogen into amides and imides, 6187
titanocene-methylene-, interconversions, 6493
transition metal-, decarbonylation of thiol esters to sulphides, 6321
two KI-, molecular structures of 4,13-diaza-18-crown-6 derivs having glycyl-glycine side arms, 1753

Configurations
(-)-3,3,4-trimethyl-2-hydroxybutanoic acid, (-)-3,3,4-trimethyl-3-hydroxy-1-pentyne and (-)-3-t-butyl-3-methyl-1-chloroallene, 4813
absolute and relative-, of L-660,631, 5129
absolute-, and HPLC optical resolution of tricarbonyl(2,3-dihydrotropone)iron, 5873
absolute-, CD of poly-oxygenated α-hydroxydihydrochalcones, 4857
absolute-, neurotoxin verrucosidin, 5473
absolute-, of homotropone iron tricarbonyl complexes, 6465
absolute-, of petrosynol and petrosynone, antimicrobial C_{18} polyacetylenes from Petrosia sp., 4313
and synthesis of (+)-aristolactone, enantioselective [2,3] Wittig ring contraction induced by chiral bases, 3323
and total synthesis of cerebroside B_{1b} and its stereoisomers, 6281
C-18 hydroxy unsaturated fatty acids, fungitoxic, structures and isolation from Epichloe typhina, 73
(±)-cavernosine, 4041
confirmation of C(1')-(S)-, of sesquiterpene (+)-dihydropallescensin via asymmetric aza-Claisen rearrangement, 1031
D-glucose, total synthesis of (-)-anamarine, 47
mono and dianions of aryl 2-alkoxyvinyl sulphones, 4127
naturally occurring α,β-unsaturated δ-lactone derivs, stereostructure through stereoselective synthesis, 5661
optically active 1-hydroxyindolizidines, 2559
siphonodiol and related metabolits from Siphonochalina truncata, 4311
strobilurin A and its (9E)-isomer, stereocontrolled synthesis, 475
sym-tetra-alkyl monothiopyrophosphates, synthesis, 4209

Conformations
2-phosphoryl and 2-thiophosphoryl 1,3-dithianes and related compds, origin of S-C-P anomeric interactions, 573
bafilomycin A_1 by X-ray and NMR, 5565
bilirubin esters by CD spectroscopy, 4133
complicated proton NMR spectra of aligo sacchgarides, new technique based on multiple relay magnetisation transfer, 3331
energies, of trans-1,4-difluoro- and trans-1-chloro-4-fluorocyclohexane, role of electrostatic interactions, 4883

equilibria, of cis-anti-cis dicyclohexano-14-crown-4, high field ^{13}C NMR, 1507
mobility of 3,6-diketo[8](9,10)-anthracenophane, 4775
new diterpene with two polymorphic modifications from marine alga, 6699
optically active vinyl sulphoxides, effect of substituents in α or β position revealed by X-ray and CD spectra, 3689
restricted antioestrogens, via coupling of a vinyl triflate with an aryl zinc chloride, 701

Copper and compounds
α-alkoxyorganocuprate reagents, substituted, conjugate addition with cyclic enones to homoaldol products, 3911
acetate of-, and ammonium acetate, use in synthesis of 1,2,3,4,5,6,7,8-octahydro-acridines from 1,5-diketone equivalents 4817
alkyl reagents, conjugate addition to enones in presence of trimethylsilyl chloride/tetra-methylenediamine, 27
and Pd acetates, catalysis under ambient temp, carbonylation of nitrobenzenes to carbamate esters 6411
ion-exchanged zeolites, selective complexation of amines, 4389
lithio and magnesiocuprates, regioselective reaction with glycidic esters, prep of enantiomerically pure α-hydroxyesters, 1993
lithium organocuprates, prep from Cu(I) salts, 4251
methylene-, isolation and charcterisation via matrix isolation spectroscopy, 1733
organo-, reagents, conjugate addition of unsaturated esters, 5719
organo cuprate chemistry of vicinal epoxymesylates, 5631
organo cuprate induced 1,3- and direct substitution in 3-alkyl- and 3,3-dialkyl-1-bromo-1,2-dienes, regio- amd stereoselectivity, 6073
organo cuprate reagents, reaction with methyl-bis(trimethyl-silyl)aminomethylpropiolate, prep of substituted pyrroles via treatment of intermediate Z-vinyl cuprate with acid chlorides, 2963
organo cuprates, higher order mixed, 2-thienyl(cyano)copper lithium, a stable unreactive precursor, 945
organo cuprates, regioselective addition to acetylenic trifluoromethyl ketones, synthesis of unsaturated trifluoromethyl ketones, 5271
organo cuprates, regioselective addition to 2-siloxypyrylium salt, prep of 2-siloxy-4H-pyrans and ir reaction with electrophiles, 6305
organo cuprates, regioselective opening of 2,3-epoxy alcohols, enhanced C-2 selectivity through solvent effects, 5009
organo cuprates, stereoselective reaction with 7-oxabicyclo-[2.2.1]hept-5-en-2-one, 5547
perchlorate of-, 2:1-complex with cycloocta[2.1-b:3.4-b']diquinoline and its
sulphate of-, adsorbed on silica gel, catalysed dehydration of alcohols, 4565

Coumarins
3-nitro-, attempted synthesis, 763
7-geranyloxy-, enantioselective synthesis of (+)-marmin, optical activity induced by Sharpless epoxidation, 2579
new synthesis based on aromatic metallation, 6137

Coupling reactions
a vinyl triflate with an aryl zinc chloride, prep of conformationally restricted antioestrogens, 701
and stereoselective synthesis of middle (C10-C17) and right (C18-C30) segments of polyether antibiotic salinomycin to complete synthesis, 3253
bis(9-triptycyl) sulphides, prep and unexpected strict coupling of torsional motions about two C-S bonds, 445
C-2 of benzofuran unit with C-5 of resorcinol ring, transition metal mediated synthesis of moracin M, 2645
cross-, of pyridyl Grignard reagents with sulphoxides bearing azaheterocycles, 5845
crosslinking properties and synthesis of deoxyoligo-nucleotide containing N^6,N^6-ethanodeoxyadenosine, 2469
DABCO catalysed-, of acrylonitrile and methyl acrylate,prep of α-keto esters, 4351
electroreductive-, of methallyl-chloride or methyl chloroacetate with carbonyl compds catalysed by nickel bipyridine complexes, 55
indoleacetic acid trianion or methyl indoleacetic acid dianion, a biomimetic approach to indolocarbazole alkaloids, 4441
intramolecular radical-, of phenolic enolate, oxidative fragmentation of spirodiketone intermediate, 4163
iterative ortho metallation cross-coupling tactics, construction of polyphenyls, 5097
oligonucleotides, solid phase synthesis by phosphoramidite procedure via coupling using 4-dimethylaminopyridine and either tetrazole, 5-(o-nitrophenyl)tetrazole or 5-(p-nitrophenyl)tetrazole, 3643
optically pure Y-iodo allylic alcohols, synthesis and conversion to optically pure allylic alcohols, 6351
oxidative-, of diarylbutane lignans using RuO_2 or Tl_2O_3 to give deoxyschizandrins, synthesis and transformation of dibenzylbutanolide lignans including cordigerines, 5161
Pd-catalysed-, of a vinyl triflate, attachment of anthramycin acrylamide side chain, 6573
Pd-catalysed-, of cyclopropylzinc halides with vinyl iodides, prep of vinylcyclopropanes, synthesis of (±)-prezizanol and (±)-prezizaene, 5075
Pd-catalysed cross-, of aryl boronic acids(obtained by ipso borodesilylation) with aryl bromides to give unsymmetrical biphenyls and m-terphenyls, 5093
Pd catalysed cross-, of phenyl fluoroalkane sulphonates with organo Zn reagents, 2387
Pd catalysed cross-, synthesis of conjugated trienes, 1469
peptide synthesis by prior thiol capture, level of racemisation during two typical thiol capture couplings, 3435
phenylazo 1-naphthyl ether, base and acid catalysed reactions, reply to Kekule's mechanism for diazo coupling, 4427
reductive homo-, of aromatic and α,β-unsaturated aldehydes to symmetrical 1,2-diols, 5717
Ru(IV) tetrakis(trifluoroacetate)-, of phenylalkyltetrahydroiso-quinolines and synthesis of glaucine, thalicsimidine and homoglaucine plus stereo-structures of aporphine and homoaporphine, 543
stereocontrolled reductive-, of ketone-olefin promoted by samarium diiodide, 4367
Zn reagent of α-(bromomethyl) acrylate with nucleophilic imines, prep of α-methylene Y-lactams, 59

Crown ethers
2-sulphinyl-1,3-xylyl-15-crown-4, structure, 1937
4,10-diaza-12-crown-4, N,N-disubstitued amide derivs, structure and complexation of Ca-selective [12]-N_2O_2 macrocycle, 5573
4,13-diaza-18-crown-6 derivs having glycyl-glycine side arms , molecular structures, two KI complexes, 1753
18-crown-6, catalysis of solubilisation of Timahdit oil shale kerogen, 6559
18-crown-6 ether and KNCS complex, solid phase stereochemical dynamics by low temp ^{13}C NMR, 4783
cis-anti-cis dicyclohexano-14-crown-4, conformational equilibria, high field ^{13}C NMR, 1507
macrocyclic polyethers incororating two dihydroxy-naphthalene residues, complexation of diquat and paraquat, 6367
novel derivs incorporating a diaminophosphine group in a polyether macrocycle, 3577
one- and two-armed lariat ether peptide derivs, syntheses and cation binding poperties, 1749

Crystals and Crystallisations
generation of optical activity through solid state reaction of racemic mixture that crystal-isesin a spiral space group, 4789

Cyanation
regiospecific hydrocyanation of olefins, 295

Cyanides
lithium-, non-aqueous cyanation of halides to nitriles, 4189
tigloyl cyanide, Michael addition of ascorbic acid, synthesis of piptosidin, 5469
toluenesulphonyl cyanide, free radical type addition to unsaturated hydrocarbons, 2853

Cyanines
dihydroxyanthraquinones including 4-demethoxy-7-deoxydauno-mycinone, synthesis, 1533

Cyano compounds
1-acylamino-2-aminoalkyl-3-cyano-2-cyclopentenes as amino acid

analogs, studies, polypeptide secondary structures stabilised by amino acid derivs, properties of β-cyanoenamines as anologs of amides, 4641
2-cyano Δ³-piperideines, synthesis of 1-substituted benzomorphans, 6179
3-cyano-indolizines and dimethyl acetylenedicarboxylate, 1,2-adduct formation, 5707
4-alkylamino-3-cyano-6-aza-bicyclo[3.2.1]oct-3-enes as γ-turn templates, synthesis, secondary polypeptide structures stabilised by amino acid derivs, 4645
4-cyanophenol, strongly H-bonded complex with KF, 3627
5-amino-6-methyluracils and 4-aminoantipyrine, easy conversion of Me group to cyano group, 4579
α-isocyanocarboxylates, Pd-catalysed allylation, 4949
cyanophenols annulated, via thermolysis of 3,6-diaryl-2,5-diazido-1,4-benzoquinones in presence of alkyne, 5013
dialkylcyanamides, reaction with acylium salts, 353
sodium-[cyano-(triphenyl-phosphoranylidene)-methanide] and epoxides, synthesis of γ-butyrolactones, α-methyleno-γ-butyrolactones and γ-hydroxy-nitriles, 2111
synthesis of chiral 2-cyano-5-oxazolopyrrolidine, 6175
tetracyanoethylene, cycloaddition of (Z)-[6]paracycloph-3-ene, 2961

Cyanohydrins
acetone-, reaction with 18-hydroxy androstenedione, prep of novel steroid lactone, 4161
γ-allenic-, cyclisation to 3,6-dihydro-2-cyano-2H-pyrans, 3487

Cyclic ketones
1-hydroxy-4-methoxyquinoxaline-2,3-diones via reaction of N-(o-nitroaryl)sarcosine ethyl esters with bases, 6363
1,2- and 1,3-diones, synthesis via regioselective reductions of 2,3-epoxy acetals with zinc-chlorotrimethylsilane and LAH, 551
2-benzylidenecyclohexanone, stereochemistry of reaction with dithiocarbamic acid, 571
2-cycloalkanones, asymmetric conjugate addition of zincates or cuprates containing optically active azaenolate of erythro-isopropylidene-2-methoxy-1,2-diphenylamine, 6347
2-cycloheptenone, stereoselective synthesis of clavularin A, 2489
2H-1,3-benzoxazine-2,4(3H)-diones, formation via enzymatic cyclisation of 2-carbamoyloxy benzoates, 2425
2-hydroxy-2,5-alkyl-3,4-dimethoxy-3-cyclobutenones via reaction of thiols with dimethylsquarate, 1765
2-n-diphenylcycloalkanones, photolysis, magnetic isotope effects in biradicals, ^{13}C enrichment and a novel mechanistic probe, 2929
2-vinylcyclobutanones and cyclohexenones, chiral, synthesis via enzymatic resolution of dimethyl α-alkylsuccinates, 4669
2,4(3H,5H)furandiones, prep via acid catalysed cyclisation of diazoketones, 1039
4-acetylamino-99a-acetoxy-1,9,10-anthracenetrione, synthesis, structure and reactivity, 4109
4-hydroxy-2-cyclopentenone, kinetic resolution by Rh-catalysed asymmetric isomerisation, 4719
4,4-dichlorocyclobutenones, reductive dechlorination, 3299
5,6-exo-epoxy-7-oxa-2-bicyclo-[2.2.1]heptanone and derivs, acid catalysed rearrangements, facile migration of acyl groups, 1523
7-oxabicyclo[2.2.1]hept-5-en-2-one, stereoselective reaction with organocuprates, 5547
10-oxatricylo[5.2.1.0^{2,6}]deca-dienones, sulphone mediated synthesis of cyclopentadienone epoxides, route to epi-pentenomycins, 1329
α-phenylsulphonyl cyclopentanones, synthesis via intramolecular carbenoid cyclisation of α-diazo-β-keto phenylsulphones, 3459
adducts with bis(phenylthio)-methyllithium, carbenoid type base induced ring expansion, 2203
aza-cyclotridecanone, reaction with 6-cyano- and 6-nitro-3,4-epoxy-3,4-dihydro-2,2-dimethyl-2H-1-benzopyran, 2403
benzophenones, photoreaction with haloketene acetals yields oxetanes and tetrahydrofuran carboxylic esters, mechanism, formation of 1,4-diradicals and carbonyl ylides, 4271
bicycloalkanediones, via allylic thiosulphone conversion of enones to diketo-sulphones, 6045
butynylbicyclooctanone, regiocontrolled cyclisation, selective desilylation of triple bond in presence of silyl enol ether, 3923
carboxylic acids, photoreductive decarboxylation via their benzophenone oxime esters, 6207
chiral sulphinyl cyclohexanones, synthesis and reduction, 4861
cis- or trans-fused decalones from common intermediate, formation by stereocontrolled metal-ammonia reduction, 303
cyclic β-ketoester ynones, sequential intramolecular Michael addition and alkylation to produce tricyclic compds, 3457
cyclic enones, conjugate addition with substituted α-alkoxyorganocuprate reagents to give homoaldol products, 3911
cycloalkynones, stereoselective synthesis of cembranolides via conjugate addition, 5081
cyclobutanediones, thermal reactions, 5373
cyclohexa-2,5-dienones, spiro-annulated via electrooxidation of p-aryl phenols, anodic C-C bond formation, 5445
cyclohexanone α-ketol and enone derivs, oxidation by tetrazolium salts, 4323
cyclohexanones, hindered, high pressure Wittig reaction with nonstabulised ylides, 4377
cyclohexanones, rigid, epoxidation stabilises the dimethyl-sulphonium ylide using solid-liquid heterogeneous system, stereochemistry of reaction, 1877
cyclohexenones and cyclo-pentenones, trisubstituted, asymmetric synthesis from chiral 2,2-dialkyl 1,4- and 1,5-diketones, 1745
cyclopent-2-enone, 2-(5H)furanone and derived trimethylsiloxy-dienes, regio- and diastereo-selectivity in aldol reactions, 985
cyclopentanone and phenol, synthesis, Mn(III)-mediated radical cyclisation of ω-unsaturated β-dicarbonyl compds, 6109
cyclopentanones and cyclohexanones with CO group at C_3 or C_4 of β-side chain, ring cleavage to new ring, 3373
cyclopentanones, α-phosphorylated, synthesis via intramolecular carbenoid cyclisations of α-diazo β-keto alkylphosphonates and phosphine oxides, 6605
cyclopentenones, optically active, synthesis, enzymatic optical resolution and flash vacuum thermolysis in concert, 357
dibenzyl ketone adsorbed on faujasite zeolites, photolysis products determined by framework composition(Si to Al content) and exchangeable cations, 5637
dioloxolenones, new synthesis via carboxylation of ketone enolates with anisyl cyanoformate, 1051
enolones, radical chain reaction, stereoselective synthesis of C-branched deoxysugar deriv, 2571
facile ring cleavage of-, synthesis of 9-(alkyoxycarbonyl-alkyl)pyrido[1.2-a]pyrimidines, 1527
fused or spiro 2-cyclopentenones via Mn(III)-promoted annulation of enol ethers and esters, 175
imidazol-1-yl methyl aryl ketones, product stereospecificity in microbial reduction, 1487
macrocyclic-, new entry to synthesis of exaltone and (±)-muscone, 3963
medium sized oxocyclic systems via thermal cycloadditions of dimethylacetylenedicarboxylate with cyclic enol ethers, 1501
methylenecyclopropanones, thionation, formation of 1,2,3-butatriene episulphides, 1803
[m,m]metacyclophadiones, synthesis, 91
o-hydroxyaryl-, N-aroylhydrazones, oxidation to aromatic o-diketones, 4321
(R)- and (S)-5-trimethylsilyl-2-cyclohexenone, chiral source for synthesis of optically active cyclohexanone derivs, 5669
(R,S)-2,2,5,5-tetramethyl-4-hydroxycyclohexanone, enantio-selective microbial oxidation, prep of (S)-hydroxy-γ-lactone, 1109
revised mechanism for ^{15}N-labelling of reaction of 2,6-di-t-butyl-4-methyl-4-nitrocyclohexa-2,5-dienone with nitrogen dioxide, 6701
ring fused 2-cyclopentenones, synthesis via one-step annulation, 5241

Cyclisations
1,5-hexadien-3-ols to 4-halogeno-cyclohexenes, formation of halogeno-octahydronaphthalenes from allyl-pulegols, 2583
1,7-, of butenynyl nitrones, effect of substituents on the oxaza-cycloallene intermediate, formation of pyrrole and pyridine derivs, 2689

2-amino alcohols, new diastereoconversion involving novel cyclocarbamation, 6331
4-acyl-3-methylene-tetrahydrofurans to α-halo β-alkoxyketones, 2009
5-exo ring closure of bromoacetals derived from fluorinated alcohols, formation of fluorinated double bonds, 671
10π-electron electro-, and intramolecular [8+2] cycloaddition of 8-acylheptafulvene, 1367
α,β,-epoxy sulphoxides with OH group, intramolecular ring closure; synthesis of 2-acyl cyclic ethers and 3-keto cyclic ethers, 2603
α-thiocyanato-β-dicarbonyl compds, reactions; a C-S-C + C-N route to thiazoles, 117
Y-allenic cyanohydrins to 3,6-dihydro-2-cyano-2H-pyrans, 3487
acid catalysed-, of diazoketones, prep of 2,4(3H,5H)furandiones, 1039
alkenols by electrooxidative phenylselenoetherification, 4343
alkoxy radicals, new approach to spiroketals, 4011
and migration of N-benzoyl-carbamates to stereodefined oxazolidinones; new diastereospecific route to thiamphenicol, 5395
and polymerisation in polycondensation reactions of two symmetrical monomers, kinetics, 419
atom tranfer-, of α-iodo carbonyls to cyclic Y-iodo carbonyls, 2477
benzonitrile 3,3-diarylallyl ylides to 3H-2-benzazepines, substituent directive effects and mechanism, 2069
bi-, of enynes, Zr-promoted, effect of substituents, 917
biomimetic polyene-, N-benzenesulphonyl-indole as terminator, synthesis of pentacyclic indolosesquiterpene, 3565
carbonyl and vinyl radicals of alkenes, effect of ring size, 2895
consecutive radical cyclisation-elimination, stereospecific formation of exocyclic alkene, 2941
diazoketone-, route to hexahydrobenzofuran nucleus of avermectins, 6417
dichloromethyl radical-, of allyl-2,2,2-trichloroethylamine, stereoselective synthesis of cis-2,4-disubstituted pyrrolidine derivs, 3953
Diels-Alder intramolecular cation radical reactions using trienes which cyclise to hydroindane systems, 927
Diels-Alder intramolecular reaction of triene proceeding with boat-like conformation of connecting chain, 931
double deprotection-peptide-, procedure, application to synthesis of cyclic tetrapeptide HC-toxin analogs, 3419
doubly stereocontrolled-, in stereospecific construction of diterpenoid cis-clerodane skeleton, total synthesis of linaridial, 6645
effect of alkyl substituent in azatrienes, stereoselectivity in intramolecular Diels-Alder reaction, 2969
enantioselective-, of chiral epoxide, to benzofuran system, 3075
enzymatic-, of 2-carbamoyloxy benzoates, formation of 2H-1,3-benzoxazine-2,4(3H)-diones, 2425
free radical-, approach to hydroxybenzofuran related deriv of avermectins, 2001
free-radical-, of methyl pimarate, prep of steroids, 2127
Grignard induced-, of α-(2-arylhydrazino)-esters in prep of aza-β-lactams, 6577
hetero-, of acetylenic compds, Ag-assisted, 6447
hetero-, of prim amines with activated cyclopropanes, 6597
homolytic-, of alkenyl β-lactams gave carbapenams by exo addition and carbacephams by endo addition, 2637
intramolecular-, of allylsilylated aldehydes, synthesis of bicyclic α-methylene-Y-lactones, 655
intramolecular-, of isoquinolinium cations, equilibrium constants, 3915
intramolecular-, of unsaturated amides to sulphenated oxazolines, oxazines or tetrahydropyrroles, 1949
intramolecular-, of ω-primary amino electrophilic olefins to functionalised pyrrolidines and piperidines, 1757
intramolecular-, Pd-catalysed, synthesis of N-heterocycles, 5291
intramolecular carbenoid-, of α-diazo β-keto alkylphosphonates and phosphine oxides, synthesis of α-phosphorylated cyclopentanones, 6605
intramolecular carbenoid-, of α-diazo-β-keto phenylsulphones, synthesis of α-phenylsulphonyl cyclopentanones, 3459
macro-, of α-alkoxyallylkstannane aldehydes, stereoselective synthesis of cembranolide precursors, 527
Mn(III)-mediated radical-, factors affecting phenol and cyclopentanone synthesis, 6109
N-(o-nitroaryl)sarcosine ethyl esters, reaction with bases to give 1-hydroxy-4-methoxy-quinoxaline-2,3-diones, 6363
N-benzoylcarbamates, 5399
new-, to non-acylated imidazole derivs, unexpected reactions of 1,4-diaza-1,3-dienes under acylating conditions, 4605
nitenium-, synthesis of photoactive 17-(4-azido-2-hydroxyphenyl)-18,19,20-trinor-prostaglandin $F_{1\alpha}$, 43
olefinic alcohol by benzeneselenenyl triflate, 4297
oxidative-, of 2-(4-hydroxyalkyl) and 2-(5-hydroxyalkyl) furans with DDQ, prep of cyclic ethers, 5175
oxidative-, of methyl 6-hydroxy-2-methoxy-2-hexenoate and heptenoate to 2-methoxycarbonyl-2-methoxy-3-tetrahydropyrannols, 5501
oxidative-, of O-acyl β,Y-unsaturated hydroxamates, effect of Y-substituent, 6257
oxidative photo-, of N^6-benzoyl-adenosine derivs, formation of quinazolinopurine ring system, 207
Parham-, and regiospecific carbodesilylation, prep of 7-methoxyl-indanols, 2933
Pd-catalysed-, of 2-butenylene dicarbamates forming 4-vinyl-2-oxazolidones, 4837
photo-, synthesis of aporhoeadane alkaloids, 5323
photoreductive-, application to total synthesis of (±)-hirsutene, 4547
photoreductive-, of N,N-dialkyl β-oxoamides, formation of 6-membered ring lactams, 4545
picrotoxane skeleton via Pd(II)-catalysed carbacyclisation, 1611
polyepoxide-, use in polyether synthesis, 5205
radical-, of a bromo-acetal to 2-alkoxy-4-methylene tetrahydrofuran, route to 4-methyl furan annulation sequence 5203
radical-, prep of functionalised cyclopentanes using thiocarbonate derivs as initiators and terminators, 5973
regiocontrolled-, of butynylbicyclooctanone, selective desilylation of triple bond in presence of silyl enol ether, 3923
Rh-carbenoid mediated-, of ω-hydroxy-,-mercapto- and -Boc-amino-α-diazo-β-keto esters, use of ethyl lithiodiazoacetate, 5351
ring closure of reactive azomethine ylides produced by thermolysis of oxazolidines, 2975
selenium initiated cyclisation-2,3 sigmatropic rearrangement, synthesis of C1 to C10 fragment of milbemycins and avermectins, 3647
silicon assisted cyclocondensation of glyoxylic esters to proline and pipecolic derivs, intramolecular reactions of acyclic N-acyliminium ions, 3285
squalene to 5α,9β-lanosterol in Costus speciosus, in sterol biosynthesis, 4085
stannane and cobalt mediated radical-, dichotomous reactivity, 1317
tandem aza-Wittig reaction/-electrocyclic ring closure for synthesis of fused pyrimidines, prep of pyrazolo[3.4-d] and 1,2,3-triazolo[4.5-d]pyrimidine derivs, 4451
tandem Diels-Alder carbocation-, synthesis of bicyclo[3.2.1]-octanes, 4943
thiophenol promoted-, of enynes, 1503
$TiCl_4$-, of acetals derived from phenethyl alcohols, prep of 3,4-dihydro-1H-2-benzopyrans, 2567
tin(II)trifluoromethanesulphonate, synthesis of trans (±)-tetrahydroactinidiolide, 4053
transannular-, of sesquiterpene, heliangolides, 821
unsaturated organophosphorus compds, structural effect on iodolactonisation, 2615

Cycloadditions see also Addition reactions

1,3-dipolar-, to oxidopyraziniums, 2187
1,3,3-trimethyl-2-vinylcyclohexene with unsymmetrical quinones, regioselective prep of tricyclic terpene ring systems, 5267
1,4-dithiolium-4-olates with phosphaalkenes, prep of 1,3λ^3-thiaphospholes, 2119
3-azabicyclo[3.1.0]hex-2-ene 3-oxide, 267
[2+2]-, intramolecular, of Y-oxoketenes to give stereoisomeric β-lactones of 3-

oxo-2-oxabicyclo[2.2.0]hexane type, 6429
[2+2] photo-, between hetero 3-membered rings and azo groups, 4521
[2+2] photo-, of strained cage dienes aimed at producing [6]-prismane, 1295
[2+2]-, with difluorocallene, effect of styrene α-substituents on regiochemistry, 1491
[2+2+2]-, cooperative, in polyquadricyclanylidene [n]rotanes, model studies in tris-spiro(C_7H_8) systems, 4403
[2+2+2]-, electro-oxidation of 1,3-diketones in presence of olefin and oxygen, prep of cyclic peroxides, 667
[3+2] and [4+2]-, with $M(CO)_3$-complexes of 3,5-diphenyl-λ^3-phosphinins, 3475
[3+2]-, of alkynes to allyl cations, direct route to bicyclo[3.2.1]oct-6-enes, 235
[3+2]-, prep of mono-, bi- and tricyclic cyclopentyl sulphides, 689
[3+4]-, of vinylcarbenoids with cyclopentadiene proceeds via tandem cyclopropanation/Cope rearrangement, 1853
[4+2]-, electrochemically induced, mechanistic interpretation of cation radical Diels-Alder reaction based on preparative results, 1081
[4+2]-, intramolecular, synthesis of new conformationally defined serotonin homolog, 3423
[4+2]-, Lewis acid mediated, enhanced reactivity of iminium ions as heterodienophiles, 2103
[4+2]-, of in situ generated indolyl enol ethers as heterocyclic donor-activated 1,3-dienes, to carbazole derivs, 3079
7,7-carbomethoxy-7H-benzocycloheptene and 7,7-dimethyl-7H-benzocycloheptene with 4-phenyl-1,2,4-triazoline-3,3-dione, cycloheptatriene-norcaradiene equilibrium, 555
[8+2]-, intramolecular, and 10π-electron electrocyclisation of 8-acylheptafulvene, 1367
[8+2]-, intramolecular, of alkenylheptafulvenes, dependence of stereochemistries on tetraenophile group stereochemistry, 1371
α-activated Δ¹pyrroline and Δ¹-piperideine, synthesis and 1,3-dipolar and anionic reactivities, 1397
asymmetric induction in [4+2]-, of chiral ynamines and nitroalkenes, chiral 4-membered cyclic nitrones, 6397
Diels-Alder-, intramolecular. of pyrimidines, synthesis of heterocyclic annelated pyridines, 1589
Diels-Alder-, intramolecular, reaction of aryl allene phosphonates, 3391
Diels-Alder-, of 1,3-diazabutadienes with sulphene, 2641
Diels-Alder-, of chiral butenolides with isoprene and cyclopentadiene, 3405
Diels-Alder-, synthesis of homodehydroisodicyclopentadiene, 3467
dipolar-, intramolecular, prep of fused β-lactams, 97
heterocumulenes and ester enolates, synthesis of 4-alkylidene-azetidin-2-ones, 4347
intercyclic vs intracyclic [π2+σ2+σ2]/[π2+π2]-, reactions in sterically fixed norborna-diene/quadricyclane systems, 4399
intermolecular benzyne-, entry into benzo[c]phenanthridine skeleton, 2407
intermolecular oxidative-, of dihydropyrazolones, 1059
intramolecular-, of nitrile oxide with olefin, stereoselectivity and synthesis of fused azetidines, 4097
intramolecular Michael addition and alkylation of cyclic β-ketoester ynones to produce tricyclic compds, 3457
intramolecular Ni catalysed-, of bis-dienes, prep of both AB and BC ring systems of taxane diterpenes, 2221
intramolecular Ni-catalysed [4+4]-, allylic stereoinduction and modelling studies, prep of bicyclo[6.4.0]dodecadienes, 2451
ketenimine-aldehyde-, prep of 2-iminoxetanes, synthesis and controlled ring opening of 2-N-p-tolylimino-3,3-dimethyl-4-phenyloxetane, 2995
nitrone-, face selectivity controlling factors, role of steric, electrostatic and H-bonding effects, 1225
phosphenium ions to norbornadiene and quadricyclane, 603
photo-, of indolizine, 6155
polarised diaryl carbonyl ylids to unsymmetrical dipolarophiles, specificity, 3155
reactions of selenofluorenone, 3887
selenirene, formation of selenirane, 2867
sequential ($\pi^2+\pi^2+\pi^2$) and ($\pi^2+\sigma^2+\sigma^2$)-, synthesis of polycyclic bisadducts from C_7H_8 hydrocarbons, 3927
stereoselectivity of Diels-Alder reaction, effect of dienophile activating group, 2447
thermal-, of dimethylacetylene-dicarboxylate with cyclic enol-ethers, entry to medium sized oxocyclic systems, 1501
unusual-, of 1-acyl indoles to an o-quinone monoimide, 6691
(Z)-[6]paracycloph-3-ene with tetracyanoethylene, 2961

Cycloalkanes
photo-oxidation and autoxidation promoted by ceric ammonium nitrate in acetonitrile, 1941

Cycloheptanes
2-methylenecyclohept-3-en-1,5-diyl has triplet ground state, 6501
cylcoheptene deriv, dihalogeno-carbene adduct, ring expansion and retro reaction, 1827

Cyclohexanes
1-phenyl-1-piperidino-trans-4-methyl-, synthesis via stereoselectivecatalytic hydrogenation of 1-phenyl-1-piperidino-4-methylenecyclo-hexane hydrochloride, 741
1-phenylcyclohexene oxide, gas-phase acid induced ring opening, stereochemistry, 3393
3-vinyl-1-oxo-2,6-dioxa-, Pd-catalysed decarboxylative carbonylation in synthesis of 2-vinyl-γ-butyrolactones, 3497
4-halogeno-cyclohexenes via cyclisation of 1,5-hexadien-3-ols, formation of halogeno-octahydronaphthalenes from allyl-pulegols, 2583
7,7,8,8-tetracyano-p-quinodimethane, conducting and insulating salts with phosphiniminium cation, 4465
cyclohexane moiety of tetrodotoxin, stereocontrolled synthesis 6485

Cyclooctanes
hexanocyclooctatetraene- and [8]paracyclophane- derivs via twice addition of dihalogeno-carbenes and ring expansion of [6]paracyclophane-8,9-dicarbox-ylic diethyl ester, 3483

Cyclooctatetraenes
bridged in 1,5-position, prep by route for introduction of 3-Me group to break axial symmetry, 2795

Cyclopentanes
3,4-epoxy-5-hydroxycyclopentene via Ti(IV)-catalysed photo-oxygenation and pyrolysis to 2,4-pentadienoic acid, 311
4-methylenecyclopentenes via allylmetallation of 1-silyl-alkynes by 2-bromozincmethyl-2-propenyl ethers followed by Pd-catalysed cyclisation, 2889
annulated cyclopentenes or bicyclo[3.2.1]octenes by controlled rearrangements of vinylcyclopropanes, 167
azametallocyclopentenes, synthesis, structure and reactions, zirconocene induced coupling of benzyne with nitriles, 3245
cyclopentanoid building blocks, synthesis of enantiomers via asymmetric hydrolysis and esterification catalysed by esterases from porcine pancreas, 3471

Cyclopropanes
activated-, heterocyclisation with prim amines, 6597
alkylidene-, having in R^1 an ω-nucleophilic group, carbo-palladation leads to cyclic compds, 4533
cyclopropanols, divalent samarium induced synthesis from ketones and lithium enolates, 1307
cyclopropene- and cyclopropenone derivs, novel access through addition of trichloro-cyclopropenylium ion with alkenes, 4517
cyclopropyl acetate, enzymatic hydrolysis, medium- and large-scale prep of cyclopropanol, 2767
diastereoselective cyclo-propanation via homochiral ketals, dioxolane structural effects, 1865
geminally diactivated-, derivs, synthesis of γ-selenobutyrates, 4225
methylene-, reaction with singlet oxygen, formation of 4-methylene-1,2-dioxolanes, 217
tandem cyclopropanation/Cope rearrangement in [3+4] cycloaddition of vinylcarbenoids to cyclopentadiene, 1853
trichloro-, Ag-ion assisted cleavage, 3047
vinyl-, conversion to either annulated cyclopentenes or bicyclo[3.2.1]octenes by controlled rearrangements, 167

Cyclosporins
cyclosporin amino acid MeBMT, total synthesis, 1139

Deacetylation
regioselective-, of peracetylated D-xylal, 5529

Dealkylation
amino acid and amine N-benzyl derivs, deprotected, conversion to free amino acids and amines using ammonium formate as hydrogen source, 515
nitrous acid induced-, of trisubstituted olefins to acetylenes, 4921
selective debenzylation of tert alkylamines using β-trimethylsilylethyl chloroformate, 2331

Deamination
reductive-, of N-bridgehead amides, Ritter reactions, 11585

Decarbonylation
formate esters using rhodium carbonyl/2-methoxyethanol, 2215

Decarboxylation
alkylated cyclic β-enaminoesters with boric acid, synthesis of Δ^1-pyrrolines, Δ^1-piperideines and 1-aza-1-cycloheptenes, 2353
Cu-catalysed-, asymmetric synthesis of phenylmalonic diacids and hemiesters, 539
intramolecular decarboxylation-allylation, of allyl 2,3-disubstituted 3-trimethylsiloxy-acrylates to give silyl ethers of Y,δ-unsaturated ketones, 2397
photoreductive-, of carboxylic acids via their benzophenone oxime esters, 6207

Deconjugation
enantioselective photo-, of α,β-unsaturated esters, 4825

Deesterification
enzyme catalysed selective-, prep of pseudomonic acid A rearrangement isomers, 5169

Dehalogenation
reductive dechlorination of 4,4-dichlorocyclobutenones, 3299

Dehydration
alcohols, catalysed by copper(II)sulphate adsorbed on silica gel, 4565

Dehydrogenation
alcohols with iridium pentahydride complex catalysed in absence of H-acceptor, 3115

Dehydrohalogenation
enantioselective-, of chiral lithium amides via asymmetric deprotonation, deracemisation of 4-t-butylcyclohexylidene acetic acid, 5517

Deoxygenation
anguidine via conversion of T-2 toxin and neosolaniol by deoxygenation at C-8 of the trichothecene nucleus, 2661
sec and tert alcohols of C_{19}-diterpenoid alkaloids, 3883
stereospecific-, of 1,2-diols to olefins, 3919
sulphoxides by electrophilic α,α,α-trifluoroacetophenone O-oxide, turning nucleophilic to electrophilic reactivity, 6201

Deprotection
allyl esters, Pd catalysed in synthesis of carbapenems and β-lactam derivs, 4371
guanidine-, of acetylated carbohydrates and phenols at room temp, 3569
amines protected with 1-isopropyl-allyloxycarbonyl group catalysed by Pd-phosphine complex, 2737
double deprotection-peptide-cyclisation procedure, application to synthesis of cyclic tetrapeptide HC-toxin analogs, 3419
selective-, of tetrahydropyranyl ethers in presence of t-butyl-dimethylsilyl ethers with $MgBr_2$ in ether, 439

Deprotonation
(η^4-isoprene)Fe(CO)$_3$ to coordinated isoprene anion which reacts with electrophiles at low temp and rearranges to isomeric (η^4-trimethylene-methane)Fe(CO)$_3$ anion at higher temp, 1497
kinetic-, of benzyl methyl ketone, 2,4,6-tri-t-butylphenyllithium as a base, 6325

Deracemisation
4-t-butylcyclohexylidene acetic acid, enantioselective dehydrohalogenation of chiral lithium amides via asymmetric deprotonation, 5517

Deselenation
periodate oxidative-, and desulphurisation at pentacovalent P, yields improved by Mn(III) porphyrins, 2981

Desilylation
1-trimethylsilylmethyl-2-pyridone, desilylative hydroxyalkylation and acylation, 5419
butynylbicyclooctanone, regiocontrolled cyclisation, selective desilylation of triple bond in presence of silyl enol ether, 3923
regiospecific carbo-, and Parham cyclisation, prep of 7-methoxyl-indanols, 2933
selective-, of phenolic and alcoholic trimethylsisyl ethers, 4307

Destannylation
cyano and fluoro-, using bis(aralkyl)tin sulphides and trialkyltin sulphides, 4373

Desulphurisation
and isomerisation allene episulphides, 1787
oxidative desulphonation-/condensation of sulphonyl anions to β-hydroxysulphones, application to terpene synthesis, 6273
periodate oxidative-, and deselenation at pentacovalent P, yields improved by Mn(III) porphyrins, 2981
thiocarbonyl compds to carbonyl compds with t-butyl thionitrate, 1669

Diastereocontrol
Claisen rearrangement by substituents external to pericyclic array. synthetic studies of betaenone B and stemphyloxin 1, 3065
phenol- and Pd(II)-catalysed Claisen rearrangement of cyclic enol ethers, 5879

Diastereomeric compounds
2-amino alcohols, new diastereoconversion involving novel cyclocarbamation, 6331
Y-hydroxy L-glutamic acids, 1277

Diastereoselection
1,3-*syn* reduction of β-hydroxy-ketones using alkoxydialkyl-boranes, 155
1,4-, in allylstannanes addition to 1-alkyl-2-oxocyclohex-3-ene-acetic acid methyl esters, 1483
α-alkylation of β-hydroxy sulphoxides, application to synthesis of (+)- and (-)-disparlure, 5677
α,β-epoxy aldehydes with β-silyl-phosphorous ylide, 2379
β-hydroxy-Y-lactone moiety of HMG-CoA reductase inhibitor via aldol reaction, 1385
π-facially controlled nucleophilic addition, chiral vinylorgano-metallics to chiral β,Y-unsaturated ketones, 31
alkylation of 5-ethoxy-4(*S*)-hydroxy-1-isopropyl-2-pyrrolidinone dianion, synthesis of enantiomerically pure aza-bicycles, 1581
and enantioselective micro-biological reduction of 2-methyl 3-oxoalkanoates, 3939
and regioselectivity in aldol reactions of cyclopent-2-enone, 2-(5H)furanone and derived tri-methylsiloxydienes, 985
asymmetric double aldol reactions using boron enolates derived from 3-(3-ethyl)pentyl propanethioate and ethane thioate with (*R R*)-2,5-dimethylborolanyl triflate, 2841
chiral α-methoxy-*E*-crotyl-boronates, stereoselective C-C bond formation under reagent control of diastereoselectivity, 5303
conjugate addition of lithium methylcyanocuprate to chiral 2-(*R*)-and (*S*)-benzyloxy-2,5-dihydro-4-furancarboxaldehyde, synthesis of (-)-and (+)-botryodiplodin and (+)-and (-)-epobotryodiplodin, 3589
cyclopropanation via homochiral ketals, dioxolane structural effects, 1865
deoxymercuration in acylic system, assistance by neighboring carbonate group, 1207
E-propenylation of α-chiral aldehydes, carbonyl addition reactions via β-silyl- and β-stannylphosphorous ylides, 4561
elaboration of C-skeleton from yeast reductions of β-hydroxyesters, prep of (2*S*)-2-hydroxycyclohexane carboxylic acids with 3 contiguous stereogenic centers, 3791
in 2-trimethylsiloxyfuran directed aldol condensation with aldehydes, stereodivergent route to *threo* and *erythro* δ-hydroxy-Y-lactones, 4037
in reaction of 1,4-di-(bromo-magnesio)pentane with lactones and cyclic anhydrides, 4997
protonation of carbanions, 5805
reductions of N-diphenylphosphinyl imines, and synthesis of axial primary cyclic amines, 5619
trimethylsilyl trifluoro-methanesulphonate catalysed

reaction of silyl ketene acetals with imines, 4331

Diastereospecific synthesis
route to thiamphenicol via cyclisation-migration of N-benzoylcarbamates to stereo-defined oxazolidinones, 5395

Diaza compounds
1,3,4-diaza-1-^{5}-phosphinines, synthesis via prep of β-enaminophosphines, 2875
4,13-diaza-18-crown-6 derivs having glycyl-glycine side arms , molecular structures, two KI complexes, 1753

Diazetes
diazene and bis-allene precursors, 3,4-dimethylenethiophene reactive intermediates are identical, correlation of singlet biradical reactivity in tetramethyleneethane and trimethylenemethane series, 4263

Diaziridines
cis-oxa-, thermal stability, anchimerically assisted ring opening, 275

Diazirines
3-benzyloxy-3-chloro-, thermolysis to benzyloxychlorocarbene, 1969
3-fluoro-3-trifluoromethyl-, via treatment of 3-bromo-3-trifluorodiazirine with fluoride ion, 5501

Diazo compounds
α-diazo β-keto alkylphosphonates and phosphine oxides, intramolecular carbenoid cyclisations, synthesis of α-phosphorylated cyclopentanones, 6605
α-diazo-β-keto phenylsulphones, intramolecular carbenoid cyclisation,synthesis of α-phenylsulphonyl cyclopentanones, 3459
α-diazoketone, Rh(II)acetate catalysed reaction to 6-ring carbonyl ylide, 5407
α-diazoketones, intramolecular insertion, prep of
ω-hydroxy-,-mercapto- and -Boc-amino-α-diazo-β-keto esters, prep via Rh-carbenoid mediated cyclisations, use of ethyl lithiodiazoacetate, 5351
diazo coupling, reply to Kekule's mechanism, base and acid catalysed reactions of phenylazo 1-naphthyl ether, 4427
diazoketone cyclisation, route to hexahydrobenzofuran nucleus of avermectins, 6417
diazoketones, acid catalysed cyclisation, prep of 2,4(3H,5H)-furandiones, 1039
diazomethane, photolysis in acetone, formation of carbonyl ylide as intermediate, 1723
diazomethanes, disubstituted, reaction with 1-chloro-2-phenyl-2-trimethylsilyl-1-phosphaalkene to give 1-chloro-1-phosphiranes, 2693
diazosulphides, $S_{RN}1$ approach to aromatic nitriles, 1345

Diazonium compounds
4-(hydroxymethyl)benzenediazonium ion, anomalous reaction with adenine, 1015
aryldiazonium ligands, irreversible inactivation of opioid receptors, 401

Dienes and trienes
1-acetoxy and 1-silyloxy-1,3-dienes via reductive homolgation of α,β-unsaturated esters, 2463
1-acyl-3-oxa-1,5-hexadienes, intramolecular photo-reactions, 5087
1-methoxy-1,3-cyclohexadiene, reaction with N-acetyl dehydro-alanine methyl ester, fragmentation of adduct and formation of 2-carboxy-6-oxo-cis-octa-hydroindole, 2371
1-trimethylsilyl-1,3-dienes, electro-oxidation, 211
1-trimethylsilyl-2,3-dienes, synthesis, 2751
1,1-captodative butadienes with amino, thioether or methoxy groups combined with ester and nitrile substituents, synthesis, 2591
1,1,4,4-tetrakis(trimethyl-silyl)butatriene, reduction and oxidation of C=C bonds, 1811
1,2,3-butatriene episulphides, formation via thionation of methylenecyclopopanones, 1803
1,3-butadiene derivs, cyclo-codimerisation with non-activated terminal acetylenes catalysed by cationic Rh complex, 3361
1,3-butadienes, functionalised, tetra- and penta-substituted, stereoselective synthesis via allene Claisen rearrangement, 789
1,3-cycloheptadienes, transformation to tropane alkaloid derivs, application to stereocontrolled synthesis of tropanol derivs, 4199
1,3-diazabutadienes, Diels-Alder cycloadditions with sulphene, 2641
1,3-dienes, 1,4-addition vs 1,2-addition to free germylenes, 3783
1,3-dienes, heterocyclic donor-activated, in situ generated indolyl enol ethers, [4+2] cycloadditions to carbazole derivs, 3079
1,4-cyclohexadiene and mono- or di-activated acetylenes, tandem ene/intramolecular Diels-Alder reactions, 6553
1,4-diaza-1,3-dienes, unexpected reactions under acylating conditions, new cyclisation to non-acylated imidazole derivs, 4605
1,4-diphenyl-1-azabutadiene, addition of allenic esters, 6679
2-acyl-4-oxa-1,5-hexadienes, intramolecular photo-reactions, 5083
2-tributylstannyl-1,3-dienes, regioselective synthesis, 347
2,3-bis(dihenylphosphinyl)-1,3-butadiene via double [2.3] sigmatropic rearrangement in 2-butyne-1,4-diol reaction with chlorodiphenylphosphine, 1085
2,3-dicarbomethoxy-1,3-butadiene and its reactions, 6671
2,4-dimethylenetricyclo-[3.3.0.0^{3},^{7}]octane and 2,9-dimethylenetricyclo[4.3.0.0^{3},^{8}]nonane, synthesis and through-space interactions, 6151
3,4-dimethylenethiolane derivs, new, synthesis, 5913
3-methyl-4,5-benzofurandione, prep and dienophilicity, 3427
5-oxa-2,8,10-undecatriene derivs, Fe-catalysed 6-membered ring carbocyclisation, 5627
9,10-dimethylenetricyclo-[5.3.0.0^{2},^{8}]deca-3,5-diene, prep and thermal stability, 4965
α-phellandrene, photo-oxidation, prep of cyclohexadienyl hydroperoxides and reduction to arene 1,4-hydrates, 6093
azatrienes, effect of alkyl substituent on cyclisation, stereoselectivity in intramolecular Diels-Alder reaction, 2969
bicyclo[3.3.1]nona-1(2),4(5)-diene(Z,Z)ring system, thermal generation, 735
bicyclo[4.2.1]nona-2,4-diene-7,7,8,8-tetracarbonitrile, 6+2 adduct of cycloheptatriene and tetracyanoethylene, photo rearrangements, 4867
bis-dienes, intramolecular Ni catalysed cycloadditions, prep of both AB and BC ring systems of taxane diterpenes, 2221
butadiene derivs, Diels-Alder additions of tetrachloro-cyclopropene, 1,2-bromochloro-cyclopropene and cyclopropene, 5917
C_2-symmetric bis-dienophile, double Diels-Alder reaction, new enantioselective approach to natural loganin, 3991
conjugated trienes, synthesis by Pd(0) catalysed cross coupling, 1469
cross conjugated 4-methylene-1,2,5-hexatriene and 4-methyl-ene-1,2,5,6-heptatetraene, prep, 2697
cyclobutadiene superphane, capped by cyclopentadienylcobalt, 195
cyclopentadiene and isoprene, Diels-Alder cycloadditions with chiral butenolides, 3405
cyclopentadiene, [3+4] cyclo-addition with vinylcarbenoids proceeds via tandem cyclo-propanation/Cope rearrangement, 1853
derived trimethylsiloxydienes and cyclopent-2-enone, 2-(5H)furanone, regio- and diastereoselectivity in aldol reactions, 985
diene-Mo(CO)$_2$Cp cations, chiral recognition during reaction with enolate nucleophiles bearing chiral auxiliaries, 2459
dienes with cis-1-methyl group, Diels-Alder reaction, 697
dienes, substituted, via conversion of aldehydes using silicon, 693
dienophile activating group, effect on stereoselectivity of Diels-Alder reaction, 2447
dienophiles, α,β-unsaturated oxazolines and oxazine, useful in Diels-Alder reaction, 6183
dienophiles, powerful ambient temp propargyl cations in Diels-Alder reaction, 5969
(E,E)-11,5-dienes, stereoselective synthesis, 263
E,Z butadiene-Fe-tricarbonyl complexes, syntheses and reactivity, 2959
electron rich dienes and electron rich dienophiles, elecrochemical Diels-Alder reaction mechanism. 1081
electrophilic diene, 1,6-Michael type addition of primary amine, synthesis of indolizidine, 1761
enhanced reactivity of iminium ions as heterodienophiles in Lewis acid mediated [4+2] cycloadditions, 2103

fluorodienes, synthesis, transylidation via nucleophilic addition and regiocontrolled elimination, 4283
homodehydroisodicyclopentadiene, synthesis and Diels-Alder reactions, 3467
macrocyclic 13-membered triene with tetrasubstituted enol ether as dienophile, synthesis and transannular reaction, 5255
norbornadiene and quadricyclane, cycloaddition to phosphenium ions, 603
optically active 1-alkoxy-1,4-cyclohexadienes, chelation controlled alkylation and 1,4-chirality transfer, 4195
strained cage dienes, [2+2] photocycloadditions aimed at preoducing [6]-prismane, 1295
tethered dienes, Ni-catalysed intramolecular [4+4] cycloaddition, stereoinduction depends on steric nature of substituents at stereogenic center, model for prediction, 2451
transfer reagents, prep for site specific delivery of disubstituted cyclobutadienes and their use in synthesis of hetero-bridged propellanes, 6507
triene, Diels-Alder intramolecular reaction proceeding with boat-like conformation of connecting chain, 931
trienes which cyclise to hydroindane systems, use in Diels-Alder intramolecular cation radical reactions, 927
vinylbicyclo[3.1.0]heptenes, Diels-Alder reactions, 3201

Dimerisation
2-(methylthio)ethyl tosylate, tosylate/chloride rate ratios, 5299
α,β-unsaturated ketones and nitriles, DABCO catalysed, 4591
cyclo-codimerisation of 1,3-butadiene derivs with non-activated terminal acetylenes catalysed by cationic Rh complex, 3361
cyclotrimerisation and condensation of phenylisocyanate with aliphatic aldehydes activated by $Ti(bpy)_n$, 2169
dehydro-, route to alkanes, alcohols and ethers, 5599
in presence of metals in electro reduction of p-substituted 1,3-phenylpropenone, 1881
photo-, of aceanthrylene, 4801
photo-, of tetramethyluracil, stereocontrolled, smectic liquid crystalline phase, 3263

Diols and triols
1,2-diacylglycerols, 3-OH protecting group in synthesis from o-iodobenzoyl moiety, 5005
1,2-diols stereospecific deoxygenation to olefins, 3919
1,2,3-triol derivs, fluoroolefination, regiospecific prep and allylation fluoromethyl ketone enol ethers, 1677
1,3-alkanediols, racemic, enantiodifferentiation into enantiomerically pure materials, 4847
1,3-alkanediols, resolution via spiroketals derived from l-menthone, 4843
1,4-alkanediols, synthesis, 2599
2-butyne-1,4-diol, reaction with chlorodiphenylphosphine, 2,3-bis(dihenylphosphinyl)-1,3-butadiene via double [2.3] sigmatropic rearrangement, 1085
2-substituted 1,3-propanediols, enantioselective functionalisation using triisobutylaluminium promoted ring cleavage of spiroketals of l-menthone as key reaction, 4181
(3R,4R)-1,5-hexadiene-3,4-diol and unsymmetrical derivs, synthesis; use in synthesis of (R)-(+)-α-lipoic acid, 2183
dibenz[a,c]anthracene, dihydrodiols, synthesis, 4363
diols and alcohols, papain catalysed esterification of alanine, 5153
erythro 1,3-diols, functionalised, stereoselective synthesis, 391
erythro and threo-1,2-diols, stereoselective synthesis from diketo sulphides via cis-3,4-dihydroxythiolanes, 1799
glycerol tripicrate and its sigma complexes with methoxide, synthesis and characterisation, replacing ONO_2 of nitroglycerine with $-OC_6H_2(NO_2)_3$, 6009
L-(R)-glycerol, L-(S)glyceraldehyde and L-(S)-methyl glycerate acetonides, prep via protected L-(S)-3,4-O-isopropylideneerythrulose, 4757
monoprotected vicinal diols via new allylstannanes for their connective construction, 139
optically active glycerols via enzymatic hydrolysis of prochiral ester, 531
phenylthio migration, synthesis of compds with 1,4-realted chiral centres, syn nx anti-E-2,4-dimethylhex-3-ene-1,5-diol, 1925
symmetrical 1,2-diols via reductive homocoupling of aromatic and α,β-unsaturated aldehydes, 5717
syn- and anti-1,2-diol derivs via stereocontrolled conversion of α-alkoxyesters, 3905
syn-1,3-diol monoethers, synthesis, stereochemistry of 1,2-Wittig rearrangement, 1043
threo(or syn) vicinal diol monoalkyl ether unit, formation via stereoselective addition of E- and Z-Y-alkoxyallyltins to aldehydes, 143
triols from DMM, transacetalation, selective synthesis of hydroxy compds bearing dioxane ring and their alkylation by phase transfer catalysis, 6601

Dioxanes
dioxanone-to-dihydropyran Claisen rearrangement, synthesis of C(7)-C(13) fragments of erythronolides A and B, 4143
selective synthesis of hydroxy compds bearing dioxane ring and their alkylation by phase transfer catalysis, 6601

Dioxazoles
1,4,2-dioxazolinones, acyl azides and nitrile oxides, photolysis yield acyl nitrene products, 1097

Dioxetanes
1,2-, synthesis via electron transfer oxygenation, 5319
arylphosphate substituted-, alkaline phosphatase-catalysed chemiluminescence, 1159
naphthyl acetate substituted-, aryl esterase-catalysed chemiluminescence, 935
t-butyldimethylsilyloxy-substituted-, fluoride induced chemiluminescence, 1155

Dioxiranes
dimethyl-, epoxidation of alkenes, evidence for spiro transition state, 3311

Dioxolanes
4-(1-hydroxyalkyl)-1,3-, via stereo- and regio-specific conversion of 2,3-epoxyalcohols, 383
4-methylene-1,2-, via reaction of singlet oxygen with methylenecyclopropanes, 217
dioxolane structural effects in diastereoselective cyclopropanation via homochiral ketals, 1865

Disulphides and Polysulphides
dimethyl N-(ethoxycarbonylmethyl)imino-dithiocarbonate, carbon disulphide and alkyl halides, synthesis thiazoles, 6667
disulphide interchange during acyl transfer step, scope and control in peptide synthesis, 4637
disulphides and diselenides reductive cleavage to thiols and selenols, 3271
disulphides via oxidation of aromatic and aliphatic thiols by 5-arylidene 1,3-dimethylbarbituric acid and reduction of oxidant to dihydro compd and synthesis of unsymmetrical disulphide, 4173
fused cyclopolysulphides, photolysis, formation of 1,2-dithione and 1,2-selenoxothione, 4833

Dithianes
2-phosphoryl and 2-thiophosphoryl 1,3-, and related compds, conformation, origin of S-C-P anomeric interactions, 573

Dithioles
1,4-dithiolium-4-olates, cycloadditions with phosphaalkenes, prep of $1,3\lambda^3$-thiaphospholes, 2119

Drugs see also Biologically active and Pharmacologically active compounds
2-cyano Δ^3-piperideines, synthesis of 1-substituted benzomorphans, 6179
(-)-captopril, asymmetric synthesis using chiral auxiliary $[(\eta^5\text{-}C_5H_5)Fe(CO)(PPh_3)]$, 5563
(+)-artemisinin and (+)-9-desmethylartemisinin, total synthesis, 4629
benzomorphans and morphinans, asymmetric synthesis via enantioselective hydrogenation, 4825
cerebroside B_{1b} and its stereoisomers, total synthesis and configuration, 6281
ivermectin, antiparasitic agent, synthesis of fully fuctionalised synthon for bottom half, 5977
nitracrine reduction, access to dihydropyrazolo- and dihydropyrimidino-acridines, 5029

Dyes
flavokermesic acid, chemical nature, 1199

Electrochemical reactions
anodic oxidation of benzylic ketones, ester and nitrile in CH_3CN/Et_4 yield mono-or di-fluoro compds, 2359
cathodic reduction of stilbene and phenanthrene activated by arene-chromium tricarbonyl complexation, 1349
cyclisation of alkenols by electrooxidative phenyl-selenoetherification, 4343
deterpenoid (±)-8,14-cedranoxide synthesis, 6661
electrolysis of methylthiotri-phenylphosphonium salt, regeneration of triphenyl-phosphine from triphenyl-phosphine oxide, 5821
enzymatic reduction of pyruvate catalysed by D-LDH, 6583
heteroaromatic containing electroactive polyaromatics of known linkages, order, topicity and stoichimetry, synthesis, 5213
induced [4+2] cycloadditions, mechanistic interpretation of cation radical Diels-Alder reaction based on preparative results, 1081
intramolecular carbonyl-mediated oxidation of methyl 3-O-acetyl-glycyrrhetate to skeletally rearranged triterpene oleanene and its oligoside, 2029
new liquid crystalline viologens with electric stimulus-response behaviour, 6475
oxidation of 1-trimethylsilyl-1,3-dienes, 211
oxidation of α-silylcarbamates, 6621
oxidation of p-aryl phenols to give spiro-annulated cyclohexa-2,5-dienones, anodic C-C bond formation, 5445
oxidation plus electrooxidation of olefins to methyl ketones, 3683
oxidations of aromatic enol ethers in presence of non current nucleophiles, 1275
phenylselenolactonisation by electrolysis of Δ^4- and Δ^5-unsaturated carboxylic acids and diphenyl selenide, 6511
reduction of aromatic compds and esters in liquid ammonia using single-compartment cell with soluble anode, 1173
reduction of diethyltri-chloromethyl phosphonate, prep of diethylcholoromethyl and dichloromethyl phosphonates, 3799
reduction of oxazolinium salts, to acyl anion equivalents and their Michael addition to activated olefins, 4411
reduction of p-substituted 1,3-phenylpropenone, dimerisation in presence of metals, 1881
SnO_2 electrode, covalently bound octadecylsilyl monolayer, molecular recognition of co-implanted inert guest, 4299
synthesis of tertiary phosphines from organic halides and chloro-phosphines, 1885
unsymmetrical biaryls, new synthesis via electro-chain reaction of $S_{RN}1$ type, 6171

Electron spin resonance
methylviologen, rate of homogeneous electron transfer in self-exchange reactions, 5335
N-acetylamino acids and N-alkylacetamides, selective Y-H abstraction with titanous ion and H_2O_2, 2747
photodecompsition of α-nitrato-methylbenzoin, 2163
tetraacetyl-glucosyl radical at 77K, evidence for initial formation of unstable conformer, 1455
trialkylamines, base catalysed autooxidation, ESR study, 3387

Electronic spectra
2,4-dimethylenetricyclo[3.3.0-.$0^{3,7}$]octane and 2,9-dimethylenetricyclo[4.3.0.$0^{3,8}$]n onane, synthesis and through-space interactions, 6151
cycloheptadienequinone and cyclopentenequinone systems having electron donating diaminocyclopropenylidene moiety, structure, 5683
liposomal membrane, electron transport rate across controlled by thermally induced phase transition of flavoliposome, 5899
tropothione, synthesis, spectra and reactions, 203

Electrophiles
reaction with 2-siloxy-4H-pyrans prepared via regioselective addition of organocuprates to 2-siloxypyrylium salt, 6305
reaction with 3-siloxyallenyl-lithium, 1299

Elimination reactions
asymmetric-, basis of optically active bicyclo[3.3.0]oct-2-ene derivs synthesis, 6489
consecutive radical cyclisation-elimination, stereospecific formation of exocyclic alkene, 2941
HCl-, from chloromethylphosphine, prep of methylidenephosphine, 5811
hydrolytic-, of selenoxide for prep of 2-chloro-1-olefins, 1463
molecular N from α-azidoketones, formation of α-enaminoketones from α-azidoketones, 6019
reductive-, and synthesis of tri-arylbis(phenylethynyl)antimony, 3367
stereospecific 1,4-, and trapping of stable allenic carbanions in synthesis of alk-3-en-1-ynyl carbamates, 785

Enamino ketones
reaction with ethyl 4-(diethoxy-phosphinyl)-3-oxobutanoate and related phosphonate esters, 559

Enamines
α-enaminoketones, formation from α-azidoketones, elimination of molecular N from α-azidoketones, 6019
and allylamines and N-acetylimines, hydro-carboxylation, 2829
chiral-, of α-alkyl β-keto esters, asymmetric Michael reaction promoted by chlrotrimethylsilane, 6637
morpholine-, new terpyridine synthesis, 4123

Enantiomeric purity and Enantiomers
Y-halo allylic alcohols and propargyl alcohols with high optical purity, prep and synthesis of prostaglandin ω-chain, 2033
chiral imide enolates, asymmetric halogenation; approach to synthesis of enantiomerically pure α-amino acids, 1123
Diels-Alder addition, sulphinyl dienophiles of chiral styrene oxide, transformation into enantiomeric compds with recovery of chiral auxiliary, 107
enantiodifferentiation of racemic 1,3-alkanediols into enantiomerically pure materials, 4847
enantiomers of cyclopentanoid building blocks, synthesis via asymmetric hydrolysis and esterification catalysed by esterases from porcine pancreas, 3471
enantiomers of twisted 9,10-phenanthrenequinones, chromatographic enrichment and barriers to racemisation, 3479
N-hydroxy-α-amino acid derivs of high optical purity, synthesis, 1215
phosphinothrycin, asymmetric synthesis of both enantiomers, 1255
pure (3S,4S)- and (3S,4R)-statine derivs, prep via asymmetric synthesis of acetal templates, 6535
pure carbocyclic 3'-azido-2',3'-dihydrothymidine, potential anti-aids drug, synthesis, 5311
pure α-hydroxyesters via regio-selective reaction of lithio and magnesiocuprates with glycidic esters, 1993

Enantiomeric selection
[2,3] Wittig ring contraction induced by chiral bases, synthesis and configuration of (+)-aristolactone, 3323
access to (-)-tubotaiwine skeleton, 3573
addition of dialkyl zincs to aryl aldehydes, chiral piperazine as new catalyst 4841
addition of diethylzinc to benzaldehyde using chiral catalyst, 5233
addition of diethylzinc to benzaldehyde in presence of ephedrine derivs, 3013
addition of organozinc reagents to aromatic aldehydes catalysed by Zn complexes of chiral phenols 5237
allylation of carbonyl compds using C-centred optically active allylsilane, 969
and diastereoselective microbiological reduction of 2-methyl 3-oxoalkanoates, 3939
camphor pinacolisation, enantioselectivity, 1813
cyclisation of chiral epoxide to benzofuran system, 3075
effect of organic cosolvents in bovine serum albumin catalysed Weitz-Scheffer condensation, 1577
enantioselectivity in transesterification of (±)-sulcatol by porcine pancreatic lipase in ether, 2091
entry into strychnos alkaloid skeleton, 1271
functionalisation of 2-substituted 1,3-propanediols, using triisobutylaluminium promoted ring cleavage of spiroketals of l-menthone as key reaction, 4181
hydrogenation of benzomorphans and morphinans in asymmetric synthesis, 4829
hydrolysis of 2-(chloro-phenoxy)propionic esters via esterases, 4661

methylation of glycine, effect of structure of chiral nucleofugal, 3801
new chiral bisphosphine-Rh complex, catalytic activity and enantioselectivity for asymmetric hydrogenation of ketopantolactone, new designing concept, 3675
optically pure L-armentomycin and D-isomer, synthesis and reduction of C=C bond of methyl (E)- and (Z)-2,4,4-trichloro-2-butenoate using bakers yeast, 1447
photodeconjugation of α,β-unsaturated esters, 4825
reagent-controlled homoaldol reaction with chiral 1-oxyallyllithium derivs, enantiodivergent tuning by achiral titanium reagents, 5149
SAH/MTA nucleosidase potential inhibitors, synthesis of hydroxylated pyrrolidine derivs, 535
(S)-hydroxy-γ-lactone, via microbial oxidation (R,S)-2,2,5,5-tetramethyl-4-hydroxycyclohexanone, 1109
synthesis of 1α-hydroxyvitamin D enyne A-ring synthon, 4947
synthesis of (6R,7S,8aR)-dihydroxyindolizidine and (6R,7R,8S,8aR)-trihydroxyindolizidine from D-glucose, 4601
synthesis of (+)-marmin from 7-geranyloxycoumarin, optical activity induced by Sharpless epoxidation, 2579
synthesis of adrenosterone via optically active indanepropionic acid, 2087
synthesis of carbapenam-2-one system, approach to (+)-thienamycin and related carbapenems, 5103
synthesis of poly-oxygenated α-hydroxydihydrochalcones and CD absolute configuration, 4857
synthesis of ring A aromatic steroids, by asymmetric Michael-type alkylation of chiral imines, 2367
synthesis of substituted tetrahydro-2,5-(1H,3H)-quinolinediones, asymmetric Michael addition/lactamisation via SAMP-RAMP hydrazones, 3795

Enantiospecific syntheses
1-deoxy-castanospermine from D-glucose, 4597
chiral structural units, C_1-C_{13} segment of amphotercin from a common progenitor, 1143
chiral structural units, C_{14}-C_{20} and C_{32}-C_{38} segments of amphotericin from a common progenitor, 1147
taxol A-ring building unit, 2753
total-, of 12(R)-hete, 6543

Energy
and structures of pentaprismane and hexaprismane, ab initio study, 5787

Enolates
acetone and its enolate anion, formation of $[CH_3COCHCOCH_3]$ enolate anion, 4537
amide di-, stereoselective Michael addition to α,β-unsaturated esters, stereocontrolled construction of adjacent tertiary and quaternary asymmetric centers, 1785
boron-, a force field model, 5209
boron-, derived from 3-(3-ethyl)pentyl propanethioate and ethane thioate, use in asymmetric double aldol reactions with (R R)-2,5-dimethylborolanyl triflate, 2841
chiral boron-, of diethyl ketone, condensation with aldehydes to give syn-α-methyl-β-hydroxy ethylketones, 1229
chiral imide-, asymmetric halogenation; approach to synthesis of enantiomerically pure α-amino acids, 1123
ester-, addition to heterocumulenes, formation of thio or oxo malonimides and further to 4-thioacetoxy azetidinones, 3593
ester-, cycloaddition of heterocumulenes, synthesis of 4-alkylidene-azetidin-2-ones, 4347
F-alkyl ketone-, generation using copper(11)bromide-lithium aluminium hydride reagent and their aldol reaction with carbonyl compds, 3501
generated via addition of lithium dithioacetate with α,β-disubstituted enones, stereoselectivity of protonation, anti-Houk selectivity, 409
ketone-, carboxylation with anisyl cyanoformate, new synthesis of dioloxolenones, 1051
ketone homo-, by conversion of 1-alkene-3-ols and prep of β-alkylated ketones, 2587
lithium ester-, and enolisable aldimines, new synthesis of β-lactams, 3377
lithium-, divalent samarium induced synthesis of cyclopropanols from ketones, 1307
metal enolate-imine condensation reactions, stereochemistry, 3257
nucleophiles bearing chiral auxiliaries, chiral recognition during reaction with diene-$Mo(CO)_2Cp$ cations, 2459
phenolic-, intramolecular radical coupling, oxidative fragmentation of spirodiketone intermediate, 4163
titanium-, generated in situ, condensation with aromatic aldehydes, 4135

Enols
substituted acetophenone-, and corresponding methyl enol ethers, isodesmic equilibrium in water, 1889

Enones
4-hydroxyalk-2-enone function, formation, 649
and butenolides, synthesis using organo-Mn pentacarbonyl complexes, 2233
and functionalised ring systems via inter- and intra-molecular oxidative addition of acyl radicals(from acylcobalt salophens) to activated C=C, 5949
conjugate addition to alkylCu reagents in presence of trimethylsilyl chloride/tetramethylenediamine, 27
conversion via allylic thiosulphones to diketosulphones which then led to bicycloalkanediones, 6045
cyclic α,β-, consecutive β-carboxylation and α-alkylation, new route to sarkomycin, 2147
cyclic α,β-, uncatalysed conjugated addition with 2-(1,3-dioxolan-2-yl)-ethylmagnesium bromide, 3217
derived from (R)-glyceraldehyde acetonide, addition of organometallic reagents, 2525
quassimarin and related quassinoids, ring A, construction of sensitive hydroxy enone functionality, 2491
tricyclic p-tolylsulphonylmethyl-, remote electronic control in LAH reduction, 3147

Enynes
enynols, pyridinium dichromate induced 1,3-oxidative rearrangement, 1069
thiophenol promoted cyclisation, 1503
Zr-promoted bicyclisation, effect of substituents, 917

Enzymes
2-phase reaction, one-step synthesis of 5'-phosphatidyl-nucleosides, 199
2'-5',3'-5' linked triadenylates, synthesis, 2623
3-methylaspartate ammonia-lyase, stereochemistry of amination of chloro- and bromo-fumaric acid, 2413
β-hydroxy-γ-lactone moiety of HMG-CoA reductase inhibitor, synthesis via diastereoselective aldol reaction, 1385
γ-hydroxy L-glutamic acids, 1277
adenosine triphosphate, protophosphatase catalysed cleavage by dissociative type mechanism within receptor-substrate complex, 2779
alkaline phosphatase-catalysed chemiluminescence in aryl-phosphate substituted dioxetane, 1159
angiotensin converting-, synthesis of inhibitor tripeptide derived amino alcohols, 1603
aryl esterase-catalysed chemiluminescence in naphthyl acetate substituted dioxetane, 935
azacyclic 2-deoxy-KDO, synthesis, 773
catalysed selective deesterification, use in prep of pseudomonic acid A rearrangement isomers, 5169
CC-1065, PDE-1 and PDE-11, efforts directed at total synthesis via use of preformed, aged BF_3/H_2O_2 reagent in Lewis acid-catalysed benzylic hydroperoxide rearrangement, 1027
chemoenzymatic approach to carbocyclic analogs via ribonucleosides and nicotinamide ribose, 1887
citreomontanin and $C_{18}Z$ isomer, total synthesis, 2455
cyclisation of 2-carbamoyloxy benzoates, formation of 2H-1,3-benzoxazine-2,4(3H)-diones, 2425
D-alanine:D-alanine ligase inhibitors, synthesis of 3-amino butenylphosphonic and aminophosphonamidic acids, 6167
degradation of oligodeoxynucleoside methylphosphonates, 3539
E coli aspartate transaminase, use in conversion of α-keto acids to L-α-amino acids, 3745
enantioselective α-chymotripsin hydrolysis of prochiral dimethyl 3-hydroxyglutarates as strategy for synthesis of C_5-chiral buildimng block, 4935
ester interchange of vinyl esters, 953
esterases from porcine pancreas, catalytic asymmetric hydrolysis and esterification, synthesis of enantiomers of cyclopentanoid

building blocks, 3471
esterases, enantioselective hydrolysis of 2-(chlorophenoxy)-propionic esters, 4661
formation of protopines by microsomal cytochrome P-450 of Corydalis vaginans, 5307
glycosyl transferase-, catalytic effect of carboxylate ion, ion-dipole repulsion with carbohydrate ring oxygen, 2925
H,K-ATPase inhibitors, structures and configurations of siphonodiol and related metabolits from Siphonochalina truncata, 4311
HMGCoA reductase, β-hydroxy-γ-lactone inhibitors, asymmetric synthesis, new prep of lactone moiety of compactin, 703
hydrolysis of cyclopropyl acetate, medium- and large-scale prep of cyclopropanol, 2767
hydrolysis of prochiral ester, prep of optically active glycerols, 531
lactate hydrogenate model, intramolecular hydride transfer from 1,4-dihydropyridine to an α-ketoester in aqueous soln, 2421
lipase catalysed enantioselective esterification of racemic primary allenic alcohols, 1647
lipase catalysed synthesis of macrocyclic lactones in organic solvents, 805
lipases as stereoselective catalysts in polycondensations bewteen racemic diesters and achiral diols in organic solvents, 1607
lipases in removal of protective groups on glycerides and glycosides, 2989
lipogenase inhibitor, biomimetic synthesis and function of colneleic acid, 4917
mediated asymmetric hydrolysis of α-benzyloxycarboxylic esters, 1303
mushroom tyrosinase as oxidant, use in prep of 5,6-dihydroxy-indole derivs via catecholamines, 3775
nonproteases, use in peptide synthesis, 1629
oligomerisation vs lactonisation in ω-hydroxy esters, 5367
optical resolution and flash vacuum thermolysis in concert, synthesis of optically active cyclopentenones, 357
papain catalysed esterification of alanine by alcohols and diols, 5153
porcine pancreatic lipase in ether, enantioselectivity in transesterification of (±)-sulcatol, 2091
porcine pancreatic lipase, resolution of bicyclic intermediate of diterpene forskolin, 1973
potent chorismate mutase transition state inhibitor via stereoselective fragmentation of 1,7-dicarbomethoxytricyclo-[3.3.1.0^{2,7}]nonan-4-one, 6253
prostaglandin $F_{2\alpha}$ isomers and structure of enzymatically formed 13-hydroxyprostaglandin endoperoxide, 5655
proteinase inhibitors, development via synthesis of isostere of amino alcohol dipeptide analogs, 5569
reduction of pyruvate catalysed by D-LDH, electrochemically driven, 6583
resolution of dimethyl α-alkylsuccinates, synthesis of chiral 2-vinylcyclobutanones and cyclohexenones, 4669
SAH/MTA nucleosidase potential inhibitors, synthesis of hydroxylated pyrrolidine derivs, 535
sialidases, potential inhibitor, synthesis of (2R,4S,5S)-5-acetamido-4-hydroxy-pipecolinic acid, 6425
soybean lipoxygenase, oxidation and synthesis of three new derivs of dehydroarachidonic acid, 5391
steroid 5α-reductase, novel bridged ring steroids as potential inhibitor, 6117
supported-, transesterification of esters, selectivity, 3563
synthesis of γ-methylbutyrolactones and γ-phenylbutyrolactone from γ-hydroxyesters, 3861
synthesis of isotopically labelled L-tyrosine, 2303
transketolase catalysed synthesis of ketoses, 5525
transterification of steroid esters in organic solvents, 6549
two-step chemoenzymatic synthesis of natural pheromone sitophilure, 5037
tyrosine-specific protein kinases, synthesis of inhibitor erbastin from 2,5-dihydroxycinnamic acid, 2217
yeast reductions, in diastereoselective elaboration of C-skeleton from β-hydroxyesters, prep of (2S)-2-hydroxycyclohexane carboxylic acids with 3 contiguous stereogenic centers, 3791
yeast reductions, in diastereoselective elaboration of C-skeleton from β-hydroxyesters, prep of (2S)-2-hydroxycyclohexane carboxylic acids with 3 contiguous stereogenic centers, 3791

Epimerisation
lasalocid A stereoisomers to natural configuration using metal ions, 2817

Epoxidation
1,5-diphenylimidazole rate enhancement of cytochrome P-450 modelling oxygenation of olefins within space-restricted cavity of iron "NINAP porphyrin", 4553
alkenes by dimethyldioxirane, evidence for spiro transition state, 3311
anti- and syn-selective-, of β-methyl-cis-homoallylic alcohols, 6191
asymmetric-, titanium-tartrate catalysts, titanium(IV)-pyridinediol complex as model, 12825
inter- and intra-molecular-, using silyl-protected peroxy esters and Cu salt, 1909
olefin-, by Fe- or Mn-bleomycin complexes with $KHSO_5$ as O donor, evidence for metal-oxo intermediate, 2955
olefins using H_2O_2 catalysed by phosphonotungstic complexes, 2237
rigid cyclohexanones stabilises the dimethylsulphonium ylide using solid-liquid heterogeneous system, stereochemistry of reaction, 1877

Esters
2-(2-tetrahydrofuranyl)acrylates, substituted, stereoselectivity in synthesis via intramolecular oxymercurations or oxy-palladations of allenes, 1023
2-(chlorophenoxy)propionic-, enantioselective hydrolysis via esterases, 4661
2-carbamoyloxy benzoates, enzymatic cyclisation, formation of 2H-1,3-benzoxazine-2,4(3H)-diones, 2425
2-methyl 3-oxoalkanoates, diastereo- and enantioselective microbiological reduction, 3939
3,4- 4,5- and 3,5-difluoro-3,5-cyclohexadiene-cis-1,2-diol-1-carboxylates, prep via 3,4- and 3,5-difluorobenoate by microbial oxidation, 5173
4-acyloxy-7-oxo-1-azabicyclo-[3.2.0]hept-2-ene-2-carboxylates, synthesis, 1561
4-DMAP catalysed ester exchange, use in prep differentially substituted phosphonoacetates and phosphonoacetamides, 2713
4-DMAP catalysed ester exchange of phosphonoacetates with lactols, synthesis of (-)-pyrenophorin, 2717
5-phenyl-1,3,4-oxadiazin-6-on-2-carboxylic acid methyl esters synthesis and configuration via pericyclic ring enlargement of γ-oxoketenes, 6433
(9-anthryl)methyl methyl fumarate or maleate, irradiation resulting in [4+2]-cycloaddition or cis to trans isomerisation, 3819
(9-anthryl)methyl methyl fumarate or maleate, irradiation resulting in [4+2]-cycloaddition or cis to trans isomerisation, 3819
α,β-epoxy-, and γ,δ-epoxy-α,β-unsaturated-, SmI_2-induced regioselective reduction, route to optically active β-hydroxy and δ-hydroxy esters, 4437
α,β-epoxy-, stereoselective conversion to α-hydroxy esters, route to optically active α-hydroxy esters, 4435
α,β-unsaturated-, enantioselective photodeconjugation, 4825
α,β-unsaturated-, novel route using dibutyl telluride, 801
α,β-unsaturated-, reductive homolgation, prep of 1-acetoxy and 1-silyloxy-1,3-dienes, 2463
α,β-unsaturated-, selective reduction in presence of olefins, 5287
α-(2-arylhydrazino)-, Grignard induced cyclisation to aza-β-lactams, 6577
α-alkoxy-, stereocontrolled conversion to syn- and anti-1,2-diol derivs, 3905
α-benzyloxycarboxylic-, enzyme-mediated asymmetric hydrolysis, 1303
α-hydroxy-, enantiomerically pure, via regioselective reaction of lithio and magnesiocuprates with glycidic esters, 1993
β,γ-epoxy-, optically pure, prep via opening of 3-hydroxy-butanolides followed by cyclisation, prep of β-hydroxy esters, 1781
β-hydroxy-, and β-hydroxy ketones, deuterium isotope effects in thermal decomp, 3555
β-hydroxy-, diastereoselective elaboration of C-skeleton from

yeast reductions, prep of (2S)-2-hydroxycyclohexane carboxylic acids with 3 contiguous stereogenic centers, 3791
β-hydroxy-, diastereoselective elaboration of C-skeleton from yeast reductions, prep of (2S)-2-hydroxycyclohexane carboxylic acids with 3 contiguous stereogenic centers, 3791
β-siloxy-, synthesis via condensation of carbonyls and trimethylsilane with α,β-unsaturated esters catalysed by RhCl$_3$, 4809
γ-hydroxy-, enzymatic synthesis of γ-methylbutyrolactones and γ-phenylbutyrolactone, 3861
γ-hydroxy-, enzymatic synthesis of γ-methylbutyrolactones and γ-phenylbutyrolactone, 3861
γ-lactones and butenolides, 2135
ω-hydroxy-, enzymatic oligomerisation vs lactonisation, 5367
acetylenecarboxylic esters, reaction with 3H-indoles, and structure of adducts, 3687
alanine, papain catalysed esterification by alcohols and diols, 5153
allenic-, addition of 1.4-diphenyl-1-azabutadiene, 6679
allyl 2,3-disubstituted 3-trimethylsiloxyacrylates, Pd-catalysed intramolecular decarboxylation-allylation to give silyl ethers of γ,δ-unsaturated ketones, 2397
allyl-, Pd catalysed deprotction in synthesis of carbapenems and β-lactam derivs, 4371
and aromatic compds, electro-reduction in liquid ammonia using single-compartment cell with soluble anode, 1173
and carboxylic acids, direct conversion into S,S'-diphenyl acetals and phenyl sulphides with thexylphenylthioborane, 1913
and dimethylamides, acid chlorides and nitriles, hydroxymethylation to hydroxymethyl carbonyl compds via α-lithio trimethylsilyl-methyl lithium carbonate, 1847
and silylimines, prep of β-lactams, synthesis of N-substituted 4-alkyl-β-lactams, 5369
and thiol esters, synthesis via mixed carboxylic α-bromotoluoyl anhydrides activated by silver tetrafluoroborate, 4711
attachment in pyrrolizidine alkaloids, reliable NMR-SPI method, 3729
attachment inpyrrolizidine alkaloids, deviations from "mass spectrometric method', 3725
benzophenone oxime esters of carboxylic acids, photoreductive decarboxylation, 6207
benzylic-, ketone and nitrile, anodic oxidation in CH$_3$CN/Et$_4$ yields mono-or di-fluoro compds, 2359
by conversion of carboxylic acids, diorganotin dichloride catalysed reaction with alcohols, 3713
by conversion of carboxylic acids via diorganotin dichloride catalysed reaction with alcohols, 3713
carbonyl function, addition of a methylene group, 3011
carboxylic acid-, via oxidative rearrangement of alkynes by [hydroxy(tosyloxy)iodo]benzene in MeOH, 2845
cerium-mediated conversion to allylsilanes, 6261
chiral acrylate-, addition to O-acyl thiohydroxamate, 4205
chiral alkyl hydrogen cyclohexene-1,2-dicarboxylate via asymmetric Diels-Alder reaction, 5841
cyclopropyl acetate, enzymatic hydrolysis, medium- and large-scale prep of cyclopropanol, 2767 dimethyl α-alkylsuccinates, enzymatic resolution, synthesis of chiral 2-vinylcyclobutanones and cyclohexenones, 4669
dimethyl acetylenedicarboxylate and 3-cyano-indolizines, formation of 1,2-adduct, 5707
dimethylacetylenedicarboxylate, thermal cycloadditions with cyclic enol ethers, entry to medium sized oxocyclic systems, 1501
direct esterification of carboxylic acids via 2,2'-carbonyl-bis(3,5-dioxo-4-methyl-1,2,4-oxadiazolidine, 5827
electrochemical amidation, 441
enedicarboxylate compds, reduction with low valent Ti, 2393
enol acetates of 3-phenyl-propiophenones photolysis to 1,4-diketones via 1,4-acyl migration, 3613
enol-, and ethers, Mn(III)-promoted annulation to fused or spiro 2-cyclopentenones, 175
enzymatic-, interchange of vinyl esters, 953
esterification and asymmetric hydrolysis catalysed by esterases from porcine pancreas, synthesis of enantiomers of cyclopentanoid building blocks, 3471
esterification of Fmoc amino acids to alkoxybenzyl alcohol polystyrene by 2,6-dichloro-benzoyl chloride, 6147
ethyl 2E,4Z-decadienoate, stereoselective synthesis via a glyoxal monoacetal, 5301
ethyl 4-(diethoxyphosphinyl)-3-oxobutanoate and related phosphonate esters, reaction with enals, 559
ethyl and methyl 4-(triphenyl-phosphoranylidene)-3-oxabutan-oate, condensation with enals, 4721
ethyl lithiodiazoacetate, use in prep of ω-hydroxy-,-mercapto- and -Boc-amino-α-diazo-β-keto esters via Rh-carbenoid mediated cyclisations, 5351
formate-, decarbonylation using rhodium carbonyl/2-methoxyethanol, 2215
functionalised 2R,3R- and 2S,3R-2-methyl-3-hydroxybutyrate synthons, direct access via new chiral building blocks by microbial asymmetric reduction, 5033
glyoxylic-, silicon assisted cyclocondensation to proline and pipecolic derivs, intramolecular reactions of acyclic N-acyliminium ions, 3285
group, effect during enantio-selective methylation of γ-aldehyde esters via their chiral oxazolidine derivs, 5659
isocyanatoalkane carboxylic acid-, and amides, new synthesis, 3087
isopropenyl acetate, ceric ammonium nitrate promoted reaction with ketones, synthesis of 1,4-dicarbonyl compds, 5357
L-(S)-methyl glycerate, L-(S)glyceraldehyde and L-(R)-glycerol acetonides, prep via protected L-(S)-3,4-O-isopropylideneerythrulose, 4757
lipase catalysed enantioselective esterification of racemic primary allenic alcohols, 1647
methyl 3,5-dioxohexanoate, regioselective alkylation, Cu-complex protection, prep of 3-alkyl derivs of 4-hydroxy-6-methyl-2-pyrone, 3715
methyl 3-O-acetylglycyrrhetate, intramolecular carbonyl-mediated electrooxidation to skeletally rearranged oleanene and its oligoside, 2029
methyl 6-hydroxy-2-methoxy-2-hexenoate and heptenoate, oxidative cyclisation to 2-methoxycarbonyl-2-methoxy-3-tetrahydropyrannols, 5501
methyl α-methoxyacrylate, Pd-catalysed arylation and vinylation, approach to α-keto acid derivs, 3039
methyl heptulosonate methyl glycopyranoside, synthesis, 5501
methyl isobutyrate, chiral zinc homoenolate, new building block for synthesis of chiral α-methyl esters, 337
methyl pimarate, free-radical cyclisation, prep of steroids, 2127
methyl-3-aryoxy-2-(aryloxy-methyl)prop-2-enoates, sequential Claisen rearrangement, 5327
methyl-, from aldehydes using pyridinium dichromate and MeOH in DMF, 3235
(±)-methyl nonactate and (±)-methyl 8-epi-nonactate, stereoselective synthesis, 3597
mono-, prep via reaction of bilirubin bis-tetra-n-butyl-ammonium salt with alkyl iodides, methanesulphonates or p-toluenesulphonates, 1047
new α- and β-allenic carboxylates, synthesis via reaction of chlorovinylcarbene with ketene-alkyl silyl acetals, 1651
of prim, sec and tert alcohols with N-protected amino acids, activated with isopropyl chloroformate, prep using 4-dimethylamino-pyridine as catalyst, 1661
phenylmalonic diacids and hemi-esters, asymmetric synthesis by Cu-catalysed decarboxylation, 539
p-nitrophenyl acetate,iodoso-benzoate catalysed cleavage, chemistry of acyloxyiodinane intermediate, 251
(±)-pentalenolactone E methyl ester, synthesis via stereo-specific 1,4-addition of sulphinylallyl anion, 5465
prochiral dimethyl 3-hydroxy-glutarates, enantioselective α-chymtripsin hydrolysis as strategy for synthesis of C$_5$-chiral buildinmg block, 4935
(R)-(-)-3-hydroxybutyric acid-, stereoselective approach to 1β-methylcarbapenem antibiotic, 83
(R)-(-)-3-hydroxybutyric acid-, stereocontrolled synthesis of key intermediate of (+)-thienamycin, 69
(R*,S*)-1-ethylpropyl 2-methyl-3-hydroxypentanoate, pheromone of Sitophilus granarius, 6145
racemic isopropyl/(R,S)-sec butyl diester, optical activity generation through solid state reaction of racemic mixture that crystalises in a spiral space group, 4789

(S)-ethyl 3-hydroxybutyrate, prep of methyl N-benzoylacosaminide and methyl N-(benzoyloxyoxalyl)-daunosaminide, 4489
silyl-protected peroxy esters and Cu salt, use in inter- and intra-molecular epoxidation, 1909
steroid-, enzymatic transterification in organic solvents, 65498
t-butyl 2-benzylidene-1-carbapenam-3-carboxylate, synthesis via free radical annelation in prep of bicyclic β-lactams, 2887
transesterification by supported enzymes, selectivity, 3563
unsaturated-, conjugate addition of organocopper reagents, 5719

Ethers
1-prenylmethyl-, photolabile protecting groups for carboxylic acids, 679
2-acyl cyclic-, and 3-keto cyclic-, synthesis via intramolecular ring closure of α,β,-epoxy sulphoxides with OH group, 2603
2-bromozincmethyl-2-propenyl-, allylmetallation of 1-silylalkynes followed by Pd-catalysed cyclisation, synthesis of 4-methylenecyclopentenes, 2889
alkyl vinyl-, regiospecific benzoylation catalysed by Pd, 4215
and alkanes and alcohols, route via dehydrodimerisation, 5599
anisoles, 2-substituted, photocycloaddition to enol ethers, synthesis of bicyclo-[4.2.0]octa-2,7-dienes, 5909
aromatic enol-, electrooxidations in presence of non current nucleophiles, 1275
cleavage of t-butyldimethylsilyl-, with t-butyl hydroperoxide and dioxobis(2,4-pentanedionato)molybdenum(vl) system, 6329
cyclic enol-, diastereocontrol via phenol- and Pd(11)-catalysed Claisen rearrangement, 5879
cyclic enol-, reaction with hemiacetal vinylogs, conversion of resulting ketoacetals to bicyclic heterocycles or enone aldehyde, 3337
cyclic enol-, via thermal cyclo-additions of dimethylacetylene-dicarboxylate, entry to medium sized oxocyclic systems, 1501
cyclic-, bearing aryldihalotelluro group in β position, prep, 5611
cyclic-, disubstituted, stereoselective synthesis, 6339
cyclic-, formation, use of phenyl-sulphenyl chloride/diisopropyl-ethylamine reagent, 523
cyclic-, from bicyclic acetals, 6613
cyclic-, prep via oxidative cyclisation of 2-(4-hydroxyalkyl) and 2-(5-hydroxyalkyl) furans with DDQ, 5175
cyclic-, via reaction of hydroxy-olefins with arenetellurinic anhydride, 1281
dialkylchlorosilyl enol-, prep and conversion to alkoxy- and amino-silyl enol ethers, 511
enol silyl ethers and active methylenes, reaction with 4-t-butyldimethylsiloxy-1-benzo-pyrylium salt, 6355
enol-, and esters, Mn(111)-promoted annulation to fused or spiro 2-cyclopentenones, 175
enol-, photocycloaddition to 2-substituted anisoles, synthesis of bicyclo[4.2.0]octa-2,7-dienes, 5909
epoxy silyl-, rearrangements, catalytic version leading to aldol products, 3515
fluoromethyl ketone enol-, regio-specific prep and allylation via fluoroolefination of 1,2,3-triol derivs, 1677
in situ generated indolyl enol-, as heterocyclic donor-activated 1,3-dienes, [4+2] cycloadditions to carbazole derivs, 3079
medium ring-, and acetals, route via Paterno-Buchi reaction, 5933
n-alkyl phenyl-, aromatic chlorination, selectivity within reversed phase liquid chromatography column, 4805
O-allyl-, new protective group for oximes and Pd-catalysed deprotection, 4557
phenolic and alcoholic trimethylsisyl-, selective desilylation, 4307
phenylazo 1-naphthyl-, base and acid catalysed reactions, reply to Kekule's mechanism for diazo coupling, 4427
(phenyl)benzyl-, microscale cleavage by ferric chloride, 3823
(phenyl)benzyl-, microscale cleavage by ferric chloride, 3823
(R)-and (S)-sacromycin methyl-, and chiral (R)- and (S)-1-octenol, EPC-syntheses via Diels-Alder reactions/retro Diels-Alder reactions, 183
rac-18-hydroxyestrone methyl-, synthesis using isobenzofuran generated in situ, 4279
self-, of methylviologen, rate of homogeneous electron transfer, 5335
silyl enol-, addition to aldehydes, addition of trimethylsilyl cyanide to aldehydes and ketones and synthesis of β-cyanosilyl ethers, lanthanide catalysis, 5513
silyl-, of Y,δ-unsaturated ketones via Pd-catalysed intramolecular decarboxylation-allylation of allyl 2,3-disubstituted 3-trimethylsiloxyacrylates, 2397
substituted acetophenone enols and corresponding methyl enol ethers, isodesmic equilibrium in water, 1889
syn-1,3-diol mono-, synthesis, stereochemistry of 1,2-Wittig rearrangement, 1043
t-butyldimethylsilyl-, conversion to bromides, 1697
t-butyldimethylsilyl-, of phenols, one step conversion to benzyl or methyl ethers and utility in regioselective ortho lithiation, 4139
tetrahydropyranyl-, selective deprotection in presence of t-butyldimethylsilyl ethers with $MgBr_2$ in ether, 439
THP and THF-, ring cleavage using dimethylboron bromide, 2225
trimehylsilyl enol ethers and acetals, aldol-type reactions via rhodium complex, 6657
trimethylsilyl enol-, reaction with m-chloroperbenzoic acid, prep of stable trimethylsilyloxy epoxide, 1363
vinyl-, and allylic alcohols synthesis of tetrahydrofuran derivs by means of Pd(11) acetate, 809
xanthoperyl methyl-, stereocontrolled synthesis, 2431

Exchange reactions
3-fluoro-3-trifluoromethyl-diazirine via treatment of 3-bromo-3-trifluorodiazirine with fluoride ion, 5501
4-DMAP catalysed ester-, of phosphonoacetates with lactols, synthesis of (-)-pyrenophorin, 2717
4-DMAP catalysed ester-, of phosphonoacetates with alcohols, prep of differentially substituted phosphonoacetates and phosphonoacetamides, 2713
and reduction of halide by aqueous Ti(III)salts at various pHs, mechanism in phenacylhalides, 1541
diethylamides of Ti(1V), Mn(11), Sn(11) and Sn(1V), reaction with α-hydroxybenzylphosphonate with exchange of one or two EtO groups at P for diethylamino groups, 2979
halogen-, route for gem-difluorides and trifluorides, 5347
nucleophilic N-N-, at aromatic C-atoms, reaction of amines with N,N-dimethyl-2,4-bistrifluoro-acetyl-1-naphthylamine, 6199

Extrusion reactions
thermal and photo SO_2 extrusion, skeletal rearrangent of a 2,6-dithiaadamantane-2,2,6,6-tetraoxide deriv, 5189

Ferrocenes
[4][3,](1,2,3,4,5)ferrocenophane, synthesis, 1427

Flavins see also Coenzymes
artificial liposome system modified with flavolipid shows effective elecron flux conversion from NADH model in transmembrane electron transfer, 3363

Flavonoids
(+)-afzelechin-7-o-β-D-apioside from Polypodium glycyrrhiza, structure by selective inept NMR, 3655
by photosensitised conversion of 2'-hydroxychalcones, a probable biogenetic pathway, 4615
lophirone A, biflavanoid from Lophira lanceolate, 2967

Fluorenes
selenofluorenone, synthesis and cycloaddition reactions, 3887

Fluorescence
oligonucleotides, purification by new fluorescent 5'protecting group, 1,1-bis-(4-methoxyphenyl)-1'-pyrenyl methyl, 5157
potential hapten, synthesis of catechol covalently bound to tris-bipyridyl complex of ruthenium, 4339
quinone-linked porphyrin dimer, synthesis and optical properties, 6569

Fragmentation reactions
2-aminomethyl-2-(3-hydroxypropyl)-cyclododecanone to 12-methylene-15-pentadecanolide, 315
β-, of alkoxy radicals, approach to synthesis of ring A of vernolepin, 3397

benzyloxychlorocarbene to benzyl cation, 1969
mild stereospecific ring-, of β-iodoethers and alllylic iodoethers promoted by dimethylboron bromide, 5985
of alkyl substituents of 2-substituted benzofurans and benzothiophenes, 3717
oxidative-, of Y-hydroalkylstannane, prep of (-)-secologanin aglucon-O-silyl ether from (+)-genipin, 5865
tandem β-fragmentation-intramolecular functionalisation of alkoxy radicals, approach to synthesis of limonin, A and A' rings, 981

Fulvenes and Fulvalenes
8-acylheptafulvene, intramolecular [8+2] cycloaddition and 10π-electron electrocyclisation reactions, 1367
alkenylheptafulvenes, intramolecular [8+2] cycloadditions, dependence on tetraenophile group stereochemistry, 1371
fulvene endoperoxides, thermal isomerisations, 3779
tetraselenafulvalene, precursor, prep of 2-methylene-1,3-diselenole, 5635

Fungicides
fungitoxic C-18 hydroxy unsaturated fatty acids, structures and isolation from Epichloe typhina, 73
halichondramide, antifungal macrolide from sponge Halichonrdia sp., 2809
L-660,631, absolute and relative configuration, 5129

Furanones
2-methyl-3(2H)-, derived metabolite of marine alga Laurencia chilensis, structural studies, 6013
3(2H)-, new synthesis, 2297
3(2H)-, derivs, prep, use in synthesis of antitumour geiparvarin, 675
(S)-5-hydroxymethyl-2(5H)-, synthesis, 2299

Furans
2,3-, 2,4-, or 2,3,5-substituted-, by conversion of bromoketones, 4123
2,3-disubstituted-, synthesis, 6393
2,4(3H,5H)furandiones, prep via acid catalysed cyclisation of diazoketones, 1039
2-(4-hydroxyalkyl)-, and 2-(5-hydroxyalkyl)-, oxidative cyclisation with DDQ, prep of cyclic ethers, 5175
2-trimethylsiloxy-, diastereoselectivity in directed aldol condensation with aldehydes, stereodivergent route to threo and erythro δ-hydroxy-Y-lactones, 4037
2-trimethylsiloxy-, regioselective prenylation, direct synthesis of (±)-eldanolide, 949
3-alkylidene-, unstable, prep via Pd-catalysed reaction of α-alkynyl epoxides with β-keto esters,629
3-aryl or alkyl-4-tosyl-, regiospecific metallation at C-5 and Friedel-Crafts acylation at C-2, 4123
3-arylsulphonyl-, mono- and dianions, regioselective generation and trapping, bidentate carbanion stabilisation via sulphones, 3241
3-[(trialkylsilyl)-oxymethyl]-, and -thiophenes, 1,4 O|C silyl migrations, 5965
4-acyl-3-methylene-tetrahydro-, via cyclisation of α-halo β-alkoxyketones, 2009
4-methyl-, annulation sequence via radical cyclisation of a bromoacetal to 2-alkoxy-4-methylene tetrahydrofuran, 5203
and maleic anhydride, Diels-Alder reaction accelerated in ultracentrifuge, 707
bi-tetrahydro-, and not a pyranopyran produced from condensation of glucose with acetylacetone in presence of $ZnCl_2$, 2211
C-substituted-, off-ring functionalisation, synthesis of diterpenoid kahweol from cafestol, 5403
chelation and non chelation controlled addition of organometallics, 423
conversion to 2(3H)-butenolides, 1203
cyclisation of olefinic alcohol by benzeneselenenyl triflate, 4297
hydroxy dihydrofuran acetal related azadirachtin, synthesis of insect antifeedant, 221
(+/-)-perhydrohistrionicotoxin, total synthesis via regiospecific N-acyliminium ion initiated furan terminated cyclisation, 2495
stabilising effect of silyl group on furfural chlorides and furfuryl Grignard reagents, 2281
synthesis by carbene insertion, 2167
tetrahydro-, and -pyran, stereoselective formation via benzeneselenyl triflate, 4415
tetrahydro-, derivs, synthesis from allylic alcohols and vinyl ethers by means of Pd(II) acetate, 809
tetrahydro-, portion of neurotoxin verrucosidin, absolute configuration and synthesis, 5473
tetrahydro-, unit in ionomycin, stereoselective synthesis, 731
vinyl-, 3 pairs of isomeric derivs, via epoxyhexenyne, carbene intermediates, 2685

Germanium and compounds
germaimine, stable and long-lived, cisoid and transoid forms, 343
Ph_3GeH, stereoselective Et, induced radical addition to acetylenes, application to isomerisation of olefins, 3709

Gibberellins
2B- and 3B-hydroxy-, new approach to synthesis, 6705

Glycerides
and glycosides, protective groups, removal by lipases, 2989

Glycals
peracetylated D-xylal, regioselective deacetylation, 5529

Glycols
(+)-marmin, enantioselective synthesis from 7-geranyloxycoumarin, optical activity induced by Sharpless epoxidation, 2579

Glycosides
2-deoxy-, synthetic approach via sulphenate esters as glycosyl acceptors, 2723
(+)-afzelechin-7-o-β-D-apioside from Polypodium glycyrrhiza, structure by selective inept NMR, 3655
amino-, new antimicrobial, synthesis via maltose, 2871
and glycerides, protective groups, removal by lipases, 2989
baiyunoside, synthesis via 2' discriminated glycosidation, 4315
flavan-, viscutin-1,-2 and -3, new insect growth inhibition, from Viscum tuberculatum, 921
benzyl-, prep of gylcosyl bromides and acetates using N-bromosuccinimide, 3505
KDO α-, synthesis via pyranosyl fluorides of 3-deoxy-d-manno-2-octulosonic acid(KDO), 6277
methyl-, conversion to glcosyl chlorides by boron trichloride, 5595
piptosidin, synthesis via Michael addition of ascorbic acid to tigloyl cyanide, 5469
sesquiterpenes (+)-phyllanthostatin, total synthesis, 5591
steroid-, dimorphosides A and B, structure and isolation from Anthoplexaura dimorpha, 1187
thio-, reaction with sulphenate esters to give O-glycosides, 4701

Glycosylation
glycosyl radicals addition to olefins, synthesis of C-glycosyl compus, 5853
stereoselective-, of N-acetylneuraminic acid, use of phenylselenyl group as stereocontrolling auxiliary, 6221
stereospecific Na-salt-, synthesis of tubercidin and related 7-deazapurine nucleosides, 5107

Grignard reactions and reagents
1,4-di-(bromomagnesio)pentane, reaction with lactones and cyclic anhydrides, 4997
2-(1,3-dioxolan-2-yl)-ethylmagnesium bromide, uncatalysed conjugated addition with cyclic α,β-enones, 3217
furfuryl reagents and furfural chlorides, stabilising effect of silyl group, 2281
induced cyclisation of α-(2-arylhydrazino)-esters to aza-β-lactams, 6577
penicillin-, condensation with substituted glyoxals, prep of penam α-ketoalcohol antibacterials structurally related to penicillins, 3431
pyridyl reagents, prep and cross coupling with sulphoxides bearing azaheterocycles, 5845
reagents, chiral diamine mediated asymmetric addition of benzaldehyde, use of aryloxyaluminium dichloride, 1291
reagents, iron mediated reaction with acyl chlorides, prep of functionalised ketones, 2053
reagents, reactions with o-halophenyl (or 3-bromo-4-pyridyl) phenyl sulphoxides, generation of benzyne and pyridyne, 2727
reagents, substitution of 1-ethoxycarbonyl n-hydroxycycloalkenes and silyl ethers to give 1-carboethoxyalkylcycloalkenes, application to synthesis of

Mitsugashiwalactone from succinaldehyde, 5521

Guanidines
guanidine deprotection at room temp, of acetylated carbohydrates and phenols, 3569

Halides
1- or 2-halonaphthalenes, double $S_{RN}1$ reaction with $HS(CH_2)_nSH$, 413
1-bromo-4-acyloxybutane derivs, prep of 2,7-dioxabicyclo[4.1.0]heptanes, and intramolecular Darsens reaction of ester group with active halogen group, 4573
1-bromo-adamantane solvolysis, twin Y-silicon effects, 951
1-perfluoroalkylalkenes and alkynes, prep, Pd-catalysed reaction of perfluoroalkyl iodides with organotin compds, 5857
1,1-difluoro-2-alkenes via reduction of 1,1-difluoro-1-alken-3-ols with $NaBH_4$ and substitution of OH moiety, 3335
2-(alkenyloxymethyl)-2-propenylzinc bromides and 2-(allylmethylaminomethyl)-2-propenylzinc(or Mg) halides, thermal rearrangement to 5-(1-bromozincalkyl)-3-methyleneoxacycloalkanes and 5-(bromozinc[or chloromagnesium]methyl)-3-methylene-N-methylpiperidine; isomerisation of former to methylenecyclopentanes, 5929
2-chloro-1-olefins, prep via hydrolytic elimination of selenoxide, 1463
3-alkyl- and 3,3-dialkyl-1-bromo-1,2-dienes, regio- amd stereoselectivity in organocuprate induced 1,3- and direct substitution, 6073
(-)-3-t-butyl-3-methyl-1-chloroallene, (-)-3,3,4-trimethyl-2-hydroxybutanoic acid and (-)-3,3,4-trimethyl-3-hydroxy-1-pentyne, configuration, 4813
4-halogeno-cyclohexenes via cyclisation of 1,5-hexadien-3-ols, formation of halogenooctahydronaphthalenes from allyl-pulegols, 2583
4-halotetrahydropyrans, synthesis via carbonyl compds and allylsilanes in presence of Lewis acids, 973
9-cis and 11-cis isomers of 18,18,18- , 19,19,19- and 20,20,20-trifluororetinal, 259
α-fluorosulphoxides and vinyl fluorides, prep, 3901
α-iodo carbonyls, atom tranfer cyclisation to cyclic Y-iodo carbonyls, 2477
β-bromoethyloxirane, annelated Y-lactones via reaction with cyclic vicinal diester dianions, 351
acyl fluorides and N-silylamines, new synthesis of amides, 5099
alkyl bromides and iodides by conversion of alcohols via O-alkylisoureas, 4445
alkyl halides, optically active, electron transfer in reactions with nucleophiles, evidence for challenge to S_N2 transition state, 3183
alkyl halides, reaction with LAH, validity of using radical probes for determining SET, 3197
alkyl halides, synthesis of N-monoalkylated hydroxylamines, 2993
alkyl iodides, methanesulphonates or p-toluenesulphonates, reaction with bilirubin bis-tetra-n-butylammonium salt, prep of mono esters, 1047
allyl bromide, effect of phase transfer catalyst structure on branching of reaction paths with bromoform/NaOH/catalyst, complete changeover of mechanism, 5489
aryl bromides, Pd-catalysed cross coupling with aryl boronic acids(obtained by ipso borodesilylation) to give unsymmetrical biphenyls and m-terphenyls, 5093
aryl halides and nitriles, photoreduction with borates and borohydride by electron transfer mechanism, 5295
aryl iodides, prep of 3-aryl-2,5-dihydrothiophene-1,1-dioxides, 495
benzoyl fluoride, reaction with phosphoroazolides, new synthesis of phosphorofluoridates of biological interest, 3561
benzyl halides, carbonylation using $CoCl_2/NaBH_4/CO/NaOH$ reagent system, 2633
bromides via conversion of t-butyldimethylsilyl ethers, 1697
bromodifluoromethylacetylene derivs, Reformatsky reaction, application to synthesis of fluorinated bioactive compds, 659
bromoindole deriv, of citorellamine, revised structure, 749
by 1,2-bis(diphenylphosphino)-ethane tetrahalide conversion of alcohols., 767
$CHBrCl_2$, $CHCl_2I$ and $CHBr_2I$, simple prep, 2769
chloroacrylonitrile, detector substrate for carbene-nucleophilicity, application to phenylkhalocarbenes, 4779
chloroplatinic acid catalysed hydrosilylation of 2-methyl-1-buten-3-yne with chlorosilanes, reinvestigation, 3719
chlorovinylcarbene, reaction with ketenealkyl silyl acetals, synthesis of new α- and β-allenic carboxylates, 1651
cyclopropylzinc halides, Pd-catalysed coupling with vinyl iodides in prep of vinylcyclopropanes, synthesis of (±)-prezizanol and (±)-prezizaene, 5075
dichloroethylene, selective Pd-catalysed substitution, 1649
(dichloromethyl)lithium, reactions with 2-alkyl-, 2-phenyl- and 2-alkoxy-1,2-oxaborolanes, synthesis of 1,4-alkanediols, 2599
difluoroallene, [2+2] cycloadditions, effect of styrene α-substituents on regiochemistry, 1491
dihalogenocarbene adduct of cycloheptene deriv, ring expansion and retro reaction, 1827
dihalogenocarbenes, twice addition in ring expansion of [6]paracyclophane-8,9-dicarboxylic diethyl ester to hexanocyclooctatetraene- and [8]paracyclophane- derivs, 3483
dimethyl N-(ethoxycarbonylmethyl)imino-dithiocarbonate, carbon disulphide and alkyl halides, synthesis thiazoles, 6667
fluoride ion catalysed reduction of carbonyl compds, mechanism using hydrosilanes, 2263
fluoride-alumina reagents, heterogeneous base for catalytic and non-catalytic reactions, 1421
fluorodienes, synthesis, transylidation via nucleophilic addition and regiocontrolled elimination, 4283
fluorohydrins, enantiomerically pure via optically pure α'-monofluoro-α-sulphinyl ketones, 4865
fluoroolefins, tetrasubstituted, synthesis via eliminative nucleophilic addition of β-ketophosphonium salts, 449
furfural chlorides and furfuryl Grignard reagents, stabilising effect of silyl group, 2281
gem-bromo-nitroalkanes, reactivity in presence of thiolates, 4525
gem-difluorides and trifluorides, halogen-exchnage route, 5347
gem-dihalocyclopropanes and carbonyl compds, syntheses from β-hydroxyalkylselenides, 1549
gylcosyl bromides and acetates, prep from benzyl glycosides using N-bromosuccinimide, 3505
halides, non-aqueous cyanation to nitriles with lithium cyanide, 4189
haloarenes, photo reaction with 2-naphthylamide ions, synthesis of 1-aryl-2-naphthylamines, 4653
HI addition to unsaturated hydrocarbons using I_2 on Al_2O_3, 4497
hindered alkyl iodides, prep from alcohols and magnesium iodide in n-pentane, 6441
homoallylic fluorides, synthesis from cyclopropylmethanols by ring opening, 663
[hydroxy(tosyloxy)iodo]benzene in MeOH, oxidative rearrangement of alkynes to carboxylic acid esters, 2845
iodolactams, stereocontrolled synthesis of diamines, 3213
KF, reaction with α-(phenylmethylsulphonio)ketone triflates to give 2-acylbutanones which rearrange to Y,δ-unsaturated δ-valerolactones, 2247
mono- or di-fluoro compds via anodic oxidation of benzylic nitrile, ester and ketones in CH_3CN/Et_3N, 2359
mono-and diisopinocampheylhalogen boranes, synthesis and chiral catalysts in Diels-Alder reactions, 777
monofluorocyclobutanes by ring expansion-flourination of cyclopropylmethanols with amine-metal fluoride-pyridium poly(hydrogen fluoride)-complex, 6313
o-iodobenzoyl moiety, 3-OH protecting group in synthesis of 1,2-diacylglycerols, 5005
organic halides, reductive double carbonylation, synthesis of α-hydroxy acids, 2721
organic-, Pd-mediated silylation with disilane/F reagent, 4715
organic-, and chlorophosphines, electro synthesis of tertiary phosphines, 1885
organo-F compds via KF-tetraphenylphosphonium bromide systems, 111
perhaloalkanes, reactions with phosphonium ylides, route to α-haloalkylphosphonium salts, 6317
perhalofluoroalkanes, reaction with sec amines and amides to

give N-perhalofluoroalkylated tert amines by a halophilic attack of N-nucleophile on C-Br bond, 3699
potassium fluoride strongly H-bonded complex with 4-cyanophenol, formation and reactivity, 3627
(R)-epichlorohydrin, synthesis of (R)-Y-amino-β-hydroxybutanoic acid,1783
(R,R)-6-alkoxy-2-triphenylphosphoniomethyl-dihydropyran iodide and diacetonide of 6-deoxy-aldehydo-L-glucose, synthesis of (+)-anamarine, 6437
S(+) 2-octyl halides, ultrasound Barbier reaction, retention of optical activity, 2013
t-butyl mercury and magnesium chlorides, comparison of reactions with β-strenyl derivs, 6113
trans-1,4-difluoro- and trans-1-chloro-4-fluorocyclohexane, conformational energies, role of electrostatic interactions, 4883
trichlorocyclopropane, Ag-ion assisted cleavage, 3047
trichlorocyclopropenylium ion, addition with alkenes, novel access to cyclopropene- and cyclopropenone derivs, 4517
triphenylmethyl bromide and bromodiazirine, equilibrium consts at 25oC, 3763

Halogeno-alcohols
1,1-difluoro-1-alken-3-ols, reduction with $NaBH_4$ gives 1,1-difluoro-2-alkenes by substitution of OH moiety, 3335
Y-halo allylic alcohols and propargyl alcohols with high optical purity, prep and synthesis of prostaglandin ω-chain, 2033
benzocyclobutenol hypoiodites, β-scission, new synthesis of phthalides, 3369
fluorinated carbinols, oxidation using Dess-Martin periodane, 4259
fluorinated-, derived bromo-acetals, 5-exo ring closure, formation of fluorinated double bonds, 671

Halogeno-amines
N,N-dimethyl-2,4-bistrifluoro-acetyl-1-naphthylamine, reaction with amines, nucleophilic N-N exchange reaction at aromatic C-atoms, 6199
N-fluoropyridinium salts, cyclic carbene as reactive species in base initiated reactions, 2705
new dibromotyrosine deriv aplysinadiene from Aplysina aerophoba, synthesis, 1693

Halogeno-carbonyl compounds
(-)-2-bromo-6-ethynyl-6-hydroxy-5,6,7,8-tetrahydro-1,4-naphthaquinone, new chiral AB-synthon for prep of optically active anthracyclinones, and application for (-)-7-deoxydaunomycinone, 5709
2-chlorocycloheptenones, stereocontrolled synthesis, 5623
2-(halomethyl)-9,10-anthracenedione or triethylammonium deriv, reaction with 2-nitropropane salts by $S_{RN}1$ mechanism, 5531
3-(2-bromopropionyl)-2-oxazolidone derivs, Reformatsky reaction, stereoselective synthesis of key intermediate of 1β-methylcarbapenems, 6625
3-(2-bromopropionyl)-2-oxazolidone, reaction with aldehydes, stereoselective synthesis of aldols, 6629
3-fluoroethylcyclopentenones, synthesis via rearrangement of cyclopropyl methoxyallenyl carbinols promoted by HF-pyridine-metal fluoride, 3119
4-methyl furan annulation sequence via radical cyclisation of a bromo-acetal to 2-alkoxy-4-methylene tetrahydrofuran, 5203
4,4-dichlorocyclobutenones, reductive dechlorination, 3299
α'-monofluoro-α-sulphinyl ketones, optically pure, prep of enantiomerically pure fluorohydrins, 4865
β-, β-diketones and β-sulphonyl-ketones, reaction with N-halosuccinimides to give α-halo-carbonyl and α-halo sulphonyl derivs via halo-deacylation, 5505
bromoketones, conversion to 2,3-2,4- or 2,3,5-substituted furans, 4123
chlorodifluoromethyl ketones, Zn-Cu(1) chloride or -silver acetate promoted aldol reaction with carbonyl compds, route to α,α-difluoroβ-hydroxy ketones, 6481
electrophilic α,α,α-trifluoroacetophenone O-oxide, deoxygenation of sulphoxides, turning nucleophilic to electrophilic reactivity, 6201
fluoromethyl ketone enol ethers, regiospecific prep and allylation via fluoroolefination of 1,2,3-triol derivs, 1677
haloketene acetals, photoreaction with benzophenones yields oxetanes and tetrahydrofuran carboxylic esters, mechanism via formation of 1,4-diradicals and carbonyl ylides, 4271
p-bromobenzaldehyde, reaction with α-ethoxycrotyltributyltin, chemo, regio and stereo-selectivity, 3935
phenacylhalides, halide exchange and reduction by aqueous Ti(III)salts at various pHs, mechanism, 1541
unsaturated trifluoromethyl ketones, synthesis via regioselective organocuprate addition to acetylenic trifluoromethyl ketones, 5271

Halogeno-carboxylic acids and derivatives
2-bromo-N-benzylisobutyramide, model depsipeptide derivs, 2427
2-iodoxybenzoic acid, analogs, catalytic activity in hydrolysis of active phosphates, 3899
3-chloro-2-oxoalkanoates, conversion to optically active 2,3-epoxyalcohols via optically active 3-chloro-2-hydroxy-alkanoates, 2709
3,4- 4,5- and 3,5-difluoro-3,5-cyclohexadiene-cis-1,2-diol-1-carboxylates, prep via 3,4- and 3,5-difluorobenoate by microbial oxidation, 5173
4-bromo cis-2,3-dihydroxy-cyclohexa-4,6-diene-1-carboxylic acid, absolute stereochemsitry and formation from 4-bromobenzoic acid by mutant of Pseudomonas putida, 6391
α-(bromomethyl) acrylate, Zn reagent, coupling with nucleophilic imines, prep of α-methylene Y-lactams, 59
β-halopropionic acids, formation of ethylene, 3439
chloro- and bromo-fumaric acid, stereochemistry of amination by 3-methylaspartate ammonia-lyase, 2413
chloroformates, activation of N-protected di-acids aspartic and glutamic, prep of mono-esters, 1665
cholestanyl 2H-perfluorobutanoate, reaction with sec amines to give β-enaminoesters or β-ketoesters, 1655
fluorinated oleic acids, synthesis and bismethylation, 3891
glycosyl bromides and acetates, prep from benzyl glycosides using N-bromosuccinimide, 3505
isopropyl chloroformate, activation of N-protected amino acids, prep of esters of prim, sec and tert alcohols with 4-dimethylamino-pyridine as catalyst, 1661
m-chloroperbenzoic acid promoted Nef reaction on trialkylsilyl nitronates, prep of α-alkoxy ketones from nitroalkanes, 5361
methallylchloride or methyl chloroacetate, electroreductive coupling with carbonyl compds catalysed by nickel bipyridine complexes, 55
methyl 2-perfluoroalkynoates, adducts with a phosphorane, Wittig reaction to 2-perfluoro-alkyl-6-methoxybenzoates, 81
methyl (E)- and (Z)-2,4,4-trichloro-2-butenoate, enantio-selective reduction of C=C bond using bakers yeast, synthesis of optically pure L-armentomycin and D-iscmer, 1447
mixed carboxylic α-bromotoluoyl anhydrides, activation by silver tetrafluoroborate, synthesis of esters and thiol esters, 4711
N-halosuccinimides, reaction with β-sulphonylketones, β-ketoesters and β-diketones to give α-halo-carbonyl and α-halo sulphonyl derivs via halo-deacylation, 5505
phenyl(β-indolyl)iodonium trifluoroacetate, C_3-arylation and alkylation of indole nucleus with reductive elimination of iodobenzene, 3071

Halogeno Ethers
β-iodoethers and alllylic iodoethers, mild stereospecific ring fragmentation promoted by dimethylboron bromide, 5985

Halogenation
α-bromination of aldoximes, route to fused azetidines, 683
α,β-unsaturated ketones, to α-halo β-alkoxyketones which cyclise to 4-acyl-3-methylene-tetrahydro-furans, 2009
aromatic chlorination, selectivity within reversed phase liquid chromatography column, 4805
asymmetric-, of chiral imide enolates, approach to synthesis of enantiomerically pure α-amino acids, 1123
bromination product of santonic acid in wet chloroform, 5641
efficient fluorinating agent, use of tetrabutylammonium bifluoride, 4733
electrophilic-, of aromatic hydrocarbons, π-complex formation and collapse, 2417
fluorination, direct, of substituted pyridines, 255

free radical relay chlorination of steroid, thioxanthone system as template, 3187
monofluorocyclobutanes by ring expansion-fluorination of cyclopropylmethanols with amine-metal fluoride-pyridium poly(hydrogen fluoride)-complex, 6313
selective hydrobromination of branched alcohols using phase transfer catalysis, 1223

Halogeno-phosphorus compounds
β-lactam formation from β-amino acids, 2735
chlorodiphenylphosphine, reaction with 2-butyne-1,4-diol, 2,3-bis-(dihenylphosphinyl)-1,3-butadiene via double [2.3] sigmatropic rearrangement, 1085
chlorophosphines and organic halides, electro synthesis of tertiary phosphines, 1885
diethylcholoromethyl and dichloromethyl phosphonates, prep via electroreduction of diethyltrichloromethyl phosphonate, 3799
N,N-dimethylphosphoramidic dichloride, use in prep of β-lactams from acetic acid and imines, 1945
phosphorochloridates as intermediates in synthesis of dinucleotide, new strategy via phosphite route, 3559
phosphorofluoridates of biological interest, new synthesis, reaction of phosphoroazolides with benzoyl fluoride, 3561
thiophosphorosulphenyl bromides and iodides, synthesis and characterisation, 6473
tris(2,4,6-tribromophenoxy)-dichlorophosphorane, condensing agent for rapid internucleotidic bond formation in phospho-triester approach, 1681

Halogeno-selenium compounds
phenylselenyl chloride, electrophilic addition to 3-exomethylene-1-cephams, 5539

Halogeno-silicon compounds
chlorotrimethylsilane and nickel boride, selective reduction of aldehydes in presence of ketone, 5741
chlrotrimethylsilane, promoted asymmetric Michael reaction of chiral enamines of α-alkyl β-keto esters, 6637

Halogeno-sugars
anomeric gem-dihalogenated gluco-pyranosyl derivs syntheses, 1405

Halogeno-sulphur compounds
β-sulphonylketones, β-ketoesters, and β-diketones, reaction with N-halosuccinimides to give α-halo-carbonyl and α-halo sulphonyl derivs via halo-deacylation, 5505
N-phenyl-(4-methylphenyl)-sulphoximidoyl chloride, Lewis acid mediated reactions with alkynes, route to benzo-thiazines, 5997
phenyl fluoroalkane sulphonates, Pd catalysed cross coupling with organo Zn reagents, 2387
phenylsulphenyl chloride/diiso-propylethylamine reagent, use in cyclic ether formation, 523
sulphinyl chlorides, synthesis via thiolacetates, 5193
t-butyl- and 2,2,2-trifluoro-1,1-diphenylethane-sulphonates, reduction S-O fission in S_N2 reactions, 2115
thiophosphorosulphenyl bromides and iodides, synthesis and characterisation, 6473

Halogens
fluoride induced chemiluminescence in t-butyldimethylsilyloxy substituted dioxetanes, 1155
halogen-exchange route for gem-difluorides and trifluorides, 5347
hypervalent iodine reagents, regio- and stereochemical addition to cycloalkenols, substituent directed oxidation, 5229
hypervalent iodine-reagents, direct functionalisation of sulphides with formation of methoxysulphonium and amido-sulphonium tosylates, 5431

Homolgation
intermediate organo-Co complexes in synthesis of O, N, S Se and halogeno substituted adducts, homolysis of alkyl Co salophens in presence of radical trapping agents, 1451
reductive-, of α,β-unsaturated esters, prep of 1-acetoxy and 1-silyloxy-1,3-dienes, 2463
thiazoles and oxazoles by regiospecific lithiation of thiazole- and oxazole-carboxylic acid derivs, 3585

Hormones
2B- and 3B-hydroxygibberellins, new approach to synthesis, 6705
hydantoin plant growth regulators isolated from inflamed rabbit skin tissue, 4587
plant growth regulators, diketo-piperidine containing hydroxy-proline isolated from rabbit skin tissue extract, 1285

Hydantoin
plant growth regulators isolated from inflamed rabbit skin tissue, 4587

Hydrazines
aryl- and acyl-, conversion to azides via stable nitrosyl salts, 5091
aryl-, synthesis via aromatic hydrazination, addition of arylmetallics to azodicarboxylates, 4933

Hydrazones
acyl amidrazones via condesation of amidines with hydrazides, 5133
and oximes, conversion into ketones with dinitrogen tetroxide, 645
asymmetric Michael addition/-lactamisation via SAMP-RAMP hydrazones, enantioselective synthesis of substituted tetrahydro-2,5-(1H,3H)-quinolinediones, 3795
diamidrazones, reaction with tris(dimethylamino)phosphine, synthesis and properties of bitriazaphosphole, 6049
N-aroyl-, of o-hydroxyaryl ketones, oxidation to aromatic o-diketones, 4321
oxidative denitrogenation by Co Schiff base complex-dioxygen system, prep of new alkenyl-cobalt(III) complexes, 6309
tosyl-, conversion to carbonyl compds using peroxysulphur intermediate, 4285

Hydrindanes
oxahyhrindene subunit, route via avermectins, 4959
picrotoxane skeleton via Pd(II)-catalysed carbacyclisation, 1611

Hydrocarbons
[2+2] photocycloadditions of strained cage dienes aimed at producing [6]-prismane, 1295
and steroids, oxidation of non-activated C-H bonds, 6581
aromatic-, π-complex formation and collapse during electrophilic halogenation, 2417
aryl alkanes via reduction of benzylic alcohols using Me_3SiCl-NaI-CH_3CN, application to synthesis of (±)-ar-turmerone, 3817
C_7H_8-, polycyclic bisadducts, synthesis via sequential ($\pi^2+\pi^2+\pi^2$) and ($\pi^2+\sigma^2+\sigma^2$) cycloaddition, 3927
lycopadiene, isolation from Botrycoccus braunii, 3931
new C-11-, odiferous, from Dictyopteris membranacea, 307
petroleum and sediment extracts, identification of constituent 2,3-dimethyl-5-(2,6,10-trimethylundecyl)thiophene, 957
secododecahedrene and its monoepoxide, unusual course of chromate oxidation, 3531
unsaturated-, addition of HI using I_2 on Al_2O_3, 4497
unsaturated-, free radical type addition of toluenesulphonyl cyanide, 2853

Hydrogenation
[7]paracyclophane, formation of a hyperstable bridgehead olefin, 753
asymmetric-, of ketopantolactone, activity and enantioselectivity of new chiral bisphosphine-Rh complex, new designing concept, 3675
asymmetric-, of unsaturated dicarboxylic acids catalysed by Ru(II)-BINAP complex, 1905
(-)-carvone, regioselective reduction, ultrasonically improved properties of aqueous Zn-$NiCl_2$ system, 2351
catalytic-, of olefins in biphasic water-liquid system, 2507
conjugate-, ultrasonically improved properties of aqueous Zn-$NiCl_2$, 2347
enantioselective-, asymmetric synthesis of benzomorphans and morphinans, 4829
lower alkenes, calculated isodesmic enthalpies, 1967
N-substituted α-(aminoalkyl)-acrylates, precursors of optically active β-amino acids, kinetic resolution in directed hydrogenation, 2179
Rh-catalysed-, of N-aromatics under water gas shift conditions, selective synthesis of 1,2,3,4-tetrahydroquinolines and N-formyl-1,2,3,4-tetrahydro isoquinolines, 77
selective C-C bond-, of unsaturated nitro compds, in presence of $RhCl_3$-aliquat 336 ctalyst system, 1321
stereoselective catalytic-, of 1-phenyl-1-piperidino-4-methylene-cyclohexane hydrochloride, 1-phenyl-1-piperidino-trans-4-methylcyclohexane, synthesis, 741

Hydrogen bonding
complexation between cyclophane host and polar guests, 3825
nitrone cycloadditions, face selectivity controlling factors, role of steric, electrostatic and H-bonding effects, 1225
strongly H-bonded fluoride-4-cyanophenol complex, formation and reactivity, 3627

Hydrolysis
α-benzyloxycarboxylic esters, 1303
abnormal phosphonium salt-, prep of cycloheptatrienyl-P derivs, 3843
acid catalysed-, of 2,2-dimethoxy-3,4-dihydropyrans to 3,4-dihydro-α-pyrones and δ-keto esters, 1821
acid-, of alkylhydroxamic acids, observed rate maxima 3283
active phosphates, catalytic activity of analogs of 2-iodoxybenzoic acid, 3899
alkyl sulphates with sulphuric acid, equilibria in methanol and ethanol, 1627
asymmetric-, and esterification catalysed by esterases from porcine pancreas in synthesis of enantiomers of cyclopentanoid building blocks, 3471
basic and selective-, of aryl alkyl 1-H-phosphonate diester, application to prep of mono-1-H-phosphonylated Z-ser(OPO_2H_2)-Tyr(OH)NH_2, 4461
enantioselective α-chymotripsin-, of prochiral dimethyl 3-hydroxyglutarates as strategy for synthesis of C_3-chiral buildinmg block, 4935
enantioselective-, of 2-(chlorophenoxy)propionic esters via esterases, 4661
enzymatic-, of cyclopropyl acetate, medium- and large-lscale prep of cyclopropanol, 2767
enzymatic-, of prochiral ester, prep of optically active glycerols, 531
regioselective enzymatic-, isolation of mupirocin isomers,5169
regioselective-, of carboxamides with lithium hydroperoxide, 6141
solubilisation of Timahdit oil shale kerogen, catalysed by 18-crown-6, 6559

Hydroperoxides see Peracids and Peroxides

hydroxylamines
N-, photo single electron transfer oxidation, synthesis of cyclic nitrones, 2649
N-monoalkylated-, synthesis from alkyl halides, 2993

Hydroxylation
9-deoxyforskolin, synthesis of diterpene foskolin, 19
asymmetric cis-, via epoxidation-carboxylation in (+)-citreoviral synthesis, 375
bio-, of α-cedrene and cedrol, prep of odoriferous component of Cedar wood oil, 6269
organometallic reagents by 2-sulphonyloxaziridines, mechanism, 5115

Imidazoles
1,5-diphenyl-, rate enhancement of cytochrome P-450 modelling oxygenation of olefins within space-restricted cavity of iron "NINAP porphyrin", 4553
2-alkylidene-imidazolidines, reactivity in inverse Diels-Alder reactions, 6027
2-imino-imidazolidine derivs, 3,4-dimethoxybenzyl as protective group, 6453
chiral 2-methylene-imidazolidines, asymmetric induction in inverse Diels-Alder reaction, 2681
imidazol-1-yl methyl aryl ketones, product stereospecificity in microbial reduction, 1487
non-acylated-, derivs via new cyclisation, unexpected reactions of 1,4-diaza-1,3-dienes under acylating conditions, 4605

Imides
and amides, incorporation of molecular nitrogen, use of titanium-nitrogen complexes, 6187
N-substituted phthalimides, photo-induced para-cycloaddition to cyclohexene, prep of N-substituted tricyclo[4.2.2.0]-dodeca-8,11-diene-9,10-dicarboximides, 1869
thio or oxo malonimides from addition of ester enolates to heterocumulenes and further to 4-thioacetoxy azetidinones, 3593

Imines
2-iminoxetanes from ketenimine-aldehyde cycloadditions, synthesis and controlled ring opening of 2-N-p-tolylimino-3,3-dimethyl-4-phenyloxetane, 2995
6,6-dimethyl-2,4-cyclohexa-dienylidene-1-imines, prep via primary amines and 2,6-diisopropylpyrylium salts, 3143
Δ^1-pyrrolines, Δ^1-piperidelnes and 1-aza-1-cycloheptenes, synthesis via decarboxylation of
addition to-,asymmetric synthesis oftrans-β-lactams, 227
aldimines, α,β-unsaturated, reaction with singlet oxygen, 6633
alkenyl keten-, reaction with acetylenic dienophiles, formation of polysubstituted anilines, 397
and acetic acid, prep of β-lactams, use of N,N-dimethylphosphoramidic dichloride, 1945
bis(silyl)-, N-substituted, prep via Pd-catalysed reaction of isocyanides with disilanes, 1293
chiral-, asymmetric Michael-type alkylation in enantioselective synthesis of ring A aromatic steroids, 2367
enolisable aldimines and lithium ester enolates, new synthesis of β-lactams, 3377
metal enolate-imine condensation reactions, stereochemistry, 3257
N-acetyl-, enamines and allylamines, hydrocarboxylation, 2829
N-diphenylphosphinyl-, diastereo-selective reductions and synthes s of axial primary cyclic a ines, 5619
nitrile-, optimisation of gas phase synthesis and photo-electron spectra, 617
nucleophilic-, coupling with Zn reagent of α-(bromomethyl) acrylate prep of α-methylene Y-lactams, 59
trimethylsilyl trifluoro-methanesulphonate catalysed reaction with silyl ketene acetals, diastereoselectivity, 4331

Iminium salts
chiral iminium ions, stereo-selective reductions, 4511
iminium ions as heterodienophiles, enhanced reactivity in Lewis acid mediated [4+2] cycloadditions, 2103

Inclusion compounds
prochiral epoxides included as quest molecules in tri-o-thymotide olathrates, hetero-geneous asymmetric ring opening, 4685
tetrabenzo[b,h,n,t]tetrphenylene, synthesis and crystal structure of its 1:1 clathrate inclusion compds with p-xylene, 6359

Indenes
2-indanones via intramolecular insertion of α-diazoketones, 165
7-methoxy-indanols via regio-specific carbodesilylation and Parham cyclisation, 2933
hydroindane systems via cyclisation of trienes, use of Diels-Alder intramolecular cation radical reactions, 927

Indoles
1-acyl-, unusual cycloaddition to an o-quinone monoimide, 6691
2-carboxy-6-oxo-cis-octahydro-, new synthesis, 2371
3H-, reaction with acetylenecarboxylic esters and structure of adducts, 3687
4-acyl-, synthesis via 2-(2-phenylsulphinylvinyl)pyrrole, 3453
4,5,6,7-tetrahydro-, synthesis of porphyrins with 4 exocyclic rings, 1135
5,6-dihydroxy-, derivs via catecholamines by use of mushroom tyrosinase as oxidant, 3775
5,6-dihydroxyindole-2-carboxylic acid, new intermediate in oxidative conversion to melanin, 467
and quinolines, formation by flash vacuum pyrolysis, 5555
Aspidosperma-type alkaloids, compatibility of 16-OMe substituent with indole-2,3-quinodimethane strategy, 3303
bromo-, deriv of citorellamine, revised structure, 749
glossobalol and balanoglossol, synthesis, 1645
indoleacetic acid trianion or methyl indoleacetic acid dianion coupling, a biomimetic approach to indolocarbazole alkaloids, 4441
indolenine, reaction with Na to yield tuboxenine, 19-epi-tuboxenine, indoline and two indoles, 1773
intramolecular cyclisation, Pd-catalysed, synthesis of N-heterocycles, 5291
mycotoxins, synthesis of 6-demethoxyfumitremorgin C, 1131
N-benzene-sulphonyl-, as terminator in biomimetic polyene cyclisation, synthesis of pentacyclic indolosesquiterpene, 3565
nucleus,phenyl(β-indolyl)iodonium trifluoroacetate, C_3-arylation and alkylation with reductive elimination of iodobenzene, 3071
pentacyclic-, derivs related to

Aspidosperma alkaloids, new approach to synthesis, 4901
photoreaction with naphthalene and phenanthrene in solid state, 6665
protected N-acyl-, prep, 3327
synthesis based on triazole photochemistry, total synthesis of 7-methoxymitosene, 6125

Indolizidines
(6R,7S,8aR)-dihydroxy-, and (6R,7R,8S,8aR)-trihydroxy-,, enantioselective synthesis from D-glucose, 4601
enantiospecific synthesis of 1-deoxy-castanospermine from D-glucose, 4597
synthesis via 1,6-Michael type addition of primary amine to electrophilic diene, 1761

Indolizines
1-hydroxy-, optically active, synthesis and configuraion, 2559
3-cyano-, and dimethyl acetylene-dicarboxylate, 1,2-adduct formation, 5707
dibenz-, via reaction of 1-alkyldihydroisoquinolines with benzyne, 817
photocycloadditions, 6155
synthesis from pyrylium salts, 3145

Inositol
(±)-myo-inositol-1,3,5-trisphosphate, -2,4,5-trisphosphate and -1,3,4,5-tetrakisphosphate, total syntheses, 4503
D-myo-inositol 1,3,4,5-tetrakisphosphate, synthesis, 4691
myo-inositol derivs, simultaneous phosphorylation of polyhydroxyl groups using alkoxides and tetrabenzyl pyrophosphate, 4179

Insecticides
(-)-catalpol, conversion into (-)-specionin, 3519
arylpolyene isobutylamides, stereoselective routes, 3857
isobutylamides of insecticidal interest, synthesis, 4879
new growth inhibiting flavan glucosides, viscutin-1,-2 and -3 from Viscum tuberculatum, 921
tetranortriterpenoid 1-cinnamoylmelianolone from Melia azedarach, 3543

Insertion reactions
aliphatic C-H, N-insertion vs aromatic N-substitution, reaction of methylated benzenes with arylnitrenium-boron trifluoride complexes, 961
alkenes, sulphonation with excess SO_3, stereospecific formation of carbyl sulphates, 1703
carbene-, in synthesis of furans 2167
intramolecular C-H-, RH-catalysed, chiral synthesis of isocarba-cyclin ()+)-9(O)methano-$\delta^{4(7a)}$-PGI_1) intermediate 637
intramolecular-, of α-diazo-ketones, prep of 2-indanones, 165
iridium pentahydride complex, catalysed formation of C-C bond by C-H bond activation followed by olefin insertion, 3249
SO_2 into Co-C bond of organo-cobaloximes is a radical chain process, 1219
terminal alkynes into phosphirene ring, 5021

Inversion reactions
hydroxyl-, reaction to prepare gibberellin plant hormones, 6705
polarity-, of π-allyl Pd-complexes, SmI_2-induced, prep of allylstannanes, 215
ring-, by racemisation and NMR bandshape studies, barriers to in dibenzo[a.c]cyclooctene and its dihydro and tetrahydro derivs, 1537

Ionophores
selective alkaline metal-, by synthetic ionophore with double recognition sites for metals, induced by a transition metal, 6211

Iridium and compounds
iridium pentahydride complex catalysed dehydrogenation of alcohols in absence of H-acceptor, 3115

Iridoids
(-)-catalpol, conversion into (-)-specionin, 3519
dimeric adduct of genipin and glycine, structure of genipocyanin G_1, 4699
specionin, natural product or artifact? synthesis, 4871

Isoxazolidines
5-exo-methylene-, rearrangement to 3-pyrrolidinone, 755

Iron and compounds see also Ferrocenes
1,5-diphenylimidazole rate enhancement, cytochrome P-450 modelling oxygenation of olefins within space-restricted cavity of iron "NINAP porphyrin", 4553
(η^4-isoprene)Fe(CO)$_3$, deprotonation to coordinated isoprene anion which reacts with electrophiles at low temp and rearranges to isomeric (η^4-trimethylenemethane)Fe(CO)$_3$ anion at higher temp, 1497
η^4-(trans-dienol)Fe(CO)$_3$ complexes, regio- and stereospecific C-C bond formation,641
chiral auxiliary [(η^5-C_5H_4)Fe(CO)(PPh$_3$)], asymmetric synthesis of (-)-captopril, 5563
intramolecular iron-catalysed ene reactions, stereoselective and regiocontrolled formation of tetrahydropyrans, 5627
mediated reaction of Grignard reagents with acyl chlorides, prep of functionalised ketones, 2053
tricarbonyl(2,3-dihydrotropone)-iron, HPLC optical resolution and absolute configuration, 5873

Isobenzofurans
generated in situ, use in synthesis of rac-18-hydroxyestrone methyl ether, 4279

Isocyanates
alkyl-, regioselective addition without protecting groups, of primary OH of monosaccharides 4165
phenyl-, activated by Ti(bpy)$_3$ towards cyclotrimerisation and condensation with aliphatic aldehydes, 2169
reaction with Grignard reagents, Cp_2TiCl_2 catalysis, prep of carboxamide with rearranged skeleton, 3815

Isocyanides
fungal-, biosynthesis of xanthocillin monomethyl ether, 3159
Pd-catalysed reaction with disilanes, prep of N-substituted bis(silyl)imines, 1293

Isoindoles
hydro-, new features of intramolecular Diels-Alder route, 5339

Isomerisation
9,10- and 11,12-allenic retinoids afforded 11-cis, 11,13-dicis and 9,11,13-tricis isomers of 9-t-butyl retinol and 11,13-dicis isomer of 13-t-butyl retinol, 2917
and desulphurisation of allene episulphides, 1787
asymmetric-, Rh-catalysed, kinetic resolution of 4-hydroxy-2-cyclopentenone, 4719
cis to trans-, or [4+2]-cycloaddition resulting from irradiation of (9-anthryl)methyl methyl fumarate or maleate, 3819
olefins via application of stereoselective Et, induced radical addition of Ph_3GeH to acetylenes, 3709
photo-, of 1,2-di(9-anthryl)-1-hydroxypropene, 1323
photo-, of tetrabenzoylethylene, mechanism, 5137
thermal-, of fulvene endoperoxides, 3779
threo-and erythro-2-fluoro-3-methylthiobutane to trans- and cis-1-fluoro-1,2,3-trimethyl-episulphurane, 4593
trans cis photo-, of p-styrylstilbenes, 3493

Isomers
9-cis and 11-cis-, of 18,18,18- , 19,19,19- and 20,20,20-trifluororetinal, 259
11-cis, 13-cis, 11,13-dicis and 9,11,13-tricis-, of 19,19,19-trimethylretinal and 13-cis and 11,13-dicis isomers of 20,20,20-trimethylretinal, synthesis and characterisation, 2921
atropisomers of 5,15-bis(8-quinolyl)- and -bis(2-pyridyl)octaethylporphyrin, stabilities and metal-ion binding properties, 2143
geometric-, and both enantiomers of coriolic acid, synthesis and physiological activities, 3959
stereoisomers of cerebroside B_{1b}, total synthesis and configuration, 6281

Isoprenoids
chiral 2-(R)-and (S)-benzyloxy-2,5-dihydro-4-furancarboxaldehyde, conjugate addition of lithium methylcyanocuprate, synthesis of (-)-and (+)-botryodiplodin and (+)-and (-)-epibotryodiplodin, 3589
isoprene and cyclopentadiene, Diels-Alder cycloadditions of chiral butenolides, 3405

Isoquinolines
1-alkyldihydro-, reaction with benzyne, entry into dibenzindolizines, 817
N-formyl-1,2,3,4-tetrahydro-, and 1,2,3,4-tetrahydroquinolines, selective synthesis via Rh-catalysed hydrogenation of N-aromatics under water gas shift conditions, 77
phenylalkyltetrahydro-, coupling

with Ru(IV) tetrakis(trifluoroacetate), and synthesis of glaucine, thalicsimidine and homoglaucine plus stereostructures of aporphine and homoaporphine, 543

Isoquinolinium salts
cations, intramolecular cyclisation, equilibrium constants, 3915

Isothiocyanates
α,ω-bis-, long-chain, from a marine sponge, 4633

Isotope labelling and effects
(3RS)(5R)(5-^{2}H)- and (3RS)(5S)(5-^{2}H)-mevalonolactones stereospecifically labelled at C 5, synthesis, 3059
(3S)- and (3R)-[3-^{2}H$_1$]ascarylose, 1073
D-istope effects and ^{13}C NMR chemical shifts, correlation between in substituted benzenes, 1243
diprenorphine, C-11 labelled, radio ligand for positron emission tomographic studies of opiate receptors, 4015
deuterium isotope effects in thermal decomp of β-hydroxy ketones and β-hydroxy esters, 3555
effects in ene reaction of N-phenyl-1,2,4-triazoline-3,5-dione with isomers of butene-d$_8$, stereochemistry, 15
L-tyrosine, isotopically labelled, enzymic synthesis, 2303
magnetic isotope effects in biradicals, photolysis of 2-n-diphenylcycloalkanones, ^{13}C enrichment and a novel mechanistic probe, 2929
O-enriched hydrogen peroxide and t-butyl hydroperoxide, synthesis, characterisation and application, 5443
revised mechanism for ^{15}N-labelling of reaction of 2,6-di-t-butyl-4-methyl-4-nitrocyclohexa-2,5-dienone with nitrogen dioxide, 6701
sesquiterpene hydrocarbon β-trans-bergamotene, biosynthesis of ovalicin, 6545
solid phase tritylation of nucleosides and nucleotides, 23
thiazole synthesis, mechanistic studies using protium and deuterium analogs, 5767
thioozonides, intramolecular rearrangement, sulphine formation without S scrambling, double istope crossover, 4981
vinylsulphoxides, stereospecific reduction with possibility of D-labelling, 6565

Isoxazoles
3-acetyl-5-methyl-, and Z-3-azido-3-hexene-2,5-dione, irradiation comparison, 5797

Isoxazolines
oxidation, prep of α,β-unsaturated carbonyl compds, 913

Ketals
and acetals of 2-(2-pyridyl)-propane-1,3-diol, protection for carbonyl groups, 1195
(E)-4-lithio-4-tosylbutenone dimethyl-, new β-acylvinyl anion equivalent, 6709
homochiral-, diastereoselective cyclopropanation, dioxolane structural effects, 1865

Ketenes
1-alkyl-2-oxocyclohex-3-ene acetic acid methyl esters, addition to allylstannanes, 1,4-diastereoselectivity, 1483
α-oxoketene dithioacetals, cycloaromatisation with 2-picolyllithium, quinolizinium cation annelation, 3023
Y-oxoketenes, intramolecular [2+2]-cycloaddition to give stereoisomeric β-lactones of 3-oxo-2-oxabicyclo[2.2.0]hexane type, 6429
Y-oxoketenes, pericyclic ring enlargement to 5-phenyl-1,3,4-oxadiazin-6-on-2-carboxylic acid methyl esters and their configuration, 6433
chlorocyano-, reactions with vinyl selenides via 3,3-sigmatropic rearrangement, 4925

Ketenimines
cycloaddition with ester enolates to give 4-alkylidene-azetidin-2-ones, 4347

Keto acids
α-keto acid derivs, approach via arylation and vinylation of methyl αmethoxyacrylate, 3039
α-keto acids, conversion to L-α-amino acids using E coli aspartate transaminase, 3745

Keto amides
β-, mild prep via β-keto thioesters, 3019
N,N-dialkyl β-oxoamides, photoreductive cyclisation and formation of 6-membered ring lactams, 4545

Keto esters
α-alkyl β-keto esters chiral enamines, asymmetric Michael reaction promoted by chlrotrimethylsilane, 6637
α-, DABCO catalysed coupling of acrylonitrile and methyl acrylate, 4351
α-, intramolecular hydride transfer from 1,4-dihydropyridine in aqueous soln, lactate hydrogenate model, 2421
β-, β-diketones and β-sulphonylketones, halodeacylation via reaction with N-halosuccinimides to give α-halocarbonyl and α-halo sulphonyl derivs, 5505
β-, reaction with 2-acetyl-1,4-dihydroxyanthraquinone to give anthracycline derivs, 2065
δ-, and 3,4-dihydro-α-pyrones via acid catalysed hydrolysis of 2,2-dimethoxy-3,4-dihydropyrans, 1821
ω-hydroxy-,-mercapto- and -Boc-amino-α-diazo-β-, prep via Rh-carbenoid mediated cyclisations, use of ethyl lithiodiazoacetate, 5351
(E)-4-alkenyl-3-oxoesters and macrolides, synthesis via t-butyl 4-diethylphosphono-3-oxobutanethioate, 345

Ketones see also Carbonyl compds, Cyclic ketones, Halogenocarbonyl compounds etc
1,3-di-, electro-oxidation in presence of olefin and oxygen, prep of cyclic peroxides, 667
1,3-phenylpropenone, p-substituted, dimerisation in presence of metals during electro reduction, 1881
1,4-, via 1,4-acyl migration in photolysis of enol acetates of 3-phenylpropiophenones, 3613
1,5-, equivalents, synthesis of 1,2,3,4,5,6,7,8-octahydroacridines using cupric acetate and ammonium acetate, 4817
2-hydroxyacetophenones, substitution of acyl by nitro group followed by intramolecular 1,3-acyl shift during nitration, 763
2-methyl-3-hydroxy-, and 2-methyl-1,3-diols, 3-methyl-Y-butyrolactone as source, synthesis of C$_{13}$-C$_{21}$, fragment of rifamycin S, 1725
α-alkoxy-, from nitroalkanes via Nef reaction on trialkylsilyl nitronates promoted by m-chloroperbenzoic acid, 5361
α-di-, α-imino acetals and corresponding monoacetal derivs, formation with complete regiochemical control, 4657
α-(phenylmethylsulphonio)ketone triflates, reaction with KF to give 2-acylbutanones which rearrange to Y,δ-unsaturated δ-valerolactones, 2247
α,β-epoxy-, organoselenium-mediated reduction to β-hydroxy ketones, new access to inter- and intramolecular aldols, 4293
α,β-unsaturated-, and nitriles, DABCO catalysed dimerisation, 4591
α,β-unsaturated-, cohalogenation to α-halo β-alkoxyketones which cyclise to 4-acyl-3-methylene-tetrahydrofurans, 2009
α,β-unsaturated-, flouride ion mediated reaction with 1-acyloxy-2-propenyltrimethylsilane, conjugate addition of 1-acyloxy-2-propenyl function, 4649
α,β-unsaturated-, novel route using dibutyl telluride, 801
α,β-unsaturated-, unusual conjugate addition of organolithium reagent, 5723
β-(trimethylsilyl)-, and allylsilanes via lithium 1-alkynyltrialkylborates, 1003
β-alkylated-, and homoenolates prep, 2587
β-di-, iodonium ylides, photo and thermal generation of α-ketocarbenes, 4449
β-diketones, β-ketoesters and β-sulphonylketones, reaction with N-halosuccinimides to give α-halo-carbonyl and α-halo sulphonyl derivs via halodeacylation, 5505
β-hydroxy-, 1,3-syn diastereoselective reduction using alkoxydialkylboranes, 155
β-hydroxy-, and β-hydroxy esters, deuterium isotope effects in thermal decomp, 3555
acetone and diethyl fumarate, kinetic studies with chloro-p-nitrophenylcarbene, 1011
acetone, photolysis of diazomethane, formation of carbonyl ylide as intermediate, 1723
alkynones, regioselective hydration by Pd-catalysis, 3127
and α-oxoselenoaldehydes, generation and dienophilic activity, 4423
and aldehydes, conversion to lactones via dianion of 4-phenylsulphonylbutanoic acid, 4243
and lithium enolates, divalent samarium induced synthesis of cyclopropanols, 1307

benzyl methyl ketone, kinetic deprotonation, 2,4,6-tri-t-butylphenyllithium as a base, 6325
benzylic-, ester and nitrile, anodic oxidation in CH_3CN/Et_4, yields mono-or di-fluoro compds, 2359
bridged-, formed by skeletal rearrangement of alkyl enones produced by angular alkylation of 2-carboethoxytricyclo-[5.2.0^{2},^{6}]decadienone, 3027
C_2-symmetric acetal-, 1,5-asymmetric reduction, effect of Mg cation, 1671
ceric ammonium nitrate promoted reaction with isopropenyl acetate, synthesis of 1,4-dicarbonyl compds, 5357
chiral 2,2-dialkyl 1,4- and 1,5-di-, asymmetric synthesis of trisubstituted cyclohexenones and cyclopentenones, 1745
chiral β,γ-unsaturated-, diastereoselective π-facially controlled nucleophilic addition to chiral vinylorganometallics, 31
conjugated acetylenic-, intramolecular Michael and anti-Michael additions of thiolate, 4267
di-, stereoselective reduction, directive force of $TiCl_4$ which forms a crystalline adduct with 3,3-dimethyl-2,4-pentanedione, 4515
functionalised-, via iron mediated reaction of Grignard reagents with acyl chlorides, 2053
high pressure Wittig reactions with stabilised ylides, carboethoxymethylenetriphenylphosphorane and carboethoxyethylidenetriphenylphosphorane to form tri- and tetra-lsubstituted ethylenes, 2191
ketoneenolates, carboxylation with anisyl cyanoformate, new synthesis of dioloxolenones, 1051
methyl-, via oxidation plus electrooxidatrion of olefins, 3683
presence in selective reduction of aldehydes with chlorotrimethylsilane and nickel boride, 5741
reduction of (+)-camphor using Li, Na and K with sonification, mechanism, 3315
spirodiketone intermediate, oxidative fragmentation in intramolecular radical coupling of phenolic enolate, 4163
syn-α-methyl-β-hydroxy ethylketones, via condensation of aldehydes with chiral boron enolate of diethyl ketone, 1229
unsymmetrical-, and α-alkylated amines, synthesis via selective carbophilic addition of organolithiums to thioamides, 1529
unsymmetrically substituted-, involving β-hydroxyalkylselenides, regiochemistry of ring expansion, 1545
via conversion of oximes and hydrazones with dinitrogen tetroxide, 645
via conversion of tertiary amides with alkyl and aryl lanthanum triflates, 4391
via Mg-Oppenhauer oxidation of alcohols, 769
via oxidation of fluorinated carbinols using Dess-Martin periodane, 4259

Kinetics
alkylhydroxamic acids, rate maxima observed in acid hydrolysis, 3283
cyclisation and polymerisation in polycondensation reactions of two symmetrical monomers, 419
deprotonation of benzyl methyl ketone, 2,4,6-tri-t-nutylphenyllithium as a base, 6325
dimerisation of 2-(methylthio)-ethyl tosylate, tosylate/-chloride rate ratios, 5299
methylviologen, rate of homogeneous electron transfer in self-exchange reactions, 5335
octyl radical, scavenging by N-hydroxypyridine-2-thione ester, rate constants and Arrhenius function, 1615
relative reaction rates of alkenes towards hydroboration and oxymercuration, 943
resolution of 4-hydroxy-2-cyclopentenone by Rh-catalysed asymmetric isomerisation, 4719
studies, reaction of chloro-p-nitrophenylcarbene, with acetone and diethyl fumarate, 1011

Labelling see Istopic labelling

Lactams
6-membered ring-, formation via photoreductive cyclisation of N,N-dialkyl β-oxoamides, 4545
α-methylene-β-, regiospecific synthesis via Pd catalysed ring expansion-carbonylation, 3237
α-methylene-γ-, and pyrrolidine from cyclisation of α-(alkylaminoethyl)acrylate, synthesis of aza-sarkomycins, 6675
α-methylene γ-, via coupling of Zn reagent of α-(bromomethyl) acrylate with nucleophilic imines, 59
β-, formation from β-amino acids using bis(5'-nitro-2'-pyridyl)-2,2,2-trichloroethyl phosphate, 2735
β-, from esters and silylimines, synthesis of N-substituted 4-alkyl-β-lactams, 5369
β-, new synthesis from lithium ester enolates and enolisable aldimines, 3377
β-, prep from acetic acid and imines, use of N,N-dimethylphosphoramidic dichloride, 1945
alkenyl β-, homolytic cyclisation gave carbapenams by exo addition and carbacephams by endo addition, 2637
asymmetric Michael addition/-lactamisation via SAMP-RAMP hydrazones, enantioselective synthesis of substituted tetrahydro-2,5-(1H,3H)-quinolinediones, 3795
aza-β-, via Grignard induced cyclisation of α-(2-arylhydrazino)-esters, 6577
bicyclic β-, prep via free radical annelation, synthesis of t-butyl 2-benzylidene-1-carbapenam-3-carboxylate, 2887
biologically active fluorescent indo-, deriv, synthesis, prep of new probes for receptor analysis of tumour promoters, 3267
chiral β-, via aziridine route, entry to (+)-thienamycin, 1211
functionalised-, via selective reduction and cleavage of N-N bond in fused tetrahydropyridazines, 1573
fused β-, via intramolecular dipolar cycloaddition, 97
highly strained β-lactam fused γ-lactam, prep and cognition enhancing properties, 5245
iodo-, stereocontrolled synthesis of diamines, 3213
monocyclic antibiotics, prep of γ-lactam analogs, 2883
new 24-membered tetra-, with two ethylene dioxy moieties and mirror symmetry, prep, 4049
optically active 3-hydroxy-4-alkoxycarbonyl-2-azeridinones, synthesis from L-tartaric acid, 1861
trans-β-, asymmetric synthesis via $TiCl_4$-mediated addition to imines, 227
via intramolecular functionalisation of amides, 2533

Lactones
1,5-, formation from 3-deoxy-D-manno-2-octulosonic acid derivs, 1393
2(3H)-butenolides, by conversion of furans, 1203
2-vinyl-γ-butyrolactones, synthesis via Pd-catalysed decarboxylative carbonylation of 3-vinyl-1-oxo-2,6-dioxacyclohexanes, 3497
3-hydroxybutanolides, opening of followed by cyclisation, prep of optically pure β,γ-epoxyesters and prep of β-hydroxy esters, 1781
3-methyl-γ-butyro-, source of 2-methyl-3-hydroxyketones and 2-methyl-1,3-diols, synthesis of C_{19}-C_{27}, fragment of rifamycin S, 1725
(3RS)(5R)(5-^{2}H)- and (3RS)(5S)(5-^{2}H)-mevalono-, stereospecifically labelled at C 5, synthesis, 3059
5-phenyl-1,3,4-oxadiazin-6-on-2-carboxylic acid methyl esters via pericyclic ring enlargement of γ-oxoketenes, 6433
(5S,6S)-aeginetolide and (5S)-dihydroactinisiolide, asymmetric synthesis, 3723
(9S)-9-dihydroerythronolide, stereoselective total synthesis from D-glucose, 4569
14-membered ring macrolides, stereoselective reductions and alkylations, 35
22,23-dihydroavermectin B_{1b}, stereocontrolled synthesis of spiroketal unit, 1997
α-hydroxy-γ-, ring contraction of triflates, synthesis of chiral polyfunctionalised oxetanes, 4741
α,β-unsaturated δ-, naturally occurring derivs, stereostructure through stereoselective synthesis, 5661
β-hydroxy-γ-, inhibitors of HMGCoA reductase, asymmetric synthesis,new prep of lactone moiety of compactin, 703
β-hydroxy-γ-, moiety of HMG-CoA reductase inhibitor, synthesis via diastereoselective aldol reaction, 1385
δ-, new approach related to Prelog-Djerassi lactone, 239
γ,δ-unsaturated δ-valero-, by rearrangement of 2-acylbutanones prepared by reaction of α-(phenylmethylsulphonio)ketone triflates with KF, 2247
γ-, and butenolides, synthesis using methyl 3-phenylsulphonyl orthopropionate, 2135
γ-butyrolactones, α-methyleno-γ-

butyrolactones and Y-hydroxy-nitriles, synthesis from epoxides and sodium[cyan-(triphenylphosphoranylidene)-methanid, 2111
Y-methylbutyro-, and Y-phenylbutyro-, enzymatic synthesis via
(-)-altholactone, total synthesis from D-glucose, 3945
(+)-altholactone, total synthesis from D-glucose, 3949
amino acids containing a Y-lactone ring, domoilactone A and B. structures and isolation from Chondria armata, 633
and cyclic anhydrides, reaction with 1,4-di-(bromomagnesio)-pentane, 4997
annelated Y-, via reaction of cyclic vicinal diester dianions with β-bromoethyloxirane, 351
aplasmomycin, stereospecific synthesis of C(3)-C(10) segment from (R)-pulegone, 3061
(+)-aristolactone, synthesis and configuration via enantioselective [2,3] Wittig ring contraction induced by chiral bases, 3323
asymmetric synthesis of optically pure 4-substituted azetidinones, 179
avermectins, free radical cyclisation approach to hydroxy-benzofuran related deriv, 2001
bicyclic α-methylene-Y-, synthesis via intramolecular cyclisation of allylsilylated aldehydes, 655
bis-, formation from 3-O-acetyl-deoxycholic acid, 5737
bridgehead enol-, dichlorocyclo-propanation and ring cleavage, stereocontrolled ring expansion sequence, 5623
butenolides and enones, synthesis using organo-Mn pentacarbonyl complexes, 2233
by conversion of ketones and aldehydes via dianion of 4-phenylsulphonylbutanoic acid, 4243
(±)-cavernosine, synthesis, 4041
(+)-leptosphaerin, metabolie of Leptosphaeria craemaris, synthesis, 3813
cembranolides, stereoselective synthesis via conjugate addition to cycloalkynones, 5081
chiral butenolides in Diels-Alder cycloadditions with isoprene and cyclopentadiene, 3405
conversion into protected hydroxy acids via chloromethylaluminium 2-(2-propenyl)anilide, 3327
cyclic-, formation, use of phenyl-sulphenyl chloride/diisopropyl-ethylamine reagent, 523
D-glucurono-6,3-lactone, synthesis of L-daunosamine, 1327
D-gulonolactone and (R,R)-tartrate, convergent total synthesis of (+)-anamarine, 6437
diterpene isovalerate spongiolactone, stereostructure and isolation from Spongionella gracilis, 3601
erythronolide B, assembly in (C_5-C_9)+(C_1-C_4)+C_{11}-C_{13}) sequence in total synthesis, 3839
erythronolide B, synthesis from levoglucosan, 3835
fused butyrolactone, synthesis from D-glucose and stereo-specific alkylation in off-tampate position, silyl protecting group migration, 1933
germacranolide (±)-aristolactone, synthesis via cyclodecenynol and [2,3] Wittig ring contraction, 723
glaucolide with non-enolisable β-diketone on 10-membered ring, isolation and conversion to hirsutinolide, 5925
homoserine-, new synthesis, 3167
ketopantolactone, asymmetric hydrogenation by new chiral bisphosphine-Rh complex, new designing concept, 3675
macrocyclic-, (-)-aspilcilin, stereocontrolled synthesis, 2409
macrocyclic-, lipase catalysed synthesis in organic solvents, 805
macrocyclic-, regioselective reactions on C5-,C7-and C23-OH groups, 5353
macrolides and (E)-4-alkenyl-3-oxoesters, synthesis via t-butyl 4-diethylphosphono-3-oxobutane-thioate, 345
Mitsugashiwa-, synthesis from succinaldehyde via application of substitution of 1-ethoxy-carbonyl n-hydroxycycloalkenes and silyl ethers by Grignard reagents to give 1-carbo-ethoxyalkylcycloalkenes, 5521
novel steroid-, via reaction of 18-hydroxy androstenedione with acetone cyanhydrin, 4161
(±)-pentaleno-, E methyl ester, synthesis via stereospecific 1,4-addition of sulphinylallyl anion, 5465
pentaleno-, synthetic studies, prep of Tsuji's conjugative reagent, 6053
(-)-pyrenophorin, synthesis via 4-DMAP catalysed ester exchange of phosphonoacetates with lactols, 2717
(S)-5-hydroxymethyl-2(5H)-furanone, synthesis, 2299
(S)-hydroxy-Y-, via enantio-selective microbial oxidation of (R,S)-2,2,5,5-tetramethyl-4-hydroxycyclohexanone, 1109
sesquiterpene-, eremantholides, prep of ring A/B model system via conjugate addition-acylation protocol, 3551
spirobutyro-, substituted, new synthesis via dyotropic rearrangement, 4787
stereoisopmeric β-, of 3-oxo-2-oxabicyclo[2.2.0]hexane type via intramolecular [2+2]-cycloaddition of Y-oxoketenes, 6529
steroidal bitter principles from Tacca plantaginea, structures of taccalonolide A and B, 1673
threo and erythro δ-hydroxy-Y-, stereodivergent route via directed aldo condensation of 2-trimethylsiloxyfuran with aldehydes, 4037
trans-fused butyro-, stereo-selective synthesis, 135
trans (±)-tetrahydroactinidiolide, synthesis via cyclisation of tin(ll)trifluoromethane-sulphonate, 4053
vinylic-, synthesis from vinylmercurials and alkenoic acids via intramolecular π-allylpalladium displacement, 4977
withametelin, characterisation of hexacyclic withanolide from Datura metel, 2025

Lactonisation
asymmetric bromo-, of L-proline amides of α-methyl-β-alkyl-α,β-unsaturated acids, prep of optically pure 2-hydroxy-2-methylalkanoic acids, 2801
iodo-, structural effect of unsaturated organophosphorus compds, 2615
phenylseleno-, by electrolysis of Δ^4- and Δ^5-unsaturated carboxylic acids and diphenyl selenide, 6511
stereoselective hydroxy-, of chiral amide-allylsilanes, 2051
stereoselective reaction of chiral ester-allylsilanes with m-CPBA, 2045
vs enzymatic oligomerisation in ω-hydroxy esters, 5367

Lanthanum and compounds
alkyl and aryl-, triflates, conversion of tertiary amides to ketones, 4391
lanthanide complexes, catalysis of oxirane ring opening with thiols, 6065
lanthanides, catalysis of addition of silyl enol ethers to aldehydes, addition of trimethylsilyl cyanide to aldehydes and ketones and synthesis of β-cyanosilyl ethers, 5513

Laser spectrophotometry
2,2-dimethyl-1,3-cyclopentadiyl triplet diradicals, "through-bond coupling" effects in lifetimes via UV laser photochemistry, 4407

Leukotrienes
B_4-, stereocontrolled multigram scale synthesis, 5849
peptidic-, practical, stable standards for reversed phase HPLC analysis, 739

Lignans
dibenzylbutanolide-, including cordigerines, synthesis and transformation into diarylbutane lignans, oxidative coupling of latter using RuO_2 or Tl_2O_3 to give deoxyschizandrins, 5161
neolignan magnoshinin synthesis, 2857
phenyltetralin-, formation, 5161
(±)-podophyllotoxin, total synthesis, 517
polarised diaryl carbonyl ylids, specificity of addition to unsymmetrical dipolarophiles, 3155

Limonoids
azadirachtin related hydroxy dihydrofuran acetal, synthesis of insect antifeedant, 221
azadirachtin, synthesis of furo-pyran moiety, 1519
limonin, A and A' rings, approach to synthesis via tandem β-fragmentation-intramolecular functionalisation of alkoxy radicals, 981

Lipids see also Phospholipids
12(R)-hete, total enantiospecific synthesis, 6543
α-lipoic acid, stereospecific synthesis, 5313
artificial liposome system modified with flavolipid shows effective electron flux conversion from NADH model in transmembrane electron transfer, 3363
C-18 hydroxy unsaturated fatty acids, fungitoxic, structures and isolation from Epichloe typhina, 73
coriolic acid, both enantiomers and their geometric isomers, synthesis and physiological activities, 3959

dehydroarachidonic acid, three new derivs, synthesis and oxidation by soybean lipoxygenase, 5391
fluorinated oleic acids, synthesis and biomethylation, 3891
lipogenase inhibitor, biomimetic synthesis and function of colneleic acid, 4917
liposomal membrane, electron transport rate across controlled by thermally induced phase transition of flavoliposome, 5899
lipoxins, biogenetic precursor, synthesis of 5S-hydroxy-14,15 LTA_4, 3449

Lipopolysaccharides
3-deoxy-D-manno-2-octulosonic acid, new synthesis from D-mannose, 6235

Liquid crystals
2,3,6,7,10,11-hexakis(3-oxaalkanoyloxy)tripheylene, mesmorphic temp ranges, design principle for mesogen construction, β-oxa modification of tail alkyls, 2269
new liquid crystalline viologens with electric stimulus-response behaviour, 6475
smectic liquid crystalline phase, stereocontrolled photodimerisation of tetramethyluracil, 3263

Lithium and compounds
2-lithiopyrrole and 2,5-dilithiopyrrole, synthetic equivalents, 6025
2-picolyl-, cycloaromatisation of α-oxoketene dithioacetals, quinolizinium cation annelation, 3023
2,4,6-tri-t-butylphenyl-, as a base, kinetic deprotonation of benzyl methyl ketone, 6325
3-(phenylsulphonyl)tricyclo-[4.1.0.$0^{2,7}$)hept-4-en-3-yllithium, prep, 187
3-siloxyallenyl-, stoicimetric generation and reaction with electrophiles, 1299
α-lithio trimethylsilylmethyl lithium carbonate, hydroxymethylation of esters, dimethylamides, acid chlorides and nitriles to hydroxymethyl carbonyl compds, 1847
α-lithioalkanephosphonates via treatment of trialkyl phosphates with alkyllithiums, 405
α-lithioalkylphosphonates, condensation with ethoxymethyleneaniline to lithiated enaminoalkylphosphonates which react with aldehydes to give α,β-unsaturated α-substituted aldehydes, 1263
alkyl-, thiophilic addition of dithiocarboxylic acid anions, synthesis of 2-[bis(alkylthio)methylene]-1,3-dithioles, 3805
alkyl-, enhanced reactivity towards 3-(methoxymethyl)- and 3-(dimethylaminomethyl)oxetanes, 5747
allyl-, of benzothiazole, benzoxazole and pyrimidine, condensation with aldehydes to α or γ position, 6385
bis(phenylthio)methyl-, adducts with cyclic ketones, carbenoid type base induced ring expansion, 2203
C-1 lithiation of C-2 activated glucals, 6591
chiral 1-oxyallyl-, derivs, reagent-controlled enantioselective homoaldol reaction, enantio-divergent tuning by achiral titanium reagents, 5149
chiral-, amides, enantioselective dehydrohalogenation via asymmetric deprotonation, deracemisation of 4-t-butylcyclohexylidene acetic acid, 5517
(dichloromethyl)-, reactions with 2-alkyl-, 2-phenyl- and 2-alkoxy-1,2-oxaborolanes, synthesis of 1,4-alkanediols, 2599
(E)-4-lithio-4-tosylbutenone dimethyl ketal, new β-acylvinyl anion equivalent, 6709
enatiomerically pure vinyl-, reagent, stereoselective addition to prochiral carbonyl compds, 5145
enolates-, divalent samarium induced synthesis of cyclopropanols from ketones, 1307
ethyl lithiodiazoacetate, use in prep of ω-hydroxy-,-mercapto- and -Boc-amino-α-diazo-β-keto esters via Rh-carbenoid mediated cyclisations, 5351
ester enolates of-,and enolisable aldimines, new synthesis of β-lactams, 3377
hydroperoxide of-, regioselective hydrolysis of carboxamides, 6141
LAH, reaction with alkyl halides, validity of using radical probes for determining SET, 3197
lithiation control by protecting group in sugar moiety, entry to 5-substituted uridines, 87
organo-, reagent, conjugate addition of α,β-unsaturated ketone, 5723
organo-, reagents, stereospecific conjugate addition to naphthylimines, prep of 1,1,2- and 1,2-substituted dihydronaphthalenes, 5279
organo-, selective carbophilic addition to thioamides, synthesis of unsymmetrical ketones and α-alkylated amines, 1529
organocuprates of-, prep from Cu(I) salts, 4251
neophyl-, synthesis and reaction with anthracene, 5989
t-butyldimethylsilyl ethers of phenols, one step conversion to benzyl or methyl ethers and utility in regioselective ortho lithiation, 4139
vinyl-, compd, facile retro Diels-Alder reaction, 5437

Macrocyclic compounds
5,15-bis(8-quinolyl)- and -bis(2-pyridyl)octaethylporphyrin, prep, stabilities of atropisomers and metal-ion binding properties, 2143
9,11,20,22-tetraphenyltetrabenzo-[a,c,i,n]pentacene-10,21-dione, solid state structure of longitudinally twisted molecular ribbon, 291
13-membered triene with tetrasubstituted enol ether as dienophile, synthesis and transannular reaction, 5255
b-cyclooctenopyrrole, synthesis of meso β-pentanoporphyrin using MacDonald route, 6265
Ca-selective [12]-N_3O_2 incorporating amide substituents, structure and complexation, 5573
cis,trans,trans 13-membered trienone, synthesis and transannular Diels-Alder reaction, 5249
dextrophane, via conversion of 4-azido-4-deoxy-D-glucose, 6133
halichondramide, antifungal macrolide from sponge Halichonrdia sp., 2809
halichondrins, synthetic studies, 3463
host incorporating isoalloxazine moiety as model for active sites of flavoenzymes, synthesis, 5111
intercalative inclusion complex, synthesis, structure and binding properties, 6057
ketones-, new entry to synthesis of exaltone and (±)-muscone, 3963
kinetics of cyclisation and polymerisation in polycondensation reactions of two symmetrical monomers, 419
lactones, lipase catalysed synthesis in organic solvents, 805
lactones, regioselective reactions on C5-,C7-and C23-OH groups, 5353
lactone (-)-aspilcilin, stereocontrolled synthesis, 2409
macrotricyclic and macropentacyclic ditopic receptor molecules, synthesis, crystal structure and substrate binding, 1989
optically active host incorporating an unnatural isoquinoline alkaloid as chiral building block, synthesis and formation of diastereomeric complexes with (R) and (S) naproxen, 2443
plagiochins A,B,C and D with biphenyl linkage between o-positions to benzyl methylenes, isolation from Plagiochila acanthophylla, 6295
polyaza-, of cyclophane type, synthesis, structure of chloroform inclusion complex and anion binding, 3489
polyether-, novel crown derivs incorporating a diaminophosphine group, 3577
polyethers incororating two dihydroxynaphthalene rediues, complexation of diquat and paraquat, 6367
polyethers, intraannular functionalisation via organo-Li, x-ray structure of 2-sulphinyl-1,3-xylyl-15-crown-4, 1937
primycin, isolation and structures of 90% of components, 2759
(-)-pyrenophorin, synthesis via 4-DMAP catalysed ester exchange of phosphonoacetates with lactols, 2717
riccardin B, constitution, 2899
tetramesitylporphyrin, improved synthesis, 3069
tetraphosphonium salts with C-C bridges, synthesis, 1259
trans,cis,cis 13-membered trienone, synthesis and transannular Diels-Alder reaction, 5253
trichothecenes, prep of 3,4- and 8,15-polyether analogs, 2657
trichothecenes, prep of 4,15-polyether analogs, 2653

Magnesium and compounds
2-(alkenyloxymethyl)-2-propenylzinc bromides and 2-(allylmethylaminomethyl)-2-propenylzinc(or Mg) halides, thermal rearrangement to 5-(1-bromozincalkyl)-3-methyleneoxacycloalkanes and 5-(bromozinc[or chloromagnesium]methyl)-3-methylene-N-methylpiperidine;

isomerisation of former to methylenecyclopentanes, 5929
cation, effect on 1,5-asymmetric reduction of C_2-symmetric acetalketones, 1671
iodide of-,and alcohols in n-pentane, prep of hindered alkyl iodides, 6441
t-butyl mercury and magnesium chlorides, comparison of reactions with β-strenyl derivs, 6113

Manganese and compounds
mediated radical cyclisation, factors affecting phenol and cyclopentanone synthesis, 6109
Mn(III)-promoted annulation of enol ethers and esters to fused or spiro 2-cyclopentenones, 175
organo-Mn pentacarbonyl complexes, use in synthesis of carbonyl compds, 2229
organo-Mn pentacarbonyl complexes, use in synthesis of carbonyl compds, 2233

Mass spectra
4,5-methylenedithio-4',5'-propylenedithiotetrathia-fulvalene-(MPT) and 4,5-ethylenedithio-4',5'-propylenedithiotetrathiafulvalene(EPT), synthesis, characterisation and purity, 4153
new pentacyclic A-ring seco triterpenoid, cecropiacic acid from Musanga cecropioides, 6683
bromination product of santonic acid in wet chloroform, 5641
fast atom bombardment of organic substrates at controlled low temp, 103
macrocyclic polyethers incorporating two dihydroxynaphthalene residues, complexation of diquat and paraquat, 6367
new type of indole alkaloid, structure of conicmitine, 2123
plasma desorption-, of oligonucleoside methylphosphonates, 3349
primycin, isolation and structures of 90% of components, 2759
pyrrolizidine alkaloids, mode of ester attachment, deviations from "mass spectrometric method', 3725
tropothione, synthesis, spectra and reactions, 203

Mechanisms
2'-hydroxychalcones and related compds, synthesis in interfacial solid-liquid conditions, 1515
[2+2] cycloadditions with difluoroallene, effect of styrene α-substituents on regiochemistry, 1491
4-nitro-3-phenyldecalones, synthesis via double Michael reaction, sequential Michael reaction and Diels-Alder reaction, stereochemistry and reaction pathways, 2945
[4+2] cycloadditions, electrochemically induced, mechanistic interpretation of cation radical Diels-Alder reaction based on preparative results, 1081
adenosine triphosphate, protophosphatase catalysed cleavage by dissociative type mechanism within receptor-substrate complex, 2779
alkyl halides, reaction with LAH, validity of using radical probes for determining SET, 3197
and substituent directive effects in cyclisation of benzonitrile 3,3-diarylallyl ylides to 3H-2-benzazepines, 2069
different-, for electrophilic substitution, hydride transfer, H-transfer and electron transfer of sodium hydrogen telluride, 6609
electron transfer catalysis mechanism in Cannizzaro reaction catalysed by solid bases under sonochemical conditions, 2947
epoxyhexenyne, conversion into 3 pairs of isomeric vinylfuran derivs via carbene intermediates, 2685
fluoride ion catalysed reduction of carbonyl compds with hydrosilanes, 2263
glycosyl transferase enzyme, catalytic effect of carboxylate ion, ion-dipole repulsion with carbohydrate ring oxygen, 2925
hydroxylation of organometallic reagents by 2-sulphonyl-oxaziridines, 5115
intramolecular Baeyer-Villiger reaction involving conformationally fixed intermediate which breaks down with stereoelectronic control, 6371
intramolecular radical trapping in "set" ring opening of enoyl aziridines, new mechanistic probe and new synthesis of pyrrolidines, 2511
monoterpene cyclase from Rauwofia serpentina cell cultures, partial purification and characterisation via iridodial formation mechanism, 4431
n,π*-excited thiocarbonyl compds, addition to ketene acetals to give thietanes involving 1,4-diradicals, 2701
neocarzinostatin chromophore-methyl thioglycolate adduct, mechanism for nucleophilic activation and proposed structure, 4493
nitrous acid induced dealkylation of trisubstituted olefins to acetylenes, 4921
phase transfer catalyst structure, effect on branching of reaction paths of allyl bromide with bromoform/NaOH/catalyst, complete changeover of mechanism, 5489
phenacylhalides, halide exchange and reduction by aqueous Ti(III)salts at various pHs, 1541
phenylazo 1-naphthyl ether, base and acid catalysed reactions, reply to Kekule's mechanism for diazo coupling, 4427
photoisomerisation of tetrabenzoylethylene, 5137
photolysis of 2-n-diphenyl-cycloalkanones, magnetic isotope effects in biradicals, ^{13}C enrichment and a novel mechanistic probe, 2929
photoreaction of benzophenones with haloketene acetals yields oxetanes and tetrahydrofuran carboxylic esters, 4271
photosubstitution of 4-nitroveratrole with n-hexylamine to two isomeric anilines, 4191
reaction of 2-nitropropane salts with 2-(halomethyl)-9,10-anthracenedione or triethyl-ammonium deriv by $S_{RN}1$, 5531
reduction of (+)-camphor using Li, Na and K with sonification, 3315
revised-, for ^{15}N-labelling of reaction of 2,6-di-t-butyl-4-methyl-4-nitrocyclohexa-2,5-dienone with nitrogen dioxide, 6701
thiazole synthesis, using protium and deuterium analogs, 5767
tranannular oxidative cyclisation of 1-methylcyclooct-4-en-1-ol and cyclooct-4-en-1-ol with hyperiodine reagents, 5229

Membranes
evolution of biomembranes, (±)-tricyclohexaprenol possible forerunner of sterols, 6413
liposomal-, electron transport rate across controlled by thermally induced phase transition of flavoliposome, 5899
phospholipid bearing benzophenone probe constrained in middle of double layer, synthesis, 5743
photoreactive transmembrane probe, synthesis and properties, 5743
transition metal induced selective alkaline metal ion tranport by synthetic ionophore with double recognition sites for metals, 6211

Mercury and compounds
diastereoselective deoxy-mercuration in acylic system, assistance by neighboring carbonate group, 1207
intramolecular oxymercurations or oxypalladations of allenes, stereoselectivity in synthesis of substituted 2-(2-tetrahydrofuranyl)acrylates, 1023
oxymercuration and hydroboration, relative reaction rates towards alkenes, 943
t-butyl mercury and magnesium chlorides, comparison of reactions with β-strenyl derivs, 6113
t-butyl peroxymercuriation, conversion of bicyclo[2.1.0]-pentane, into 2,3-dioxabicyclo-[2.2.1]heptane, 2783
vinylmercurials and alkenoic acids, synthesis of vinylic lactones via intramolecular π-allylpalladium displacement, 4977

Mesoionic compounds
(2,3-diphenyltetrazol-5-ylio)phenolates, quinonoid mesions, synthesis and properties, 4289
"munchnones" reaction with P(SiMe$_3$) to give 4-trimethylsiloxy-1,3 λ^3-azaphospholes, 1089

Metabolites
2-methyl-3(2H)-furanone derived-, of marine alga Laurencia chilensis, structural studies, 6013
bioactive marine-, absolute configuration of petrosynol and petrosynone, antimicrobial C_{31} polyacetylenes from Petrosia sp., 4313
bromotyrosine-cysteine derived-, from a sponge, 4989
cyclosporin analogs, synthesis, 6517
dechloromikrolin, total synthesis and structural reassignment with biosynthetic implications, 3663
diterpene forskolin, synthesis , 4089
H,K-ATPase inhibitors, structures and configurations of siphonodiol and related metabolits from Siphonochalina truncata, 4311
(+)-leptosphaerin, metabolie of Leptosphaeria craemaris, synthesis, 3813
(+)-mikrolin from Gilmaniella

humicola total synthesis, 3659
possible-, 7-hydroxy-6-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthyl)-2-naphthoic acid, synthesis, 4681
sesquiterpenoid fungal-, sterpuric acid, total synthesis, 5017
teleocidin A-1 and A-2, total synthesis, 2265

Metallation
3-acetyltetramic acids, new synthesis of 3-dienoyl- and 3-trienoyl-tetramic acids, 1565
(E)-1-(2-chlorovinyl)-4-methyl-2,6,7-trioxabicyclo[2.2.2]octane with t-BuLi to unsaturated homo-enolate anion equivalent, 2335
(E)-1-(2-chlorovinyl)-4-methyl-2,6,7-trioxabicyclo[2.2.2]octane with t-BuLi to unsaturated homo-enolate anion equivalent, 2335
allyl-, of 1-silylalkynes by 2-bromozincmethyl-2-propenyl ethers followed by Pd-catalysed cyclisation, synthesis of 4-methylenecyclopentenes, 2889
anomalous-, of trimethylsilyl group, 1851
aromatic directed-, synthetic connections, 5093
aromatic-, new synthesis of courmarin, 6137
diastereoselective deoxy-mercuration in acylic system, assistance by neighboring carbonate group, 1207
double silylation of bis(trimethylsilyl)butadiyne via disilanes, 1807
intramolecular oxymercurations or oxypalladations of allenes, stereoselectivity in synthesis of substituted 2-(2-tetrahydrofuranyl)acrylates, 1023
ortho metallation-based route to cytotoxic furanonaphthoquinone natural products, 6561
oxymercurations or oxypalladations of allenes, intramolecular, stereoselective syntheses of substituted 2-(2-tetrahydrofuranyl)acrylates, 1023
oxymercuration and hydroboration, relative reaction rates towards alkenes, 943
phenolic compds, access to highly substituted phenols, 5551
regiospecific-, at C-5 and Friedel-Crafts acylation at C-2 of 3-aryl or alkyl-4-tosylfurans, 4123
synthesis of indolo[2.3-a]-quinolizine, flavopereirine, flavocarpine and dihydro-flavopereirine, zwitterionic indole alaloids, 5259
t-butyl peroxymercuriation, conversion of bicyclo[2.1.0]-pentane, into 2,3-dioxabicyclo-[2.2.1]heptane, 2783
zincates or cuprates containing optically active azaenolate of erythro-isopropylidene-2-methoxy-1,2-diphenylamine, asymmeric conjugate addition to 2-cycloalkanones, 6347

Metallic compounds see also individual metals
aqueous Zn-NiCl$_2$ system, ultrasonically improved properties in regioselective reduction of (-)-carvone, 2351
aqueous Zn-NiCl$_2$, ultrasonically improved properties in conjugate hydrogenation, 2347
arylmetallics, addition to azodicarboxylates, synthesis of arylhydrazines via aromatic hydrazination, 4933
azametallocyclopentenes, synthesis, structure and reactions, zirconocene induced coupling of benzyne with nitriles, 3245
chiral vinylorganometallics, diastereoselective π-facially controlled nucleophilic addition to chiral β,γ-unsaturated ketones, 31
CoCl$_2$/NaBH$_4$/CO/NaOH reagent system, use in carbonylation of benzyl halides, 2633
copper(II)bromide-lithium aluminium hydride reagent, generation of F-alkyl ketone enolates, and their aldol reaction with carbonyl compds, 3501
Fe- or Mn-bleomycin complexes with KHSO$_5$ as O donor, olefin epoxidation, evidence for metal-oxo intermediate, 2955
group VI radicals, thioketones as spin traps, 3737
higher order mixed organo-cuprates, 2-thienyl(cyano)copper lithium, a stable unreactive precursor, 945
Li, Na and K with sonification, reduction of (+)-camphor, mechanism, 3315
lithium methylcyanocuprate, conjugate addition to chiral 2-(R)-and (S)-benzyloxy-2,5-dihydro-4-furancarboxaldehyde, synthesis of (-)-and (+)-botryodiplodin and (+)-and (-)-epibitryodiplodin, 3589
M(CO)$_5$-complexes of 3,5-diphenyl-λ^3-phosphinins, [3+2] and [4+2] cycloadditions, 3475
metal enolate-imine condensation reactions, stereochemistry, 3257
metal ions, use in epimerisation of lasalocid A stereoisomers to natural configuration, 2817
metal reactions, dissolving via tris(3,6-dioxaheptyl)amine, complexing agent, 2503
metal-ion binding properties of 5,15-bis(8-quinolyl)- and -bis(2-pyridyl)octaethyl-porphyrin, prep and stabilities of atropisomers, 2143
metallo-octaethylporphyrins, tritium meso-exchange, 5453
Na$^+$, Ca^{2+}, Mg^{2+} and Zn^{2+} ions, binding ability with new 24-membered tetralactam, 4049
organo compds, prep of N-alkyl N-trimethylsilyl alkoxymethyl-amines, as reagents for unsymmetrical sec amines, 1659
organo reagents, hydroxylation of 2-sulphonyloxaziridines, mechanism, 5115
organo reagents, addition to enones derived from (R)-glyceraldehyde acetonide, 2525
organo-, reaction with oximes, synthesis of α-N-hydroxyamino acids, 4973
organo-, chelation and non chelation controlled addition of Diels-Alder adduct of furan, 423
phenyllead triacetate phenylation of aliphatic and aromatic amines, using Cu catalysis, 3111
presence of-, dimerisation in electro reduction of p-substituted 1,3-phenylpropenone, 1881
Si-modified metal ammonia reduction of naphthalenes, 2481
Ti(IV), Mn(II), Sn(II) and Sn(IV) diethylamides, reaction with α-hydroxybenzylphosphonate with exchange of one or two EtO groups at P for diethylamino groups, 2979
titanium(II)-magnesium(II) complex, mediated stereo-selective pinacolisation of aromatic and α,β-unsaturated aldehydes, 5717
Zn, Cd, Sn and Si derivs of cubane, synthesis, 1055
Zn-Cu(I) chloride or -silver acetate promoted aldol reaction of carbonyl compds with chlorodifluoromethyl ketones, route to α,α-difluoroβ-hydroxy ketones, 6481

Micelles
cetyltrimethylammonium bromide micellar surface, reversibly and specifically bound or adsorbed dithionite, 4069

Microbiological studies
2-methyl 3-oxoalkanoates, diastereo- and enantioselective microbiological reduction, 3939
16-dehydro-pregnenolone, transformation by Arthrobacter simplex, 5315
asymmetric reduction, direct access to functionalised 2R,3R- and 2S,3R-2-methyl-3-hydroxybutyrate synthons via new chiral building blocks, 5033
benzene oxidation to (±)-pinitol, 225
biohydroxylation of α-cedrene and cedrol, prep of odoriferous component of Cedar wood oil, 6269
Brevibacterium sp, hydrolysis of water soluble Y-alkoxyaminonitriles, 4057
dihydrooxazines, reductive splitting of N-O bond, 2677
diterpene forskolin, synthesis of metabolites, 4089
enantioselective oxidation of (R,S)-2,2,5,5-tetramethyl-4-hydroxycyclohexanone, prep of (S)-hydroxy-Y-lactone, 1109
oxidation, prep of 3,4- 4,5- and 3,5-difluoro-3,5-cyclohexadiene-cis-1,2-diol-1-carboxylates via 3,4- and 3,5-difluorobenoate, 5173
reduction of imidazol-1-yl methyl aryl ketones, product stereo-specificity, 1487

Migration reactions
1,4-acyl-, photolysis of enol acetates of 3-phenylpropio-phenones to 1,4-diketones, 3613
1,4 O→C-, of various 3-[(trialkylsilyl)-oxymethyl]-furans and -thiophenes, 5965
alkyl group-, from Si to C-alkyl group or formation of acyl anion intermediates, reaction of acyl silanes with fluoride ion, 4455
and cyclisation of N-benzoyl-carbamates to stereodefined oxazolidinones; new diastereo-specific route to thiamphenicol, 5395
facile-, of acyl groups, in acid catalysed rearrangements of 5,6-exo-epoxy-7-oxa-2-bicyclo-[2.2.1]heptanone and derivs, 1523
phenylthio-, synthesis of compds with 1,4-realted chiral centres, syn nx anti-E-2,4-dimethylhex-3-ene-1,5-diol, 1925

Molecular recognition
SnO$_2$ electrode, covalently bound octadecylsilyl monolayer, molecular recognition of co-implanted inert guest, 4299

Molybdenum and compounds
cleavage of t-butyldimethylsilyl ether with t-butyl hydroperoxide and dioxobis(2,4-pentanedionato)molybdenum(VI) system, 6329
hexacarbonyl-, desulphenylative allylation of C-nucleophiles with allylic sulphides, 443

Mutagens
4-(hydroxymethyl)benzenediazonium ion, anomalous reaction with adenine, 1015

Named reactions
1-phenylthio-1-(trimethylsiloxy)cyclopropanes via sila-Pummerer rearrangement, 4793
1β-methylcarbapenems, stereoselective synthesis of key intermediate via Reformatsky reaction of 3-(2-bromopropionyl)-2-oxazolidone derivs, 6625
1,3-butadienes, functionalised, tetra- and penta-substituted, stereoselective synthesis allene Claisen rearrangement, 789
2,7-dioxabicyclo[4.1.0]heptanes, prep from 1-bromo-4-acyloxybutane derivs, and intramoleculsr Darsens reaction of ester group with active halogen group, 4573
3-aryl or alkyl-4-tosylfurans regiospecific metallation at C-5 and Friedel-Crafts acylation at C-2, 4123
4-nitro-3-phenyldecalones, synthesis via double Michael reaction, sequential Michael reaction and Diels-Alder reaction, stereochemistry and reaction pathways, 2945
[4+2] cycloadditions, electrochemically induced, mechanistic interpretation of cation radical Diels-Alder reaction based on preparative results, 1081
6-alkyl-5,6-dihydro-2H-pyran-2-ones, Pd catalysed stereospecific Michael arylation, 3179
6-methoxycarbonyl 7-oxabicyclo[2.2.1]hept-2-enes. rearrangements under Prevost's reaction conditions, 3865
7-methoxy 1-indanols via regiospecific carbodesilylation and Parham cyclisation, 2933
α,β-unsaturated oxazolines and oxazine, useful dienophiles in Diels-Alder reaction, 6183
α-alkoxyketones from nitroalkanes via Nef reaction on trialkylsilyl nitronates promoted by m-chloroperbenzoic acid, 5361
aminoanthraquinones and derivs via Diels-Alderreaction, 3391
asymmetric induction in acyclic Michael reactions, 2625
asymmetric induction in inverse Diels-Alder reaction of chiral 2-methylene-imidazolidines, 2681
azatrienes, effect of alkyl substituent on cyclisation, stereoselectivity in intramolecular Diels-Alder reaction, 2969
bicyclo[3.2.1]octanes, synthesis via tandem Diels-Alder carbocation cyclisation, 4943
bovine serum albumin catalysed Weitz-Scheffer condensation,effect of organic cosolvents on enantioselectivity, 1577
bromodifluoromethylacetylene derivs, Reformatsky reaction, application to synthesis of fluorinated bioactive compds, 659
C-laryl-glycosides and 3-deoxy-2-glyculosonates via inverse type hetero Diels-Alder reaction, 4045
Carrol rearrangements on the surface of chromatographic grade alumina, 4893
chiral alkyl hydrogen cyclohexene-1,2-dicarboxylate via asymmetric Diels-Alder reaction, 5841
chiral butenolides in Diels-Alder cycloadditions with isoprene and cyclopentadiene, 3405
chlrotrimethylsilane, promoted asymmetric Michael reaction of chiral enamines of α-alkyl β-keto esters, 6637
$Cp_2Zr(H)Cl$, Schwartz's reagent, prep, 3895
cyclic enol ethers, diastereocontrol via phenol- and Pd(II)-catalysed Claisen rearrangement, 5879
diastereocontrol of Claisen rearrangement by substituents external to pericyclic array, synthetic studies of betaenone B and stemphyloxin 1, 3065
dibenzophosphole ylides, Wittig reagents for synthesis of E alkenes from aldehydes, 3445
Diels-Alder intramolecular cation radical reactions using trienes which cyclise to hydroindane systems, 927
Diels-Alder intramolecular reaction of triene proceeding with boat-like conformation of connecting chain, 931
Diels-Alder reaction between maleic anhydride and furan accelerated in ultracentrifuge, 707
dienes with cis-1-methyl group, Diels-Alder reaction, 697
dihydropyrrolo[2.3-b]pyridines, synthesis via intramolecuir Diels-Alder reactions of 1,2,4-triazines, 379
dioxanone-to-dihydropyran Claisen rearrangement, synthesis of C(7)-C(13) fragments of erythronolides A and B, 4143
diterpene forskolin skeleton, synthesis via oxy-Cope rearrangement, 5441
diterpene forskolin, approach via tandem radical cyclisation-intramolecular Mukaiyama aldolisation, 1313
(E)-3-alkenoic acids, synthesis via modified Knoevenagel condensations, 93
electron transfer catalysis mechanism in Cannizzaro reaction catalysed by solid bases under sonochemical conditions, 2947
enantioselective [2,3] Wittig ring contraction induced by chiral bases, synthesis and configuration of (+)-aristolactone, 3323
EPC-syntheses via Diels-Alder reactions/retro Diels-Alder reactions, prep of chiral (R)- and (S)-1-octenol, (R)- and (S)-sacromycin methyl ether, 183
forskolin A-B, potential ring precursor by tandem Michael-aldol reactions, 2799
germacranolide (±)-aristolactone, synthesis via cyclodecenynol and [2,3] Wittig ring contraction, 723 hindered cyclohexanones, high pressure Wittig reaction with nonstabalised ylides, 4377
hydroisoindoles, new features of intramolecular Diels-Alder route, 5339
intramolecular Baeyer-Villiger reaction involving conformationally fixed intermediate which breaks down with stereoelectronic control, 6371
intramolecular Michael and anti-Michael additions of thiolate to conjugated acetylenic ketones, 4267
interrupted Pummerer reaction induced by Vilsmeier reagent ($POCl_3$/DMF), 3535
Leuckart reaction, synthesis of 1-methyl and/or 3-hydroxymethyl-1,3-heterocycles, 115
MacDonald route, use in synthesis of meso β-pentanoporphyrin from b-cyclooctenopyrrole, 6265
macrocyclic cis,trans,trans 13-membered trienone, synthesis and transannular Diels-Alder reaction, 5249
(+)-marmin, enantioselective synthesis from 7-geranyloxycoumarin, optical activity induced by Sharpless epoxidation, 2579
medium ring ethers and acetals, route via Paterno-Buchi reaction, 5933
Mg-Oppenhauer oxidation of alcohols to aldehydes and ketones, 769
mono-and diisopinocampheylhalogen boranes, synthesis and chiralcatalysts in Diels-Alder reactions, 777
N-bridgehead amides, reductive deamidation, Ritter reactions, 11585
O-silylated ketene acetals, synthesis of α-thio-N-heterocycles from ω-amidosulphoxides by intramolecular Pummerer-type rearrangement, 6479
octyl radical, scavenging by N-hydroxypyridine-2-thione ester, rate constants and Arrhenius function, 1615
optically active bicyclo[2.2.2]-octane derivs, synthesis via asymmetric sequential Michael reaction, 6641
oxido-allylic phosphorane, cis-selective Wittig reaction with aldehyde, synthesis of 11-cis-retinoids, 65
phenylazo 1-naphthyl ether, base and acid catalysed reactions, reply to Kekule's mechanism for diazo coupling, 4427
Pictet-Spengler reaction stereochemical control, 5177
Pictet-Spengler reaction, stereochemistry, 5181
replacement of triphenylphosphine by β-diphenylphosphinopropanoic acid in Wittig reaction increases E stereoselectivity with semi-stabilised ylids and gives water-soluble phosphine oxide, 1165
S(+) 2-octyl halides , ultrasound reaction, retention of optical activity in Barbier reaction, 2013
sequential Claisen rearrangement of methyl-3-aryoxy-2-(aryloxymethyl)prop-2-enoates, 5327
sesquiterpene (+)-dihydropallescensin, confirmation of C(1')-(S)-configuration via asymmetric aza-Claisen rearrangement, 1031
Si-controlled rearrangement vs Krief-Reich reaction in β-seleno-γ-silyl alcohols,

stereoselective synthesis of terminally subetituted allylsilanes, 2061
stereochemical aspects of asymmetric Diels-Alder reaction catalysed by chiral alkoxyaluminium dichlorides, 5687
stereochemistry of 1,2-Wittig rearrangement, synthesis of syn-1,3-diol monoethers, 1043
stereochemistry of Diels-Alder reactions of cyclopropenes, 5917
stereoselective synthesis of trans olefins by reaction of Wittig reagents with selenium, formation of selenocarbonyl compds, 6649
stereoselectivity of Diels-Alder reaction, effect of dienophile activating group, 2447
tandem aza-Wittig reaction/-electrocyclic ring closure for synthesis of fused pyrimidines, prep of pyrazolo[3.4-d] and 1,2,3-triazolo[4.5-d]pyrimidine derivs, 4451
tandem ene/intramolecular Diels-Alder reactions of 1,4-cyclohexadiene and mono- or di-activated acetylenes, 6553
thiazolidine S-oxides, Si-Pummerer reaction, new method for stereospecific C-5 functionalisation of thiazolidines, 5903
thio-Claisen rearrangement approach to synthesis of 2,3-disubstituted 4-piperidones, 6461
tropylium ion annelated with bicyclo[2.1.1]hex-2-ene, stabilisation due to σ-π conjugation vs destabilisation due to Mills-Nixon type π-bond localisation, 5889
vinyl lithium compd, facile retro Diels-Alder reaction, 5437
vinylbicyclo[3.1.0]heptenes, Diels-Alder reactions, 3201
Wittig reactions, application of high pressure, 2191
Wittig-Horner reaction catalysed by activated barium hydroxide in presence of ultrasound, 2951

Naphthalene and derivatives
1- or 2-halo-, double $S_{RN}1$ reaction with $HS(CH_2)_nSH$, 413
1-allylnaphthalene-2-(1H)-ones, photochemistry, revised mechanism for formation of benzotricyclo[3.3.1.0^{2,7}]nonen-8-ones, 4729
1,1,2-and 1,2-substituted dihydro-, asymmetric synthesis via chiral naphthylimine, 5283
1,1,2-and 1,2-substituted dihydro-, via stereospecific conjugate addition of organolithium reagents to naphthylimines, 5279
1,8-substituted naphthalenes and 1,4-substituted phenanthrenes, internuclear distances of Cl and Br atoms, 6239
2-naphthylamide ions, photo reaction with haloarenes, synthesis of 1-aryl-2-naphthylamines, 4653
4-methoxy-1-nitro-, and 4-amino-1-nitro-, reaction with dimethyl phosphite under basic conditions, 1707
and phenanthrene photoreaction with indole in solid state, 6665
perhydro-, base induced rearrangement to 1,5-cis-fused 10-methylene perhydroazulenes, 3007
Si-modified metal ammonia reduction, 2481
substituted tetralones, simple route to, 1493
two dihydroxy-, residues incorporated in macrocyclic polyethers, complexation of diquat and paraquat, 6367

Natural products
(2E)- and (2E,4E)-unsaturated amides and related natural products, stereoselective synthesis, 2159
2,3-dimethyl-5-(2,6,10-trimethyl-undecyl)thiophene, identification as constituent of petroleum and sediment extracts, 957
2,6-dioxabicyclo[3.2.1]octane ring system, viz in aurovertin A, synbthesis based on biogenetic model using epoxide cyclisation steps, 2771
(±)-3α-acetoxy-15β-hydroxy-7,16-secotrinervita-7,11-diene defence from termite soldier, 1439
3-acetyltetramic acids metallation, new synthesis of 3-dienoyl- and 3-trienoyl-tetramic acids, 1565
4-bromo cis-2,3-dihydroxycyclohexa-4,6-diene-1-carboxylic acid, absolute stereochemsitry and formation from 4-bromobenzoic acid by mutant of Pseudomonas putida, 6391
16-dehydro-pregnenolone, microbial transformation by Arthrobacter simplex, 5315
β-carbolines, three new from Eudistoma olivaceum, 925
(η^4-isoprene)Fe(CO)$_3$, deprotonation to coordinated isoprene anion which reacts with electrophiles at low temp and rearranges to isomeric (η^4-trimethylenemethane)Fe(CO)$_3$ anion at higher temp, 1497
acetal templates, asymmetric synthesis, prep of enantiomerically pire (3S,4S)- and (3S,4R)-statine derivs, 6535
(+)-afzelechin-7-O-β-D-apioside from Polypodium glycyrrhiza, structure by selective inept NMR, 3655
alkaloids kopsijasminilam, deoxykopsijasminilam and 14,15-dehydrokopsijasminilam, isolation from Kopsia jasminiflora, 3679
(±)-amarolide, total synthesis, 435
aminoacids containing a γ-lactone ring, domoilactone A and B. structures and isolation from Chondria armata, 633
(+)-anamarine, convergent total synthesis from (R,R)-tartrate and D-gulonolactone, 6437
antileukemic alkaloid prianosin from Prianos melanos, 4939
antimicrobial alkaloids, keramamine A and B from Pellina sp, 621
aplysiatoxins, syntheses, selectively protected form of C$_{27}$-C$_{36}$(dihydroxybutenoate) moiety of oscillatoxin, synthesis, 4019
aplysinadiene, new dibromotyrosine deriv from Aplysina aerophoba, synthesis, 1693
artificial liposome system modified with flavolipid shows effective elecron flux conversion from NADH model in transmembrane electron transfer, 3363
arylpolyene isobutylamides, stereoselective routes, 3857
Aspidosperma-type alkaloids, iodoxybenzenediphenyldiselenide reagent system for the introduction of O-functionality, 3307
Aspidosperma-type indole alkaloids, compatibility of 16-CMe substituent with indole-2,3-quinodimethane strategy, 3303
aspirochlorine(A30641), structural revision; epidithiopiperazine-2,5-dione produced by Aspergillus Spp, 5607
asymmetric synthesis of β-hydroxy-γ-lactone inhibitors of HMGCoA reductase, new prep of lactone moiety of compactin, 703
asymmetric synthesis of polyhyroxylated natural products; C-1/C-2 unit of amphotericin B, 797
avermectins, route to the spirokr'al subunit, 4951
azadirachtin related hydroxy dihydrofuran acetal, synthesis of insect antifeedant, 221
azadirachtin, synthesis of furo-pyran moiety, 1519
azinomycins A and B, synthesis and absolute stereochemistry of minor component isolated from Streptomyces griseofuscus, 2619
benzocyclobutenol hypoiodites, β-scission, new synthesis of phthalides, 3369
benzofuran unit, coupling of C-2 with C-5 of resorcinol ring, transition metal mediated synthesis of moracin M, 2645
bioactive marine metabolites, absolute configuration of petrosynol and petrosynone, antimicrobial C$_{15}$ polyacetylenes from Petrosia sp., 4313
biosynthesis of fungal isocyanide, xanthocillin monomethyl ether, 3159
bipolar phosphatidylethanolamine, a model compd for a membrane-spinning probe, synthesis, 2323
bissetone antimicrobial pyranone from Briareum polyanthus, 727
Brevibacterium sp, hydrolysis of water soluble γ-alkoxyaminonitriles, 4057
bromotyrosine-cysteine derived metabolites from a sponge, 4989
bulgecin A, synthesis of dehydroxymethylbulgecin A', 5887
C$_2$-symmetric bis-dienophile, double Diels-Alder reaction, new enantioselective approach to natural loganin, 3991
C-18 hydroxy unsaturated fatty acids, fungitoxic, structures and isolation from Epichloe typhina, 73
C-laryl-glycosides and 3-deoxy-2-glyculosonates via inverse type hetero Diels-Alder reaction, 4045
C-substituted furans, off-ring functionalisation, synthesis of diterpenoid kahweol from cafestol, 5403
capsular polysaccharide of Haemophilus influenzae type B, synthesis of fragments comprising 2 or 3 repeating units, 1553
carbocyclic nucleoside (-)-neplanocin, synthesis, 4131
caryoynencins from Pseudomonas caryophylli, 3981
(-)-catalpol, conversion into (-)-specionin, 3519 (±)-cavernosine, synthesis, 4041
cell wall teichoic acid of Bacillus licheniformis ATCC 9945, prep of fragment via solid phase approach, 1557

chiratanin, structure, 1309
citreomontanin and $C_{14}Z$ isomer, total synthesis, 2455
Crytoporus volvatus, isolation of sesquiterpenoid ethers cryptoporic acid, 6303
(±)-crinine and (±)-buphanisine, total syntheses, 503
cyanoviridin RR, structure and isolation from Microcystis viridis, 4695
cyclobutanes, radical cleavage, alternative routes to (±)-silphinene, 5063
cytotoxic duryne from Cribrochalina dura, 1377
cytotoxic furanonaphthoquinone products, via ortho metallation-based route, 6561
cytotoxic smenospongine from Smenospongia sp, 5815
D-glucose, total synthesis of (-)-anamarine, 47
dechloromikrolin, total synthesis and structural reassignment with biosynthetic implications, 3663
diastereocontrol of Claisen rearrangement by substituents external to pericyclic array, synthetic studies of betaenone B and stemphyloxin 1, 3065
diastereoselective α-alkylation of β-hydroxy sulphoxides, application to synthesis of (+)- and (-)-disparlure, 5677
dihydrophenanthrene from Clusia paralycola, 563
diterpene auricularic acid from Pogostemon auricularis, stereo-structure, 685
diterpene forskolin, approach via tandem radical cyclisation-intramolecular Mukaiyama aldolisation, 1313
diterpene isovalerate spongio-lactone, stereostructure and isolation from Spengionella gracilis, 3601
diterpene sulphate hymatoxin A, isolation of phytotoxin from Hylpxtlon mammatum, 2355
diterpene, new seco-fusicoccin dicty,al from Dictyota dichotoma, structure, 3703
diterpene, total synthesis of (±)-lauren-1-ene with [5.5.5.7]fenestrane ring system, 2537
diterpenes, dolastane, total synthesis of marine natural products (+)-isamijiol and (+)-dolasta-1(15),7,9-trien-14-ol, 5945
diterpenes, retswigins A and B from deepwater sponge, structures, 5461
diterpenoid gersolide with new rearranged C-skeleton from Gersemia rubiformis, 5079
diterpenoid, stolonidiol with strong cytotoxic activity, new, from Japanese coral, 5673
diterpenoids, scopadulcic acid A and B, new from Scoparia duylcis, structures by NMR and CD, 3693
E-neomanolide, total synthesis via Pd-catalysed coupling of allyl-halide and α-stannylfuran and subsequent reactions, 1191
enantioselectivity in transesterification of (±)-sulcatol by porcine pancreatic lipase in ether, 2091
endoperoxide diterpenes, two from Elodea canadensis, 4609
enzymatic formation of protopines by microsomal cytochrome P-450 of Corydalis vaginans, 5307
erythronolide B, assembly in (C_8-C_9)+(C_1-C_4)+(C_{11}-C_{13}) sequence in total synthesis, 3839
erythronolide B, synthesis from levoglucosan, 3835
eudistomins C,K,E,F and L, stereochemistry, 1825
flavan glucosides, viscutin-1,-2 and -3, new insect growth inhibition, from Viscum tuberculatum, 921
flavokermesic acid, chemical nature, 1199
fluorinated oleic acids, synthesis and biomethylation, 3891
forskolin A-B, potential ring precursor by tandem Michael-aldol reactions, 2799
forskolin, reconstituted from a ring C of its degradation product dihydropyran-4-one, 2339
functionalised 2R,3R- and 2S,3R-2-methyl-3-hydroxybutyrate synthons, direct access via new chiral building blocks by microbial asymmetric reduction, 5033
furanosesquiterpenes from Eumorphia prostata, structure and synthesis, 5643
gelsemine, synthesis of portion of skeleton, 1035
glossobalol and balanoglossol, synthesis, 1645
glycinoeclepin A side chain, stereoselective formation, 2597
goniothalamin and its oxide, isolation as active embryotoxic and tetragenic components of Goniothalamus macrophyllus, 2541
gram negative bacterial core oligosaccharides, synthesis of heptose region, 1569
granary weevil aggregation pheromone, chemical identification, 6145
grevillins, synthesis and biogenetic interrelationship with terphenylquinones and pulvinic acids, 4749
guanine 7-oxide from Streptomyces species, synthesis, 1287
H,K-ATPase inhibitors, structures and configurations of siphonodiol and related metabolits from Siphonochalina truncata, 4311
halichondramide, antifungal macrolide from sponge Halichonrdia sp., 2809
hinokdentine-A, structure and isolation from Hinoksinoflustra denticulata, 5561
homosesterterpenes, pharma-cologically active, from palauan sponges, 431
hydrozirconation of anacyclin, pellitorine and its vinylogs and synthons, 4875
immunologically active oligosaccharide determinants of Brucella A antigen, synthesis asnd use of intermediates derived from 4-azido-4,6-dideoxy-α-D-mannopyranoside, 5067
indole alkaloids, total synthesis of ngouniensine and epingouniensine, 231
isobutylamides of insecticidal interest, synthesis, 4879
L-α-amino acids by conversion of α-keto acids using E coli aspartate transaminase, 3745
lepidopteran A, produced by silk worm, synthesis, 4705
(+)-leptosphaerin, metabolie of Leptosphaeria craemaris, synthesis, 3813
lipogenase inhibitor, biomimetic synthesis and function of colneleic acid, 4917
long-chain α,ω-bisisothiocyanates from a marine sponge, 4633
lophirone A, bifla'anoid from Lophira lanceolate, 2967
lycopadiene, isolation from Botrycoccus braunii, 3931
macrocyclic trichothecenes, prep of 3,4- and 8,15-polyether analogs, 2657
macrocyclic trichothecenes, prep of 4,15-polyether analogs, 2653
macrolide (R,R)-(-)-grahamimycin A_1, total synthesis, 6587
manzamine B and C, structure and isolation from Haliclona sp, 5493
marine prostanoid, biosynthesis by 2-oxidopentadienyl cation pathway, 4247
methoxylamine pyridine derivs, isolation of niphatynes from Niphates sp, 2467
(+)-mikrolin from Gilmaniella humicola total synthesis, 3659
misakinolide A, structure revision, antitumor macrolides from Theonella Sp., 6225
molluscicidal saponins from Allium vineale, 5603
monomeric anthocyanin from Ipomoea tricolor, structure via negative NOE method, 2273
monoterpene cyclase from Rauwofia serpentina cell cultures, partial purification and characterisation via iridodial formation mechanism, 4431
mycotoxins, synthesis of 6-demethoxyfumitremorgin C, 1131
(±)-myo-inositol-1,3,5-trisphosphate, -2,4,5-trisphosphate and -1,3,4,5-tetrakisphosphate, total syntheses, 4503
N-containing natural products, asymmetric synthesis based on electrophilic-nucleophilic α,α' substitution of the N-atom, 6175
naamines and naamidines, imidazole alkaloids from Leucetta chagosensis, 3003
natural pheromone sitophilure, two-step chemoenzymatic synthesis, 5037
naturally occurring α,β-unsaturated δ-lactone derivs, stereostructure through stereoselective synthesis, 5661
naturally occurring pyrimido[4.5-b][1,4]diazepine, synthesis of 6-acetylhomopterin, 5331
neolignan magnoshinin synthesis, 2857
new alkaloid yohambinine isolation from Rauwolfia serpentina, 1311
new C-11 odiferous hydrocarbons from Dictyopteris membranacea, 307
new degraded C_{12} terpenoids, furocaespitane, structure and isolation from Laurencia caespitosa, 687
new diterpene with two polymorphic modifications from marine alga, 6699
new ent-kaurene diterpene, adenanthin, structure, 499
new indole alkaloid, salvadoricine from Salvadora persica, 163
new pentacyclic A-ring seco triterpenoid, cecropiacic acid from Musanga cecropioides, 6683
new polyether antibiotic portimicin, structure by new NMR technique, 3357
new pyrrolidine alkaloid, structure of daechualkaloid-A from zizyphus jujuba, 3957
new spider toxin NSTX-3, synthesis for confirmation of structure and neuroscience study, 3509
new type of indole alkaloid,

structure of coniomitine, 2123
norditerpenes, acalycixeniolides, inhibition of cell division of fertilised starfish eggs, 5837
(±)-ochromycinone, naturally occurring benz[a]anthraquinone, new synthesis, 3107
(±)-O-methylperezone, synthesis based on oxidative degradation approach, 5045
optically active insect pheromones, syntheses of (2R,5S)-2-methyl-5-hexanolide, (3S,1'S)-3.11-dimethyl-2-nonacosanone and serricornin, 651
oxetanocin, total synthesis, 4713
(±)-podophyllotoxin, total synthesis, 517
(±)-prepinnaterpene, synthesis of bromoterpene from Laurencia pinnata, 4303
(R)-1-benzyloxy-3-buten-2-ol, synthesis, a potential chiral synthon from L-(+)-tartaric acid, application to natural product synthesis, 6497
(±)-strigol, novel route to tricyclic precursor, 3091
(+)-strigol, total synthesis, 3095
(+/-)-perhydrohisyrinicotoxin, total synthesis via regio-specific N-acyliminium ion initiated furan terminated cyclisation, 2495
pamamycin-607 with aerial mycelium-inducing activity, structure and isolation from Strptomyces alboniger, 5861
pentacyclic indole derivs related to Aspidosperma alkaloids, new approach to synthesis, 4901
phenazine derivs, polycartine A and B from Idesia polycarpa, 1425
phenolic constituents of Psammaplysilla, 3229
pheromone (3Z,6Z,9S,10R)-epoxyheneicosadiene and (3Z,6E)-stereoisomer, synthesis from D-xylose, 2977
phosphatidylethanolamines, mixed chain, partial synthesis, 2327
photoreductive cyclisation, application to total synthesis of (±)-hirsutene, 4547
physarochrome A, structure and isolation from Physarium polycephalum, 3667
phytotoxins, AV-toxins C,D and E from zonate leaf spot fungus of mulberry, structures, 3697
Plagiochila acanthophylla, isolation of macrocyclic plagiochins A,B,C and D with biphenyl linkage between o-positions to benzyl methylenes, 6295
Plagiochila acanthophylla, isolation of diterpenoid hemiacetal sacculaplagin, 6293
plant growth regulators, diketo-piperidine containing hydroxy-proline isolated from rabbit skin tissue extract, 1285
polycyclic quinones, biomimetic synthesis, 2017
polyhydroxylated-, asymmetric synthesis, prep of L-arabinitol, 61
preclavulone, biomimetic synthesis, 3547
prenylated anthranoid, novel type, from Psorospermum glaberrimum, 567
primycin, isolation and structures of 90% of components, 2759
prochiral dimethyl 3-hydroxy-glutarates, enantioselective α-chymtripsin hydrolysis as strategy for synthesis of C_3-chiral buildinmg block, 4935
prodigiosin with pyrrolyl-pyrromethane skeleton, total synthesis, 2499
prolucopene, total synthesis, 5751
pseudo-gloeosporone, synthesis, 3747
punaglandin total synthesis, 333
quassimarin and related quassinoids, ring A, construction of sensitive hydroxy enone functionality, 2491
quinocarcin, synthesis of opticaly active demethoxydehydroxymethyl-DX-52-1, 4065
reticuline biosynthesis, revision of early steps, 1251
ricoardin B, constitution, 2899
(-)-secologanin aglucon-O-silyl ether from (+)-genipin via oxidative fragmentation of Y-hydroalkylstannane, 5865
sesquiterpene isocyanide stylotelline from Stylostella sp, structure by 2D NMR, 1409
sesquiterpene lactone from Veronia erinacea, 5925
sesquiterpene muzigadial antifeedant, mode of action via insect chemoreceptive site, 5477
sesquiterpene sterpurene, evidence for consecutive 1,2-alkyl shifts in biosynthesis, isolation and characterisation of 7,12-dihydrosterpurene, 4887
sesquiterpenes, heliangolides, transannular cyclisation, 821
sesquiterpenoid fungal metabolite sterpuric acid, total synthesis, 5017
sex attractant (+)-disparlure of female gypsy moth, total synthesis, 2627
sex pheromone of silk worm and grape vine moth, stereoselective synthesis of (2E,4Z)-dien-1-ols, key intermediates, 803
solanocastrine, a 16,23-cyclo-22,26-epiminocholestane from Solanum capscastrum, 4753
specionin, natural product or artifact? synthesis, 4871
spider toxin JSTX-3 and analogs, synthesis, 3511
spirocyclic systems of aerothionin and psammaplysin-A, oxidation of possible biological precursor, 4969
steroid glycosides dimorphosides A and B, structure and isolation from Anthoplexaura dimorpha, 1187
steroidal 5-O-methyl galato-furanoside from Astropecten indicus, structure, 2291
steroidal bitter principles from Tacca plantaginea, structures of taccalonolide A and B, 1673
steroids and hydrocarbons, oxidation of non-activated C-H bonds, 6581
sterol biosynthesis, cyclisation of squalene to 5α-stigmast-9(11)-en-3β-ol via $\delta^{9(11)}$-lanosterol in Costus speciosus, 4085
stricticine, new alkaloid from Rhazya stricta, 3609
strobilurin A and its (9E)-isomer, stereocontrolled synthesis, 475
strychnine, model for construction of rings I to V, 1267
strychnos alkaloid skeleton, enantioselective entry, 1271
talaromycins C,D,E and F, structures and isolation from Talaromyces stipitatus, 1619
teleocidin A-1 and A-2, total synthesis, 2265
terpenoids, dihydrofurano, of Davana oil, 6377
tetracyclic polyketal, structure and isolation from Laurencia chilensis, 4031
tetrahydroβ-carbolines via pictet-Spengler reaction, mechanism, 5181
tetranortriterpenoid 1-cinnamoylmelianolone, insecticide from Melia azedarach, 3543
tetrodotoxin, stereocontrolled synthesis of cyclohexane moiety, 6485
thyrsiferol, A-B-C-ring segment, synthesis via construction of strained tetrahydropyran ring as a boat form, 5665
thyrsiferol, synthetic studies, 4993
tricyclic hydroazulenone, synthesis from exo-epoxygermacrene-D in connection with periplanone A, 3831
tuberin biosynthesis, stereochemistry associated with conversion of C-3 of serine through methylenetetra-hydrofolate and methenyltetra-hydrofolate, 4101
ulicyclamide, synthesis, 2251
unsaturated diketopiperazines, new synthesis, structure of barettin? 4275
withametelin, characterisation of hexacyclic withanolide from Datura metel, 2025
yessotoxin, polyether implicated in shellfish poisoning, isolation and structure, 5869
zebrinin from Zebrina pendula, structure, 1901

Nickel and compounds

bipyridine complexes, catalysed electroreductive coupling of methallylchloride or methyl chloroacetate with carbonyl compds, 55
boride of-,and chloro-trimethylsilane, selective reduction of aldehydes in presence of ketone, 5741
intramolecular Ni catalysed cycloadditions of bis-dienes, prep of both AB and BC ring systems of taxane diterpenes, 2221

Nitrenes

acyl nitrene products via photolysis of acyl azides, nitrile oxides and 1,4,2-dioxazolinones, 1097

Nitrenium salts

nitenium cyclisation, synthesis of photoactive 17-(4-azido-2-hydroxyphenyl)-18,19.20-trinor-prostaglandin $F_{1\alpha}$, 43

Nitriles

α,β-unsaturated-, and ketones, DABCO catalysed dimerisation, 4591
α,β-unsaturated-, novel route using dibutyl telluride, 801
Y-butyrolactones and α-methyleno-Y-butyrolactones, synthesis from epoxides and sodium[cyan-(triphenylphosphoranylidene)-methanid, 2111
acrylo-, DABCO catalysed coupling with methyl acrylate, prep of α-keto esters, 4351
aromatic-, $S_{RN}1$ approach via diazosulphides, 1345
aryl-, and halides, photoreduction with borates and borohydride by electron transfer mechanism, 5295

benzylic-, ketone and ester, anodic oxidation in CH_3CN/Et_4, yields mono-or di-fluoro compds, 2359
esters, dimethylamides and acid chlorides, hydroxymethylation to hydroxymethyl carbonyl compds via α-lithio trimethylsilyl-methyl lithium carbonate, 1847
oxides, 1,4,2-dioxazolinones and acyl azides, photolysis yields acyl nitrene products, 1097
via non-aqueous cyanation of halides with lithium cyanide, 4189
zirconocene induced coupling with benzyne, azametallo-cyclopentenes, synthesis, structure and reactions, 3245

Nitro compounds
2-nitropropane salts, reaction with 2-(halomethyl)-9,10-anthracenedione or triethyl-ammonium deriv by $S_{RN}1$ mechanism, 5531
3-nitrocoumarins, attempted synthesis, 763
4-methoxy-1-nitronaphthalene and 4-amino-1-nitronaphthalene, reaction with dimethyl phosphite under basic conditions, 1707
4-nitro-3-phenyldecalones, synthesis via double Michael reaction, sequential Michael reaction and Diels-Alder reaction, stereochemistry and reaction pathways, 2945
4-nitroveratrole, photo-substitution with n-hexylamine to two isomeric anilines, mechanism, 4191
α,β-unsaturated-, reduction with tributyltin hydride, 5365
α- and β-nitro sulphides, ionic denitrohydrogenation with triethylsilane, 2277
and substituted benzenes, substituent and coordination effects in singlet reactions with 3-diazo-3H-1,2,4-triazoles, 3221
cyclic nitrones, chiral 4-membered, asymmetric induction in [4+2] cycloaddition of chiral ynamines and nitroalkenes, 6397
N-(o-nitroaryl)sarcosine ethyl esters, reaction with bases to give 1-hydroxy-4-methoxy-quinoxaline-2,3-diones, 6363
nitroalkanes, addition to o-quinones, 3975
nitroalkanes, prep of α-alkoxyketones via Nef reaction on trialkylsilyl nitronates promoted by m-chloroperbenzoic acid, 5361
nitroaromatic aldehydes, synthesis via nucleophilic formylation via introduction of dichloromethyl substituent followed by hydrolysis, 3021
nitrobenzenes, carbonylation to carbamate esters catal-ysed by Pd and cupric acetates under ambient temp, 6411
nitroethylene transfer reagent, synthesis of 2-nitroethyl phenyl sulphoxide, 2893
revised mechanism for ^{15}N-labelling of reaction of 2,6-di-t-butyl-4-methyl-4-nitrocyclohexa-2,5-dienone with nitrogen dioxide, 6701
unsaturated-, selective C-C bond hydrogenation in presence of $RhCl_3$-aliquat 336 ctalyst system, 1321

Nitrones
butenynyl-, pyrrole and pyridine derivs via 1,7-cyclisation, effect of substituents on the oxaza-cycloallene intermediate, 2689
cyclic-, chiral 4-membered, asymmetric induction in [4+2] cycloaddition of chiral ynamines and nitroalkenes, 6397
cyclic-, synthesis via photo single electron transfer oxidation of N-hydroxylamines, 2649
cycloadditions, face selectivity controlling factors, role of steric, electrostatic and H-bonding effects, 1225
highly strained bicyclic-, 3-azabicyclo[3.2.0]hept-2-ene 3-oxide, 267
nitrone-based approach to synthesis of cis-3-amido azetidinones, 5485
synthesis via selenium dioxide catalysed oxidation of sec amines with H_2O_2, 2383

Nitrosyl salts
stable-, conversion of aryl and acyl hydrazines, to azides, 5091

N-Oxides
3-azabicyclo[3.1.0]hex-2-ene 3-oxide, synthesis and cycloaddition, 267
guanine 7-oxide from Streptomyces species, synthesis, 1287
nitrile oxide, 1,3-dipolar cycloaddition to alkylidenecyclopropanes, regioselectivity, 3845
nitrile oxide, intramolecular cycloadditions with olefin, stereoselectivity and synthesis of fused azetidines, 4097
nitrile oxide, optically active, use in synthesis of a lyngbyatoxin A intermediate, 3189

Nuclear magnetic resonance
3-(phenylsulphonyl)tricyclo-[4.1.0.$0^{2,7}$]hept-4-en-3-yllithium, prep, 187
9-phosphabicyclo[6.1.0]nonatriene system, special properties imparted by a P-(2,4,6-tri-t-butylphenyl) substituent; ^{17}O NMR of bicyclic phosphirane oxide, 1077
18-crown-6 ether and KNCS complex, solid phase stereochemical dynamics by low temp ^{13}C NMR, 4783
(+)-afzelechin-7-o-β-D-apioside from Polypodium glycyrrhiza, structure by selective inept NMR, 3655
ascorbic acid, reaction with cis-6-hydroperoxy-5-hydroxy-5,6-dihydrothymine to give N-formyl-N'-pyruvylurea, induced dynamic nuclear polarisation observed, 4079
bafilomycin A_1, conformation, 5565
bissetone antimicrobial pyranone from Briareum polyanthus, 727
Ca-selective [12]-N_2O_2 macrocycle incorporating amide substituents, structure and complexation, 5573
chelation absent from β-siloxy aldehydes and Lewis acids, 281
cis-anti-cis dicyclohexano-14-crown-4, conformational equilibria, high field ^{13}C NMR, 1507
citorellamine, revised structure of the bromoindole deriv, 749
complicated proton NMR spectra of oligosaccharides, new technique based on multiple relay magnetisation transfer, 3331
conformation of 2-phosphoryl and 2-thiophosphoryl 1,3-dithianes and related compds, origin of S-C-P anomeric interactions, 573
cyanoviridin RR, structure and isolation from Microcystis viridis, 4695
cytotoxic smenospongine from Smenospongia sp, 5815
dibenzo[a.c]cyclooctene and its dihydro and tetrahydro derivs, barriers to rinf inversion by racemisation and NMR bandshape studies, 1537
dimeric adduct of genipin and glycine, structure of genipocyanin G_1, 4699
diterpene auricularic acid from Pogostemon auricularis, stereo-structure, 685
diterpene isovalerate spongiolactone, stereostructure and isolation from Spongionella gracilis, 3601
diterpene sulphate hymatoxin A, isolation of phytotoxin from Hylpxtlon mammatum, 2355
diterpene, new seco-fusicoccin dicty,al from Dictyota dichotoma, structure, 3703
diterpenes, retswigins A and B from deepwater sponge, structures, 5461
diterpenoid hemiacetal sacculaplagin from Plagiochila acanthophylla, 6293
diterpenoids, scopadulcic acid A and B, new from Scoparia duylcis, structures by NMR and CD, 3693
germaimine, stable and long-lived, cisoid and transoid forms, 343
KDO α-glycosides, synthesis via pyranosyl fluorides of 3-deoxy-d-manno-2-octulosonic acid(KDO), 6277
lophirone A, biflavanoid from Lophira lanceolate, 2967
macrocyclic polyethers incororating two dihydroxy-naphthalene residues, complexation of diquat and paraquat, 6367
molluscicidal saponins from Allium vineale, 5603
monomeric anthocyanin from Ipomoea tricolor, structure via negative NOE method, 2273
N6',N9-octamethylenepurine cyclo-phane, synthesis and ^1H NMR, 147
new ent-kaurene diterpene, adenanthin, structure, 499
new isochromequinone antibiotic, SCH 38519 with novel sugar linkage, 4485
new polyether antibiotic portimicin, structure by new NMR technique, 3357
new type of indole alkaloid, structure of coniomitine, 2123
norditerpenes, acalycixeniolides, inhibition of cell division of fertilised starfish eggs, 5837
O-enriched hydrogen peroxide and t-butyl hydroperoxide, synthesis, characterisation and application, 5443
optically active macrocyclic host incorporating an unnatural isoquinoline alkaloid as chiral building block, synthesis and formation of diastereomeric complexes with (R) and (S) naproxen, 2443
parent phosphole and phospholyl anion and C-substituted derivs,

characterisation by ^{1}H and ^{13}C NMR, 5025
prenylated anthranoid, novel type, from Psorospermum glaberrimum, 567
Pt(II)nucleoside complex linked through a Pt-C δ-bond, synthesis and characterisation, 2757
pyrrolizidine alkaloids, ester attachment, reliable NMR-SPI method, 3729
reaction of olefins with sulphur trioxide, β-sultone as initial product, 3383
sesquiterpene isocyanide stylotelline from Stylostella sp, structure by 2D NMR, 1409
stereochemistry of reaction of 2-benzylidenecyclohexanone with dithiocarbamic acid, 571
stricticine, new alkaloid from Rhazya stricta, 3609
substituted benzenes, correlation between D-istope effects and ^{13}C NMR chemical shifts, 1243
sym-tetra-alkyl monothiopyrophosphates, synthesis, 4209
time sharing gated decoupling NOE (TSD-NOE) new technique using highly selective irradiation frequency, 3353
trans-1,4-difluoro- and trans-1-chloro-4-fluorocyclohexane, conformational energies, role of electrostatic interactions, 4883
withametelin, characterisation of hexacyclic withanolide from Datura metel, 2025
yessotoxin, polyether implicated in shellfish poisoning, isolation and structure, 5869

Nucleic acids
3'-terminal nonadecaribonucleoside octadecaphosaphate sequence of yeast alanine transfer ribonucleic acid, dolid phase synthesis, 4897
ascorbic acid, reaction with cis-6-hydroperoxy-5-hydroxy-5,6-dihydrothymine to give N-formyl-N'-pyruvylurea, induced dynamic nuclear polarisation observed, 4079
O^6-methylguanine derivs, methylation, 6285
oligodeoxyribonucleotides and phosphorothioate and DNA-triester analogs, solid supported synthesis via deoxyribonucleoside 3'-phosphordiamidites, 3401
(Rp)-and (Sp)-thymidylyl(3',5')-thymidylyl methanephosphonates, stereospecific synthesis, 5535

Nucleophiles
anti-Markovnikov addition to non-conjugated olefin via singlet electron transfer photochemistry, 5449
C-, desulphenylative allylation with allylic sulphides using molybdenum hexacarbonyl, 443
eliminative addition of β-keto-phosphonium salts, synthesis of tetrasubstituted fluoroolefins, 449
enolate-, bearing chiral auxiliaries, chiral recognition during reaction with diene-$Mo(CO)_2Cp$ cations, 2459
evidence for electron transfer in reactions with optically active alkyl halides, challenge to S_N2 transition state, 3183
non current-, presence in electrooxidations of aromatic enol ethers, 1275
reaction with acetoxy allylic phosphonates catalysed by Pd(0) complex, regioselective synthesis of vinylic phos-phonates with functional groups, 1897
reaction with cycloalkeno-1,2,3-selenadiazole, 4707
regioselective addition to 1-(phenoxycarbonyl)-3-trialkyl-stannylpyridinium salts, 759

Nucleosides
(+)-(1R,2S,4R)-4-amino-2-hydroxy-1-cyclopentanemethanol and (+)-carbocyclic thymidine, stereospecific synthesis, 6381
2'-azido-2',3'-dideoxyadenosine synthesis, applications of deoxygenative [1,2]-hydride shift and β-elimination of sulphonates with $Mg(OMe)_2$-$NaBH_4$, 4075
3'- and 5'-monophosphates of-, general approach, 2259
3'-substituted-2',3'-dideoxy-, including 3'-azido-3'-deoxy-thymidine and 3'-substituted-2',3'-dideoxy-C-nucleosides, synthesis via methyl 5-O-t-butyldiphenylsilyl-2-deoxy-D-threo-pentofuranoside, 3615
3'-terminal nonadecaribo-, octadecaphosphate sequence of yeast alanine transfer ribonucleic acid, solid phase synthesis, 4897
4-C substituted pyrimidine-, synthesis, 2821
5'-phosphatidyl-, one-step synthesis via enzymatic 2-phase reaction, 199
adenine-thymine pairing in water induced by intercalating agent, 1777
adenosine triphosphate, proto-phosphatase catalysed cleavage by dissociative type mechanism within receptor-substrate complex, 2779
carbamate-linked oligo-, synthesis and characterisation, 745
carbocyclic-, (-)-neplanocin, synthesis, 4131
deoxyribo-, S-(t-butyl) β-cyano-ethyl phosphorothioites for synthesis of oligodeoxyribo-nucleosides on polymer supports, 1435
isoguanosine, novel and efficient synthesis, 2151
oligo-, methylphosphonates, plasma desorption mass spectra, 3349
oligodeoxy-, methylphosphonates, synthesis and enzymatic degradation, 3539
oxetanocin, synthesis via first synthesis of intermediate 9-(2-oxetanyl)adenine, 3967
oxetanocin, total synthesis, 4713
Pt(II)nucleoside complex linked through a Pt-C δ-bond, synthesis and characterisation, 2757
pure carbocyclic 3'-azido-2',3'-dihydrothymidine, potential anti-aids drug, enantiomeric synthesis, 5311
ribo-, and nicotinamide ribose, chemoenzymatic approach to carbocyclic analogs, 1887
solid phase tritylation, 23
stereospecific synthesis of α- and β-C-, intermediates, ring protection of 2-O-trifluoro-methanesulphonates of galacto- and altro-pyranosides, 3015
tubercidin and related 7-deazapurine nucleosides via stereospecific Na-salt glycosylation, 5107
wyosine, synthesis by regiospecific methylation of N^4-desmethylwyosine using organo-Zn, 3275

Nucleotides
2'-5',3'-5' linked triadenylates, synthesis, 2623
5'-nucleotide phosphonate analogs, new synthesis from 5-deoxy-1,2-O-isopropylidene-α-D-xylohexafuranose, 3623
arabino-, rapid chemical synthesis, 1633
branched oligoribo-, new synthesis using protected branched triribonucleoside diphosphite unit, 5691
branched ribo-, new synthesis, 1769
deoxyoligo-, containing N^6,N^6-ethanodeoxyadenosine, synthesis and crosslinking properties, 2469
di-, synthesis, new strategy via phosphite route with phosphorochloridates as intermediates, 3559
methylphosphonthioates, synthesis, 3205
modified oligo-, attachment of chemical species via covalent tethering of acridine dye deriv and athiophosphate group to both ends of oligothymidylates and reaction of thiophosphate anion S-atom with electrophilic agents, 4157
NADH in-situ regeneration via indirect electochemical means, 6583
oligo-, containing a 3'-peptide moiety, solid phasae synthesis, 5199
oligo-, purification by new fluorescent 5'protecting group, 1,1-bis-(4-methoxyphenyl)-1'-pyrenyl methyl, 5157
oligo-, solid phase synthesis by phosphoramidite procedure via coupling using 4-dimethylaminopyridine and either tetrazole, 5-(o-nitrophenyl)tetrazole or 5-(p-nitrophenyl)tetrazole, 3643
oligo-, solid-phase 5'-phosphorylation, 463
oligo-, synthesis, removal of new base protecting groups, 51
oligo-, with aliphatic amino group at 5' end, synthesis via phosphorylating agent, 2611
oligodeoxyribo-, and phosphorothioate and DNA-triester analogs, solid supported synthesis via deoxyribonucleoside 3'-phosphordiamidites, 3401
oligodeoxyribo-, cyclic, solid phase synthesis, 5727
oligoribo-, synthesis, new (butylthio)carbonyl protecting group for guanine residue, 5713
P^1,P^2-dinucleotide pyrophosphates, synthesis, 2763
phosphorofluoridates of biological interest, new synthesis, reaction of phosphoroazolides with benzoyl fluoride, 3561
rapid internucleotidic bond formation in phosphotriester approach, tris(2,4,6-tribromo-phenoxy)dichlorophosphorane as condensing agent, 1681
S-HPMPA, synthesis, 4963
solid phase tritylation, 23
tri-, adenosine linked at 3' to a cytidine and at 2'to a guanosine or to a 2-amino-6-phenyl-mercapto-purine riboside, synthesis from common precursor, 415

Oligomerisation
enzymatic-, vs lactonisation in ω-hydroxy esters, 5367

Osmium and compounds
stereospecific osmylation reaction, degradation of avermectin series, 4955

Otically active compounds
1-alkoxy-1,4-cyclohexadienes, chelation controlled alkylation and 1,4-chirality transfer, 4195
1-hydroxyindolizidines, synthesis and configuraion, 2559
(1R)(-)-myrtenal, synthesis of silylating reagents with optically active ligand bonded to Si centre, 965
2,3-epoxyalcohols via optically active 3-chloro-2-hydroxy-alkanoates, 2709
2-hydroxy-2-methylalkanoic acids via asymmetric bromo-lactonisation of L-proline amides of α-methyl-βalkyl-α,β-unsaturated acids, 2801
3-hydroxy-4-alkoxycarbonyl-2-azeridinones, synthesis from L-tartaric acid, 1861
5-membered O-containing ring, synthesis via stereoselective intramolecular Michael addition induced by thermolabile group, 5819
α,β-epoxy esters, stereoselective conversion to α-hydroxy esters, route to optically active α-hydroxy esters, 4435
β-hydroxy and δ-hydroxy esters, route via SmI_2-induced regioselective reduction of α,β-epoxy esters and γ,δ-epoxy-α,β-unsaturated esters, 4437
alkyl halides, electron transfer in reactions with nucleophiles, evidence for challenge to S_N2 transition state, 3183
allylsilane, C-centred, use in enantioselective allylation of carbonyl compds, 969
anthracyclinones, prep via new chiral AB-synthon, (-)-2-bromo-6-ethynyl-6-hydroxy-5,6,7,8-tetrahydro-1,4-naphthaquinone and application for (-)-7-deoxydaunomycinone, 5709
bicyclo[2.2.2]octane derivs, synthesis via asymmetric sequential Michael reaction, 6641
bicyclo[3.3.0]oct-2-ene derivs, synthesis based on asymmetric elimination, 6489
cyclohexanone derivs, synthesis, (R)- and (S)-5-trimethylsilyl-2-cyclohexenone as chiral source, 5669
cyclopentenones, synthesis, enzymatic optical resolution and flash vacuum thermolysis in concert, 357
generation through solid state reaction of racemic isopropyl/-(R,S)-sec butyl diester that crystalises in a spiral space group, 4789
glycerols via enzymatic hydrolysis of prochiral ester, 531
insect pheromones, syntheses of (2R,5S)-2-methyl-5-hexanolide, (3S,11S)-3.11-dimethyl-2-nonacosanone and serricornin, 651
L-armentomycin and D-isomer, synthesis and enantioselective reduction of C=C bond of methyl (E)- and (Z)-2,4,4-trichloro-2-butenoate using bakers yeast, 1447
masked syn-α,β-dihydroxy aldehydes, stereoselective synthesis, 3139
N-substituted α-(aminoalkyl)-acrylates, precursors of optically active β-amino acids, kinetic resolution in directed hydrogenation, 2179
nitrile oxide, use in synthesis of a lyngbyatoxin A intermediate, 3189
pure β,γ-epoxyesters, prep via opening of 3-hydroxybutanolides followed by cyclisation, prep of β-hydroxy esters, 1781
retention of-, in Barbier reaction, ultrasound reaction of S(+) 2-octyl halides, 2013
tartaric acid, prep of (R)- and (S)-2-benzyloxy- and 2-(t-butyldiohenylsilyloxy)-aldehydes, 2999
trisubstituted pyrrolidines via Claisen rearrangement of azalactones, 3031
vinyl sulphoxides, X-ray and CD spectra reveals conformation is affected by substituents in α or β position, 3689

Oxadiazolidine
2,2'-carbonyl-bis(3,5-dioxo-4-methyl-1,2,4-, direct esterification of carboxylic acids, 5827
2,2'-carbonyl-bis(3,5-dioxo-4-methyl-1,2,4-, prep of carbamates and amides, application to synthesis of dipeptides, 5823

Oxazines
α,β-unsaturated-, and oxazolines, useful dienophiles in Diels-Alder reaction, 6183
dihydro-, microbial reductive splitting of N-O bond, 2677

Oxaziridium salts
new example, peracid oxidation of immonium fluoroborate, 6061

Oxazoles
2-amino-4-methyl-, reaction with aldehydes gives 5-substitution and not Schiff bases, 3381
and thiazoles, homolgation by regiospecific lithiation of thiazole- and oxazole-carboxylic acid derivs, 3585

Oxazolidines
3-(2-bromopropionyl)-2-oxazolidone, reaction with aldehydes, stereoselective synthesis of aldols, 6629
3-(2-bromopropionyl)-2-oxazolidone derivs, Reformatsky reaction, stereoselective synthesis of key intermediate of 1β-methylcarbapenems, 6625
4-vinyl-2-oxazolidones, formed via Pd-catalysed cyclisation of 2-butenylene dicarbamates, 4837
5-alkynylidene-oxazolidin-2-ones, synthesis, 1127
chiral-, derivs, enantioselective methylation of γ-aldehyde esters, effect of ester group, 5659
formation vs 1,4-prototropy in reaction of sec α-amino acids with carbonyl compds, properties of intermediate azomethine ylides, 6077
generation of reactive azomethine ylides on thermolysis, regio- and stereospecific synthesis of substituted pyrrolidines, 2973
reactive azomethine ylides on thermolysis, ring closure to aziridines, 2975
stereodefined oxazolidinones via cyclisation-migration of N-benzoylcarbamates; new diastereospecific route to thiamphenicol, 5395

Oxazolines
α,β-unsaturated-, and oxazine, useful dienophiles in Diels-Alder reaction, 6183
α,β-unsaturated-, prep via α-phenylthiooxazolines, 5509

Oxazolinium salts
electroreduction to acyl anion equivalents and their Michael addition to activated olefins, 4411

Oxetanes
2-imino-, from ketenimine-aldehyde cycloadditions, synthesis and controlled ring opening of 2-N-p-tolylimino-3,3-dimethyl-4-phenyloxetane, 2995
3-(methoxymethyl)- and 3-(dimethylaminomethyl)-, enhanced reactivity towards alkyllithiums, 5747
chiral-, from sugar lactones, synthesis of 3,5-anhydro-1,2-O-isopropylidene-α-D-glucuronic acid and 3,5-anhydro-1,2,O-isopropylideneβ-L-iduronic acid derivs, 4741

Oxidations see also Autoxidation
1-phosphadiene-, synthesis of phosphacyclobutenes, 6121
1,2-dioxetanes, synthesis via electron transfer oxygenation, 5319
alcohols to carbonyl compds using catalytic amounts of CrO_3 and excess aqueous t-BuOOH, 2133
and reduction of C=C bonds of 1,1,4,4-tetrakis(trimethylsilyl)butatriene, 1811
anodic-, of benzylic ketones, ester and nitrile in CH_3CN/Et_4, yield mono-or di-fluoro compds, 2359
aromatic and aliphatic thiols by 5-arylidene 1,3-dimethylbarbituric acid to give disulphides and reduction of oxidant to dihydro compd and synthesis of unsymmetrical disulphide, 4173
asymmetric-, prochiral selenides to optically active selenoxides, 3849
benzylic methylene groups using 70% t-BuOOH and catalytic amounts of chromic anhydride, 2131
by soybean lipoxygenase of three new derivs of dehydroarachidonic acid, 5391
chromate-, of secododecahedrene and its monoepoxide, unusual course, 3531
cyclohexanone α-ketol and enone derivs by tetrazolium salts, 4323
electro-, of 1,3-diketones in presence of olefin and oxygen, prep of cyclic peroxides, 667
electro-, of 1-trimethylsilyl-1,3-dienes, 211
electro-, of α-silylcarbamates, 6621
electro-, of aromatic enol ethers in presence of non current nucleophiles, 1275
electro-, of p-aryl phenols to spiro-annulated cyclohexa-2,5-dienones, anodic C-C bond formation, 5445

enynols, pyridinium dichromate induced 1,3-oxidative rearrangement, 1069
fluorinated carbinols using Dess-Martin periodane, 4259
indoles with pyridinium bromide perbromide, synthesis of 7-azaoxindoles, 4027
isoxazoline-, prep of α,β-unsaturated carbonyl compds, 913
lysine, synthesis of N⁶-acetyl-N⁶-hydroxylysine, 1817
Mg-Oppenhauer-, of alcohols to aldehydes and ketones, 769
microbial-, enantioselective, of (R,S)-2,2,5,5-tetramethyl-4-hydroxycyclohexanone, prep of (S)-hydroxy-γ-lactone, 1109
microbial-, of benzene to (±)-pinitol, 225
microbial-, prep of 3,4- 4,5- and 3,5-difluoro-3,5-cyclohexadiene-cis-1,2-diol-1-carboxylates via 3,4- and 3,5-difluorobenoate, 5173
N-, synthesis of cis,cis-trialkyl-triaziridines via azo/nitrene addition, 5497
new reagent, Ru(IV) tetrakis-(trifluoroacetate), 543
non-activated C-H bonds of steroids and hydrocarbons, 6581
peracid-, of 19-iodo-5-androsten deriv, homoallylic rearrangement, 5729
peracid-, of immonium fluoroborate, new example of oxaziridinium salt, 6061
photo single electron transfer-, of N-hydroxylamines, synthesis of cyclic nitrones, 2649
photo-, of α-phellandrene, prep of cyclohexadienyl hydroperoxides and reduction to arene 1,4-hydrates, 6093
plus electrooxidation of olefins to methyl ketones, 3683
selective-, with ceric methanesulphonate and ceric trifluoromethanesulphonate, 1067
selenium dioxide catalysed-, of sec amines with H_2O_2, synthesis of nitrones, 2383
terminal epoxides to allylic aldehydes in one step, 2175
tranannular oxidative cyclisation of 1-methylcyclooct-4-en-1-ol and cyclooct-4-en-1-ol with hyperiodine reagents, 5229

Oximes
aldoximes, α-bromination, route to fused azetidines, 683
and hydrazones, conversion into ketones with dinitrogen tetroxide, 645
benzophenone oxime esters of carboxylic acids, photoreductive decarboxylation, 6207
O-allyl ether as new protective group and Pd-catalysed deprotection, 4557
reaction with organometallic, synthesis of α-N-hydroxyamino acids, 4973

Oxiranes
2,3-epoxyalcohols, optically active, via optically active 3-chloro-2-hydroxyalkanoates in asymmetric reduction of 3-chloro-2-oxoalkanoates, 2709
2,3-epoxyalcohols, stereo- and regio-specific conversion to 4-(1-hydroxyalkyl)-1,3-dioxolanes, 383
α,β-epoxy aldehydes, diastereofacial selectivity in reaction with β-silylphosphorous ylide, 2379
α,β-epoxy aldehydes, stereoselective addition, formation of "non chelation" controlled products, 2629
α-alkynyl epoxides, Pd-catalysed reaction with β-keto esters, prep of unstable
β-bromoethyl-, annelated γ-lactones via reaction with cyclic vicinal diester dianions, 351
γ-butyrolactones, α-methyleno-γ-butyrolactones and γ-hydroxy-nitriles, 2111
C1-substituted epoxides, rearrangement, reexamination of rearrangement of p-methoxy-styrene oxide, 1333
chiral acyclic vinyl-, stereoselective S_N2' additions to give allylic alcohols, 4985
chiral epoxide, enantioselective cyclisation to benzofuran system, 3075
cyclopentadienone epoxides, sulphone mediated synthesis from 10-oxatricyclo[5.2.1.$0^{2,6}$]deca-dienones, route to epi-pentenomycins, 1329
epoxide cyclisation steps, use in synthesis of 2,6-dioxabicyclo-[3.2.1]octane ring system, viz in aurovertin A, 2771
epoxyhexenyne, conversion into 3 pairs of isomeric vinylfuran derivs via carbene inter-mediates, 2685
ester carbonyl function, addition of a methylene group, 3011
prochiral epoxides included as quest molecules in tri-o-thymotide clathrates, hetero-geneous asymmetric ring opening, 4685
regioselective epoxide-ring opening of γ,δ-cis-epoxy-β-methyl alcohols by alkylation, formation of consecutive asymmetric centers, 6195
ring opening with thiols catalysed by lanthanide complexes, 6065
secododecahedrene and its monoepoxide, unusual course of chromate oxidation, 3531
stable trimethylsilyloxy epoxide, prep and X-ray analysis, 1363
terminal epoxides, one-step oxidation to allylic aldehydes, 2175
trans-α,β-epoxysulphonates via stereoselective conversion of α,β-unsaturated sulphonates, 1101
vicinal epoxymesylates, organocuprate chemistry, 5631

Oxocins
hydrooxo-, and dihydroazocines via cis-aza/-oxa-bis-σ-homobenzenes from 7-cyanotropilidene, 2513
pseudo-gloeosporone, synthesis, 3747

Ozone
ozonation and chemiluminescence of 8,8,9,9-tetramethylacenaphtho-[1.2-b]-1,4-dioxin, dual reaction pathways, 329

Ozonides
thio-, intramolecular rearrangement, sulphine formation without S scrambling, double istope crossover, 4981

Palladium and compounds
π-allyl complexes, SmI_2-induced polarity inversion, prep of allylstannanes, 215
acetate mediated synthesis of tetrahydrofuran derivs from allkylic alcohols and vinyl ethers, 809
and cupric acetates, catalysis under ambient temp, carbonylation of nitrobenzenes to carbamate esters 6411
carbopalladation of alkylidene-cyclopropanes having in R^1 an ω-nucleophilic group leads to cyclic compds, 4533
catalysed acylation of activated alkenes with bridgehead acid chlorides, 5883
catalysed allylation of α-isocyanocarboxylates, 4949
catalysed arylation and vinylation of methyl α-methoxyacrylate, approach to α-keto acid derivs, 3039
catalysed carbacyclisation, prep of picrotoxane skeleton, 1611
catalysed coupling of a vinyl triflate, attachment of anthramycin acrylamide side chain, 6573
catalysed cross coupling of phenyl fluoroalkane sulphonates with organo Zn reagents, 2387
catalysed cross coupling, synthesis of conjugated trienes, 1469
catalysed deprotection of O-allyl ether, new protective group for oximes, 4557
catalysed, double silylation of bis(trimethylsilyl)butadiyne via disilanes, 1807
catalysed inter- and intra-molecular di-alkoxycarbonylation of 3-butenols, 325
catalysed reaction of α-alkynyl epoxides with β-keto esters, prep of unstable 3-alkylidene furans, 629
catalysed reaction of perfluoroalkyl iodides with organotin compds, prep of 1-perfluoroalkylalkenes and alkynes, 5857
catalysed regiospecific benzoylation of alkyl vinyl ethers, 4215
catalysed stereospecific Michael arylation of 6-alkyl-5,6-dihydro-2H-pyran-2-ones, 3179
catalysed synthesis of pyran derivs, 6219
complex, catalysed reaction of acetoxy allylic phosphonates with nucleophiles, regioselective synthesis of vinylic phosphonates with functional groups, 1897
intramolecular oxypalladations or oxymercurations of allenes, stereoselectivity in synthesis of substituted 2-(2-tetrahydro-furanyl)acrylates, 1023
intramolecular π-allylpalladium displacement, synthesis of vinylic lactones from vinylmercurials and alkenoic acids, 4977
mediated synthesis of spirocyclic model of fredericamycin A, 171
selective catalysed substitution of dichloroethylene, 1649

Penicillins
2-aminomethyl-2-(3-hydroxypropyl)-cyclododecanone, transformation to 12-methylene-15-pentadecanolide, 315
penam α-ketoalcohol antibacterials structurally related to penicillins via condensation of penicillin Grignards with substituted glyoxals, 3431

Peptides and polypeptides
2-bromo-N-benzylisobutyramide, model depsipeptide derivs, 2427
(3S,4S)- and (3S,4R)-statine derivs, enantiomerically pure, prep via asymmetric synthesis of acetal templates, 6535
(4R)-4-((E)-2-butenyl)-4,N-dimethyl-L-threonine, amino acid of cyclosporine, 2849
amides, synthesis by Fmoc solid phase synthesis, prep and application of new acid labile anchor groups, 5651
amino alcohol dipeptide analogs, synthesis of isostere for development of proteinase inhibitors, 5569
aminoalkylamides, new solid phase synthesis using modified Fmoc strategy, 5647
and amino acids, diphenyl thioether derivs, synthesis, 2805
aspartane, synthesis via oxaziridine - amide rearrangement, 2595
bromotyrosine-cysteine derived metabolites from a sponge, 4989
bulgecin A, synthesis of dehydroxymethylbulgecin A[1], 5887
C-terminal peptide amides, new acid-labile anchor group for solid phase synthesis by Fmoc method, 2107
continuous-flow solid phase synthesis, 4469
cyclic tetrapeptide HC-toxin, synthesis of analogs by application of double deprotection-peptide cyclisation procedure, 3419
cyclosporin analogs, synthesis, 6517
di-, synthesis via prep of carbamates and amides from 2,2'-carbonyl-bis(3,5-dioxo-4-methyl-1,2,4-oxadiazolidine, 5823
didemins, synthetic studies, route to (3S,4R)-statine, 2837
dipeptide mono-1-H-phosphonylated Z-ser(OPO_2H_2)-Tyr(OH)NH_2 prep by application of basic and selective hydrolysis of aryl alkyl 1-H-phosphonate diester, 4461
lepidopteran A, produced by silk worm, synthesis, 4705
mimetics of peptide β-turns, methodology for synthesis, 1623
N_G-2,2,5,7,8-pentamethylchroman-6-sulphonyl-L-arginine, new acid labile deriv for peptide synthesis, 2287
oligonucleotides containing a 3'-peptide moiety, solid phasae synthesis, 5199
one- and two-armed lariat ether peptide derivs, syntheses and cation binding poperties, 1749
peptide synthesis, fluoride ion release from resin in solid phase, 4105
polypeptide secondary structures, stabilised by amino acid derivs, synthesis of 4-alkylamino-3-cyano-6-azabicyclo[3.2.1]oct-3-enes as γ-turn templates, 4645
polypeptide secondary structures, stabilised by amino acid derivs, properties of β-cyanoenamines as anologs of amides, studies with 1-acylamino-2-aminoalkyl-3-cyano-2-cyclopentenes as amino acid analogs, 4641
prolyl-, photoinduced ring opening, 2529
protected-, fragments, solid-phase synthesis using trialkoxydiphenyl-methylester resin, 3787
pseudopeptides, amide bonds, synthetic route to trans C=C bond replacement, 3225
solid phase synthesis, prep of 4-(BOC-aminoacyloxymethyl)phenyl-acetic acid, 1401
solid-phase synthesis, Si-containing handle for use in prep and characterisation, 491
synthesis by prior thiol capture, level of racemisation during two typical thiol capture couplings, 3435
synthesis, scope and control of disulphide interchange during acyl transfer step, 4637
synthesis, use of nonproteases, 1629
tripeptide derived amino alcohols, inhibitors of angiotensin converting enzyme, synthesis, 1603
ulicyclamide, synthesis, 2251

Peracids
3,4,4-trimethyl-4,5-dihydro-5-hydroperoxy-3,5-diaryl-3H-pyrazoles, synthesis and reactivity in O-atom transfer, 1963
m-chloroperbenzoic acid promoted Nef reaction on trialkylsilyl nitronates, prep of α-alkoxyketones from nitroalkanes, 5361
peracid oxidation of 19-iodo-5-androsten deriv, homoallylic rearrangement, 5729
t-butyl-, and catalytic chromium oxide, conversion of alkenes to α,β-unsaturated carbonyl compds, 4665

Perfumes
(-)-ambrox, stereoselective synthesis from 1-abietic acid, 2863
dihydrofurano terpenoids of Davana oil, 6377
odoriferous component of Cedar wood oil via biohydroxylation of α-cedrene and cedrol, 6269
(±)-silphinene, alternative routes via radical cleavage of cyclobutanes, 5063

Peroxides
cyclic-, prep by electro-oxidation of 1,3-diketones in presence of olefin and oxygen, 667
cyclohexadienyl hydro-, by photo-oxidation of α-phellandrene and reduction to arene 1,4-hydrates, 6093
endo-, derived from 2,3-dihydro-1(2H)azulenone, thermolysis and CoTPP-catalysed rearrangement, 1689
H_2O_2 epoxidation of olefins catalysed by phosphonotungstic complexes, 2237
lithium-, regioselective hydrolysis of carboxamides, 6141
O-enriched hydrogen-, and t-butyl hydroperoxide, synthesis, characterisation and application, 5443
superoxide and ozonate radical-ions, reaction with 9,10-dichloro-9,10-diphenyldihydro-anthracene, 3279
t-butyl hydro-, and dioxobis(2,4-pentanedionato)molybdenum(vi) system, cleavage of t-butyldi-methylsilyl ether, 6329

Petroleum
Timahdit oil shale kerogen, solubilisation catalysed by 18-crown-6, 6559

Phanes
[3]- and [5](2,7)troponophanes, effect of strain on the tropone ring, 977
3,6-diketo[8](9,10)anthra-cenophane, conformational mobility, 4775
[4][3,](1,2,3,4,5)ferrocenophane, synthesis, 1427
[6](2,5)furanophanes, synthesis by ring contraction of [6](3,6)oxepinophanes by means of ruthenium tetroxide, 2521
[6]paracyclophane-8,9-dicarboxylic diethyl ester, ring expansion to hexanocyclooctatetraene- and [8]paracyclophane- derivs via twice addition of dihalogenocarbenes, 3483
[7]- and [9](3,5)troponophanes and corresponding hydroxytropyliophanes, synthesis, physical and chemical properties, 585
[7]paracyclophane, hydrogenation, formation of a hyperstable bridgehead olefin, 753
anti-9,18-dimethyl-2,11-diselena[3.3]metacyclophane, selenoxide elimination apllied to synthesis of dimethyldihydropyrene, literature correction, 5119
cyclophane complexation with host and polar guests by H-bonding, 3825
cyclophane type of polyaza-macrocycles, synthesis and structure of chloroform inclusion complex and anion binding, 3489
[m,m]metacyclophadiones, synthesis, 91
N6',N9-octamethylenepurine cyclophane, synthesis and ^1H NMR, 147
rigid syn-orthocyclophane, 2,3,6,7-bis(2',3'-quinolino)TCU, prep, 3319
superphane of cyclobutadiene capped by cyclopentadienyl-cobalt, 195
(Z)-[6]paracycloph-3-ene, cycloaddition with tetracyanoethylene, 2861

Pharmacologically active compounds
2- and 3-fluorokhellin, synthesis, 4003
3'-substituted-2',3'-dideoxy-nucleosides including 3'-azido-3'-deoxythymidine and 3'-substituted-2',3'-dideoxy-C-nucleosides, synthesis via methyl 5-O-t-butyldiphenylsilyl-2-deoxy-D-threo-pentofuranoside, 3615
(4R)-4-((E)-2-butenyl)-4,N-dimethyl-L-threonine, amino acid of cyclosporine, 2849
aminoglycoside, new antimicrobial, synthesis via maltose, 2871
antiparasitic agents derived by modification of new natural product series, 5353
aplysiatoxins, syntheses, selectively protected form of C_{23}-C_{30}(dihydroxybutenoate) moiety of oscillatoxin, synthesis, 4019
(+)-artemisinin and (+)-9-desmethylartemisinin, total synthesis, 4629
carbocyclic nucleoside (-)-neplanocin, synthesis, 4131
cerebroside B_{1b} and its stereoisomers, total synthesis and configuration, 6281
cytotoxic duryne from Cribrochalina dura, 1377

didemins, synthetic studies, route to (3S,4R)-statine, 2837
diprenorphine, C-11 labelled, radioligand for positron emission tomographic studies of opiate receptors, 4015
forskolin A-B, potential ring precursor by tandem Michael-aldol reactions, 2799
halichondramide, antifungal macrolide from sponge Halichonrdia sp., 2809
highly strained β-lactam fused γ-lactam, prep and cognition enhancing properties, 5245
lonapalene synthesis, 4507
neolignan magnoshinin synthesis, 2857
phenolic and alcoholic trimethylsisyl ethers, selective desilylation, 4307
pure carbocyclic 3'-azido-2',3'-dihydrothymidine, potential anti-aids drug, enantiomeric synthesis, 5311
sesquiterpenes (+)-phyllanthostatin, total synthesis, 5591
triacetylcellulose, microcrystalline, preparative optical resolution of chloromezanone, 3751

Phase transfer catalysis
18-crown-6-, solubilisation of Timahdit oil shale kerogen, 6559
butylation of pyranosides, 319
effect of structure on branching of reaction paths of allyl bromide with bromoform/-NaOH/catalyst, complete change over of mechanism, 5489
selective hydrobromination of branched alcohols, 1223

Phenols
acetylated-, and carbohydrates, guanidine deprotection at room temp, 3569
C-5 of resorcinol ring, coupling with C-2 of benzofuran unit, transition metal mediated synthesis of moracin M, 2645
catechol covalently bound to tris-bipyridyl complex of ruthenium, synthesis of fluorescent potential hapten, 4339
highly substituted-, access via metallation of phenolic compds, 5551
metal template ortho-acylation, new approach to anthracyclinones, 1533
o-selenonium phenoxides, synthesis and rearrangements, 4007
p-aryl-, electrooxidation to spiro-annulated cyclohexa-2,5-dienones, anodic C-C bond formation, 5445
phenol and cyclopentanone synthesis, Mn(III)-mediated radical cyclisation of ω-unsaturated β-dicarbonyl compds , 6109
phenolic constituents of Psammaplysilla, 3229
phenolic enolate, intramolecular radical coupling, oxidative fragmentation of spirodiketone intermediate, 4163
produced via benzannulation of Cr carbene complexes and Pd-catalysed reduction in synthesis of angelicin, olivin and chromomycinone, 1381
reaction with α-chloro-α-phenylthioketones, synthesis of benzofurans, 2301
t-butyldimethylsilyl ethers of phenols, one step conversion to benzyl or methyl etherss and utility in regioselective ortho lithiation, 4139

Pheromones
2-methyl-1,6-dioxaspiro[4.5]-decane, stereoselective synthesis using chiral sulphoxide auxiliary, 2255
(3Z,6Z,9S,10R)-epoxyheneicosadiene and (3Z,6E)-stereoisomer, synthesis from D-xylose, 2977
(+)- and (-)-disparlure, synthesis via application of diastereoselective α-alkylation of β-hydroxy sulphoxides, 5677
Californian red-scale-, approach via stereoselective reaction of chiral α,β-ethylenic acetals with alkenyl CuIBF, in asymmetric synthesis of γ,δ-ethylenic aldehydes, 2363
(±)-eldanolide, direct synthesis via regioselective prenylation of 2-trimethylsiloxyfuran, 949
granary weevil aggregation pheromone, chemical identification, 6145
natural sitophilure, two-step chemoenzymatic synthesis, 5037
navenone A, via application of synthesis of ω-substituted conjugated polyenones via arsonium salt, 2155
optically active insect-, syntheses of (2R,5S)-2-methyl-5-hexanolide, (3S,11S)-3,11-dimethyl-2-nonacosanone and serricornin, 651
periplanone A, correct structure? 1795
periplanone A, structure, biomimetic reaction of germacrene-D epoxides, 1791
sex attractant (+)-disparlure of female gypsy moth, total synthesis, 2627
sex-, of silk worm and grape vine moth, stereoselective synthesis of key intermediate (2E,4Z)-dien-1-ols, 803
(±)-sulcatol, transesterification by porcine pancreatic lipase in ether, enantioselectivity, 2091
tricyclic hydroazulenone, synthesis from exo-epoxygermacrene-D in connection with periplanone A, 3831

Phosphaalkenes
1-chloro-2-phenyl-2-trimethylsilyl-1-, reaction with disubstituted diazomethanes to give 1-chloro-1-phosphiranes, 2693
cycloadditions of 1,4-dithiolium-4-olates, prep of 1,3λ⁵-thiaphospholes, 2119
p-phenyl- and p-phenylphosphaethene, generation and trapping during thermolysis of 2-phosphabicyclo[2.2.2]octa-5,7-dienes, 5783
phosphacyclobutenes, synthesis via 1-phosphadiene oxidation, 6121

Phosphaalkynes
Diels-Alder reaction with anthracenes, prep of 2-phosphabarrelenes, 5141

Phosphates
(±)-myo-inositol-1,3,5-tris-, 2,4,5-tris-, and -1,3,4,5-tetrakis-, total syntheses, 4503
active-, hydrolysis, catalytic activity of analogs of 2-iodoxybenzoic acid, 3899
D-myo-inositol 1,3,4,5-tetrakis-, synthesis, 4691
D-myo-inositol 1,4,5-tris-, synthesis, 2309
dihydroxyacetone-, prep and use in aldolase catalysed condensations, 1641
DL-myo-inositol 1,4,5-tris-, synthesis, 2305
esters, mixed, new phosphorylating agents for synthesis, 2375
ion, catalytic effect on racemisation of phenylglycine catalysed by pyridoxal, 5695
nucleoside 3'- and 5'-mono-, general approach, 2259
trialkyl-, conversion into α-lithioalkanephosphonates by treatment with alkyllithiums, 405

Phosphenium ions
cycloaddition to norbornadiene and quadricyclane, 603

Phosphine oxides
and α-diazo β-keto alkylphosphonates, intramolecular carbenoid cyclisations, synthesis of α-phosphorylated cyclopentanones, 6605
cyclopropyldiphenyl-, and carbonyl compds, route to alkylidenecyclopropanes, 5559

Phosphines
β-enamino-, prep, synthesis of 1,3,4-diaza-λ⁵-phosphinines, 2875
imides, intramolecular cyclocondensation to 1-2λ⁵-benzazaphosphinine ring, 4327
methylidene-, via HCl-elimination from chloromethylphosphine, 5811
tertiary-, electro synthesis from organic halides and chlorophosphines, 1885
triphenyl-, regeneration from triphenylphosphine oxide by electrolysis of methylthiotriphenylphosphonium salt, 5821
triphenyl-, replacement by β-diphenylphosphinopropanoic acid in Wittig reaction increases E stereoselectivity with semi-stabilised ylids and gives water-soluble phosphine oxide, 1165

Phosphinic acid and derivatives
1,2-λ³ azaphosphinine, prep by flash vacuum thermolysis, 4673
2,4,6-triaryl-1,3 λ³-azaphosphinines, prep via rearrangement of 3-azapyrylium salts with tris(trimethylsilyl)phosphane, 1093
3,5-diphenyl-λ³-phosphinines, $M(CO)_5$-complexes, [3+2] and [4+2] cycloadditions, 3475

Phosphiniminium salts
cation-, conducting and insulating salts with 7,7,8,8-tetracyano-p-quinodimethane, 4465

Phosphirenes
1-chloro-1-phosphirane, prep and properties, 2693
ring of-, insertion of terminal alkynes, 5021

Phosphites
dimethyl-, reaction with 4-methoxy-1-nitronaphthalene and 4-amino-1-nitronaphthalene under basic conditions, 1707
route, strategy for new synthesis of dinucleotide with phosphorochloridates as intermediates, 3559

Phospholes
mesoionic "munchnones" reaction with $P(SiMe_3)$ to give 4-tri-

methylsiloxy-1,3 λ^3-aza-phospholes, 1089
parent-, and phospholyl anion and C-substituted derivs, characterisation by ^1H and ^{13}C NMR, 5025

Phospholipids
1-hexadecyl 2-thioacetyl-2-deoxy-glycerophosphocholine, stereospecific synthesis, 1729
2-thiophosphatidylcholines stereospecific synthesis, 3767
6-glucosyl-, of thymidine, prep from 6-glucose phosphate as model for trans membrane transport, 3581
ether-, new approach to synthesis; prep of 1,2-dialkylglycero-phosphorylcholines from L-glyceric acid, 271
phosphatidylethanolamine, bipolar, a model compd for a membrane-spinning probe, synthesis, 2323
phosphatidylethanolamines, mixed chain, partial synthesis, 2327
phospholipid bearing benzophenone probe constrained in middle of double layer, synthesis, 5743

Phosphonic acid and derivatives
3-amino butenylphosphonic and aminophosphonamidic acids, D-alanine:D-alanine ligase inhibitors, 6167
5'-nucleotide phosphonate analogs, new synthesis from 5-deoxy-1,2-O-isopropylidene-α-D-xylohexafuranose, 3623
α-diazo β-keto alkylphosphonates and phosphine oxides, intramolecular carbenoid cyclisations, synthesis of α-phosphorylated cyclopentanones, 6605
α-hydroxybenzylphosphonate, reaction with diethylamides of Ti(1V), Mn(11), Sn(11) and Sn(1V), exchange of one or two EtO groups at P for diethylamino groups, 2979
α-lithioalkylphosphonates, condensation with ethoxy-methyleneaniline to lithiated enaminoalkylphosphonates whiuch react with aldehydes to give α,β-unsaturated α-substituted aldehydes, 1263
Y-amino-β-ketoalkylphosphonates, synthesis from α-amino acids, of611
allylic phosphonates of biological interest, synthesis, 1163
aryl allene phosphonates, intromolecular Diels-Alder reaction, 3391
diethylcholoromethyl and dichloromethyl phosphonates, prep via electroreduction of diethyltrichloromethyl phosphonate, 3799
dipeptide mono-1-H-phosphonylated Z-ser(OPO_2H_2)-Tyr(OH)NH_2 prep by application of basic and selective hydrolysis of aryl alkyl 1-H-phosphonate diester, 4461
ethyl 4-(diethoxyphosphinyl)-3-oxobutanoate and related phosphonate esters, reaction with enals, 559
oligodeoxynucleoside methylphosphonates, synthesis and enzymatic degradation, 3539
phosphonoacetates, 4-DMAP catalysed ester exchange with alcohols, prep of differentially substituted phosphonoacetates and phosphonoacetamides, 2713
phosphonoacetates, 4-DMAP catalysed ester exchange with lactols, synthesis of (-)-pyrenophorin, 2717
(Rp)-and (Sp)-thymidylyl-(3',5')thymidylyl methane-phosphonates, stereospecific synthesis, 5535
trialkyl phosphates with alkyl-lithiums, 405
vinylic phosphonates with functional groups, regio-selective synthesis via reaction of acetoxy allylic phosphonates with nucleophiles catalysed by Pd(0) complex, 1897

Phosphonium salts
β-keto-, eliminative nucleophilic addition, synthesis of tetrasubstituted fluoroolefins, 449
abnormal-, hydrolysis, prep of cycloheptatrienyl-P derivs, 3843
KF-tetraphenylphosphonium bromide systems, prep of organo-F compds, 111
methylthiotriphenyl-, electolysis, regeneration of triphenyl-phosphine from triphenyl-phosphine oxide, 5821
ylides of-, reactions with perhaloalkanes, route to α-haloalkylphosphonium salts, 6317
tetra-, of macrocycles with C-C bridges, synthesis, 1259

Phosphonothioates
methyl-, synthesis, 3205
t-butyl 4-diethylphosphono-3-oxo-butanethioate, synthesis of macrolides and (E)-4-alkenyl-3-oxoesters, 345

Phosphoramidites
N,N-diethyl dibenzyl phos-phoramidite, use in conversion of alcohols into dibenzyl phosphorotriesters, 101

Phosphoranes
imino-, mediated transformation of tert-alcohols into t-alkylamines and their N-phosphorylated derivs, 6513
oxido-allylic-, cis-selective Wittig reaction with aldehyde, synthesis of 11-cis-retinoids, 65

Phosphorothioic acids
phosphorothioate and oligodeoxy-ribonucleotides and and DNA-triester analogs, solid supported synthesis via deoxyribonucleoside 3'-phosphordiamidites, 3401
S-(t-butyl) β-cyanoethyl phosphorothioites of deoxyribo-nucleoside for synthesis of oligodeoxyribonucleosides on polymer supports, 1435

Phosphorus compounds
17-21 membered ring P-compds, synthesis, 3577
cycloheptatrienyl-P derivs, prep, abnormal phosphonium salt hydrolysis, 3843
organo compds, unsaturated, structural effect on iodolactonisation, 2615
pentacovalent P, periodate oxidative desulphurisation and deselenation, yields improved by Mn(111) porphyrins, 2981
phosphanes, reaction with N-trifluoromethane sulphonyl-heteroarylium salts to give C-4 or C-2 substituted products, 2675

Phosphorylation
α-phosphorylated cyclopentanones, synthesis via intramolecular carbenoid cyclisations of α-diazo β-keto alkylphosphonates and phosphine oxides, 6605
agent for synthesis of oligo-nucleotide with aliphatic amino group at 5' end, 2611
agent for synthesis of new mixed phosphate esters, 2375
simultaneous-, of polyhydroxyl groups in myo-inositol derivs using alkoxides and tetrabenzyl pyrophosphate, 4179
solid-phase 5'-, of oligonucleotides, 463
stepwise-, of vicinal diol and sterically hindered alcohol directed toward D-myo-inositol 2,4,5-trisphosphate, 2607

Phosphoryl compounds
α-phosphorylated cyclopentanones, synthesis via intramolecular carbenoid cyclisations of α-diazo β-keto alkylphosphonates and phosphine oxides, 6605
conformation of 2-phosphoryl and 2-thiophosphoryl 1,3-dithianes and related compds, origin of S-C-P anomeric interactions, 573

Phosphorotriesters
dibenzyl-, by conversion of alcohols using N,N-diethyl dibenzyl phosphoramidite, 101
approach, rapid internucleotidic bond formation, use of tris-(2,4,6-tribromophenoxy)dichloro-phosphorane as condensing agent, 1681

Photochemical reactions
1-naphthyl azide, temp dependent, 11
1,2-di(9-anthryl)-1-hydroxy-propene, synthesis and isomerisation, 1323
[2+2] additions, mixed, effect of solvent, alkene concentration and temp on asymmetric induction, 2833
[2+2] cycloadditions between hetero 3-membered rings and azo groups, 4521
[2+2] cycloadditions of strained cage dienes aimed at producing [6]-prismane, 1295
2,2-dimethyl-1,3-cyclopentadiyl triplet diradicals, "through-bond coupling" effects in lifetimes via UV laser photochemistry, 4407
3,4-diazabenzvalene, azoalkane precursor of tetrahedrane, synthesis and reactivity, 5263
3,4-epoxy-5-hydroxycyclopentene via Ti(1V)-catalysed oxygenation and pyrolysis to 2,4-pentadienoic acid, 311
4-nitroveratrole substitution with n-hexylamine to two isomeric anilines, mechanism, 4191
α,β-unsaturated aldimines,reaction with singlet oxygen, 6633
and thermal generation of α-ketocarbenes, from iodonium ylides of β-diketones, 4449
anti-Markovnikov addition of nucleophiles to non-conjugated olefin via singlet electron transfer, 5449
aporhoeadane alkaloids, synthesis via cyclisation, 5323
chilinene berberine alkaloid, approach to fully functionalised ring sustem, 2473
cleavage of benzyllic stannanes, 2813

crocin, singlet oxygen reactions, physical and chemical quenching rate constants, 4221
cycloaddition of enol ethers to 2-substituted anisoles, synthesis of bicyclo[4.2.0]octa-2,7-dienes, 5909
cycloadditions of indolizine, 6155
cycloalkanes, oxidation and autoxidation promoted by ceric ammonium nitrate in acetonitrile, 1941
cyclopentannulated barbaralones by irradiation of 2-alkynyl tropones, 607
decompsition of α-nitratomethyl-benzoin studied by ESR, 2163
enantioselective deconjugation of α,β-unsaturated esters, 4825
forskolin, reconstituted from a ring C of its degradation product dihydropyran-4-one, 2339
indole synthesis based on triazole-, total synthesis of 7-methoxymitosene, 6125
intercyclic vs intracyclic [π2+σ2+σ2]/[π2+π2] cyclo-addition, reactions in sterically fixed norborna-diene/quadricyclane systems, 4399
intramolecular reactions of 1-acyl-3oxa-1,5-hexadienes, 5087
intramolecular reactions of 2-acyl-4-0xa-1,5-hexadienes, 5083
irradiation of 3-acetyl-5-methylisoxazole and Z-3-azido-3-hexene-2,5-dione, comparison, 5797
irradiation of (9-anthryl)methyl methyl fumarate or maleate, resulting [4+2]-cycloaddition or cis to trans isomerisation, 3819
irradiation of crystalline dinbenzosemibullvalene, 1741
isomerisation of tetrabenzoyl-ethylene, mechanism, 5137
N-substituted phthalimides, induced para-cycloaddition to cyclohexene, prep of N-substituted tricyclo[4.2.2.0]-dodeca-8,11-diene-9,10-dicarboximides, 1869
of 1-allylnaphthalene-2-(1H)-ones, revised mechanism for formation of benzotricyclo-[3.3.1.0^{2,7}]nonen-8-ones, 4729
oxidative cyclisation of N^6-benzoyladenosine derivs, formation of quinazolinopurine ring system, 207
p-styrylstilbenes, trans cis isomerisation, 3493
photolysis of 2-n-diphenyl-cycloalkanones, magnetic isotope effects in biradicals, ^{13}C enrichment and a novel mechanistic probe, 2929
photolysis of acyl azides, nitrile oxides and 1,4,2-dioxazolinones yield acyl nitrene products, 1097
photolysis of dibenzyl ketone adsorbed on faujasite zeolites, products determined by framework composition(Si to Al content) and exchangeable cations, 5637
photolysis of enol acetates of 3-phenylpropiophenones to 1,4-diketones via 1,4-acyl migration, 3613
photolysis of fused cyclopolysulphides, formation of 1,2-dithione and 1,2-selenoxothione, 4833
photoreactive transmembrane probe, synthesis and properties, 5743
prolyl peptides, induced ring opening, 2529
pyranobenzopyrans, synthsis via - reorganisation of 4-oxo-4H-1-benzopyrans, 2049
pyrenediones, reduction and addition, 2057
reaction of benzophenones with haloketene acetals yields oxetanes and tetrahydrofuran carboxylic esters, mechanism via formation of 1,4-diradicals and carbonyl ylides, 4271
reaction of haloarenes with 2-naphthylamide ions, synthesis of 1-aryl-2-naphthylamines, 4653
reaction of indole with naphthalene and phenanthrene in solid state, 6665
rearrangements of bicyclo-[4.2.1]nona-2,4-diene-7,7,8,8-tetracarbonitrile, 6+2 adduct of cycloheptatriene and tetracyanoethylene, 4867
reduction of aryl nitriles and halides with borates and borohydride by electron transfer mechanism, 5295
reductive cyclisation of N,N-dialkyl β-oxoamides, formation of 6-membered ring lactams, 4545
reductive cyclisation, application to total synthesis of (±)-hirsutene, 4547
reductive decarboxylation of carboxylic acids via their benzophenone oxime esters, 6207
sensitised conversion of 2'-hydroxychalcones to flavonoids, probable biogenetic pathway, 4615
single electron transfer oxidation of N-hydroxylamines, synthesis of cyclic nitrones, 2649
singlet oxygen reaction with methylenecyclopropanes, formation of 4-methylene-1,2-dioxolanes, 217
skeletal rearrangment of a 2,6-dithiaadamantane-2,2,6,6-tetraoxide deriv during thermal and photo SO_2 extrusion, 5189
smectic liquid crystalline phase, stereocontrolled dimerisation of tetramethyluracil, 3263
steroidal dienol triflate rearrangement, 6557
time sharing gated decoupling NOE (TSD-NOE) new technique using highly selective irradiation frequency, 3353

Photoelectron spectra
nitrile imines, 617

Physical studies
electrical conductivities of CT complexes of dihydroindeno[2.1-a]indene, bisdialkylamino-alkylidene derivs as electron donors and dihydroindeno[2.1-a]indene-5,10-dione-biscyano-imines and bisdicyanomethylene-. dihydroindeno[1.2-b]fluorenes as acceptors, 3083
equilibrium constants, intra-molecular cyclisation of isoquinolinium cations, 3915
equilibrium consts at 25oC, of triphenylmethyl bromide and bromodiazirine, 3763
hydrogenation of lower alkenes, calculated isodesmic enthalpies, 1967
liquid crystalline 2,3,6,7,10,11-hexakis(3-oxaalkanoyloxy)-tripheylene, mesmorphic temp ranges, design principle for mesogen construction, β-oxa modification of tail alkyls, 2269
phosphiniminium cation, conducting and insulating salts with 7,7,8,8-tetracyano-p-quinodimethane, 4465
substituted acetophenone enols and corresponding methyl enol ethers, isodesmic equilibrium in water, 1889
Wittig reactions, application of high pressure, 2191

Pigments
5,6-dihydroxyindole derivs via catecholamines by use of mushroom tyrosinase as oxidant, 3775
5,6-dihydroxyindole-2-carboxylic acid, new intermediate in oxidative conversion to melanin, 467
bilirubin bis-tetra-n-butyl-ammonium salt, reaction with alkyl iodides, methane-sulphonates or p-toluene-sulphonates, prep of mono esters, 1047
bilirubin esters, conformation by CD spectroscopy, 4133
crocin, singlet oxygen reactions, physical and chemical quenching rate constants, 4221
grevillins, synthesis and biogenetic interrelationship with terphenylquinones and pulvinic acids, 4749
physarochrome A, structure and isolation from Physarium polycephalum, 3667
prolucopene, total synthesis, 5751

Piperazines
chiral-, new catalyst for enantioselective addition of dialkyl zincs to aryl aldehydes, 4841
unsaturated diketo-, new synthesis, structure of barettin? 4275

Piperideines
2-cyano Δ^3-, synthesis of 1-substituted benzomorphans, 6179

Piperidines
3-vinylidene-, and pyrrolidines, and perhydroazepines via regiospecific reaction of ω-moncalkylaminopropargyl-trimethylsilane with formaldehyde, 4689
α-activated Δ^1-, and Δ^{1}pyrroline, synthesis and 1,3-dipolar and anionic reactivities, 1397
diketo-, containing hydroxyproline isolated from rabbit skin tissue extract as plant growth regulators, 1285
functionalised-, systems, prep via new synthons,4-acetoxy-5,6-dihydropyridinium salts, 6457
functionalised-, and pyrrolidines, intramolecular cyclisation to ω-primary amino electrophilic olefins, 1757
polysubstituted-, via nucleophilic opening of chiral bis-aziridines, 3341

Piperidones
2,3-disubstituted 4-, approach to synthesis via thio-Claisen rearrangement, 6461

plants
arylpolyene isobutylamides, stereoselective routes, 3857
growth regulators, diketo-piperidine containing hydroxy-proline isolated from rabbit skin tissue extract, 1285
hydantoin growth regulators isolated from inflamed rabbit skin tissue, 4587

hydroxyl inversion, reaction to prepare gibberellin hormones, 6705
phytotoxins, AV-toxins C,D and E from zonate leaf spot fungus of mulberry, structures, 3697
pseudo-gloeosporone, synthesis, 3747
soybean cyst nematode hatching stimulas, stereoselective formation of glyconoeclepin A side chain, 2597
(±)-strigol, novel route to tricyclic precursor, 3091
(+)-strigol, total synthesis, 3095

Platinum and compounds
chloroplatinic acid catalysed hydrosilylation of 2-methyl-1-buten-3-yne with chlorosilanes, reinvestigation, 3719
nucleoside complex linked through a Pt-C δ-bond, synthesis and characterisation, 2757

Polycyclic aromatic compounds
1-norbornene, generation and rearrangement in pyrolysis of 1-sila-2-oxynorbornanes, 6421
1,2-di(9-anthryl)-1-hydroxy-propene, synthesis and photo-isomerisation, 1323
2-carboethoxytricyclo-[5.2.0.^{2},^{8}]decadienone, angular alkylation, skeletal rearrangement of alkyl enones formed to bridged ketones, 3027
4-acetylamino-99a-acetoxy-1,9,10-anthracenetrione, synthesis, structure and reactivity, 4109
5,6-exo-epoxy-7-oxa-2-bicyclo-[2.2.1]heptanone and derivs, acid catalysed rearrangements, facile migration of acyl groups, 1523
7,7-carbomethoxy-7H-benzocyclo-heptene and 7,7-dimethyl-7H-benzocycloheptene, cyclo-additions with 4-phenyl-1,2,4-triazoline-3,3-dione, cyclo-heptatriene-norcaradiene equilibrium, 555
8,8.9,9-tetramethylacenaphtho[1.2-b]-1,4-dioxin, dual reaction pathways for ozonation and chemiluminescence, 329
9,10-phenanthrenequinones, twisted, chromatographic enrichment of enantiomers and barriers to racemisation, 3479
9,11,20,22-tetraphenyltetrabenzo-[a,c,1,n]pentacene-10,21-dione, solid state structure of longi-tudinally twisted molecular ribbon, 291
α-nitratomethylbenzoin, photodecompsition studied by ESR, 2163
anti-9,18-dimethyl-2,11-diselena[3.3]metacyclophane, selenoxide elimination apllied to synthesis of dimethyl-dihydropyrene, literature correction, 5119
benzo[f]ninhydrin, new synthesis, 6539
betaenone B and stemphyloxin 1, syhthetic studies, diastereo-control of Claisen rearrangement by substituents external to pericyclic array, 3065
bicyclo[2.2.2]octane derivs, optically active, synthesis via asymmetric sequential Michael reaction, 6641
C_2-symmetric bis-dienophile, double Diels-Alder reaction, new enantioselective approach to natural loganin, 3991
cathodic reduction of stilbene and phenanthrene activated by arene-chromium tricarbpnyl complexation, 1349
cyclobuta[a]naphthalene and -anthracene derivs, synthesis and reactions, 709
crystalline dinbenzobarrelene, irradiation leads to dibenzo-semibullvalene, 1741
dechloromikrolin, total synthesis and structural reassignment with biosynthetic implications, 3663
dibenzo[a.c]cyclooctene and its dihydro and tetrahydro derivs, barriers to ring inversion by racemisation and NMR bandshape studies, 1537
dibenzylbutanolide lignans including cordigerines, synthesis and transformation into diarylbutane lignans, oxidative coupling of latter using RuO_4 or Tl_2O_3 to give deoxyschizandrins, 5161
dibenz[a,c]anthracene 1,2-oxide, oxygen-walk rearrangement and synthesis, 6395
dibenz[a,c]anthracene, dihydrodiols, synthesis, 4363
dihydroindeno[2.1-a]indene, bisdialkylaminoalkylidene derivs as electron donors and dihydroindeno[2.1-a]indene-5,10-dione-biscyanoimines and bisdicyanomethylene-dihydroindeno[1.2-b]fluorenes as acceptors, prep and CT complexes with electrical conductivities, 3083
dihydrophenanthrene from Clusia paralycola, 563
forskolin, reconstituted ring C of its degradation product dihydro-pyran-4-one, 2339
goniothalamin and its oxide, isolation as active embryotoxic and tetragenic components of Goniothalamus macrophyllus, 2541
heteroaromatic containing electroactive polyaromatics of known linkages, order, topicity and stoichimetry, synthesis, 5213
khellin, bromofluorination, 4003
liquid crystalline 2,3,6,7,10,11-hexakis(3-oxaalkanoyloxy)-tripheylene, mesmorphic temp ranges, design principle for mesogen construction, 8-oxa modification of tail alkyls, 2269
macrocyclic plagiochins A,B,C and D with biphenyl linkage between o-positions to benzyl methylenes from Plagiochila acanthophylla, 6295
(+)-mikrolin from Gilmaniella humicola total synthesis, 3659
(±)-ochromycinone, naturally occurring benz[a]anthraquinone, new synthesis, 3107
olivin and chromomycinone, via Pd-catalysed reduction of phenols produced in benzannulation of Cr carbene complexes, 1381
p-styrylstilbenes, trans cis photoisomerisation, 3493
perhydro-as-indacenes, photo-thermal metathesis approach, construction of carbocyclic segment of ikarugamycin, 1467
phenanthrene and naphthalene, photoreaction with indole in solid state, 6665
polycyclic bisadducts from $C_{7}H_{8}$ hydrocarbons, synthesis via sequential ($\pi^2+\pi^2+\pi^2$) and ($\pi^2+\sigma^2+\sigma^2$) cycloaddition, 3927
polyphenyls, construction via iterative ortho metallation-cross coupling tactics, 5097
prenylated anthranoid, novel type, from Psorospermum glaberrimum, 567
pyrenediones, photo-reduction and photo-addition, 2057
(±)-silphinene, alternative routes via radical cleavage of cyclobutanes, 5063
strobilurin A and its (9E)-isomer, stereocontrolled synthesis, 475
tetrabenzoylethylene, photoisomerisation mechanism, 5137
tetrabenzo[b,h,n,t]tetrphenylene, synthesis and crystal structure of its 1:1 clathrate inclusion compds with p-xylene, 6359
tetracyclic polyketal, structure and isolation from Laurencia chilensis, 4031
tricyclic compds via sequential intramolecular Michael addition and alkylation of cyclic β-ketoester ynones, 3457
tricyclic p-tolylsulphonylmethyl enones, remote electronic control in LAH reduction, 3147
tricyclic taxane model, saturated, synthesis and stereochemistry, 5275
tricyclo[4.2.2.0]dodeca-8,11-diene-9,10-dicarboximides, N-substituted, prep via photo-induced para-cycloaddition of N-substituted phthalimides to cyclohexene, 1869
unsymmetrical biaryls, new synthesis via electro-chain reaction of $S_{RN}1$ type, 6171
unsymmetrical biphenyls and m-terphenyls via Pd-catalysed cross coupling of aryl boronic acids(obtained by ipso borodesilylation) with aryl bromides, 5093

Polycyclic cycloalkanes
1,7-dicarbomethoxytricyclo-[3.3.1.0^{2},^{7}]nonan-4-one, stereoselective fragmentation to potent chorismate mutase transition state inhibitor, 6253
2,4-dimethylenetricyclo-[3.3.0.0^{3},^{7}]octane and 2,9-dimethylenetricyclo[4.3.0.0^{3},^{8}]nonane, synthesis and through-space interactions, 6151
3-alkyl-cis-bicyclo[4.3.0]non-3-ene derivs, stereo- and regio-controlled construction, synthesis of potent homoiso-carbocyclin analog, 1893
3-oxo-2-oxabicyclo[2.2.0]hexane type stereoisomeric β-lactones via intramolecular [2+2]-cycloaddition of γ-oxoketenes, 6529
9,10-dimethylenetricyclo-[5.3.0.0^{2},^{8}]deca-3,5-diene, prep and thermal stability, 4965
10-oxatricylo[5.2.1.0^{2},^{6}]deca-dienones, sulphone mediated synthesis of cyclopentadienone epoxides, route to epi-pentenomycins, 1329
benzotricyclo[3.3.1.0^{2},^{7}]nonen-8-ones, revised mechanism for formation via photochemistry of 1-allylnaphthalene-2-(1H)-ones, 4729
bicyclo[2.1.0]pentane, conversion into 2,3-dioxabicyclo-[2.2.1]heptane via t-butyl peroxymercuriation, 2783
bicyclo[2.1.1]hex-2-ene, annelated with tropylium ion, stabilisation due to σ-π conjugation vs destabilisation due to Mills-nixon type π-bond localisation, 5889
bicyclo[2.2.2]octan-2-ol, Wagner-Meerwein rearrangement directed

by trimethylsilyl group, 6343
bicyclo[3.2.1]oct-6-enes, direct route via [3+2] cycloaddition of alkynes to allyl cations, 235
bicyclo[3.2.1]octanes, synthesis via tandem Diels-Alder carbocation cyclisation, 4943
bicyclo[3.2.1]octenes or annulated cyclopentenes by controlled rearrangements of vinylcyclopropanes, 167
bicyclo[3.3.0]oct-1-en-3-one derivs, stereoselective synthesis, 4745
bicyclo[3.3.0]oct-2-ene derivs, optically active, synthesis based on asymmetric elimination, 6489
bicyclo[3.3.1]nona-1(2),4(5)-diene(Z,Z)ring system, thermal generation, 735
bicyclo[4.2.0]octa-2,7-dienes, synthesis via photocycloaddition of enol ethers to 2-substituted anisoles, 5909
bicyclo[6.4.0]dodecadienes, prep, allylic stereoinduction and modelling studies; intramolecular Ni-catalysed [4+4] cycloadditions, 2451
bicyclo[6.4.0]dodecanes and bicyclo[5.3.1]undecanes, angularly alkyl substituted, efficient route, 2221
bicyclo[n.1.1]alkylium cations, rearrangements, 3869
cubane, Zn, Cd, Sn and Si derivs, synthesis, 1055
cyclopentannulated barbaralones by irradiation of 2-alkynyl tropones, 607
dicyclopenta[cd,gh]pentalene, general approach to synthesis of polyquinenes, 4821
norbornadiene/quadricyclane systems, sterically fixed, intercyclic vs intracyclic [π2+σ2+σ2]/[π2+π2] cycloaddition reactions, 4399
norbornene polymerisation with $RuCl_3.3H_2O$, stereochemistry modified by addition of formamide to 1-BuOH, 2343
pentaprismane and hexaprismane, ab initio study of structures and energies, 5787
polyquadricyclanylidene [n]rotanes, cooperative [2+2+2] cycloaddition, model studies in tris-spiro(C_4H_4) systems, 4403
tetracyclo[5.1.0^{1},^{5}.0^{2},^{7}]octane, unexpected addition reactions and new synthesis, 3099
tricyclo[2.1.0.0^{1},^{3}]pentane, intermediate in reaction of MeLi with 1,1-dibromo-2,3-bis(chloromethyl)cyclopropane, 5411
tricyclo[3.3.0.0^{3},^{7}]octane skeleton, new synthetic entry, 1831
tricyclo[5.4.0.0^{3},^{9}]undecane skeleton, new route, 1985
tricyclo[6.3.0.0^{1},^{5}]undecan-5-one, unusual rearrangement, 3979
tricyclo[8.2^{1},^{10}.0^{1},^{7}.0^{4},^{10}]-1(7),4(10)-dodecadiene, attempted synthesis, 3209
(±)-valerane, synthesis, 589
vinylbicyclo[3.1.0]heptenes, Diels-Alder reactions, 3201

Polycyclic heterocyclic compounds

1-vinyl-4-methyl-2,6,7-trioxabocyclo[2.2.2]octanes, an unsaturated homoenolate anion equivalent, prep, 2335
1-2λ^{5}-benzazaphosphinine ring, via intramolecular cycloondensation of phosphine imides, 4327
1,2,3,4,4a,5,6,11c-octahydro-3-methyl-7H-pyrido[3.4-c]carbazole, conformationally restricted, synthesis, 3423
1,3λ^{5}-azaphospholo[1.2-a]pyridine, 1,2λ^{5}-diazaphospholo[1.5-a]-pyridine, 1,3λ^{5}-azaarsolo[1.5-a]pyridine and 1,2,4λ^{5}-diazaarsolo[1.5-a]pyridine, prep, 1511
1,4-substituted phenanthrenes and 1,8-substituted naphthalenes, internuclear distances of Cl and Br atoms, 6239
1,8-diazabicyclo[5.4.0]undesen-7, treatment with N-acetylsporaviridins, isolation of pseudoaglycones and viridopentaoses, 1917
2-phosphabarrelenes via Diels-Alder reaction of anthracenes with phosphaalkynes, 5141
2-phosphabicyclo[2.2.2]octa-5,7-dienes, thermolysis, generation and trapping of 2-phenyl- and p-phenylphosphaethene, 5783
2H-pyrrolo[3.4-b]pyridine and 2H-pyrrolo[3.4-c]pyridine, synthesis of parent ring system and Diels-Alder reaction, 1419
2H-1,3-benzoxazine-2,4(3H)-diones, formation via enzymatic cyclisation of 2-carbamoyloxy benzoates, 2425
2H-3,1-benzothiazine-2-thione derivs, stereoisomers, prep, 571
2,3-dihydro-2-aryl-4-R-[1]benzopyrano[4.3-c]pyrazole-3-ones, correct synthesis, 5165
2,3-dioxabicyclo[2.2.1]heptane by conversion of bicyclo[2.1.0]-pentane via t-butyl peroxymercuriation, 2783
(2,3-diphenyltetrazol-5-ylio)phenolates, quinonoid mesions, synthesis and properties, 4289
2,4,6-triaryl-1,3λ^{5}-azaphosphinines, prep via rearrangement of 3-azapyrylium salts with tris(trimethylsilyl)phosphane, 1093
2,6-dioxabicyclo[3.2.1]octane ring system, viz in aurovertin A, synthesis based on biogenetic model using epoxide cyclisation steps, 2771
2,7-dioxabicyclo[4.1.0]heptanes, prep from 1-bromo-4-acyloxybutane derivs, and intramoleculsr Darsens reaction of ester group with active halogen group, 4573
3-azabicyclo[3.2.0]hept-2-ene 3-oxide, highly strained bicyclic nitrones, 267
3-azabicyclo[3.1.0]hex-2-ene 3-oxide, synthesis and cycloaddition, 267
(3R,Ss)- and (3S,Ss)-3-hydroxymethyl-3,4-dihydro-5-(p-tolyl)sulphinyl-2H-pyrans, 6-substituted, selective formation, 3131
3,4-diazabenzvalene, azoalkane precursor of tetrahedrane, synthesis and reactivity, 5263
4-acyloxy-7-oxo-1-azabicyclo-[3.2.0]hept-2-ene-2-carboxylates, synthesis, 1561
4-ethylidene-hexahydro-1,5-methanoazocino[4.3-b]indoles, direct entry via Strychnos indole alkaloid synthesis, 4457
4,9-diethoxy-5,6(7),8-trimethoxy-1,3-dihydronaphtho[2.3-c]furan-1-one, key synthon of fredericamycin A, synthesis, 451
5H-cyclopropf[f]isobenzofuran and 5H-cyclopropa[f]benzothiophene, prep, 4217
6-methoxycarbonyl 7-oxabicyclo[2.2.1]hept-2-enes, rearrangements under Prevost's reaction conditions, 3865
6,7-bis(chloromethyl)-8,9-bis-(methylene)-2-oxabicyclo[3.2.1]-nonan-3-one, reactivity and synthesis via regioselective tandem diels-Alder additions, 2239
7-isopropylidene-2,3-dioxabicyclo[2.2.1]heptane, thermal decomp, allene oxide and cyclopropanone intermediates? 3779
7-oxabicyclo[2.2.1]hept-5-en-2-one, stereoselective reaction with organocuprates, 5547
9-(alkyoxycarbonylalkyl)pyrido-[1.2-a]pyrimidines, synthesis via facile ring cleavage of cyclic ketones, 1527
9-ethoxy-4,5,6,8-tetramethoxy-1,3-dihydronaphtho[2.3-c]furan-1-one, key synthon of
9-phosphabicyclo[6.1.0]nonatriene system, special properties imparted by a P-(2,4,6-tri-t-butylphenyl) substituent; ^{17}O NMR of bicyclic phosphirane oxide, 1077
α-thio-N-heterocycles, synthesis from O-silylated ketene acetals, by intramolecular Pummerer-type rearrangement of ω-amidosulphoxides, 6479
acyloxy-9-borabicyclo[3.31]-nonanes, stepwise treatment with t-BuLi and 9-borabicyclo-[3.3.1]nonane in transformation of carboxylic acids to aldehydes, 6231
acyloxy-9-borobicyclo[3.3.1]-nonanes, reaction of with lithium 9-boratabicyclo[3.3.1]-nonane, one-pot conversion of carboxylic acids to aldehydes via 4575
aerothionin and psammaplysin-A, spirocyclic systems, oxidation of possible biological precursor, 4969
angelicin, olivin and chromomycinone, via Pd-catalysed reduction of phenols produced in benzannulation of chromium carbene complexes, 1381
azabicycles, enantiomerically pure, synthesis via diastereoselective alkylation of 5-ethoxy-4(S)-hydroxy-1-isopropyl-2-pyrrolidinone dianion, 1581
benzo[c]phenanthridine skeleton entry via intermolecular benzyne cycloaddition, 2407
bicyclic heterocycles or enone aldehyde via conversion of ketoacetals formed from hemiacetal vinylogs by reaction with cyclic enol ethers, 3337
bicyclic pyrazolidinones, new antibacterial based on β-lactam model, 285
bicyclic pyrazolidinones, steric and electronic effects on antibacterial activity, 289
bicyclo[4.2.1]nona-2,4-diene-7,7,8,8-tetracarbonitrile, 6+2 adduct of cycloheptatriene and tetracyanoethylene, photo rearrangements, 4867
bis 2,3-quinoline fused deriv of tetracyclo[6.2.1.0]undecane, prep, 3319
cephalotaxus alkaloids, stereoselective synthesis of related azaspirolactam, 577
cycloocta[2.1-b:3.4-b']diquinoline and cycloocta[2.1-b:3.4-b']di[1,8]naphthridine, synthesis and x-ray structures

of cycloocta[2.1-b:3.4-b']-diquinoline and its 2:1-complex with copper(1)perchlorate, 5833
cytotoxic furanonaphthoquinone natural products, via ortho metallation-based route, 6561
dihydropyrazolo- and dihydro-pyrimidino-acridines, access via nitracrine reduction, 5029
dihydropyrrolo[2.3-b]pyridines, synthesis via intramolecular Diels-Alder reactions of 1,2,4-triazines, 379
endo-1,3-dimethyl-2,9-dioxa-bicyclo[3.3.1.1]nonane, stereo-selective synthesis, 395
endo-1,3-dimethyl-2,9-dioxabicyclo[3.3.1]nonane, stereoselective synthesis, 4773
eudistomins C,K,E,F and L, stereochemistry, 1825
furo[3.2-b]benzofuran nucleus, route to via 1,4-addition of 2-trimethylsilyloxyfuran to quinones, 4891
furo[3.4-b]indolizidine-2-one via intramolecular reactions of 2-(azidobutyl)-1,4-benzoquinones, 4929
halichondrins, synthetic studies, 3463
heterocyclic annelated pyridines, synthesis via intramolecular Diels-Alder reactions of pyrimidines, 1589
heterocyclic benzoquinones, prep from the same orthoquinonic synthon, 4675
indolo[2.3-a]quinolizine, flavopereirine, flavocarpine and dihydroflavopereirine, zwitterionic indole alkaloids, metallation synthesis, 5259
isomeric 2-hydroxy-2-methyl-7-oxabicyclo[2.2.1]hept-5-enes, regio-and stereoselective addition of PhSeCl and PhSCl, 5549
macrocyclic 13-membered triene with tetrasubstituted enol ether as dienophile, synthesis and transannular reaction, 5255
macrocyclic cis,trans,trans 13-membered trienone, synthesis and transannular Diels-Alder reaction, 5249
macrocyclic polyethers incororating two dihydroxy-naphthalene residues, complexation of diquat and paraquat, 6367
macrocyclic trans,cis,cis 13-membered trienone, synthesis and transannular Diels-Alder reaction, 5253
methylviologen, rate of homogeneous electron transfer in self-exchange reactions, 5335
N-(2-ethylsulphinylphenyl)pyrrole, reaction with $POCl_3$/DMF produces 1- and 3-pyrrolo[2.1-b]benzothiazole carbaldehydes, 3535
N-acetylsporaviridins, total structure via degradation to pseudoaglycones, 1921
N-trifluoromethane sulphonyl-heteroarylium salts, reaction with phosphanes to give C-4 or C-2 substituted products, 2675
navenone A, via application of synthesis of ω-substituted conjugated polyenones via arsonium salt, 2155
new liquid crystalline viologens with electric stimulus-response behaviour, 6475
nortropane and nortrop-6-ene derivs, simple approach, 5937
oblique bis-porphyrin system containing 1,10-phenanthroline spacer, synthesis, 5829
optically active macrocyclic host incorporating an unnatural isoquinoline alkaloid as chiral building block, synthesis and formation of diastereomeric complexes with (R) and (S) naproxen, 2443
phenazine derivs, polycartine A and B from Idesia polycarpa, 1425
prodigiosin with pyrrolyl-pyrromethane skeleton, total synthesis, 2499
pyranobenzopyrans, synthsis via photoreorganisation of 4-oxo-4H-1-benzopyrans, 2049
pyrazolo[3.4-d] and 1,2,3-triazolo[4.5-d]pyrimidine derivs, prep via tandem aza-Wittig reaction/electrocyclic ring closure for synthesis of fused pyrimidines, 4451
pyrimido[4.5-b][1,4]diazepine, naturally occurring, synthesis of 6-acetylhomopterin, 5331
pyrimido[4.5-e]1,2,4-triazines, conversion to pyrido[2.3-d]-pyrimidines, 1977
pyrrolophenanthridone alkaloids, new approach via allene intramolecular cycloaddition, total synthesis of hippadine, 5895
quinazolinopurine ring system, formation via oxidative photo-cyclisation of N^6-benzoyl-adenosine derivs, 207
(R,R)-6-alkoxy-2-triphenylphosphoniomethyl-dihydropyran iodide and diacetonide of 6-deoxy-aldehydo-L-glucose, synthesis of (+)-anamarine, 6437
ring fused 2-cyclopentenones, synthesis via one-step annulation, 5241
(±)-teleocidin B-3 and B-4, total syntheses, 3671
tetraselenafulvalene, precursor, prep of 2-methylene-1,3-diselenole, 5635
thiochromanes, 4-substituted, synthesis from α,β-unsaturated carbonyl compds and thio phenol, 1417
thyrsiferol, A-B-C-ring segment, synthesis via construction of strained tetrahydropyran ring as a boat form, 5665
thyrsiferol, synthetic studies, 4993
transition metal induced selective alkaline metal ion tranport by synthetic ionophore with double recognition sites for metals, 6211
trisubstituted pyrrolidines, optically active, via Claisen rearrangement of azalactones, 3031

Polyenes
bifunctional all-trans poly-olefinic chains via reaction of aldehydes with trienic phosphorane, 1151
bioactive marine metabolites, absolute configuration of petrosynol and petrosynone, antimicrobial C_{30} polyacetylenes from Petrosia sp., 4313
citreomontanin and C_{18}Z isomer, total synthesis, 2455
inter- and intra-molecular epoxidation using silyl-protected peroxy esters and Cu salt, 1909
new C-11 odiferous hydrocarbons from Dictyopteris membranacea, 307

Polyethers
macrocyclic-, incororating two dihydroxynaphthalene residues, complexation of diquat and paraquat, 6367
macrocyclic, novel crown derivs incorporating a diaminophosphine group, 3577
macrocyclic trichothecenes, prep of 4,15-polyether analogs, 2653
macrocyclic trichothecenes, prep of 3,4- and 8,15-polyether analogs, 2657
synthesis using polyepoxide cyclisations, 5205
yessotoxin-, implicated in shellfish poisoning, isolation and structure, 5869

Polymerisation
and cyclisation in polycondensation reactions of two symmetrical monomers, kinetics, 419
co-, of mesi(2-pyridyl)$_2$(CH=CH$_2$) with styrnes and divinylbenzene, new bis(2-pyridyl)silane ligands, 3233
norbornene with $RuCl_3.3H_2O$, stereochemistry modified by addition of formamide to 1-BuOH, 2343

Polymers
C-terminal peptide amides, new acid-labile anchor group for solid phase synthesis by Fmoc method, 2107
heteroaromatic containing electroactive polyaromatics of known linkages, order, topicity and stoichimetry, synthesis, 5213
lipases as stereoselective catalysts in polycondensations between racemic diesters and achiral diols in organic solvents, 1607
oligodeoxyribonucleotides, cyclic, solid phase synthesis, 5727

Polyenones
ω-substituted conjugated-, via arsonium salt, application to synthesis of navenone A, 2155

Polymorphs
new diterpene with two polymorphic modifications from marine alga, 6699

Porphyrins
1,5-diphenylimidazole rate enhancement of cytochrome P-450 modelling oxygenation of olefins within space-restricted cavity of iron "NINAP porphyrin", 4553
5,10-diaryloctaethyl-, with C_s symmetry, prep and optical resolution, 4853
5,15-bis(8-quinolyl)- and -bis(2-pyridyl)octaethylporphyrin, prep, stabilities of atrop-isomers and metal-ion binding properties, 2143
meso β-pentano-, related to petroporphyrins, synthesis, 6265
metallo-octaethyl-, tritium meso-exchange, 5453
Mn(III)-, improved yields from periodate oxidative desulphur-isation and deselenation at pentacovalent P, 2981
oblique bis-, system containing 1,10-phenanthroline spacer, synthesis, 5829
quinone-linked-, dimer, synthesis and optical properties, 6569
tetramesityl-, improved synthesis, 3069
with 4 exocyclic rings, synthesis via 4,5,6,7-tetrahydroindoles,

1135

Prenylation
regioselective-, of 2-trimethylsiloxyfuran, direct synthesis of (±)-eldanolide, 949

Propellanes
[1.1.1]-, reaction with electron deficient alkenes and alkynes, 151
hetero-bridged-, synthesis via disubstituted cyclobutadienes, 6507
or cedrane skelton via cyclisation of butynylbicyclooctanone, 3923

Prostacyclins
3-alkyl-cis-bicyclo[4.3.0]non-3-ene derivs, stereo- and regiocontrolled construction, synthesis of potent homoisocarbocyclin analog, 1893
allene-carbacyclin, stereocontrolled synthesis, application of molecular mechanics to organic synthesis, 299

Prostaglandins
13-hydroxy-, endoperoxide, enzymatically formed and structure of $F_{2\alpha}$ isomers, 5655
17-(4-azido-2-hydroxyphenyl)-18,19,20-trinor-, $F_{2\alpha}$, photoactive, synthesis via nitenium cyclisation, 43
isocarbacyclin (+)-9(O)methano-Δ$^{6(9\alpha)}$-PGI$_1$), chiral synthesis of intermediate via RH-catalysed intramolecular C-H insertion, 637
Y-halo allylic alcohols and propargyl alcohols with high optical purity, 2033

Prostanoids
marine-, biosynthesis by 2-oxidopentadienyl cation pathway, 4247
preclavulone, biomimetic synthesis, 3547
punaglandin total synthesis, 333

Protecting groups
3,4-dimethoxybenzyl group for 2-imino-imidazolidine derivs, 6453
(phenyl)benzyl ethers, microscale cleavage by ferric chloride, 3823
amines with 1-isopropylallyloxycarbonyl group and deprotection catalysed by Pd-phosphine complex, 2737
effect on chelation control, 279
Fmoc group removal with tetrabutylammonium fluoride, 6617
for carbonyl groups, acetals and ketals of 2-(2-pyridyl)propane-1,3-diol, 1195
glucal and galactal, direct 3,6-di-O-protection, 1981
in sugar moiety, regioselective lithiation control in entry to 5-substituted uridines, 87
inter- and intra-molecular epoxidation using silyl-protected peroxy esters and Cu salt, 1909
L-(-)-rhodinose and C$_4$ OH protected deriv, non-congener based synthesis, 4381
new (butylthio)carbonyl group for guanine residue in oligoribonucleotide synthesis, 5713
new base-, removal in oligonucleotide synthesis, 51
new fluorescent 5'-, purification of oligonucleotides by 1,1-bis-(4-methoxyphenyl)-1'-pyrenyl methyl, 5157
N_G-2,2,5,7,8-pentamethylchroman-6-sulphonyl-L-arginine, new acid labile deriv for peptide synthesis, 2287
O-allyl ether, new protective group for oximes and Pd-catalysed deprotection, 4557
o-iodobenzoyl moiety, 3-OH protecting group in synthesis of 1,2-diacylglycerols, 5005
of alcohols as (p-methoxybenzyloxy)methyl ethers, 5125
photolabile-, 1-prenylmethyl esters for carboxylic acids, 679
protected branched triribonucleoside diphosphite unit, use in new synthesis of branched oligoribonucleotides, 5691
regioselective addition of primary OH of monosaccharides to alkylisocyanates without protecting groups, 4165
ring protection of 2-O-trifluoromethanesulphonates of galacto- and altro-pyranosides, stereospecific synthesis of α- and β-C-nucleoside intermediates, 3015

Proteins
bovine serum albumin catalysed Weitz-Scheffer condensation, effect or erganic cosolvents on enantioselectivity, 1577

Protonation
diastereoselective-, of carbanions, 5805
of enolates generated via addition of lithium dithioacetate with α,β-disubstituted enones, anti-Houk selectivity, 409

Purines
adenine, anomalous reaction with 4-(hydroxymethyl)benzenediazonium ion, 1015
N6',N9-octamethylenepurine cyclophane, synthesis and ^{1}H NMR, 147
N^6-benzoyladenosine derivs, oxidative photocyclisation, formation of quinazolinopurine ring system, 207
nucleoside oxetanocin, synthesis via first synthesis of intermediate 9-(2-oxetanyl)adenine, 3967

Pyranones
6-alkyl-5,6-dihydro-2H-pyran-2-ones, Pd catalysed stereospecific Michael arylation, 3179
bissetone antimicrobial-, from Briareum polyanthus, 727

Pyrans
2-alkynyl-tetrahydro-, rearrangement, cyclisation of allenol ether formed to 1,6-dioxaspiro[4.5]dec-3-ene system, 3619
2-methoxycarbonyl-2-methoxy-3-tetrahydropyrannols via oxidative cyclisation of 2 methyl 6-hydroxy-2-methoxy-2-hexenoate and heptenoate, 5501
2-siloxy-4H-, via regioselective addition of organocuprates to 2-siloxypyrylium salt and their reaction with electrophiles, 6305
2,2-dimethoxy-3,4-dihydro-, acid catalysed hydrolysis to 3,4-dihydro-α-pyrones and δ-keto esters, 1821
(3R,5S)- and (3S,5S)-3-hydroxymethyl-3,4-dihydro-5-(p-tolyl)sulphinyl-2H-pyrans, 6-substituted, selective formation, 3131
3,6-dihydro-2-cyano-2H-, via cyclisation of Y-allenic cyanohydrins, 3487
4-halotetrahydro-, synthesis via carbonyl compds and allylsilanes in presence of Lewis acids, 973
Δ^3-dihydro-, and tetrahydro-, via reduction of pyrylium salts with sodium borohydride, 1341
a hydro-, template, alternative route to C(7)-C(13) subunit of erythronolides B, 4147
cyclisation of olefinic alcohol by benzeneselenenyl triflate, 4297
derivs, Pd-catalysed synthesis, 6219
dihydro-, Claisen rearrangement to dioxanone, synthesis of C(7)-C(13) fragments of erythronolides A and B, 4143
stereoselective formation of tetrahydrofuran and -pyran via benzeneselenyl triflate, 4415
strained tetrahydro-, ring as a boat form, construction and synthesis of A-B-C-ring segment of thyrsiferol, 5665
tetrahydro-, stereoselective and regiocontrolled formation, intramolecular iron-catalysed ene reactions, 5627
tetrahydro-, substituted, synthesis via Lewis acid promoted condensation of carbonyl compds with alkoxyallylsilanes, 3441

Pyrazinium salts
oxido-, 1,3-dipolar cycloadditions, 2187

Pyrazoles
3,4,4-trimethyl-4,5-dihydro-5-hydroperoxy-3,5-diaryl-3H-, synthesis and reactivity in O-atom transfer, 1963
4-amino-, via ring transformation of 1,2,4,5-tetrazines by cyanotrimethylsilane, 2139

Pyrazolones
dihydro-, intermolecular oxidative cycloaddition, 1059

Pyridazines
fused tetrahydro-, N-N bond, selective reduction and cleavage, route to functionalised lactams, 1573

Pyridines
1-(phenoxycarbonyl)-1,2-dihydro-, prep, 1843
1,4-dihydro-, intramolecular hydride transfer to an α-keto-ester in aqueous soln, lactate hydrogenate model, 2421
2,2';6',2"-ter-, new synthesis of polyaza cavity shaped molecules, 4123
2-substituted 1-(methoxycarbonyl)-1,2-dihydro-, new regioselective synthesis, 4073
4-dialkylamino-, sterically hindered, synthesis, 3733
6-arylmethyl- and 6-(1-E-propenyl)-3-pyridinols, synthesis, 5791
and benzyne, generation via reactions of o-halophenyl (or 3-bromo-4-pyridyl) phenyl sulphoxides with Grignard reagents, 2727
and pyrrole derivs via 1,7-cyclisation of butenynyl nitrones, effect of substituents on the oxaza-cycloallene intermediate, 2689
methoxylamine-, derivs, isolation of niphatynes from Niphates sp,

2467
N-hydroxypyridine-2-thione ester, scavenging of octyl radical, rate constants and Arrhenius function, 1615
new bis(2-pyridyl)silane ligands, prep and copolymerisation of mesi(2-pyridyl)$_2$(CH=CH$_2$) with styrnes and divinylbenzene, 3233
oligonucleotides, solid phase synthesis by phosphoramidite procedure via coupling using 4-dimethylaminopyridine and either tetrazole, 5-(o-nitrophenyl)tetrazole or 5-(p-nitrophenyl)tetrazole, 3643
substituted-, direct fluorination, 255

Pyridinium salts
1-(phenoxycarbonyl)-3-trialkylstannyl-, regioselective addition of nucleophiles, 759
1-(phenoxycarbonyl)-, addition to alkylzinc iodides, 1843
4-acetoxy-5,6-dihydro-, new synthons for prep of functionalised piperidine systems, 6457
dichromate of-,and MeOH in DMF, use in conversion of aldehydes to methyl esters, 3235
N-fluoro-, cyclic carbene as reactive species in base initiated reactions, 2705
new liquid crystalline viologens with electric stimulus-response behaviour, 6475
pyridinium bromide perbromide, oxidation of indoles, synthesis of 7-azaoxindoles, 4027

Pyridones
1-trimethylsilylmethyl-2-, desilylative hydroxyalkylation and acylation, 5419
5,6-dihydro-2-, and 5-amino-2-alkenoates, via reactions of ketene silyl acetals with imine-complexes of TiCl$_4$, 613

Pyrimidines
2,4-dimethoxy-, 5-substituted-, and 5-substituted uracils, Si-mediated synthesis, 5543
alkyl- and phenyl-substituted-, prep, 1929
fused-, synthesis via tandem aza-Wittig reaction/electrocyclic ring closure, prep of pyrazolo[3.4-d] and 1,2,3-triazolo[4.5-d]pyrimidine derivs, 4451
intramolecular Diels-Alder reactions, synthesis of heterocyclic annelated pyridines, 1589

Pyrophosphates
P^1,P^2-dinucleotide-, synthesis, 2763

Pyrones
3,4-dihydro-α-, and δ-keto esters, via acid catalysed hydrolysis of 2,2-dimethoxy-3,4-dihydropyrans, 1821
4-hydroxy-6-methyl-2-, prep of 3-alkyl derivs, Cu-complex protection in regioselective alkylation of methyl 3,5-dioxohexanoate, 3715
dihydro-Y-, derived from forskolin, new preps, 4061
o-phenylenediamines, prep of 1,5-benzodiazepine derivs and benzimidazoles, 1389

Pyrroles
2-(2-phenylsulphinylvinyl)-, synthesis of 4-acylindoles, 3453
3-hydroxy-, new versatile route, 4395
3H-, thermal rearrangement by [1,5]-sigmatropic shifts and reversibility of 3H-to 2H-pyrrole interconversion, 2775
β-cyclooctено-, synthesis of meso β-pentanoporphyrin using MacDonald route, 6265
and pyridine derivs via 1,7-cyclisation of butenynyl nitrones, effect of substituents on the oxaza-cycloallene intermediate, 2689
N-(2-ethylsulphinylphenyl)-, reaction with POCl$_3$/DMF produces 1- and 3-pyrrolo[2.1-b]benzothiazole carbaldehydes, 3535
pentasubstituted-, via double rearrangement of pyrrolidine-1,2-oxide system, 3907
prodigiosin with pyrrolyl-pyrromethane skeleton, total synthesis, 2499
substituted-, prep via reaction of organocuprate reagents with methyl-bis(trimethylsilyl)-aminomethylpropiolate via treatment of intermediate Z-vinyl cuprate with acid chlorides, 2963

Pyrrolidines
3-pyrrolidinone via rearrangement of 5-exo-methylene-isoxazolidine, 755
3-vinylidene-, piperidines and perhydroazepines via regiospecific reaction of ω-monoalkylamino-propargyltrimethylsilane with formaldehyde, 4689
and α-methyleneY-lactam from cyclisation of α-(alkylaminoethyl)acrylate, synthesis of aza-sarkomycins, 6675
chiral 2-cyano-5-oxazolo, asymmetric synthesis, 6175
chiral-, synthon, asymmetric synthesis, new approach to synthsis of alkaloids, 547
cis-2,4-disubstituted-, derivs, stereoselective synthesis via dichloromethyl radical cyclisation of allyl-2,2,2-trichloroethylamine, 3953
functionalised-, and piperidines, intramolecular cyclisation to ω-primary amino electrophilic olefins, 1757
hydroxylated derivs, synthesis, potential SAH/MTA nucleosidase inhibitors, 535
new mechanistic probe and new synthesis of-, intramolecular radical trapping in "set" ring opening of enoyl aziridines, 2511
optically active trisubstituted-, via Claisen rearrangement of azalactones, 3031
(+)- or (-)-trans-2,5-dimethyl-, synthesis from D or L alanine, 2083
pyrrolidine-1,2-oxide system, double rearrangement to pentasubstituted pyrroles, 3907
substituted-, regio- and stereospecific synthesis via thermolysis of oxazolidines and generation of reactive azomethine ylides, 2973

Pyrrolidinones
5-ethoxy-4(S)-hydroxy-1-isopropyl-2-, dianion, diastereoselective alkylation, synthesis of enantiomerically pure aza-bicycles, 1581

Pyrrolines
α-activated Δ'-, and Δ'-piperideine, synthesis and 1,3-dipolar and anionic reactivities, 1397

pyrylium salts
2,6-diisopropyl-, and primary amines , prep of 6,6-dimethyl-2,4-cyclohexadienylidene-1-imines, 3143
3-aza-, rearrangement with tris-(trimethylsilyl)phosphane, prep of 2,4,6-triaryl-1,3λ^3-azaphosphinines, 1093
reduction with sodium borohydride, prep of Δ^3-dihydropyrans and tetrahydropyrans, 1341
synthesis of indolizines, 3145

Quadricyclanes
and norbornadiene, cycloaddition to phosphenium ions, 603

Quinazolinones
cis and trans-1-methyl-3-hydroxy-methyl-, and 1,3-dimethyl-perhydro-, synthesis, 115

Quinolines
1,2,3,4-tetrahydro-, and N-formyl-1,2,3,4-tetrahydroisoquinolines, selective synthesis via Rh-catalysed hydrogenation N-aromaticsunder water gas shift conditions, 77
and indoles, formation by flash vacuum pyrolysis, 5555
bis 2,3-, fused deriv of tetracyclo[6.2.1.0]undecane, prep, 3319
intramolecular cyclisation, Pd-catalysed, synthesis of N-heterocycles, 5291
substituted tetrahydro-2,5-(1H,3H)-quinolinediones, enantioselective synthesis, asymmetric Michael addition/-lactamisation via SAMP-RAMP hydrazones, 3795

Quinolizium salts
cation of-,annelation, cycloaromatisation of α-oxoketene dithioacetals with 2-picolyllithium, 3023

Quinols
steroidal p-, spiran isolation in dienone-phenol rearrangement, 471

Quinones
1,4-addition to 2-trimethylsilyloxyfuran, route to furo[3.2-b]benzofuran nucleus, 4891
2-(halomethyl)-9,10-anthracenedione or triethylammonium deriv, reaction with 2-nitropropane salts by S$_{RN}$1 mechanism, 5531
9,10-phenanthrene-, twisted, chromatographic enrichment of enantiomers and barriers to racemisation, 3479
β-ketoesters to give anthracycline derivs, 2065
an o-quinone monoimide, unusual cycloaddition of 1-acyl indoles, 6691
cycloheptadiene-, and cyclopentene-, systems having electron donating diamino-cyclopropenylidene moiety, electronc structural characterisation, 5683
diphenoquinone-type novel redox systems with 7-membered quinoid

structure, 625
(±)-O-methylperezone, synthesis based on oxidative degradation approach, 5045
o-, addition to
o-quinone 3-methyl-4,5-benzofurandione, prep and dienophilicity, 3427
polycyclic-, biomimetic synthesis, 2017
quinone-linked porphyrin dimer, synthesis and optical properties, 6569
unsymmetrical-, cycloaddition with 1,3,3-trimethyl-2-vinylcyclohexene, regioselective prep of tricyclic terpene ring systems, 5267

Quinoxalines
(±)-amarolide, total synthesis, 435
N-hydroxyquinoxaline-2,3-diones and aza analogs, new route, 6363
quassimarin and related quassinoids, ring A, construction of sensitive hydroxy enone functionality, 2491

Racemisation
9,10-phenanthrenequinones, twisted, chromatographic enrichment of enantiomers and barriers to racemisation, 3479
and NMR bandshape studies, barriers to ring inversion in dibenzo[a.c]cyclooctene and its dihydro and tetrahydro derivs, 1537
levels, during two typical thiol capture couplings, in peptide synthesis by prior thiol capture, 3435
phenylglycine catalysed by pyridoxal, catalytic effect of phosphate ion, 5695

Radicals
2-methylenecyclohept-3-en-1,5-diyl has triplet ground state, 6501
2,2-dimethyl-1,3-cyclopentadiyl triplet diradicals, "through-bond coupling" effects in lifetimes via UV laser photochemistry, 4407
acyl-,(from acylcobalt salophens), inter- and intra-molecular oxidative addition to activated C=C leading to enones and functionalised ring systems, 5949
alkoxy-, β-fragmentation, approach to synthesis of ring A of vernolepin, 3397
alkoxy-, new approach to spiroketals, 4011
alkoxy-, tandem β-fragmentation-intramolecular functionalisation, approach to synthesis of limonin, A and A' rings, 981
alkyl-, prep and use in selective formation of C-C bonds, 6373
benzoyl benzoylmethyl nitroxide-, formed in photodecompsition of α-nitratomethylbenzoin studied by ESR, 2163
carbonyl and vinyl-, of alkenes, effect of ring size on cyclisation, 2895
carbonyl group stabilisation of-, solvent effects on decomp of azoalkane, 4255
cleavage of cyclobutanes, alternative routes to (±)-silphinene, 5063
consecutive radical cyclisation-elimination, stereospecific formation of exocyclic alkene, 2941
correlation of singlet biradical reactivity in tetramethylene-ethane and trimethylenemethane series, 4263
dichloromethyl-, cyclisation of allyl-2,2,2-trichloroethylamine, stereoselective synthesis of cis-2,4-disubstituted pyrrolidine derivs, 3953
Diels-Alder intramolecular cation radical reactions using trienes which cyclise to hydroindane systems, 927
free-, addition of toluene-sulphonyl cyanide to unsaturated hydrocarbons, 2853
free-, annelation, synthesis of bicyclic β-lactams and synthesis of carbapenams, 2637
free-, cyclisation approach to hydroxybenzofuran related deriv of avermectins, 2001
free-, cyclisation of methyl pimarate, prep of steroids, 2127
free-, reactions stereoselectivity, 4205
free-, relay chlorination of steroid, thioxanthone system as template, 3187
group VI-, thioketones as spin traps, 3737
intramolecular trapping in "set" ring opening of enoyl aziridines, new mechanistic probe and new synthesis of pyrrolidines, 2511
Mn(III)-mediated radical cyclisation of ω-unsaturated β-dicarbonyl compds, factors affecting phenol and cyclopentanone synthesis, 6109
N-acetylamino acids and N-alkylacetamides, selective Y-H abstraction with titanous ion and H_2O_2, 2747
octyl-, scavenging by N-hydroxypyridine-2-thione ester, rate constants and Arrhenius function, 1615
superoxide and ozonate radical-ions, reaction with 9,10-dichloro-9,10-diphenyldihydroanthracene, 3279
tetraacetyl-glucosyl-, electron spin resonance studies at 77K, evidence for initial formation of unstable conformer, 1455
trapping agents, homolysis of alkyl Co-salophens, 1451

Reagents
2-nitroethyl phenyl sulphoxide, nitroethylene transfer reagent, synthesis, 2893
2,2,5,5-tetramethyl-2,5-disila-thiacyclopentane, sulphur transfer reagent, prep, 6139
3,4,4-trimethyl-4,5-dihydro-5-hydroperoxy-3,5-diaryl-3H-pyrazoles, synthesis and reactivity in O-atom transfer, 1963
4-methylenecyclopentenes via allylmetallation of 1-silylalkynes by 2-bromo-zincmethyl-2-propenyl ethers followed by Pd-catalysed cyclisation, 2889
70% t-BuOOH and catalytic amounts of chromic anhydride, use in oxidation of benzylic methylene groups, 2131
α,β-unsaturated carbonyl compds, selective reduction, ultrasonically improved by aqueous Zn-NiCl, system, 2347
β-lactam formation from β-amino acids using bis(5'-nitro-2'-pyridyl)2,2,2-trichloroethyl phosphate, 2735
β-trimethylsilylethyl chloroformate, use in selective debenzylation of tertiary alkylamines, 2331
Y-lactones and butenolides, 2135
asymmeric induction, new method in nucleophilic addition of substituted Y- and δ-lactols to Ti-reagents, 6335
azides, reduction to amines using new synthetic reagents $[Et_2NH][Sn(SPh)_3]$ and Bu_2SnH_2, 5941
carbamates and amides, prep via 2,2'-carbonyl-bis(3,5-dioxo-4-methyl-1,2,4-oxadiazolidine, application to synthesis of dipeptides, 5823
carbonylation of benzyl halides using $CoCl_2/NaBH_4/CO/NaOH$ reagent system, 2633
(-)-carvone, regioselective reduction, ultrasonically improved preperties of aqueous Zn-$NiCl_2$ system, 2351
chiral α-methoxy-E-crotyl-boronates, stereoselective C-C bond formation under reagent control of diastereoselectivity, 5303
chloromethylaluminium 2-(2-propenyl)anilide, conversion of lactones into protected hydroxy acids, 3327
cleavage of t-butyldimethylsilyl ether with t-butyl hydroperoxide and dioxobis(2,4-pentanedionato0Omolybdenum(VI) ssystem, 6329
$Cp_2Zr(H)Cl$, Schwartz's reagent, prep, 3895
cyano and fluoro-destannylation using bis(aralkyl)tin sulphides and trialkyltin sulphides, 4373
cyanotrimethylsilane, ring transformation of 1,2,4,5-tetrazines to 4-aminopyrazoles, 2139
diallyl dicarbonate reagent, use in synthesis of allyl carbamates, 5809
direct esterification of carboxylic acids via 2,2'-carbonyl-bis(3,5-dioxo-4-methyl-1,2,4-oxadiazolidine, 5827
efficient fluorinating agent, use of tetrabutylammonium bifluoride, 4733
Fmoc group removal with tetrabutylammonium fluoride, 6617
hydroxylation of organometallic reagents by 2-sulphonyl-oxaziridines, mechanism, 5115
hypervalent iodine-reagents, direct functionalisation of sulphides with formation of methoxysulphonium and amido-sulphonium tosylates, 5431
inter- and intra-molecular oxidative addition, acyl radicals(from acylcobalt salophens) to activated C=C leading to enones and function-alised ring systems, 5949
iodosylbenzene-trimethylsilyl azide-boron trifluoride etherate, direct synthesis of allyl azides, from allylsilanes, 6289
iodoxybenzenediphenyldiselenide reagent system for the intro-duction of O-functionality, into Aspidosperma-type alkaloids, 3307
N,N-dimethylphosphoramidic dichloride, use in prep of β-lactams from acetic acid and imines, 1945
organic halides, Pd-mediated silylation with disilane/F

reagent, 4715
oxidation of fluorinated carbinols using Dess-Martin periodane, 4259
pentalenolactones, synthetic studies, prep of Tsuji's conjugative reagent, 6053
phosphate esters, mixed, new phosphorylating agents for synthesis, 2375
phosphorylating agent for synthesis of oligonucleotide with aliphatic amino group at 5' end, 2611
prepared from $CeCl_3$ and $TMSCH_2MgCl$ for conversion of esters to allylsilanes, 6261
rhodium carbonyl/2-methoxyethanol for decarbonylation of formate esters, 2217
selective complexation of amines with Cu(II) ion-exchanged zeolites, 4389
stereoselective synthesis of trans olefins by reaction of Wittig reagents with selenium, formation of selenocarbonyl compds, 6649
streptolydigin, construction of tetramic acid-derived Emmons reagent and its reactivity with aldehydes, 4385
substituted α-alkoxyorganocuprate reagents, conjugate addition with cyclic enones to homoaldol products, 3911
substituted benzenes, prep via new transfer technqlogy in which transfer reagents are used as synthons or reactive/unstable molecules, 6503
t-butyldimethylsilyl chloride for direct 3,6-di-O-protection of D-glucal and D-galactal, 1981
tertiary amides, conversion to ketones via alkyl and aryl lanthanum triflates, 4391
thexylbromoborane-dimethyl sulphide, direct conversion of saturated and unsaturated carboxylic acids into aldehydes, 2389
tranannular oxidative cyclisation of 1-methylcyclooct-4-en-1-ol and cyclooct-4-en-1-ol with hyperiodine reagents, 5229
transfer reagents, prep for site specific delivery of disubstituted cyclobutadienes and their use in synthesis of hetero-bridged propellanes, 6507
tris(3,6-dioxaheptyl)amine, complexing agent for dissolving metal reactions, 2503
Zn complexes of chiral phenols as catalysts for enantioselective addition of organozinc reagents to aromatic aldehydes, 5237

Rearrangements

2-(azidobutyl)-1,4-benzoquinones to a furo[3.4-b]indolizidine-2-one via intramolecular reactions, 4929
3-azapyrylium salts with tris(trimethylsilyl)phosphane, prep of 2,4,6-triaryl-1,3λ^3-azaphosphinines, 1093
3,3-sigmatropic-, reactions of vinyl selenides with chlorocyanoketene, 4925
4-(4-chlorophenyl)-4-hydroxy-2,3-dimethoxycyclobutenone to 6-chloro-1,4-dihydroxy-2,3-dimethoxynaphthalene and conversion to lopalene, 4507
5-exo-methylene-isoxazolidine to 3-pyrrolidinone, 755
6-methoxycarbonyl 7-oxabicyclo-[2.2.1]hept-2-enes under Prevost's reaction conditions, 3865
acid catalysed-, of 5,6-exo-epoxy-7-oxa-2-bicyclo[2.2.1]heptanone and derivs, facile migration of acyl groups, 1523
acyl silanes, reaction with fluoride ion to give products arising from acyl anion intermediates or rearrangements involving alkyl group migration from Si to C, 4455
allene Claisen-, stereoselective synthesis of functionalised, tetra- and penta-substituted 1,3-butadienes, 789
allylic-, of thiophenyl substituted sulphones, 3193
and generation of 1-norbornene in pyrolysis of 1-sila-2-oxynorbornanes, 6421
asymmetric aza-Claisen-, confirmation of C(1')-(S)-configuration of sesquiterpene (+)-dihydropallescensin, 1031
base induced-, of perhydronaphthalenes to 1,5-cis-fused 10-methylene perhydroazulenes, 3007
bicyclo[n.1.1]alkylium cation, 3869
carbocationic 1,3-alkenyl shift via cyclobutylcarbinyl cation, 387
Carrol-, on the surface of chromatographic grade alumina, ? 4893
Claisen-, by substituents external to pericyclic array, synthetic studies of betaenone B and stemphyloxin 1, 3065
Claisen-, of azalactones, prep of optically active trisubstituted pyrrolidines, 3031
Claisen-, of dioxanone to dihydropyran, synthesis of C(7)-C(13) fragments of erythronolides A and B, 4143
controlled-, conversion of vinylcyclopropanes to either annulated cyclopentenes or bicyclo[3.2.1]octenes, 167
CoTPP-catalysed-, and thermolysis of endoperoxides derived from 2,3-dihydro-1(2H)azulenone, 1689
cyclopropyl methoxyallenyl carbinols promoted by HF-pyridine-metal fluoride, synthesis of 3-fluoroethyl-cyclopentenones, 3119
deep-seated-, of latrunculin B to new biologically active compds, synthesis of 12-, 16-membered macrolides and thiazolin-2-one deriv, 459
dienone-phenol-, of steroidal p-quinols, spiran isolation, 471
double [2.3] sigmatropic-, prep of 2,3-bis(dihenylphosphinyl)-1,3-butadiene via reaction of 2-butyne-1,4-diol with chlorodiphenylphosphine, 1085
double-, of pyrrolidine-1,2-oxide system to pentasubstituted pyrroles, 3907
dyotropic-, new synthesis for substituted spirobutyrolactones, 4787
epoxy alcohol-aldol-, use for stereoselective construction of quaternary C-centers, 5891
epoxy silyl ether-, catalytic version leading to aldol products, 3515
homoallylic-, peracid oxidation of 19-iodo-5-androsten deriv, 5729
intramolecular Pummerer-type-, of ω-amidosulphoxides, synthesis of α-thio-N-heterocycles from O-silylated ketene acetals, 6479
intramolecular-, of thioozonides, sulphine formation without S scrambling, double istope crossover, 4981
Lewis acid-catalysed benzylic hydroperoxide-, use of preformed, aged BF_3/H_2O_2 reagent in efforts directed at total synthesis, CC-1065, PDE-I and PDE-II, 1027
o-selenonium phenoxides, 4007
organoselenium-mediated-, of α,β-epoxy ketones to β-hydroxy ketones, new access to inter- and intramolecular aldols, 4293
oxaziridine - amide-, synthesis of aspartane, 2595
oxidative-, of alkynes to carboxylic acid esters by [hydroxy(tosyloxy)iodo]benzene in MeOH, 2845
oxy-Cope-, synthesis of forskolin skeleton, 5441
oxygen-walk-, and synthesis of dibenz[a,c]anthracene 1,2-oxide, 6395
p-methoxystyrene oxide, reexamination in light of stereoselection in rearrangement of C1-substituted epoxides, 1333
phenol- and Pd(II)-catalysed Claisen-, of cyclic enol ethers, diastereocontrol, 5879
photo-, bicyclo[4.2.1]nona-2,4-diene-7,7,8,8-tetracarbonitrile, 6+2 adduct of cycloheptatriene and tetracyanoethylene, 4867
photo-, of steroidal dienol triflate, 6557
pseudomonic acid A, rearrangement isomers, prep using enzyme catalysed selective deesterification, 5169
pyridinium dichromate induced 1,3-oxidative-, of enynols, 1069
selenium initiated cyclisation-2,3 sigmatropic rearrangement, synthesis of C1 to C10 fragment of milbemycins and avermectins, 3647
sequential Claisen-, of methyl-3-aryoxy-2-(aryloxymethyl)prop-2-enoates, 5327
Si-controlled-, vs Krief-Reich reaction in β-selenOsilyl alcohols, stereoselective synthesis of terminally substituted allylsilanes, 2061
sila-Pummerer-, of 1-phenylthio-1-(trimethylsiloxy)cyclopropanes, 4793
skeletal-, of a 2,6-dithia-adamantane-2,2,6,6-tetraoxide deriv during thermal and photo SO_2 extrusion, 5189
skeletal-, of alkyl enones (formed in angular alkylation of 2-carboethoxytricyclo-[5.2.0^{2,4}]decadienone) to bridged ketones, 3027
solvolytic hydroperoxide-, of cis-5-(4-methoxybenzyl)spiro[5.2]-octan-4-ol cis-1, stereoselective synthesis of trans-fused butyrolactones, 135
solvolytic hydroperoxide-, of spiro[5.2]octan-4-ol, substitution with retention of configuration and ring expansion with inversion of carbinyl center, 131
solvolytic-, in 3-acetoxy-4β,5β-cyclopropanocholestane-19-p-toluenesulphonates, 2901
stereochemistry of 1,2-Wittig-, synthesis of syn-1,3-diol monoethers, 1043
tandem cyclopropanation/Cope rearrangement in [3+4] cycloaddition of vinylcarbenoids to cyclopentadiene 1853
thermal-, of 2-(alkenyloxymethyl)-2-propenylzinc bromides and 2-

(allylmethylaminomethyl)-2-propenylzinc(or Mg) halides, to 5-(1-bromozincalkyl)-3-methyleneoxacycloalkanes and 5-(bromozinc[or chloromagnesium]-methyl)-3-methylene-N-methylpiperidine; isomerisation of former to methylenecyclopentanes, 5929
thermal-, of 3H-pyrroles by [1,5]-sigmatropic shifts and reversibility of 3H- to 2H-pyrrole interconversion, 2775
thio-Claisen-, approach to synthesis of 2,3-disubstituted 4-piperidones, 6461
unsymmetrically substituted ketones involving β-hydroxyalkylselenides, regiochemistry of ring expansion, 1545
unusual-, of tricyclo[6.3.0.0^{1,5}]-undecan-5-one, 3979
Wagner-Meerwein-, of bicyclo-[2.2.2]octan-2-ol directed by trimethylsilyl group, 6343

Receptors
ditopic-, macrotricyclic and macropentacyclic molecules, synthesis, crystal structure and substrate binding, 1989
intercalative inclusion complex, synthesis, structure and binding properties, 6057
opiate-, C-11 labelled diprenorphine, radioligand for positron emission tomographic studies, 4015
opioid-, irreversible inactivation by aryldiazonium ligands, 401

Reductions
1,1-difluoro-1-alken-3-ols with NaBH$_4$ gives 1,1-difluoro-2-alkenes by substitution of OH moiety, 3335
1,3-syn diastereoselective-, of β-hydroxyketones using alkoxydialkylboranes, 155
1,5-asymmetric-, of C_2-symmetric acetalketones, effect of Mg cation, 1671
α,β-unsaturated carbonyl compds ultrasonically improved by aqueous Zn-NiCl$_2$ system, 2347
α,β-unsaturated nitro compds with tributyltin hydride, 5365
Δ^3-dihydropyrans and tetrahydropyrans, 1341
and alkylations of 14-membered ring macrolides, stereoselection, 35
and exchange of halide by aqueous Ti(III)salts at various pHs, mechanism in phenacylhalides, 1541
and oxidation of C=C bonds of 1,1,4,4-tetrakis(trimethylsilyl)butatriene, 1811
asymmetric-, of 3-chloro-2-oxoalkanoates, conversion to optically active 2,3-epoxyalcohols via optically active 3-chloro-2-hydroxyalkanoates, 2709
azides to amines using new synthetic reagents [Et$_2$NH]-[Sn(SPh)$_3$] and Bu$_2$SnH$_2$, 5941
benzylic alcohols to aryl alkanes using Me$_2$SiCl-NaI-CH$_3$CN, application to synthesis of (±)-ar-turmerone, 3817
(+)-camphor using Li, Na and K with sonification, mechanism, 3315
carbonyl compds with hydrosilanes, mechanism using fluoride ion catalysis, 2263
cathodic-, of stilbene and phenanthrene activated by arene-chromium tricarbonyl complexation, 1349
chiral sulphinyl cyclohexanones, 4861
cleavage of disulphides and diselenides to thiols and selenols, 3271
cyclohexadienyl hydroperoxides by photo-oxidation of α-phellandrene and reduction to arene 1,4-hydrates, 6093
dechlorination of 4,4-dichlorocyclobutenones, 3299
diastereo- and enantioselective microbiological-, of 2-methyl 3-oxoalkanoates, 3939
diastereoselective-, of N-diphenylphosphinyl imines and synthesis of axial primary cyclic amines, 5619
electro-, of amide group of echinosporine to alcohol or aldehyde, 4679
electro-, of aromatic compds and esters in liquid ammonia using single-compartment cell with soluble anode, 1173
electro-, of diethyltrichloromethyl phosphonate, prep ofdiethylcholoromethyl and dichloromethyl phosphonates, 3799
electro-, of oxazolinium salts, to acyl anion equivalents and their Michael addition to activated olefins, 4411
electro-, of p-substituted 1,3-phenylpropenone, dimerisation in presence of metals, 1881
electrochemically driven enzymatic-, of pyruvate catalysed by D-LDH, 6583
enantioselective-, of C=C bond of methyl (E)- and (Z)-2,4,4-trichloro-2-butenoate using bakers yeast, synthesis of optically pure L-armentomycin and D-isomer, 1447
enedicarboxylate compds with low valent Ti, 2393
LAH-, of tricyclic p-tolylsulphonylmethyl enones, remote electronic control, 3147
metal-ammonia-, stereocontrol, formation of either cis- or trans-fused decalones from common intermediate, 303
microbial asymmetric-, direct access to functionalised 2R,3R- and 2S,3R-2-methyl-3-hydroxybutyrate synthons via new chiral building blocks, 5033
microbial splitting of N-O bond of dihydrooxazines, 2677
microbial-, of imidazol-1-yl methyl aryl ketones, product stereospecificity, 1487
nitracrine-, access to dihydropyrazolo- and dihydropyrimidino-acridines, 5029
photo-, and photo-addition of pyrenediones, 2057
photo-, of aryl nitriles and halides with borates and borohydride by electron transfer mechanism, 5295
regioselective-, of 2,3-epoxy acetals with zinc-chlorotrimethylsilane and LAH, synthesis of 1,2- and 1,3-diones, 551
selective-, and cleavage of N-N bond in fused tetrahydropyridazines, route to functionalised lactams, 1573
selective-, of α,β-unsaturated esters in presence of olefins, 5287
selective-, of aldehydes in presence of ketone with chlorotrimethylsilane and nickel boride, 5741
selective-, of o-hydroxy or o-amino ketones to alcohols with sodium borohydride-acetic acid, 4725
Si-modified metal ammonia-, of naphthalenes, 2481
SmI$_2$-induced regioselective-, α,β-epoxy esters and Y,δ-epoxy-α,β-unsaturated eaters, route to optically active β-hydroxy and δ-hydroxy esters, 4437
stereoselective-, of bicyclic acetals, method for reductive generation of heterocyclic ring systems, 6613
stereoselective-, of chiral α-keto α,γ-unsaturated acetals, synthesis of both epimeric allyl alcohols by choice of additive, 5681
stereoselective-, of chiral iminium ions, 4511
stereoselective-, of diketones, directive force of TiCl$_4$ which forms a crystalline adduct with 3,3-dimethl-2,4-pentanedione, 4515
stereospecific-, of vinylsulphoxides with possibility of D-labelling, 6565

Regiocontrol
and stereocontrolled construction of 3-alkyl-cis-bicyclo[4.3.0]non-3-ene derivs, synthesis of potent homoisocarbocyclin analog, 1893
and stereoselective formation of tetrahydropyrans, intramolecular iron-catalysed ene reactions, 5627
formation of α-imino acetals and corresponding monoacetal derivs of α-diketones, 4657

Regioselection
1,3-dipolar cycloaddition, nitrile oxide to alkylidenecyclopropanes, 3845
addition of nucleophiles to 1-(phenoxycarbonyl)-3-trialkylstannylpyridinium salts, 759
addition of organocuprate to acetylenic trifluoromethyl ketones, synthesis of unsaturated trifluoromethyl ketones, 5271
addition of primary OH of monosaccharides to alkylisocyanates without protecting groups, 4165
alkylation of methyl 3,5-dioxohexanoate, Cu-complex protection, prep of 3-alkyl derivs of 4-hydroxy-6-methyl-2-pyrone, 3715
and diastereoselectivity in aldol reactions of cyclopent-2-enone, 2-(5H)furanone and derived trimethylsiloxydienes, 985
and stereoselective addition of PhSeCl and PhSCl to isomeric 2-hydroxy-2-methyl-7-oxabicyclo-[2.2.1]hept-5-enes, 5549
and stereoselective, organocuprate induced 1,3- and direcxt substitution in 3-alkyl- and 3,3-dialkyl-1-bromo-1,2-dienes, 6073
deacetylation of peracetylated D-xylal, 5529
(±)-eldanolide, direct synthesis via prenylation of 2-trimethylsiloxyfuran, 949
hydration of alkynones by Pd-catalysis, 3127
hydrolysis of carboxamides with lithium hydroperoxide, 6141
new synthesis of 2-substituted 1-(methoxycarbonyl)-1,2-

dihydropoyridines, 4073
opening of 2,3-epoxy alcohols with organo cuprates, enhanced C-2 selectivity through solvent effects, 5009
prep of tricyclic terpene ring systems via cycloaddition of 1,3,3-trimethyl-2-vinylcyclohexene with unsymmetrical quinones, 5267
reductions of 2,3-epoxy acetals with zinc-chlorotrimethylsilane and LAH, synthesis of 1,2- and 1,3-diones, 551
regio-, stereo- and chemoselectivity, reaction of p-bromobenzaldehyde with α-ethoxycrotyltributyltin, 3935
SmI_2-induced reduction of α,β-epoxy esters and γ,δ-epoxy-α,β-unsaturated esters, route to optically active β-hydroxy and δ-hydroxy esters, 4437
sulphonation of secondary OH groups in cyclodextrins, 321
synthesis of 2-tributylstannyl-1,3-dienes, 347
synthesis of 6-O-acyl-D-glucopyranoses and methyl-6-O-acyla-D-glucopyranosides, 3809
synthesis of vinylic phosphonates with functional groups via reaction of acetoxy allylic phosphonates with nucleophiles catalysed by Pd(0) complex, 1897
t-butyldimethylsilyl ethers of phenols, one step conversion to benzyl or methyl ethers, use in ortho lithiation, 4139
tandem Diels-Alder additions, synthesis of 6,7-bis(chloromethyl)-8,9-bis(methylene)-2-oxabicyclo[3.2.1]nonan-3-one, 2239

Regiospecific syntheses
3-vinylidene pyrrolidines, piperidines and perhydroazepines via reaction of ω-monoalkylaminopropargyltrimethylsilane with formaldehyde, 4689
α-methylene-β-lactams via Pd catalysed ring expansion-carbonylation, 3237
and stereo-specific C-C bond formation of π^4-(trans-dienol)-Fe(CO)$_3$ complexes, 641
and stereospecific conversion of 2,3-epoxyalcohols to 4-(1-hydroxyalkyl)-1,3-dioxolanes, 383
and stereospecific-, of substituted pyrrolidines via thermolysis of oxazolidines and generation of reactive azomethine ylides, 2973
benzoylation of alkyl vinyl ethers catalysed by Pd, 4215
C-4 or C-2 substituted products, via reaction of N-trifluoromethane sulphonylheteroarylium salts with phosphanes, 2675
carbodesilylation and Parham cyclisation prep of 7-methoxyl1-indanols, 2933
hydrocyanation of olefins, 295
lithiation of thiazole- and oxazole-carboxylic acid derivs in homolgation of thiazoles and oxazoles, 3585,
methylation of N^a-desmethylwyosine using organo-Zn, synthesis of wyosine, 3275
prep and allylation of fluoromethyl ketone enol ethers via fluoroolefination of 1,2,3-triol derivs, 1677

Resins
4-alkoxybenzyl alcohol-, improved anchoring to 9-fluorenylmethoxycarbonyl amino acids, 6147
trialkoxydiphenyl-methylester resin, use in solid-phase synthesis of protected peptide fragments, 3787

Resolution
1,3-alkanediols via spiroketals derived from l-menthone, 4843
by biocatalysis using porcine pancreatic lipase of bicyclic intermediate of diterpene forskolin, 1973
enzymatic optical-, and flash vacuum thermolysis in concert, synthesis of optically active cyclopentenones, 357
enzymatic-, of dimethyl α-alkylsuccinates, synthesis of chiral 2-vinylcyclobutanones and cyclohexenones, 4669
HPLC optical-, and absolute configuration of tricarbonyl-(2,3-dihydrotropone)iron, 5873
kinetic-, of 4-hydroxy-2-cyclopentenone by Rh-catalysed asymmetric isomerisation, 4719
new method for amines, application to 3-aminobenzodiazepines, 521
optical-, and prep of 5,10-diarylоctaethylporphyrins with C_2 symmetry, 4853
preparative optical-, of chloromezanone on microcrystalline triacetylcellulose, 3751
transesterification of (±)-sulcatol by porcine pancreatic lipase in ether, enantioselectivity, 2091

Retinoids
7-hydroxy-6-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthyl)-2-naphthoic acid, synthesis of possible metabolite, 4681
9,10- and 11,12-allenic-, synthesis and isomerisation afforded 11-cis, 11,13-dicis and 9,11,13-tricis isomers of 9-t-butyl retinol and 11,13-dicis isomer of 13-t-butyl retinol, 2917
11-cis, 13-cis, 11,13-dicis and 9,11,13-tricis isomers of 19,19,19-trimethylretinal and 13-cis and 11,13-dicis isomers of 20,20,20-trimethylretinal, synthesis and characterisation, 2921
11-cis-, synthesis via cis-selective Wittig reaction of aldehydes with oxido-allylic phosphorane, 65

Rhodium and compounds
catalysed hydrogenation of N-aromatics under water gas shift conditions, selective synthesis of 1,2,3,4-tetrahydroquinolines and N-formyl-1,2,3,4-tetrahydroisoquinolines, 77
catalysed intramolecular C-H insertion, chiral synthesis of isocarbacyclin (+)-9(O)methano-$\delta^{a(\alpha)}$-PGI$_1$) intermediate, 637
cationic Rh complex catalysis, cyclo-codimerisation of 1,3-butadiene derivs with non-activated terminal acetylenes, 3361
complex, catalysis of aldol-type reactions between trimehylsilyl enol ethers and acetals, 6657
Rh(II)acetate catalysed reaction of α-diazoketone to 6-ring carbonyl ylide, 5407
$RhCl_3$-aliquat 336 catalyst system, presence in selective C-C bond hydrogenation of unsaturated nitro compds, 1321
rhodium carbonyl/2-methoxyethanol, use in decarbonylation of formate esters, 2215

Ring contraction
[2,3] Wittig ring contraction, prep of cyclodecenynol and synthesis of germacranolide (±)-aristolactone, 723
[6](3,6)oxepinophanes by means of ruthenium tetroxide, synthesis of furanophanes, 2521
enantioselective [2,3] Wittig-, induced by chiral bases, synthesis and configuration of (+)-aristolactone, 3323
triflates of α-hydroxy-γ-lactones, synthesis of chiral polyfunctionalised oxetanes, 4741

Ring expansion
2-aminomethyl-2-(3-hydroxypropyl)-cyclododecanone, transformation to 12-methylene-15-pentadecanolide, 315
[6]paracyclophane-8,9-dicarboxylic diethyl ester to hexanocyclooctatetraene- and [8]paracyclophane- derivs via twice addition of dihalogenocarbenes, 3483
and retro reaction, of dihalogenocarbene adduct of cycloheptene deriv, 1827
induced by carbenoid type base in adducts of cyclic ketones with bis(phenylthio)methyllithium, 2203
monofluorocyclobutanes by ring expansion-fluorination of cyclopropylmethanols with amine-metal fluoride-pyridium poly(hydrogen fluoride)-complex, 6313
pericyclic ring enlargement of γ-oxoketenes to 5-phenyl-1,3,4-oxadiazin-6-on-2-carboxylic acid methyl esters and their configuration, 6433
ring expansion-carbonylation, Pd catalysed regiospecific synthesis of α-methylene-β-lactams, 3237
stereocontrolled-, sequence, dichlorocyclopropanation and ring cleavage of bridgehead enol lactones, 5623
unsymmetrically substituted ketones involving β-hydroxyalkylselenides, regiochemistry, 1545
with inversion of carbinyl center and substitution with retention of configuration in solvolytic hydroperoxide rearrangement of spiro[5.2]octan-4-ol, 131

Ruthenium and compounds
catalysed selective synthesis of enol carbamates via fixation of CO_2, 4417
complex catalysed intermolecular hydroacylation of olefins, 6229
fluorescent potential hapten, synthesis of catechol covalently bound to tris-bipyridyl complex of ruthenium, 4339
Ru(II)-BINAP complex catalysed asymmetric hydrogenation of unsaturated dicarboxylic acids, 1905
Ru(IV) tetrakis(trifluoroacetate), new oxidising agent, coupling of phenylalkyltetrahydroisoquinolines and synthesis of glaucine, thalicsimidine and homoglaucine plus stereo-

structures of aporphine and homoaporphine, 543
$RuCl_3.3H_2O$ polymerisation of norbornene, stereochemistry modified by addition of formamide to 1-BuOH, 2343
RuO_2 or Tl_2O_3, use in oxidative coupling of diarylbutane lignans to give deoxyschizandrins, synthesis and transformation of dibenzylbutanolide lignans including cordigerines, 5161
tetroxide, ring contraction of [6](3,6)oxepinophanes, synthesis of [6](2,5)furanophanes, 2521

Samarium and compounds
divalent-, induced synthesis of cyclopropanols from ketones and lithium enolates, 1307
SmI_2-induced masked-formylation of carbonyl compds, 5877
SmI_2-induced polarity inversion of π-allylPd-complexes, prep of allylstannanes, 215
SmI_2-induced regioselective reduction of α,β-epoxy esters and γ,δ-epoxy-α,β-unsaturated esters, route to optically active β-hydroxy and δ-hydroxy esters, 4437
SmI_2-promoted stereocontrolled reductive coupling of ketone-olefin, 4367

Selenium and compounds
1,2-diselenone, formation via reaction of 1,2,3-selenadiazoles, 5699
1,2-selenoxothione and 1,2-dithione, formation by photolysis of fused cyclopolysulphides, 4833
2-methylene-1,3-diselenole, precursor of tetraselenafulvalene, prep, 5635
α-oxoselenoaldehydes and ketones, generation and dienophilic activity, 4423
β-hydroxyalkylselenides, syntheses of carbonyl compds and gem-dihalocyclopropanes, 1549
β-hydroxyalkylselenides derived from unsymmetrically substituted ketones, rearrangement to substituted ketones, 1545
γ-selenobutyrates, synthesis from geminally diactivated cyclopropane derivs, 4225
anti-9,18-dimethyl-2,11-diselena[3.3]metacyclophane, selenoxide elimination applied to synthesis of dimethyldihydropyrene, literature correction, 5119
benzeneselenenyl triflate, cyclisation of olefinic alcohol, 4297
benzeneselenyl triflate, stereoselective formation of tetrahydrofuran and -pyran, 4415
diselenides and disulphides, reductive cleavage to thiols and selenols, 3271
initiated cyclisation-2,3 sigmatropic rearrangement, synthesis of C1 to C10 fragment of milbemycins and avermectins, 3647
iodoxybenzenediphenyldiselenide reagent system for the introduction of O-functionality, into Aspidosperma-type alkaloids, 3307
o-selenonium phenoxides, synthesis and rearrangements, 4007
organoselenium-mediated reduction of α,β-epoxy ketones to β-hydroxy ketones, new access to inter- and intramolecular aldols, 4293
phenylselenium azide addition to alkenes, new stereospecific introduction of Se and N into organic molecules, 5185
phenylselenolactonisation by electrolysis of Δ^{α}- and Δ^{β}-unsaturated carboxylic acids and diphenyl selenide, 6511
phenylselenyl chloride, electrophilic addition to 3-exomethylene-1-cephams, 5539
phenylselenyl group as stereocontrolling auxiliary in stereoselective glycosylation of N-acetylneuraminic acid, 6221
reaction with Wittig reagents in stereoselective synthesis of trans olefins, formation of selenocarbonyl compds, 6649
selenides, prochiral, asymmetric oxidation to optically active selenoxides, 3849
selenirene, cycloaddition, formation of selenirane, 2867
selenium dioxide catalysed oxidation of sec amines with H_2O_2, synthesis of nitrones, 2383
selenoaldehyde cycloadditions, regiochemical preferences, 5121
selenofluorenone, synthesis and cycloaddition reactions, 3887
selenosulphonation, use in synthesis of allenic sulphones from acetylenes, 1737
selenoxide, hydrolytic elimination for prep of 2-chloro-1-olefins, 1463
vinyl selenide reactions with chlorocyanoketene via 3,3-sigmatropic rearrangement, 4925

Silicon and compounds
1-sila-2-oxynorbornanes, pyrolysis, generation and rearrangement of 1-norbornene, 6421
1-trimethylsilyl-1,3-dienes, electro-oxidation, 211
1-trimethylsilyl-2,3-dienes, synthesis, 2751
2-siloxy-4H-pyrans via regioselective addition of organocuprates to 2-siloxypyrylium salt and their reaction with electrophiles, 6305
2-trimethylsiloxyfuran, diastereoselectivity in directed aldo condensation with aldehydes, stereodivergent route to threo and erythro δ-hydroxy-γ-lactones, 4037
2-trimethylsiloxyfuran, regioselective prenylation, direct synthesis of (±)-eldanolide, 949
2,2,5,5-tetramethyl-2,5-disilathiacyclopentane, sulphur transfer reagent, prep, 6139
3-siloxyallenyllithium, stoicimetric generation and reaction with electrophiles, 1299
3-[(trialkylsilyl)-oxymethyl]-furans and -thiophenes, 1,4 O→C silyl migrations, 5965
α-silylcarbamates, electro-oxidation, 6621
β-siloxy aldehydes and Lewis acids, absence of chelation, 281
β-siloxy esters, synthesis via condensation of carbonyls and trimethylsilane with α,β-unsaturated esters catalysed by $RhCl_3$, 4809
activated silyl carboxylates, conversion of carboxylic acids to aldehydes, 3941
acyl silanes, reaction with fluoride ion to give products arising from acyl anion intermediates or rearrangements involving alkyl group migration from Si to C, 4455
acyltrimetylsilanes, prep from carboxylic acid derivs, 3261
alkoxy-allylsilanes, Lewis acid promoted condensation with carbonyl compds, synthesis of substituted tetrahydropyrans, 3441
allylsilanes and carbonyl compds, synthesis of 4-halotetrahydropyrans in presence of Lewis acids, 973
allylsilanes and β-(trimethylsilyl)ketones via lithium 1-alkynyltrialkylborates, 1003
allylsilane, C-centred optically active, use in enantioselective allylation of carbonyl compds, 969
allylsilanes, direct synthesis of allyl azides via iodosylbenzene-trimethylsilyl azide-boron trifluoride etherate, 6289
allylsilanes, synthesis via tris-[(trimethylsilyl)methyl]borane, 1007
allylsilanes via cerium-mediated conversion of esters, 6261
chiral amide-allylsilanes, stereoselective hydroxylactonisation, 2051
chiral dienylmethylsilane, stereochemistry of S_E2' reaction, 5921
chiral ester-allylsilanes, stereoselective reaction with with m-CPBA, 2045
containing handle for use in solid-phase peptide synthesis, prep and characterisation, 491
cyanotrimethylsilane, ring transformation of 1,2,4,5-tetrazines to 4-aminopyrazoles, 2139
derived trimethylsiloxydienes and cyclopent-2-enone, 2-(5H)furanone, regio- and diastereoselectivity in aldol reactions, 985
dialkylchlorosilyl enol ether, prep and conversion to alkoxy- and aminosilyl enol ethers, 511
disilanes, Pd-catalysed reaction with isocyanides, prep of N-substituted bis(silyl)imines, 1293
double silylation of bis(trimethylsilyl)butadiyne via disilanes, Pd catalysis, 1807
(E)-alkenylsilanes, stereoselective synthesis from aldehydes, reagent prepared by Cr(II) reduction of $Me_3SiCHBr_2$, 1443
hexamethyldisilazane and chlorotrimethylsilane mixture, selective protection for prim, sec and tert alcohols, and aminoalcohols, 6039
hydrosilanes, mechanism of fluoride ion catalysed reduction of carbonyl compds, 2263
hydrosilylation of 2-methyl-1-buten-3-yne with chlorosilanes, reinvestigation, 3719
new bis(2-pyridyl)silane ligands, prep and copolymerisation of $mesi(2\text{-pyridyl})_2(CH{=}CH_2)$ with styrenes and divinylbenzene, 3233
octadecylsilyl monolayer, covalently bound onto SnO_2 electrode, molecular recognition of co-implanted inert guest, 4299
$P(SiMe_3)$ to give 4-trimethyl-

siloxy-1,3 λ^3-azaphospholes, mesoionic "munchnones" reaction, 1089
phenyldimethylsilyl group, conversion to OH group, 4229
photolysis of dibenzyl ketone adsorbed on faujasite zeolites, products determined by framework composition(Si to Al content) and exchangeable cations, 5637
polyfunctionalised acylsilanes, synthesis via propenoyltrimethylsilane, 4093
(R)- and (S)-5-trimethylsilyl-2-cyclohexenone, chiral source for synthesis of optically active cyclohexanone derivs, 5669
Si assisted cycloondensation of glyoxylic esters to proline and pipecolic derivs, intramolecular reactions of acyclic N-acyliminium ions, 3285
Si-controlled rearrangement vs Krief-Reich reaction in β-seleno-Y-silyl alcohols, stereoselective synthesis of terminally substituted allylsilanes, 2061
Si-mediated synthesis of 5-substituted 2,4-dimethoxypyrimidines and 5-substituted uracils, 5543
Si-modified metal ammonia reduction of naphthalenes, 2481
sila-Pummerer rearrangement, prep of 1-phenylthio-1-(trimethylsiloxy)cyclopropanes, 4793
Si-Pummerer reaction of thiazolidine S-oxides, new method for stereospecific C-5 functionalisation of thiazolidines, 5903
Si, use in conversion of aldehydes to substituted dienes, 693
silyl ethers of Y,δ-unsaturated ketones via Pd-catalysed intramolecular decarboxylation-allylation of allyl 2,3-disubstituted 3-trimethylsiloxyacrylates, 2397
silyl group, stabilising effect on furfural chlorides and furfuryl Grignard reagents, 2281
silylimines and esters, prep of β-lactams, synthesis of N-substituted 4-alkyl-β-lactams, 5369
t-butyldimethylsilyl ethers, conversion to bromides, 1697
trimethylsilyloxy epoxide, stable, prep and X-ray analysis, 1363
triethylsilane, ionic denitrohydrogenation of α- and β-nitro sulphides, 2277
trimehylsilyl enol ethers and acetals, aldol-type reactions via rhodium complex, 6657
trimethylsilyl group, anomalous metallation 1851
twin Y-silicon effects in 1-bromoadamantane solvolysis, 951

Silver and compounds
Ag-ion assisted cleavage of trichlorocyclopropane, 3047
assisted heterocyclisation of acetylenic compds, 6447

Solid state rteactions
2'-hydroxychalcones and related compds, synthesis in interfacial solid-liquid conditions, 1515
3'-terminal nonadecaribonucleoside octadecaphosaphate sequence of yeast alanine transfer ribonucleic acid, dolid phase synthesis, 4897
C-terminal peptide amides, new acid-labile anchor group for solid phase synthesis by Fmoc method, 2107
cell wall teichoic acid of Bacillus licheniformis ATCC 9945, prep of fragment via solid phase approach, 1557
fluoride ion release from resin in solid phase peptide synthesis, 4105
generation of optical activity through solid state reaction of racemic mixture that crystalises in a spiral space group, 4789
irradiation of crystalline dinbenzobarrelene leads to dibenzosemibullvalene, 1741
naturally occurring β-(1→5)-linked D-galactofuranosyl heptamer with the artificial likage arm L-homoserine, solid phase synthesis, 6695
photoreaction of indole with naphthalene and phenanthrene in solid state, 6665
protected peptide fragments, solid-phase synthesis using trialkoxydiphenyl-methylester resin, 3787

Solvent effects
asymmetric induction in mixed [2+2] photoadditions, effect pf solvent, alkene concentration and temp., 2833
enhanced C-2 selectivity, regioselective opening of 2,3-epoxy alcohols with organocuprates, 5009
on decomp of azoalkane, carbonyl group stabilisation of radicals, 4255
organic cosolvents, effect on enantioselectivity bovine serum albumin catalysed Weitz-Scheffer condensation, 1577
volatile solvents and substrates, new fast atom bombardment at controlled low temp, 103

Solvolysis
1-bromo-adamantane, twin Y-silicon effects, 951
2-adamantyl arylsulphonates, effect of substituents at position 5 and 4, 1247
rearrangements in 3-acetoxy-4β,5β-cyclopropanocholestane-19-p-toluenesulphonates, 2901
under neutral conditions of N-acetoxy-acetanilides, two major pathways for model ultimate carcinogens, 5427

Spectroscopy
matrix isolation-, of copper methylene, isolation and charcterisation, 1733

Spiro compounds
1,6-dioxaspiro[4.5]dec-3-ene system via 2-alkynyl-tetrahydropyran rearrangement and cyclisation of allenol ether formed, 3619
cis-5-(4-methoxybenzyl)spiro[5.2]-octan-4-ol cis-1, solvolytic hydroperoxide rearrangment, stereoselective synthesis of trans-fused butyrolactones, 135
spiran isolation in dienone-phenol rearrangement of steroidal p-quinols, 471
spiroannelation, diastereoselective, 4997
spirocyclic centre of fredericamycin A, protocol for rapid creation, 479
spirocyclic model of fredericamycin A, Pd- mediated synthesis, 171
spirocyclic systems of aerothionin and psammaplysin-A, oxidation of possible biological precursor, 4969
spirodiketone intermediate, oxidative fragmentation, intramolecular radical coupling of phenolic enolate, 4163
spiroketal system of avermectin assembly, synthesis, 5615
spiroketal unit of 22,23-dihydroavermectin B_{1b}, stereocontrolled synthesis, 1997
spiroketals derived from l-menthone, resolution of 1,3-alkanediols, 4843
spiroketals of l-menthone, triisobutylaluminium promoted ring cleavage as key reaction, enantioselective functionalisation of 2-substituted 1,3-propanediols, 4181
spiroketals, new approach via alkoxy radicals, 4011
spiro[5.2]octan-4-ol, solvolytic hydroperoxide rearrangement, substitution with retention of configuration and ring expansion with inversion of carbinyl center, 131
tris-spiro(C_7H_4) systems, model studies via cooperative [2+2+2] cycloaddition in polyquadricyclanylidene [n]rotanes, 4403

Stereochemistry
1-phenylcyclohexene oxide, gas-phase acid induced ring opening, 3393
1,2-Wittig rearrangement, synthesis of syn-1,3-diol monoethers, 1043
[2+2] cycloadditions with difluoroallene, effect of styrene α-substituents on regiochemistry, 1491
4-bromo cis-2,3-dihydroxycyclohexa-4,6-diene-1-carboxylic acid, absolute stereochemsitry and formation from 4-bromobenzoic acid by mutant of Pseudomonas putida, 6391
β-hydroxysulphoxides and β-hydroxysulphones, alkylation of dianions, 3705
amination of chloro- and bromofumaric acid by 3-methylaspartate ammonia-lyase, 2413
and reaction pathways, 4-nitro-3-phenyldecalones, synthesis via double Michael reaction, sequential Michael reaction and Diels-Alder reaction, 2945
and synthesis of saturated tricyclic taxane model, 5275
aspects of asymmetric Diels-Alder reaction catalysed by chiral alkoxyaluminium dichlorides, 5687
aspirochlorine(A30641), structural revision; epidithiopiperazine-2,5-dione produced by Aspergillus Spp, 5607
Diels-Alder reactions of cyclopropenes, 5917
epoxidation of rigid cyclohexanones stabilises the dimethylsulphonium ylide using solid-liquid heterogeneous system, 1877
eudistomins C,K,E,F and L, 1825
intramolecular [8+2] cycloadditions of alkenylheptafulvenes, dependence of stereochemistries on tetraenophile group stereochemistry, 1371
isotope effects in ene reaction of N-phenyl-1,2,4-triazoline-3,5-dione with isomers of butene-d_8, 15
metal enolate-imine condensation reactions, 3257
minor component of azinomycins A

and B isolated from Streptomyces griseofuscus, 2619
modified by addition of formamide to 1-BuOH, in polymerisation of norbornene with $RuCl_3.3H_2O$, 2343
new isochromequinone antibiotic, SCH 38519 with novel sugar linkage, 4485
new isochromequinone antibiotic, SCH 38519 with novel sugar linkage, 4485
Pictet-Spengler reaction, 5181
prolucopene, total synthesis, 5751
reaction of 2-benzylidenecyclohexanone with dithiocarbamic acid, 571
S_E2' reaction of a chiral dienylmethylsilane, 5921
spiro-ortholactone center, synthesis of C-D fragment of everninomicin-C and -D, avalamycin-A and -C and curamycin-A, 1105
stereostructure of naturally occurring α,β-unsaturated δ-lactone derivs through stereoselective synthesis, 5661
studies of skipped-polyol polyene macrolide class, NMR of tetraformylal deriv of mycoticin A and B, 6005
sutuies of skipped polyol polyene macrolide class, degradation and structure of mycitcin A and B, 6001

Stereocontrolled reactions
6-epi-D-purpurosamine B via iodocyclocarbamation of chiral Z-olefin derived from L-alanine and L-malic acid, 3123
and regio-controlled construction of 3-alkyl-cis-bicyclo[4.3.0]non-3-ene derivs, synthesis of potent homoisocarbocyclin analog, 1893
C11 to C31 fragment of milbemycin D, 3651
construction of adjacent tertiary and quaternaru asymmetric centers, stereoselective Michael addition of amide dienolates to α,β-unsaturated esters, 1785
construction of delesserine, leucodrin and dilaspirolactone aglycone via benzylation of ascorbic acid at C-2, 2555
conversion of α-alkoxyesters to syn- and anti-1,2-diol derivs, 3905
cyclohexane moiety of tetrodotoxin, 6485
D-α-hydroxy carboxylic acids from L-amino acids, 1873
diamines, from iodolactams, 3213
doubly-, cyclisation, stereospecific construction of diterpenoid cis-clerodane skeleton, total synthesis of linaridial, 6645
elaboration of decahydro-as-indacene subunit of ikarugamycin, 31
entry to 1-oxapenams and 1-oxacephems via carbohydrates, 3035
intramolecular Baeyer-Villiger reaction involving conformationally fixed intermediate which breaks down with stereoelectronic control, 6371
ketone-olefin reductive coupling promoted by samarium diiodide, 4367
key intermediate of (+)-thienamycin from (R)-(-)-3-hydroxybutyric acid esters, 69
macrocyclic lactone (-)-aspilcilin, 2409
multigram scale synthesis of leukotriene B_4, 5849
N-benzoyl L-daunosamine via O-silylated ketene acetals, 1431
photodimerisation of tetramethyluracil, smectic liquid crystalline phase, 3263
Pictet-Spengler reaction stereochemical control, 5177
ring expansion sequence, dichlorocyclopropanation and ring cleavage of bridgehead enol lactones, 5623
route to 1β-methylcarbapenem precursors via acyclic stereocontrol using hexacarbonyldicobalt stabilised propargyl cations, 1857
strobilurin A and its (9E)-isomer, 475
xanthoperyl methyl ether, 2431

Stereoisomerism
lasalocid A, stereoisomers, epimerisation to natural configuration using metal ions, 2817

Stereoselective syntheses
1-β-methylcarbapenem intermediates, 507
1,2-trans-1-thioglycoses using $AlCl_3$, 1,2-cis-1-chloroglycopyranosylperacetate intermediate, 2295
(2E)- and (2E,4E)-unsaturated amides and related natural products, 2159
2-methyl-1,6-dioxaspiro[4.5]decane using chiral sulphoxide auxiliary, 2255
3-(1'-hydroxyethyl)-2-azetidinonesvia trimethylsilyl trifluoromethanesulphonate catalysed condensation of silyl ketene acetal derived from ethyl 3-hydroxybutyrate and imine, 4335
25-hydroxyvitamin D_3 side chain via aceta- template route, 4589
25-hydroxyvitamin D_3 side chain via aceta- template route, 4589
α,β-unsaturated sulphonates and their conversion into trans-α,β-epoxysulphonates, 1101
α 1→4 linked galactooligosaccharides, 2731
addition of aldehydes to product of reaction of lithium enolate of N-propionylpyrrolidine with titanium reagent, 2037
addition of prochiral carbonyl compds to enatiomerically pure vinyllithium reagent, 5145
addition to α,β-epoxy aldehydes, formation of "non chelation" controlled products, 2629
aldols via reaction of aldehydes with 3-(2-bromopropionyl)-2-oxazolidone, 6629
alkylation and reduction of 14-membered ring macrolides, 35
allene-carbacyclin, application of molecular mechanics to organic synthesis, 299
(-)-ambrox from l-abietic acid, 2863
amino alcohols from bromohydrins, diols and epoxyalcohols, 5399
and coupling of middle (C10-C17) and right (C18-C30) segments to complete synthesis of polyether antibiotic salinomycin, 3253
and regioselective addition of PhSeCl and PhSCl to isomeric 2-hydroxy-2-methyl-7-oxabicyclo-[2.2.1]hept-5-enes, 5549
and regioselective, organocuprate induced 1,3- and direct substitution in 3-alkyl- and 3,3-dialkyl-1-bromo-1,2-dienes, 6073
and regiospecific allylation of aldehydes with allyltrifluorosilane activated by fluoride ions, 4081
and stereostructure of naturally occurring α,β-unsaturated δ-lactone derivs, 5661
and synthesis of fused azetidines via intramolecular cycloadditions of nitrile oxide with olefin, 4097
approach to 1β-methylcarbapenem antibiotic via (R)-(-)-3-hydroxybutyric acid ester, 83
C-branched deoxysugar deriv via radical chain reaction with enolones, 2571
C-C bond formation under reagent control of diastereoselectivity in chiral α-methoxy-E-crotylboronates, 5303
cembranolide precursors via macrocyclisation of α-alkoxyallylkstannane aldehydes, 527
cembranolides via conjugate addition to cycloalkynones, 5081
cephalotaxus alkaloids and related azaspirolactam, 577
cis-2,4-disubstituted pyrrolidine derivs via dichloromethyl radical cyclisation of allyl-2,2,2-trichloroethylamine, 3953
clavularin A from 2-cycloheptenone, 2489
construction of quaternary C-centers via epoxy alcohol-aldol rearrangement, 5891
conversion of α,β-epoxy esters to α-hydroxy esters, route to optically active α-hydroxy esters, 4435
conversion of per-O-acetylated glycopyranoses to 1,2-trans-1-thioglycopyranosides, 1375
disubstituted cyclic ethers, 6339
(E)-alkenylsilanes from aldehydes, reagent prepared by Cr(II) reduction of $Me_3SiCHBr_2$, 1443
(E,E)-11,5-dienes, 263
endo-1,3-dimethyl-2,9-dioxabicyclo[3.3.1]nonane, 4773
endo-1,3-dimethyl-2,9-dioxabicyclo[3.3.1.1]nonane, 395
erythro and threo-1,2-diols from diketo sulphides via cis-3,4-dihydroxythiolanes, 1799
Et, induced radical addition of Ph_3GeH to acetylenes, application to isomerisation of olefins, 3709
ethyl 2E,4Z-decadienoate via a glyoxal monoacetal, 5301
exocyclic alkenes via cyclialkylation, 5793
formation of glycinoeclepin A side chain, 2597
formation of tetrahydrofuran and -pyran via benzeneselenyl triflate, 4415
fragmentation of 1,7-dicarbomethoxytricyclo-[3.3.1.$0^{2,7}$]nonan-4-one to potent chorismate mutase transition state inhibitor, 6253
free radical reactions, 4205
functionalised erythro 1,3-diols, 391
functionalised, tetra- and penta-substituted 1,3-butadienes via allene Claisen rearrangement, 789
glycosylation of N-acetylneuraminic acid, use of phenylselenyl group as stereocontrolling auxiliary, 6221
hydroxylactonisation of chiral amide-allylsilanes, 2051
in synthesis of substituted 2-(2-tetrahydrofuranyl)acrylates via intramolecular oxymercurations

or oxypalladations of allenes, 1023
increased E-, replacement of triphenylphosphine by β-diphenylphosphinopropanoic acid in Wittig reaction with semi-stabilised ylids, 1165
intramolecular Michael addition induced by thermolabile group, synthesis of optically active 5-membered O-containing ring, 5819
key intermediate (2E,4Z)-dien-1-ols, sex pheromones of silk worm and grape vine moth, 803
key intermediate of 1β-methylcarbapenems via Reformatsky reaction of 3-(2-bromopropionyl)-2-oxazolidone derivs, 6625
lipase catalysts in polycondensations between racemic diesters and achiral diols in organic solvents, 1607
medium ring keto-butyrolactones, 135
metal-ammonia reduction, formation of either cis- or trans-fused decalones from common intermediate, 303
methoxylation of cephalosporins at 7-position, 2745
(±)-methyl nonactate and (±)-methyl 8-epi-nonactate, 3597
of protonation of generated enolates via addition of lithium dithioacetate with α,β-disubstituted enones, anti-Houk selectivity, 409
optically active masked syn-α,β-dihydroxy aldehydes, 3139
pinacolisation of aromatic and α,β-unsaturated aldehydes mediated by titanium(II)-magnesium(II) complex, 5717
reaction of 7-oxabicyclo-[2.2.1]hept-5-en-2-one with organocuprates, 5547
reaction of chiral ester-allylsilanes with m-CPBA, 2045
reaction of p-bromobenzaldehyde with α-ethoxycrotyltributyltin, 3935
reaction of vinylogous urethanes with acid halides, 5423
reduction of bicyclic acetals, method for reductive generation of heterocyclic ring systems, 6613
reduction of chiral α-keto α,γ-unsaturated acetals, synthesis of both epimeric allyl alcohols by choice of additive, 5681
reduction of chiral iminium ions, 4511
reduction of chiral iminium ions, 4511
reduction of diketones, directive force of $TiCl_4$ which forms a crytstalline adduct with 3,3-dimethyl-2,4-pentanedione, 4515
reduction of diketones, directive force of $TiCl_4$ which forms a crytstalline adduct with 3,3-dimethyl-2,4-pentanedione, 4515
routes to arylpolyene isobutylamides, 3857
statine and analogs, new cyclic carbamate formation via t-butyldimethylsilylcarbamate, 3987
tetrahydrofuran unit in ionomycin, 731
total-,of (9S)-9-dihydroerythronolide from D-glucose, 4569
total-,of (9S)-9-dihydroerythronolide from D-glucose, 4569
total-,of (±)-sanadaol, 2021
trans olefins by reaction of Wittig reagents with selenium, formation of selenocarbonyl compds, 6649
Si-controlled rearrangement vs Krief-Reich reaction in β-selenoYsilyl alcohols, synthesis of terminally substituted allylsilanes, 2061
S_N2' additions of chiral acyclic vinyloxiranes to give allylic alcohols, 4985
stereoselectivity of Diels-Alder reaction, effect of dienophile activating group, 2447
transformation of 1,3-cycloheptadienes to tropane alkaloid derivs, application to synthesis of tropanol derivs, 4199
unsaturated carboxylic acid dienolates, addition to substituted cyclohexanones, inverted kinetic and thermodynamic stereoselectivities, 3853
Z-alkenes from α-methylcrotylstannanes and aldehydes, 5343

Stereospecific syntheses
1-hexadecyl 2-thioacetyl-2-deoxyglycerophosphocholine, 1729
(+)-(1R,2S,4R)-4-amino-2-hydroxy-1-cyclopentanemethanol and (+)-carbocyclic thymidine, 6381
1,4-elimination and trapping of stable allenic carbanions in synthesis of alk-3-en-1-ynyl carbamates, 785
2-thiophosphatidylcholines, 3767
(3RS)(5R)(5-^{2}H)- and (3RS)(5S)(5-^{2}H)-mevalonolactones, stereospecifically labelled at C 5, synthesis, 3059
7β-eremophilane-6-one and 7α-and 7β-eremophilane, 2937
α- and β-C-nucleoside intermediates, ring protection of 2-O-trifluoromethanesulphonates of galacto- and altro-pyranosides, 3015
α-lipoic acid, 5313
β-sultone formation via sulphonation of alkenes with SO_3, 1699
and regio-specific C-C bond formation of η^4-(trans-dienol)-Fe(CO)$_3$ complexes, 641
and regio-specific conversion of 2,3-epoxyalcohols to 4-(1-hydroxyalkyl)-1,3-dioxolanes, 383
and regiospecific synthesis of substituted pyrrolidines via thermolysis of oxazolidines and generation of reactive azomethine ylides, 2973
and stereochemical structure confirmation of (+)-dumetorine, 3151
C(3)-C(10) segment of aplasmomycin from (R)-pulegone, 3061
C-5 functionalisation of thiazolidines, new method via Si-Pummerer reaction of thiazolidine S-oxides, 5903
catalytic hydrogenation of 1-phenyl-1-piperidino-4-methylenecyclohexane hydrochloride, 741
conjugate addition of organolithium reagents to naphthylimines, prep of 1,1,2-and 1,2-substituted dihydronaphthalenes, 5279
deoxygenation of 1,2-diols to olefins, 3919
diterpenoid cis-clerodane skeleton, construction via doubly stereocontrolled cyclisation, total synthesis of linaridial, 6645
formation of carbyl sulphates via sulphonation of alkenes with excess SO_3, 1703
formation of exocyclic alkene via consecutive radical cyclisation-elimination, 2941
imidazol-1-yl methyl aryl ketones, product stereospecificity in microbial reduction, 1487
Lythgoe's ring A aldehyde, prep of 1α-hydroxylated tachysterols and calciferols, 2095
Michael arylation of 6-alkyl-5,6-dihydro-2H-pyran-2-ones, Pd catalysed, 3179
mild ring fragmentation of β-iodoethers and alllylic iodoethers promoted by dimethylboron bromide, 5985
Na-salt-, prep of tubercidin and related 7-deazapurine nucleosides, 5107
new introduction of Se and N into organic molecules, addition of alkenes to phenylselenium azide, 5185
(+)-oxybiotin from D-xylose, prep of final chiral (+)-oxybiotin precursor, 5733
reduction of vinylsulphoxides with possibility of D-labelling, 6565
(Rp)-and (Sp)-thymidylyl-(3',5')thymidylyl methanephosphonates, 5535

Steric effects
and electronic effects on antibacterial activity of bicyclic pyrazolidinones, 289
nitrone cycloadditions, face selectivity controlling factors, role of steric, electrostatic and H-bonding effects, 1225

Steroids
1α-hydroxylated tachysterols and calciferols, prep via stereospecific synthesis of Lythgoe's ring A aldehyde, 2095
1α-hydroxyvitamon D_3, synthesis via application of reductive alkylation of a selenoacetal in elaboration of steroid side chains, 1337
3-acetoxy-4β,5β-cyclopropanocholestane-19-p-toluenesulphonates, solvolytic rearrangements, 2901
3-O-acetyl-deoxycholic acid, formation of bis-lactone, 5737
5-allyl-2ε-hydroxy-5α-cholestan-3-one, ene reaction, 581
11-ketosteroids, intramolecular Diels-Alder construction via enantioselective synthesis of an intermediate, 2087
16-dehydro-pregnenolone, microbial transformation by Arthrobacter simplex, 5315
19-iodo-5-androsten deriv, peracid oxidation, homoallylic rearrangement, 5729
24,25-dihydroxy-cholesterol, prep of chiral side chain, use of malic acid and synthesis of 24,25-dihydroxycholecaliferol, 1685
and hydrocarbons, oxidation of non-activated C-H bonds, 6581
antioestrogens, conformationally restricted, via coupling of a vinyl triflate with an aryl zinc chloride, 701
bitter principles from Tacca plantaginea, structures of taccalonolide A and B, 1673
dienol triflate, photorearrangement, 6557
esters, enzymatic transterification in organic solvents, 6549β
free radical relay chlorination, thioxanthone system as template,

3187
glycosides dimorphosides A and B, structure and isolation from Anthoplexaura dimorpha, 1187
molluscicidal saponins from Allium vineale, 5603
novel bridged ring steroids as potential inhibitor of steroid 5α-reductase, 6117
novel lactone via reaction of 18-hydroxy androstenedione with acetone cyanhydrin, 4161
p-quinols, spiran isolation in dienone-phenol rearrangement, 471
rac-18-hydroxyestrone methyl ether, synthesis using isobenzofuran generated in situ, 4279
ring A aromatic-, enantioselective synthesis by asymmetric Michael-type alkylation of chiral imines, 2367
steroidal 5-O-methyl galato-furanoside from Astropecten indicus, structure, 2291
sterol biosynthesis, cyclisation of squalene to 5α-stigmast-9(11)-en-3β-ol via 8^{13} 7-lanosterol in Costus speciosus, 4085
(±)-tricyclohexaprenol possible forerunner of sterols in evolution of biomembranes, 6413
via free-radical cyclisation of methyl pimarate, 2127

Strain
[3]- and [5](2,7)troponophanes, effect of strain on the tropone ring, 977
cage dienes, [2+2] photocyclo-additions aimed at producing [6]-prismane, 1295

Structure-Activity relationship
cyclosporin amino acid MeBMT, total synthesis, 1139

Substituent effects
1- and 2-adamantyl cations, charge dispersal, 1247
1,4-substituted phenanthrenes and 1,8-substituted naphthalenes, internuclear distances of Cl and Br atoms, 6239
9-phosphabicyclo[6.1.0]nonatriene system, special properties imparted by a P-(2,4,6-tri-t-butylphenyl) substituent; ^{17}O NMR of bicyclic phosphirane oxide, 1077
γ-, on oxidative cyclisation of O-acyl β,γ-unsaturated hydroxamates, 6257
alkyl-, on cyclisation of azatrienes, stereoselectivity in intramolecular Diels-Alder reaction, 2969
and coordination effects in singlet reactions of 3-diazo-3H-1,2,4-triazoles, with substituted benzenes and nitro compds, 3221
bond angle distortion of C_3CZCC_3 fragments by CZC opening and symmetrical C_3 distortion, 1169
diastereoselective deoxy-mercuration in acylic system, assistance by neighboring carbonate group, 1207
dienophile activating group, effect on stereoselectivity of Diels-Alder reaction, 2447
directing effect of sulphonyl substituent in 2,3- and 3-substituted-4-tosylfurans, 4123
directive effects and mechanism in cyclisation of benzonitrile 3,3-diarylallyl ylides to 3H-2-benzazepines, 2069
on Zr-promoted bicyclisation of enynes, 917
pyrrole and pyridine derivs via 1,7-cyclisation of butenynyl nitrones, effect of substituents on the oxaza-cycloallene intermediate, 2689
styrene α-, effect on regiochemistry of [2+2] cycloadditions with difluoro-allene, regiochemistry, 1491
tethered dienes, Ni-catalysed intramolecular [4+4] cyclo-addition, stereoinduction depends on steric nature of substituents at stereogenic center, model for prediction, 2451
trimethylsilyl group directed Wagner-Meerwein rearrangement of bicyclo[2.2.2]octan-2-ol 6343

Substitution reactions
1,1-captodative butadienes with amino, thioether or methoxy groups combined with ester and nitrile substituents, synthesis, 2591
1,3- and direct-, in 3-alkyl- and 3,3-dialkyl-1-bromo-1,2-dienes, organocuprate induced, regio- and stereoselectivity, 6073
2-nitropropane salts, reaction with 2-(halomethyl)-9,10-anthracenedione or triethyl-ammonium deriv by $S_{RN}1$ mechanism, 5531
5-substitution and not Schiff bases results from reaction of aldehydes with 2-amino-4-methyloxazole, 3381
acyl by nitro group followed by intramolecular 1,3-acyl shift during nitration of 2-hydroxy-acetophenones, 763
aromatic N-, vs aliphatic C-H, N-insertion in reaction of methylated benzenes with aryl-nitrenium-boron trifluoride complexes, 961
double $S_{RN}1$ reaction of 1- or 2-halonaphthalenes with $HS(CH_2)_nSH$, 413
electro-chain reaction, $S_{RN}1$ type, new synthesis of unsymmetrical biaryls, 6171
electrophilic-, hydride transfer, H-transfer and electron transfer of sodium hydrogen telluride, different mechanisms, 6609
glycerol triplicrate and its sigma complexes with methoxide, synthesis and characterisation, replacing ONO_2 of nitroglycerine with $-OC_6H_2(NO_2)_3$, 6009
metallation of phenolic compds, access to highly substituted phenols, 5551
metallo-octaethylporphyrins, tritium meso-exchange, 5453
N-trifluoromethane sulphonyl-heteroarylium salts, reaction with phosphanes to give C-4 or C-2 substituted products, 2675
new C-4-, and sulphoxide deoxygenation of ceph-3-ems, 6687
nitroaromatic aldehydes, synthesis via nucleophilic formylation via introduction of dichlorometghyl substituent followed by hydrolysis, 3021
photo-, of 4-nitroveratrole with n-hexylamine to two isomeric anilines, mechanism, 4191
prep of furans with various substitution patterns, 4123
reduction of 1,1-difluoro-1-alken-3-ols with $NaBH_4$ gives 1,1-difluoro-2-alkenes by substitution of OH moiety, 3335
selective Pd-catalysed-, of dichloroethylene, 1649
S_N2 reactions, S-O fission reduced by t-butyl- and 2,2,2-trifluoro-1,1-diphenylethane-sulphonates, 2115
$S_{RN}1$ approach to aromatic nitriles via diazosulphides, 1345
t-butyl mercury and magnesium chlorides, comparison of reactions with β-strenyl derivs, 6113
with Grignard reagents of 1-ethoxycarbonyl n-hydroxycyclo-alkenes and silyl ethers to give 1-carboethoxyalkylcycloalkenes, application to synthesis of Mitsugashiwalactone from succinaldehyde, Grignard reagents, 5521
with retention of configuration and ring expansion with inver-sion of carbinyl center, in solvolytic hydroperoxide rearrangement of spiro[5.2]-octan-4-ol, 131

Sulphenic acid and derivatives
anilines, reaction with $ArCH_2SO_2Cl$ and $ArCH_2SO_2F$ is via sulphene ($ArCH{=}SO_2$), a correction, 5001
sulphenate esters as glycosyl acceptors, synthetic approach to 2-deoxyglycosides, 2723

Sulphenylation
sulphenated oxazolines, oxazines or tetrahydropyrroles via intramolecular cyclisation of unsaturated amides, 1949

Sulphides
1,2,3-butatriene epi-, formation via thionation of methylene-cyclopopanones, 1803
α- and β-nitro-, ionic denitrohydrogenation with triethylsilane, 2277
allene epi-, isomerisation and desulphurisation, 1787
allylic-, desulphenylative allylation of C-nucleophiles via molybdenum hexacarbonyl, 443
bis(9-triptycyl)-, prep and unexpected strict coupling of torsional motions about two C-S bonds, 445
bis(aralkyl)tin sulphides and trialkyltin sulphides, use in cyano and fluoro-destannylation, 4373
diazo-, $S_{RN}1$ approach to aromatic nitriles, 1345
diketo-, stereoselective synthesis of erythro and threo-1,2-diols via cis-3,4-dihydroxythiolanes, 1799
direct functionalisation with hypervalent iodine-reagents, formation of methoxysulphonium and amidosulphonium tosylates, 5431
mono-, bi- and tricyclic cyclopentyl-, prep via (3+2) cycloaddition, 689
phenyl-, and S,S'-diphenyl acetals by direct conversion ofcarboxylic acids and esters with thexylphenylthioborane, 1913
thiol esters, decarbonylation to sulphides via transition metal complexes, 6321
vinyl-, synthesis using benzenesulphenyl chloride, 2985

Sulphines
formation without S scrambling, double istope crossover,

intramolecular rearrangement of thiozonides, 4981

Sulphinic acid and derivatives
chiral sulphinyl cyclohexanones, synthesis and reduction, 4861

Sulphonation
alkenes with excess SO_3, stereospecific formation of carbyl sulphates, 1703
alkenes with SO_3, stereospecific β-sultone formation, 1699
regioselective-, of secondary OH groups in cyclodextrins, 321
seleno-, use in synthesis of allenic sulphones from acetylenes, 1737

Sulphones
3-arylsulphonyl furans, mono- and dianions, regioselective generation and trapping, bidentate carbanion stablisation via sulphones, 3241
α-diazo-β-keto phenyl-, intramolecular carbenoid cyclisation, synthesis of α-phenylsulphonyl cyclopentanones, 3459
β-hydroxy-, and β-hydroxy-sulphoxides, alkylation of dianions, stereochemistry, 3705
β-hydroxy-, via oxidative desulphonation/condensation of sulphonyl anions, application to terpene synthesis, 6273
allenic-, synthesis from acetylenes using seleno-sulphonation, 1737
methylthiomethyl p-tolyl-, use in prep of 3-methylthio-2-[illegible]opanal acetals, 5703
mono and dianions of aryl 2-alkoxyvinyl-, reactivity and configurations, 4127
oxygenated vinyl-, prep and reactions of derived vinyl carbanion, 989
thiophenyl-, allylic rearrangement, 3193

Sulphonic acid and derivatives
3-acetoxy-4β,5β-cyclopropano-cholestane-19-p-toluene-sulphonates, solvolytic rearrangements, 2901
α,β-unsaturated sulphonates, new synthesis and stereoselective conversion into trans-α,β-epoxy-sulphonates, 1101
ceric methanesulphonate and ceric trifluoromethanesulphonate, selective oxidations, 1067
methanesulphonates, p-toluene-sulphonates or alkyl iodides, reaction with bilirubin bis-tetra-n-butylammonium salt, prep of mono esters, 1047
t-butyl- and 2,2,2-trifluoro-1,1-diphenylethane-sulphonates, reduction S-O fission in S_N2 reactions, 2115

Sulphonium salts
epi-, intermediate in formation of cyclic ethers and lactones, 523
methoxy-, and amido-, tosylates, formation via direct function-alisation of sulphides with hypervalent iodine-reagents, 5431

Sulphonyl compounds
4-methoxy-2,3,6-trimethylbenzene-, groups, acidolysis, modification of tryptophan residues, effects of scavengers, 1637
β-ketoesters, β-diketones and β-sulphonylketones, reaction with N-halosuccinimides to give α-halo-carbonyl and α-halo sulphonyl derivs via halo-deacylation, 5505
γ-lactones and butenolides, 2135
benzenesulphenyl chloride, use in synthesis of vinyl sulphide, 2985

Sulphoxides
α,β,-epoxy-, with OH group, intramolecular ring closure; synthesis of 2-acyl cyclic ethers and 3-keto cyclic ethers, 2603
α-fluoro-, and vinyl fluorides, prep, 3901
β-hydroxy-, and β-hydroxy-sulphones, alkylation of dianions, stereochemistry, 3705
β-hydroxy-, diastereoselective α-alkylation, application to synthesis of (+)- and (-)-disparlure, 5677
ω-amidosulphoxides, intramolecular Pummerer-type rearrangement, synthesis of α-thio-N-heterocycles from O-silylated ketene acetals, 6479
bearing azaheterocycles, cross coupling pyridyl Grignard reagents, 5845
chiral sulphoxide auxiliary, use in stereoselective synthesis of 2-methyl-1,6-dioxa-spiro[4.5]decane, 2255
deoxygenation by electrophilic α,α,α-trifluoroacetophenone O-oxide, turning nucleophilic to electrophilic reactivity, 6201
o-halophenyl (or 3-bromo-4-pyridyl) phenyl-, reactions with Grignard reagents, generation of benzyne and pyridyne, 2727
optically active vinyl-, X-ray and CD spectra reveals conformation is affected by substituents in α or β position, 3689
sulphoxide deoxygenation and new C-4 substitution of ceph-3-ems, 6687
vinyl-, stereospecific reduction with possibility of D-labelling, 6565

Sulphoximines
vinyl-, synthesis from β-hydroxyalkyl sulphoximines, 4149

Sulphuranes
trans- and cis-1-fluoro-1,2,3-trimethylepisulphurane, via isomerisation of
trans- and cis-1-fluoro-1,2,3-trimethylepisulphurane, via isomerisation of

Sulphur compounds
9,10-epidithio-9,10-dihydro-anthracene, generation of singlet diatomic S, 6653
β-sultone as initial product in reaction of olefins with sulphur trioxide, NMR, 3383
peroxysulphur intermediate in conversion of tosylhydrazones to carbonyl compds, 4285
sulphene, Diels-Alder cycloadditions of 1,3-diazabutadienes, 2641

Sultones
stereospecific β-sultone formation via sulphonation of alkenes with SO_3, 1699

Tellurium and compounds
arenetellurinic anhydride induced cyclofunctionalisation of hydroxyolefins, 1281
aryltellurium trihalides, cyclofunctionalisation of unsaturated alcohols, 5611
dibutyl telluride, use in novel route to α,β-unsaturated esters, ketones and nitriles, 801
sodium hydrogen telluride, different mechanisms for electrophilic substitution, hydride transfer, H-transfer and electron transfer, 6609

Terpenoids
α-cedrene and cedrol, biohydroxylation and prep of odoriferous component of Cedar wood oil, 6269
allyl-pulegols, formation of halogeno-octahydronaphthalenes, 2583
anguidine via conversion of T-2 toxin and neosolaniol by deoxygenation at C-8 of the trichothecene nucleus, 2661
baiyunoside, synthesis via 2' discriminated glycosidation, 4315
camphor pinacolisation, enantioselectivity, 1813
(-)-carvone, regioselective reduction, ultrasonically improved properties of aqueous Zn-$NiCl_2$ system, 2351
dihydrofurano terpenoids of Davana oil, 6377
diterpene hemiacetal sacculaplagin from Plagiochila acanthophylla, 6293
diterpene sulphate hymatoxin A, isolation of phytotoxin from Hylpxtlon mammatum, 2355
deterpenes (±)-8,14-cedranoxide, synthesis by electrochemical method, 6661
diterpenes auricularic acid from Pogostemon auricularis, stereo-structure, 685
diterpenes, both AB and BC ring systems of taxane via intra-molecular Ni catalysed cyclo-additions of bis-dienes, 2221
diterpenes cis-clerodane skeleton, stereospecific construction via doubly stereocontrolled cyclisation, total synthesis of linaridial, 6645
diterpenes, dolastane, total synthesis of marine natural products (+)-ischmijiol and (+)-dolasta-1(15),7,9-trien-14-ol, 5945
diterpenes, endoperoxide, two from Elodea canadensis, 4609
diterpenes forskolin, approach via tandem radical cyclisation-intramolecular Mukaiyama aldolisation, 1313
diterpenes forskolin, bicyclic intermediate, synthesis and resolution by biocatalysis using porcine pancreatic lipase, 1973
diterpenes forskolin, retro-synthetic scheme for C ring elaboration, 4061
diterpenes forskolin skeleton, synthesis via oxy-Cope rearrangement, 5441
diterpenes forskolin, synthesis of metabolites, 4089
diterpenes forskolin, synthesis via hydroxylation of 9-deoxyforskolin, 19
diterpenes gersolide with new rearranged C-skeleton from Gersemia rubiformis, 5079
diterpenes isovalerate spongio-lactone, stereostructure and isolation from Spongionella gracilis, 3601
diterpenes kahweol, synthesis

from cafestol via off-ring functionalisation of C-substituted furans, 5403
diterpenes, new ent-kaurene, adenanthin, structure, 499
diterpenes, new seco-fusicoccin dictymal from Dictyota dichotoma, structure, 3703
diterpenes, new with two polymorphic modifications from marine alga, 6699
diterpenes, retswigins A and B from deepwater sponge, structures, 5461
diterpenes, scopadulcic acid A and B, new from Scoparia dulcis, structures by NMR and CD, 3693
diterpenes, stolonidiol with strong cytotoxic activity, new, from Japanese coral, 5673
diterpenes, total synthesis of (±)-lauren-1-ene with [5.5.5.7]fenestrane ring system, 2537
diterpenes, total synthesis of (±)-sanadaol, 2021
furanosesquiterpenes from Eumorphia prostata, structure and synthesis, 5643
homosesterterpenes, pharmacologically active, from palauan sponges, 431
lycopadiene, isolation from Botryococcus braunii, 3931
Lythgoe's ring A aldehyde, stereospecific synthesis, prep of 1α-hydroxylated tachysterols and calciferols, 2095
macrocyclic trichothecenes, prep of 3,4- and 8,15-polyether analogs, 2657
macrocyclic trichothecenes, prep of 4,15-polyether analogs, 2653
monoterpene cyclase from Rauwofia serpentina cell cultures, partial purification and characterisation via iridodial formation mechanism, 4431
new degraded C_{13} terpenoids, furocaespitane, structure and isolation from Laurencia caespitosa, 687
new pentacyclic A-ring seco triterpenoid, cecropiacic acid from Musanga cecropioides, 6683
norditerpenes, acalycixeniolides, inhibition of cell division of fertilised starfish eggs, 5837
pentacyclic indolosesquiterpene, synthesis, 3565
(±)-prepinnaterpene, synthesis of bromoterpene from Laurencia pinnata, 4303
sesquiterpene ethers cryptoporic acid from Crytoporus volvatus, 6303
sesquiterpene fungal metabolite sterpuric acid, total synthesis, 5017
sesquiterpene hydrocarbon β-trans-bergamotene, biosynthesis of ovalicin, 6545
sesquiterpene lactone from Veronia erinacea, 5925
sesquiterpene lactones, eremantholides, prep of ring A/B model system via conjugate addition-acylation protocol, 3551
sesquiterpenes, (α)-prezizanol and (±)-prezizaene, total syntheses, 5075
sesquiterpenes (+)-dihydro-pallescensin, confirmation of C(1')-(S)-configuration via asymmetric aza-Claisen rearrangement, 1031
sesquiterpenes, germacranolide, synthesis via cyclodecenynol and [2,3] Wittig ring contraction, 723
sesquiterpenes, heliangolides, transannular cyclisation, 821
sesquiterpenes, 1-hydroperoxy-eudesmanolides, prep and conversion to 1,10-sec eudesmanolides, 4203
sesquiterpenes isoclovene, synthesis, 4329
sesquiterpenes muzigadial antifeedant, mode of action via insect chemoreceptive site, 5477
sesquiterpenes (+)-phyllanthostatin, total synthesis, 5591
sesquiterpenes, stereospecific syntheses of 7β-eremophilane-6-one and 7α-and 7β-eremophilane, 2937
sesquiterpenes sterpurene, evidence for consecutive 1,2-alkyl shifts in biosynthesis, isolation and characterisation of 7,12-dihydrosterpurene, 4887
synthesis via application of oxidative desulphonation-/condensation of sulphonyl anions to β-hydroxysulphones, 6273
taxane, tricyclic model, saturated, synthesis and stereochemistry, 5275
taxol A-ring building unit, enantiospecific synthesis, 2753
tetranortriterpenoid 1-cinnamoylmelianolone, insecticide from Melia azedarach, 3543
tricyclic ring systems, regioselective prep by cycloaddition of 1,3,3-trimethyl-2-vinylcyclohexene with unsymmetrical quinones, 5267
triterpene oleanene and its oligoside, skeletally rearranged, via intramolecular carbonyl-mediated electrooxidation of methyl 3-O-acetylglycyrrhetate, 2029
vernolepin, approach to synthesis of ring A via β-fragmentation of alkoxy radicals, 3397

Tetrazines
1,2,4,5-, ring transformation to 4-aminopyrazoles by cyanotrimethylsilane, 2139

Tetrazoles
oligonucleotides, solid phase synthesis by phosphoramidite procedure via coupling using 4-dimethylaminopyridine and either tetrazole, 5-(o-nitrophenyl)tetrazole or 5-(p-nitrophenyl)tetrazole, 3643

Tetrazolinium salts
oxidation of cyclohexanone α-ketol and enone derivs, 4323

Theoretical calculations see also Molecular orbital calculations
2-methylenecycloheptane-3-en-1,5-diyl has triplet ground state, 6501
ab initio study of structures and energies of pentaprismane and hexaprismane, 5787
allene-carbacyclin, stereocontrolled synthesis, application of molecular mechanics to organic synthesis, 299
bicyclo[n.1.1]alkylium cations, rearrangements, 3869
boron enolates, a force field model, 5209
glycosyl transferase enzyme, catalytic effect of carboxylate ion, ion-dipole repulsion with carbohydrate ring oxygen, 2925
tricyclo[8.2.^{1},^{10}.0^{1},^{7}.0^{8},^{10}]-1(7),4(10)-dodecadiene, attempted synthesis, 3209

Thermochemistry see also Pyrolysis
3,4-diazabenzvalene, azoalkane precursor of tetrahedrane, synthesis and reactivity, 5263
3,4-epoxy-5-hydroxycyclopentene via Ti(IV)-catalysed photooxygenation and pyrolysis to 2,4-pentadienoic acid, 311
and photo generation of α-ketocarbenes from iodonium ylides of β-diketones, 4449
cis-oxadiaziridines, thermal stability, anchimerically assisted ring opening, 275
cycloadditions of dimethylacetylenedicarboxylate with cyclic enol ethers, entry to medium sized oxocyclic systems, 1501
decomp of 7-isopropylidene-2,3-dioxabicyclo[2.2.1]heptane, allene oxide and cyclopropanone intermediates? 3779
decomp of β-hydroxy ketones and β-hydroxy esters, deuterium isotope effects, 3555
decomp via ring-closing reactions of 2-methylene-1,3,4-thiadiazoline derivs, 1179
enzymatic optical resolution and flashy vacuum thermolysis in concert, synthesis of optically active cyclopentenones, 357
flash vacuum pyrolysis, formation of indoles and quinolines, 5555
flash vacuum thermolysis, prep of 1,2-λ^{3} azaphosphinine, 4673
generation of bicyclo[3.3.1]nona-1(2),4(5)-diene(Z,Z)ring system, 735
intercyclic vs intracyclic $[\pi 2+\sigma 2+\sigma 2]/[\pi 2+\pi 2]$ cycloaddition, reactions in sterically fixed norbornadiene/quadricyclane systems, 4399
of cyclobutanediones, 5373
pyrolysis of sulphonium ylides, 371
thermal and photo SO_2 extrusion, skeletal rearrangment of a 2,6-dithiaadamantane-2,2,6,6-tetraoxide deriv, 5189
thermolysis and CoTPP-catalysed rearrangement of endoperoxides derived from 2,3-dihydro-1(2H)-azulenone, 1689
thermolysis of oxazolidines, generation of reactive azomethine ylides, regio- and stereospecific synthesis of substituted pyrrolidines, 2973
thermolysis of 2-phosphabicyclo-[2.2.2]octa-5,7-dienes, generation and trapping of p-phenyl- and p-phenylphosphaethene, 5783
thermolysis of 3,6-diaryl-2,5-diazido-1,4-benzoquinones in presence of alkyne, prep of annulated cyanophenols, 5013

Thiacycloalkanes
2,2,5,5-tetramethyl-2,5-disilathiacyclopentane, sulphur transfer reagent, prep, 6139

Thiadiazolines
2-methylene-1,3,4-, derivs, thermal decomposition via ring-closing reactions, 1179

Thiafulvalenes
4,5-methylenedithio-4',5'-propylenedithiotetrathiafulvalene(MPT) and 4,5-ethylenedithio-4',5'-propylenedithiotetrathiafulvalene(EPT), synthesis, characterisation and purity, 4153

Thiaphospholes
1,3λ³-, prep via cycloadditions of 1,4-dithiolium-4-olates with phosphaalkenes, 2119

Thiazines
2-aryl-5-dimethylamino-3-phenyl-4,5-dihydro-1,2,4-thiazine-1,1-dioxide derivs, prep, 2641

Thiazoles
a C-S-C + C-N route to -, via reactions of α-thiocyanato-β-dicarbonyl compds, 117
and oxazoles, homolgation by regiospecific lithiation of thiazole- and oxazole-carboxylic acid derivs, 3585
synthesis from dimethyl N-(ethoxycarbonylmethyl)imino-dithiocarbonate, carbon disulphide and alkyl halides, 6667
synthesis, mechanistic studies using protium and deuterium analogs, 5767

Thiazolidines
S-oxides, Si-Pummerer reaction, new method for stereospecific C-5 functionalisation of thiazolidines, 5903

Thiazolines
thiazolin-2-one deriv, via deep-seated rearrangements of latrunculin B to new biologically active compds, 459

Thioalkanes
bis(phenylthio)methyllithium adducts with cyclic ketones, carbenoid type base induced ring expansion, 2203
methoxy(phenylthio)methane as ambi-equivalent of methoxy- or phenylthiomethylene 1,1-dipole, 6299
threo-and erythro-2-fluoro-3-methylthiobutane, isomerisation to trans- and cis-1-fluoro-1,2,3-trimethylepisulphurane, 4593

Thioamino acids
6-thiosialic acids and 6-thio-N-acetyl-D-neuraminic acid, synthesis, 191

Thioanthracenes
9,10-epidithio-9,10-dihydroanthracene, generation of singlet diatomic S, 6653

Thiocarbonyl compounds
1-hexadecyl 2-thioacetyl-2-deoxy-glycerophosphocholine, stereospecific synthesis, 1729
2-(methylthio)ethyl tosylate, dimerisation, tosylate/chloride rate ratios, 5299
3-methylthio-2-oxopropanal acetals, prep using methylthiomethyl p-tolyl sulphone, 5703
α-chloro-α-phenylthioketones, reaction with phenols, synthesis of benzofurans, 2301
β-ketothioesters for mild prep of β-ketoamides, 3019
desulphurisation to carbonyl compds with t-butyl thionitrate, 1669
dimethyl N-(ethoxycarbonyl-methyl)imino-dithiocarbonate, carbon disulphide and alkyl halides, synthesis thiazoles, 6667
dithiocarbamic acid, stereo-chemistry of reaction with 2-benzylidenecyclohexanone, 571
dithiocarboxylic acid anions, thiophilic addition of alkyllithium, synthesis of 2-[bis(alkylthio)methylene]-1,3-dithioles, 3805
dithionite, reversibly and specifically bound or adsorbed onto micellar surface of cetyl-trimethylammonium bromide, 4069
ester enolates, addition to heterocumulenes, formation of thio or oxo malonimides and further to 4-thioacetoxy azetidinones, 3593
n,π*-excited-, addition to ketene acetals to give thietanes involving 1,4-diradicals, 2701
new (butylthio)carbonyl protecting group for guanine residue in oligoribonucleotide synthesis, 5713
O-acyl thiohydroxamate, addition to chiral acrylate esters, 4205
thioamides,carbophilic addition to organolithiums, synthesis of unsymmetrical ketones and α-alkylated amines, 1529
thiocarbonate derivs as initiators and terminators, use in prep of functionalised cyclopentanes via radical cyclisations, 5973
thioketones as spin traps for group VI radicals, 3737
thiolacetates, sulphinyl chlorides synthesis, 5193

Thioethers
cyclohexylidene-, by cyclisation of vinyl radicals generated by addition of thiophenol to enynes, 1503
diphenyl-, derivs of peptides and amino acids, synthesis, 2805
methyl thioglycolate adduct with neocarzinostatin chromophore, mechanism for nucleophilic activation and proposed structure, 4493

Thioglycosides
reaction with sulphenate esters to give O-glycosides, 4701

Thiols
and selenols by reductive cleavage of disulphides and diselenides, 3271
aromatic and aliphatic-, oxidation by 5-arylidene 1,3-dimethylbarbituric acid to give disulphides and reduction of oxidant to dihydro compd and synthesis of unsymmetrical disulphide, 4173
prior thiol capture in peptide synthesis, level of racemisation during two typical thiol capture couplings, 3435
reaction with dimethylsquarate leading to 2-hydroxy-2,5-alkyl-3,4-dimethoxy-3-cyclobutenones, 1765

Thiolates
conformation of 2-phosphoryl and 2-thiophosphoryl 1,3-dithianes and related compds, origin of S-C-P anomeric interactions, 573
effect on gem-bromo-nitroalkane reactivity, 4525
intramolecular Michael and anti-Michael additions to conjugated acetylenic ketones, 4267

Thiolesters
2-thiophosphatidylcholines stereospecific synthesis, 3767
and esters, synthesis via mixed carboxylic α-bromotoluoyl anhydrides activated by silver tetrafluoroborate, 4711
decarbonylation to sulphides via transition metal complexes, 6321

Thiones
1,2-di-, and 1,2-selenoxo-, formation by photolysis of fused cyclopolysulphides, 4833
methylenecyclopropanones, formation of 1,2,3-butatriene episulphides, 1803

Thiophenes
2,3-dimethyl-5-(2,6,10-trimethyl-undecyl)-, identification as constituent of petroleum and sediment extracts, 957
2,3-dimethylene-2,3-dihydro-, analog of ortho-xylylene, prep, 6085
3-aryl-2,5-dihydrothiophene-1,1-dioxides, prep via aryl iodides, 495
3-[(trialkylsilyl)-oxymethyl]-, and -furans, 1,4 O|C silyl migrations, 5965
3,4-dimethylenethiolane derivs, new, synthesis, 5913
D-ring thiophene analogs of daunomycin, total synthesis, new strategy for hetero-anthracyclines, 3971
diazene and bis-allene precursors, 3,4-dimethylenethiophene reactive intermediates are identical, correlation of singlet biradical reactivity in tetramethyleneethane and trimethylenemethane series, 4263
dithiocarboxylic acid anions, thiophilic addition of alkyllithium, synthesis of 2-[bis(alkylthio)methylene]-1,3-dithioles, 3805

Thiophosphates
sym-tetra-alkyl monothio-pyrophosphates, synthesis, 4209

Thioproteins
mono- and dithionopeptide synthesis, 2171

Thiosugars
1,2-trans-1-thioglycopyranosides by stereoselective conversion of per-O-acetylated glycopyranoses, 1375
1,2-trans-1-thioglycoses, stereoselective synthesis using $AlCl_3$, 1,2-cis-1-chloro-glycopyranosylperacetate intermediate, 2295

Thiosulphones
allylic-, conversion of enones to diketo-sulphones which then led to bicycloalkanediones, 6045

Tin and compounds
1-(phenoxycarbonyl)-3-trialkyl-stannylpyridinium salts, regioselective addition of nucleophiles, 759
2-tributylstannyl-1,3-dienes, regioselective synthesis, 347
α-alkoxyallylkstannane aldehydes, macrocyclisation, stereo-selective synthesis of cembranolide precursors, 527
α-ethoxycrotyltributyltin, reaction with p-bromobenz-aldehyde, chemo, regio and stereoselectivity, 3935
α-methylcrotylstannanes and aldehydes, stereoselective synthesis of
γ-hydroalkylstannane, oxidative fragmentation, prep of (-)-secologanin aglucon-O-silyl ether from (+)-genipin, 5865
allylstannanes addition to 1-

alkyl-2-oxocyclohex-3-eneacetic acid methyl esters, 1,4-diastereoselectivity, 1483
allylstannanes via SmI_2-induced polarity inversion of π-allyl Pd-complexes, 215
azides, reduction to amines using new synthetic reagents $[Et_3NH][Sn(SPh)_3]$ and Bu_2SnH_2, 5941
benzyllic stannanes, photocleavage, 2813
chelation absent from β-siloxy aldehydes and Lewis acids, 281
cyano and fluoro-destannylation using bis(aralkyl)tin sulphides and trialkyltin sulphides, 4373
diorganotin dichloride, conversion of carboxylic acids to esters by catalysed reaction with alcohols, 3713
E- and Z-Y-alkoxyallyltins, stereoselective addition to aldehydes, formation of threo(or syn) vicinal diol monoalkyl ether unit, 143
new allylstannanes for connective construction of monoprotected vicinal diols, 139
organotin compds, Pd-catalysed reaction with perfluoroalkyl iodides, prep of 1-perfluoroalkylalkenes and alkynes, 5857
SnO_2 electrode, covalently bound octadecylsilyl monolayer, molecular recognition of co-implanted inert guest, 4299
stannane and cobalt mediated radical cyclisations, dichotomous reactivity, 1317
stannous triflate, use in prep of 2-acetamido-2-deoxy-β-D-glucopyranosides from crystalline 2-acetamido-3,4,6-tri-O-acetyl-2-deoxy α-glucopyranosyl chloride, 5041
tin(II)trifluoromethanesulphonate, cyclisation, synthesis of trans (±)-tetrahydroactinidiolide, 4053
tributyltin hydride, reduction of α,β-unsaturated nitro compds, 5365

Titanium and compounds

achiral reagents, enantiodivergent tuning, reagent-controlled enantioselective homoaldol reaction with chiral 1-oxyallyllithium deriv, 5149
activation of cyclotrimerisation and condensation of phenylisocyanate with aliphatic aldehydes, 2169
aqueous Ti(III)salts, halide exchange and reduction in phenacylhalides at various pHs, mechanism, 1541
catalysed photooxygenation and pyrolysis of 3,4-epoxy-5-hydroxycyclopentene to 2,4-pentadienoic acid, 311
Cp_2TiCl, catalysis, reaction of isocyanates with Grignard reagents, prep of carboxamide with rearranged skeleton, 3815
enolate generated in situ, condensation with aromatric aldehydes, 4135
low valent-, reduction of enedicarboxylate compds, 2393
reagents, nucleophilic addition of substituted Y- and δ-lactols, new method of asymmeric induction, 6335
reagents, reaction with lithium enolate of N-propionyl-pyrrolidine, stereoselective addition of reaction product to aldehydes, 2037
$TiCl_4$ which forms an adduct with 3,3-dimethyl-2,4-pentanedione, directive force in stereoselective reduction of diketones, 4515
$TiCl_4$, imine-complexes, reactions with ketene silyl acetals, new routes to 5,6-dihydro-2-pyridones and 5-amino-2-alkenoates, 613
Ti(IV)pyridinediol complex, model for titanium-tartrate asymmetric epoxidation catalysts, 2825
Ti-nitrogen complexes, use in incorporation of molecular nitrogen into amides and imides, 6187
titanocene-methylene complexes, interconversions, 6493
titanous ion and H_2O_2, selective Y-H abstraction from N-acetylamino acids and N-alkylacetamides, 2747
trans-δ-lactams, 227

Topology

bond angle distortion of C_2CZCC_2 fragments by CZC opening and symmetrical C_2 distortion, 1169

Toxins

2,6-dioxabicyclo[3.2.1]octane ring system, viz in aurovertin A, synthesis based on biogenetic model using epoxide cyclisation steps, 2771
(-)-and (+)-botryodiplodin and (+)-and (-)-epibotryodiplodin, synthesis, conjugate addition of lithium methylcyanocuprate to chiral2-(R)-and (S)-benzyloxy-2,5-dihydro-4-furancarboxaldehyde, 3589
anguidine via conversion of T-2 toxin and neosolaniol by deoxygenation at C-8 of the trichothecene nucleus, 2661
aplysiatoxins, syntheses, selectively protected form of C_{27}-C_{38}(dihydroxybutenoate) moiety of oscillatoxin, synthesis, 4019
aplysiatoxins, syntheses, selectively protected form of C_{27}-C_{38}(dihydroxybutenoate) moiety of oscillatoxin, synthesis, 4019
argiopine, total synthesis, 6015
betaenone B and stemphyloxin 1, synthetic studies, diastereocontrol of Claisen rearrangement by substituents external to pericyclic array, 3065
biologically active fluorescent indolactam deriv, synthesis, prep of new probes for receptor analysis of tumour promoters, 3267
(+)-citreoviral synthesis by asymmetric cis-hydroxylation via epoxidation-carboxylation, 375
citreomontanin and $C_{1,8}Z$ isomer, total synthesis, 2455
clavularin A stereoselective synthesis from 2-cycloheptenone, 2489
cyanoviridin RR, structure and isolation from Microcystis viridis, 4695
cyclic tetrapeptide HC-toxin, synthesis of analogs by application of double deprotection-peptide cyclisation procedure, 3419
cytotoxic duryne from Cribrochalina dura, 1377
cytotoxic furanonaphthoquinone natural products, via ortho metallation-based route, 6561
cytotoxic smenospongine from Smenospongia sp, 5815
didemins, synthetic studies, route to (3S,4R)-statine, 2837
diterpene sulphate hymatoxin A, isolation of phytotoxin from Hylpxtlon mammatum, 2355
diterpenoid, stolonidiol with strong cytotoxic activity, new, from Japanese coral, 5673
goniothalamin and its oxide, isolation as active embryotoxic and tetragenic components of Goniothalamus macrophyllus, 2541
lyngbyatoxin A intermediate, synthesis, use of optically active nitrile oxide, 3189
methoxylamine pyridine derivs, isolation of niphatynes from Niphates sp, 2467
mycotoxins, synthesis of 6-demethoxyfumitremorgin C, 1131
neurotoxin verrucosidin, absolute configuration and synthesis of tetrahydrofuran portion, 5473
new spider toxin NSTX-3, synthesis for confirmation of structure and neuroscience study, 3509
(+/-)-perhydrohisyrionicotoxin, total synthesis via regiospecific N-acyliminium ion initiated furan terminated cyclisation, 2495
phenolic constituents of Psammaplysilla, 3229
phytotoxins, AV-toxins C,D and E from zonate leaf spot fungus of mulberry, structures, 3697
riccardin B, constitution, 2899
spider toxin JSTX-3 and analogs, synthesis, 3511
talaromycins C,D,E and F, structures and isolation from Talaromyces stipitatus, 1619
(±)-teleocidin B-3 and B-4, total syntheses, 3671
tetrodotoxin, stereocontrolled synthesis of cyclohexane moiety, 6485
thyrsiferol, synthetic studies, 4993
ulicyclamide, synthesis, 2251
vernolepin, approach to synthesis of ring A via β-fragmentation of alkoxy radicals, 3397
yessotoxin, polyether implicated in shellfish poisoning, isolation and structure, 5869

Transannular reactions

and synthesis of macrocyclic 13-membered triene with tetrasubstituted enol ether as dienophile, 5255
Diels-Alder-, and synthesis of macrocyclic cis,trans,trans 13-membered trienone, 5249
Diels-Alder-,and synthesis of macrocyclic trans,cis,cis 13-membered trienone, 5253

Transfer reactions

1,2-dioxetanes, synthesis via electron transfer oxygenation, 5319
2-nitroethyl phenyl sulphoxide, nitroethylene transfer reagent, synthesis, 2893
5'-phosphatidylnucleosides, one-step synthesis via enzymatic 2-phase reaction, 199
amino acid and amine N-benzyl derivs, deprotected, conversion to free amino acids and amines using ammonium formate as hydrogen source, 515
atom tranfer cyclisation of α-iodo carbonyls to cyclic Y-iodo carbonyls, 2477
electron transfer mechanism, photoreduction of aryl nitriles and halides with borates and borohydride, 5295
hydride transfer, H-transfer,

electron transfer and electrophilic substitution of sodium hydrogen telluride, different mechanisms, 6609
intramolecular hydride-, from 1,4-dihydropyridine, to an α-ketoester in aqueous soln, lactate hydrogenate model, 2421
new transfer technology in which transfer reagents are used as synthons or reactive/unstable molecules, prep of substituted benzenes, 6503
sulphur transfer reagent, 2,2,5,5-tetramethyl-2,5-disila-thiacyclopentane prep, 6139
transfer reagents, prep for site specific delivery of disubstituted cyclobutadienes and their use in synthesis of hetero-bridged propellanes, 6507

Transition metals
induced selective alkaline metal ion tranport by synthetic ionophore with double recognition sites for metals, 6211
mediated synthesis of moracin M via coupling of C-2 of benzofuran unit with C- C-5 of resorcinol ring, 2645
selective alkaline metal ion tranport by synthetic ionophore with double recognition sites for metals, induced by a transition metal, 6211
thiol esters, decarbonylation to sulphides via transition metal complexes, 6321

Transition states
evidence for spiro transition state in epoxidation of alkenes by dimethyldioxirane, 3311
measure of charge transfer vs measure of bond tightness, 1183
nucleophiles, evidence for electron transfer in reactions with optically active alkyl halides, challenge to S_N2 transition state, 3183
potent chorismate mutase transition state inhibitor via stereoselective fragmentation of 1,7-dicarbomethoxytricyclo-[3.3.1.0^{2,7}]ninan-4-one, 6253

Transmetallation
transmetallation bewteen t-BuLi and dienophyl mercury to give neophyllithium, 5989
Zn, Cd, Sn and Si derivs of cubane, synthesis, 1055

Trapping reactions
and generation of p-phenyl- and p-phenylphosphaethene, thermolysis of 2-phosphabicyclo[2.2.2]octa-5,7-dienes, 5783
intramolecular radical-, in "set" ring opening of enoyl aziridines, new mechanistic probe and new synthesis of pyrrolidines, 2511
thioketones as spin traps for group VI radicals, 3737

Triazines
1,2,4-, and pyridazines, reactivity with 2-alkylidene-imidazolines, inverse Diels-Alder reaction, 6027
1,2,4-, intramolecular Diels-Alder reactions leading to dihydro-pyrrolo[2.3-b]pyridines synthesis, 379

Triazoles
3-diazo-3H-1,2,4-, substituent and coordination effects in singlet reactions with substituted benzenes and nitro compds, 3221
3,5-disubstituted-1,2,4-, synthesis, 5133
photochemistry, basis of indole synthesis, total synthesis of 7-methoxymitosene, 6125

Triazolines
4-phenyl-1,2,4-triazoline-3,3-dione, cycloadditions with 7,7-carbomethoxy-7H-benzocyclo-heptene and 7,7-dimethyl-7H-benzocycloheptene, cycloheptatriene-norcaradiene equilibrium, 555
N-phenyl-1,2,4-triazoline-3,5-dione, isotope effects in ene reaction with isomers of butene-d_x, stereochemistry, 15

Troponoids
2-alkynyl tropones, irradiation to cyclopentannulated barbaralones, 607
[3]- and [5](2,7)troponophanes, effect of strain on the tropone ring, 977
5-(3,5-di-t-butyl-4-hydroxy-phenyl)tropolone and 5,5'-bitropolone, synthesis and prep of diphenoquinone-type trione, 625
[7]- and [9](3,5)troponophanes and corresponding hydroxytropyliophanes, synthesis, physical and chemical properties, 585
homotropone iron tricarbonyl complexes, absolute configuration, 6465
nortropane and nortrop-6-ene derivs, simple approach, 5937
tricarbonyl(2,3-dihydro-tropone)iron, HPLC optical resolution and absolute configuration, 5873
tropane alkaloid derivs via transformation of 1,3-cycloheptadienes, application to stereocontrolled synthesis of tropanol derivs, 4199
tropothione, synthesis, spectra and reactions, 203
tropylium ion annelated with bicyclo[2.1.1]hex-2-ene, stabilisation due to σ-π conjugation vs destabilisation due to Mills-Nixon type π-bond localisation, 5889

Tungsten and compounds
phosphonotungstic complexes, catalysed epoxidation of olefins using H_2O_2, 2237

Ultra Sound
catalysed synthesis of chalcones under interfacial solid-liquid conditions, 4541
electron transfer catalysis mechanism in Cannizzaro reaction catalysed by solid bases under sonochemical conditions, 2947
improved properties of aqueous Zn-$NiCl_2$ system in regioselective reduction of (-)-carvone, 2351
presence in Wittig-Horner reaction catalysed by activated barium hydroxide, 2951
S(+) 2-octyl halides, retention of optical activity in Barbier reaction, 2013
sonification with Li, Na and K, use in reduction of (+)-camphor, mechanism, 3315
α,β-unsaturated carbonyl compds by aqueous Zn-$NiCl_2$ system, 2347

Uracils
5-amino-6-methyl-, and 4-amino-antipyrine, easy conversion of Me group to cyano group, 4579

Ureas
O-alkyliso-, conversion of alcohols into alkyl bromides and iodides, 4445

Urethanes
vinylogous-, stereoselection in reaction with acid halides, 5423

Uridines
5-substituted-, entry via regio-selective lithiation controlled by protecting group in sugar moiety, 87

Vitamins
1α-hydroxyvitamin D enyne A-ring synthon, enantioselective synthesis, 4947
3-deoxy-1α,25-dihydroxy-9,11-dehydrovitamin D_3, selective formation of 6Z-vitamin D vinylallenes and their thermal[1,5]-sigmatropic H-shift, 6021
7-hydroxy-6-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthyl)-2-naphthoic acid, synthesis of possible metabolite, 4681
7-hydroxy-6-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthyl)-2-naphthoic acid, synthesis of possible metabolite, 4681
25-hydroxyvitamin D_2 side chain, stereoselective synthesis via aceta- template route, 4589
25-hydroxyvitamin D_3 side chain, stereoselective synthesis via aceta- template route, 4589
ascorbic acid, Michael addition to tigloyl cyanide, synthesis of piptosidin, 5469
ascorbic acid, reaction with cis-6-hydroperoxy-5-hydroxy-5,6-dihydrothymine to give N-formyl-N'-pyruvylurea, induced dynamic nuclear polarisation observed, 4079
ascorbic acid, reaction with cis-6-hydroperoxy-5-hydroxy-5,6-dihydrothymine to give N-formyl-N'-pyruvylurea, induced dynamic nuclear polarisation observed, 4079
D C-22 aldehydes, new key intermediates for synthesis of side chain modified vitamin D analogs, 6129
(+)-oxybiotin, stereospecific syntheis from D-xylose, prep of final chiral (+)-oxybiotin precursor, 5733
pyridoxal, catalysed racemisation of phenylglycine catalytic effect of phosphate ion, 5695

X-ray Crystallography
3-O-acetyl-deoxycholic acid, formation of bis-lactone, 5737
18-crown-6 ether and KNCS complex, solid phase stereochemical dynamics by low temp ^{13}C NMR, 4783
aspirochlorine(A30641), structural revision; epidithiopiperazine-2,5-dione produced by Aspergillus Spp, 5607
bafilomycin A_1, conformation, 5565
(±)-cavernosine, synthesis, 4041
diterpenoid gersolide with new rearranged C-skeleton from

Gersemia rubiformis, 5079
diterpenoid, stolonidiol with strong cytotoxic activity, new, from Japanese coral, 5673
hinckdentine-A, structure and isolation from Hincksinoflustra denticulata, 5561
KDO α-glycosides, synthesis via pyranosyl fluorides of 3-deoxy-d-manno-2-octulosonic acid(KDO), 6277
manzamine B and C, structure and isolation from from Haliclona sp, 5493
new diterpene with two polymorphic modifications from marine alga, 6699
obscurinine, new Lycopodium alkaloid, 5993
stereochemistry of Diels-Alder reactions of cyclopropenes, 5917
structures of cycloocta[2.1-b:3.4-b']diquinoline and its 2:1-complex with copper(1)-perchlorate, 5833
tetrabenzo[b,h,n,t]tetrphenylene, synthesis and crystal structure of its 1:1 clathrate inclusion compds with p-xylene, 6359
marine alga Laurencia chilensis, 2-methyl-3(2H)-furanone derived metabolite, structural studies, 6013
tetracyclic polyketal, structure and isolation from Laurencia chilensis, 4031
tetracyclic polyketal, structure and isolation from Laurencia chilensis, 4031
unusual cycloaddition of 1-acyl indoles to an o-quinone monoimide, 6691

Ylides
6-ring carbonyl-, via Rh(11)acetate catalysed reaction of α-diazoketone, 5407
azomethine-, intermediate in reaction of sec α-amino acids with carbonyl compds, oxazolidine formation vs 1,4-prototropy, 6077
β-silyl- and β-stannylphosphorous ylides, carbonyl addition reactions, diastereoselective E-propenylation of α-chiral aldehydes, 4561
benzonitrile 3,3-diarylallyl-, cyclisation to 3H-2-benzazepines, substituent directive effects and mechanism, 2069
carboethoxymethylenetriphenylphosphorane and carboethoxyethylidinetriphenylphosphorane, high pressure Wittig reactions with ketones to form tri- and tetra-1substituted ethylenes, 2191
carbonyl-, formation in reaction of methylene with acetone, 1723
carbonyl-, from reaction of acetone with chloro-p-nitrophenylcarbene, 1011
dibenzophosphole-, Wittig reagents for synthesis of E alkenes from aldehydes, 3445
iodonium-, of β-diketones, photo and thermal generation of α-ketocarbenes, 4449
nonstabalised-, high pressure Wittig reaction with hindered cyclohexanones, 4377
phosphonium-, reactions with perhaloalkanes, route to α-haloalkylphosphonium salts, 6317
polarised diaryl carbonyl-, specificity of addition to unsymmetrical dipolarophiles, 3155
reactive azomethine-, from thermolysis of oxazolidines, ring closure to aziridines, 2975
reactive azomethine-, generation via thermolysis of oxazolidines, regio- and stereospecific synthesis of substituted pyrrolidines, 2973
semi-stabilised-, increased E stereoselectivity in Wittig reaction, replacement of triphenylphosphine by β-diphenylphosphinopropanoic acid yielding water-soluble phosphine oxide, 1165
sulphonium-, synthesis and pyrolysis, 371

Zeolites
photolysis of dibenzyl ketone adsorbed on faujasite zeolites, products determined by framework composition(Si to Al content) and exchangeable cations, 5637

Zinc and compounds
2-(alkenyloxymethyl)-2-propenylzinc bromides and 2-(allylmethylaminomethyl)-2-propenylzinc(or Mg) halides, thermal rearrangement to 5-(1-bromozincalkyl)-3-methyleneoxacycloalkanes and 5-(bromozinc[or chloromagnesium]methyl)-3-methylene-N-methylpiperidine; isomerisation of former to methylenecyclopentanes, 5929
an aryl zinc chloride, coupling with a vinyl triflate, prep of conformationally restricted antioestrogens, 701
β-ethylenic alcohols, prep from α-ethylenic bromide, a carbonyl compd and Zn, 4551
chiral-, homoenolate of methyl isobutyrate, new building block for synthesis of chiral α-methyl esters, 337
dialkyl-, enantioselective addition to aryl aldehydes, chiral piperazine as new catalyst, 4841
diethyl-, enantioselective addition of benzaldehyde in presence of ephedrine derivs, 3013
diethylzinc addition to benzaldehyde, effect of temp, alkaloids and amino alcohols in catalytic asymmetric induction, 6163
diethylzinc, enantioselective addition to benzaldehyde using chiral catalyst, 5233
organo reagents, Pd catalysed cross coupling of phenyl fluoroalkane sulphonates, 2387
organo-, use in regiospecific methylation of N -desmethylwyosine synthesis of wyosine, 3275
reagent of α-(bromomethyl) acrylate coupling with nucleophilic imines, prep of α-methylene Y-lactams, 59
zinc-chlorotrimethylsilane and LAH, regioselective reductions of 2,3-epoxy acetals, synthesis of 1,2- and 1,3-diones, 551
zincates or cuprates containing optically active azaenolate of erythro-isopropylidene-2-methoxy-1,2-diphenylamine, asymmeric conjugate addition to 2-cycloalkanones, 6347
Zn complexes of chiral phenols as catalysts for enantioselective addition of organozinc reagents to aromatic aldehydes, 5237

Zirconium and compounds
$Cp_2Zr(H)Cl$, Schwartz's reagent, prep, 3895
hydrozirconation of anacyclin, pellitorine and its vinylogs and synthons, 4875
promoted bicyclisation of enynes, effect of substituents, 917
zirconocene induced coupling of nitriles with benzyne, synthesis, structure and reactions of azametallocyclopentenes, 3245

Author Index 1987

Abbott D.E see Keck G.E. 139
Abd El Samii Z.K.M., **Al Ashmawy M.I.** and **Mellor J.M.** New routes to heterocycles via sulphenylation of unsaturated amides,1949
Abell C. and **Leech A.P.** Evidence for consecutive 1,2-alkyl shifts in sterpurene biosynthesis: isolation and characterisation of 7,12-dihydroxysterpurene,4887
Aboujaoude E.E see Tay M.K. 1263
Abraham W.D., **Bhupathy M.** and **Cohen T.** Carbenoid type base induced ring expansion of the adducts of cyclic ketones with bis(phenylthio)methyllithium,2203
Abramski W see Chmielewski M. 3035
Abreo M.A see Kurth M.J. 5631
Achiwa K see Chiba M. 3675
Achmatowicz B. and **Wicha J.** Transformations of tartaric acid: a facile syntheses of derivatives of optically active α-hydrohyaldehydes,2999
Adam W. and **Pasquato L.** 3,4-Epoxy-5-hydroxycyclopentene via titanium(IV)-catalyzed photooxygenation and its pyrolysis to 2,4-pentadienoic acid,311
Adam W., **Günther E.**, **Hössel P.**, **Platsch H.** and **Wilson R.M.** UV Laser photochemistry: evidence for "through-bond coupling" effects in the lifetimes of 2,2-dimethyl-1,3-cyclopentadiyl triplet diradicals,4407
Adams J. and **Frenette R.** Stereoselective synthesis of endo-1,3 dimethyl-2,9 dioxabicyclo[3.3.1] nonane,4773
Agami C. and **Couty F.** Influence of the ester group during the enantioselective methylation of γ-aldehyde esters via their chiral oxazolidine derivatives,5659
Agarwal S see Prakash O. 685
Aggarwal V.K. and **Warren S.** Synthesis of compounds with 1,4-related chiral centres by phenylthio migration: syn and anti-E-2,4-dimethylhex-3-ene-1,5-diol,1925
Agrawal S. and **Goodchild J.** Oligodeoxynucleoside methylphosphates: synthesis and enzymic degradation,3539
Aguilar R., **Reyes A.**, **Tamariz J.** and **Birbaum J.-L.** Regioselectivity of Diels-Alder additions of 1-acetylvinyl arenecarboxylates,865
Ahmad S.S see Malik S. 163, see Siddiqui S. 1311
Ahmad V.U see Riccio R. 2291
Ahmad Z., **Goswami P.** and **Venkateswaran R.V.** Synthesis of isoclovene,4329
Aicher T.D. and **Kishi Y.** Synthetic studies towards halichondrins,3463
Aikawa H see Otera J. 2147
Aimi N see Ruangrungsi N. 3679
Aitken R.A. and **Burns G.** A new synthesis of 2-substituted benzofurans and benzothiophens: novel fragmentation reactions of simple alkyl groups,3717
Aiura H see Wada M. 3377
Aizpurua J.M., **Oiarbide M.** and **Palomo C.** Reduction of α,β-unsaturated nitrocompounds with tributyltin hydride,5365
Aizpurua J.M., **Oiarbide M.** and **Palomo C.** The NEF reaction on trialkylsilyl nitronates promoted by m-chloroperbenzoic acid, an efficient route to α-alkoxyketones from nitroalkanes,5361
Akai S see Tamura Y. 3971, 4583
Akamatsu H see Komatsu K. 5889
Akasaka T see Ando W. 6653
Akasaka T., **Takeuchi K.** and **Ando W.** Reaction of singlet oxygen with α,β-unsaturated aldimines,6633
Akasaka T. and **Ando W.** Reaction of singlet oxygen wityh methylenecyclopropanes: formation of 4-methylene-1,2-dioxolanes,217
Akbulut N., **Menzek A.** and **Balci M.** Thermolysis and CoTPP-catalyzed rearrangement of endoperoxides derived from 2,3-dihydro-1(2H)-azulenone: a new endoperoxide-endoperoxide rearrangement,1689
Akee R.K see Rodriguez A.D. 4989
Akhila A., **Gupta M.M.** and **Thakur R.S.** Direct cyclisation of squalene to 5α-stigmast-9(11)-ene-3β-ol via Δ⁹(¹¹)lanosterol in Costus speciosus: a unique finding in sterol biosynthesis,4085
Akhtar M., **Cohen M.A.** and **Gani D.** Stereochemical course of the enzymic amination of chloro- and bromo- fumaric acid by 3-methylaspartate ammonia-lyase,2413
Akiba K see Iwasaki H. 6355, see Kume T. 6305, see Wada M. 3377
Akiba K., **Okinaka T.**, **Nakatani M.** and **Yamamoto Y.** Synthesis and reductive elimination of triarylbis(phenylethynyl)-antimony (V),3367
Akimoto K see Nakayama J. 4423
Akkerman O.S see van de Heisteeg B.J.J. 6493
Al Ashmawy M.I see Abd El Samii Z.K.M. 1949
Al-Nuri M see Tufariello J.J. 263, 267
Al-Talib M. and **Tashtoush H.** The reaction of acylium salts with dialkylcyanamides,353
Alais J. and **Veyrieres A.** Synthesis of an octasaccharide fragment of the polylactosamine series by a blockwise approach,3345
Alam N., **Amatore C.**, **Combellas C.**, **Thiébault A.** and **Verpeaux J.N.** Electrosynthesis of unsymmetrical biaryls using a $S_{RN}1$ type reaction,6171
Alami M.E., **Belaud C.** and **Villieras J.** Isolement du "réactif de Réformatsky" dérivé de l'α-(bromométhyl) acrylate d'éthyle,59
Alandis N see Perez E. 2343
Alazard J.-P see Leboff A. 4163
Alberti A., **Bonini B.F.** and **Pedulli G.F.** Thioketones as spin traps for group VI radicals,3737
Alcantara A.R., **Marinas J.M.** and **Sinisterra J.V.** Synthesis of 2'-hydroxychalcones and related compounds in interfacial solid-liquid conditions,1515
Alexakis A see Mangeney P. 2363
Allenmark S. and **Thompson R.A.** Preparative optical resolution of chlormezanone on microcrystalline triacetylcellulose,3751
Almstead N., **Christ W.**, **Miller G.**, **Reilly-Packard S.**, **Vargas K.** and **Zuman P.** Equilibria in solutions of methanol or ethanol, sulfuric acid and alkyl sulfates,1627

Alo B.I see Sibi M.P. 2933
Alper H see Zahalka H.A. 2215
Alper H. and **Vasapollo G.** Carbonylation of nitrosobenzenes to carbamate estrers catalyzed by palladium and cupric acetates under ambient conditions,6411
Alper H. and **Hamel N.** Regiospecific synthesis of α-methylene-β-lactams by a homogeneous palladium catalyzed ring expansion-carbonylation reaction,3237
Alvarez M.,Lavilla R. and **Bosch J.** Studies on the synthesis of Strychnos indole alkaloids. A direct entry to 4-ethylidene-hexahydro-1,5-methano-azocino[4,3-b]indoles,4457
Alvarez R.M see Martínez A.G. 6441, see Martinez A.G. 1929
Alvarez-Ibarra C.,Dávila E.,Mateo A.,Ortiz P. and **Quiroga M.L.** A novel synthesis of thiazoles from dimethyl N-(ethoxycarbonyl-methyl) imino dithiocarbonate, carbon disulfide and alkyl halides,6667
Alvaro M.,Baldoví V.,García H.,Miranda M.A. and **Primo J.** A novel photochemical 1,4-acyl migration in enol esters. The photolysis of enol acetates of 3-phenylpropiophenones,3613
Aly M.F.,Ardill H.,Grigg R.,Leong-Ling S.,Rajviroongit S. and **Surendrakumar S.** The reaction of secondary α-amino acids with carbonyl compounds. Properties of the intermediate azomethine ylides. Oxazolidine formation versus 1,4-prototropy,6077
Amaike M see Tsunoda T. 2537
Amarasekara A.S see Hassner A. 5185
Amarasekara A.S. and **Hassner A.** Stereospecific synthesis and stereochemical structure confirmation of dumetorine,3151
Amatore C see Alam N. 6171
Ambles A.,Dupas G. and **Jacquesy J.-C.** Solubilization of timahdit (Morocco) oil shale kerogen catalysed by 18-crown-6,6449
Amemiya M see Ueki M. 6617
Amer I.,Bravdo T.,Blum J. and **Vollhardt K.P.C.** Selective C-C bond hydrogenation in unsaturated nitro compounds in the presence of the $RhCl_{004}$-aliquat 336 catalyst system,1321
Amon H.L see Mazzocchi P.H. 2473
Amouroux R see Stambouli A. 5301
Amputch M.A see Erden I. 3779
Asri H. and **Villieras J.** Alkylation d'acetates de cyclenols fonctionnels (5 et 6 chainons) par les reactifs de Grignard et les enolates lithiens catalysee (ou non) par les sels de cuivre (I). Synthese rapide de la (±) mitsugashiwalactone,5521
Amrollah-Madjdabadi A.,Beugelmans R. and **Lechevallier A.** Sur la réactivité de gem-bromonitroal-canes en presence de thiolates,4525
Anand S.M see Liu M.T.H. 1011
Ananthanarayan T.P see Harvey R.G. 6137
Andermann G see Huber D. 6453
Anders E. and **Markus F.** Neue Methode zur regiospezifischen Substi-tution einiger reaktionsträger N-heteroaromatischer Ringsysteme,2675
Andersen J.F see Phillips J.K. 6145
Andersen R.J see Williams D.E. 5079
Anderson D.W.,Black R.M.,Leigh D.A. and **Stoddart J.F.** Novel 3,4- and 8,15-polyether analogues of macrocyclic trichothecenes,2657
Anderson D.W.,Black R.M.,Leigh D.A. and **Stoddart J.F.** Novel 4,15-polyether analogues of macro-cyclic trichothecenes,2653
Anderson D.W.,Black R.M.,Leigh D.A.,Stoddart J.F. and **Williams N.E.** The facile conversion of T-2 toxin and neosolaniol into anguidine,2661
Anderson J.E see Constant J.F. 1777
Anderson L.G see Takacs J.M. 5627
Anderson P.C see Guindon Y. 2225, 2485
Andersson C.-M. and **Hallberg A.** A regiospecific benzoylation of alkyl vinyl ethers catalysed by palladium,4215
Andersson K see Becker H.-D. 1954, 1323
Andert D see Mannschreck A. 3479
Ando K see Tomioka K. 6637
Ando M see Hori K. 5883
Ando S see Tezuka T. 4427
Ando T see Kuroboshi M. 3501
Ando T.,Clark J.H.,Cork D.G.,Hanafusa T.,Ichihara J. and **Kimura T.** Fluoride-alumina reagents: the active basic species,1421
Ando W see Akasaka T. 6633, 217, see Furuhata T. 1179, see Tokitoh N. 5903
Ando W.,Hayakawa H. and **Tokitoh N.** A novel formation of 1,2,3-butatriene episulfides by thionation of methylenecyclo-propanones,1803
Ando W.,Kumamoto Y. and **Tokitoh N.** A novel formation of 1,2-diselenone in the reaction of 1,2,3-selenadiazoles,5699
Ando W.,Kumamoto Y. and **Tokitoh N.** Facile formation of 1,2-dithione and 1,2-selenoxothione by the photolysis of fused cyclo-polysulfides,4833
Ando W.,Kumamoto Y. and **Tokitoh N.** Formation of a stable selenirane via cycloaddition of selenirene,2867
Ando W.,Sonobe H. and **Akasaka T.** Generation of singlet diatomic sulfur from 9,10-epidithio-9,10-dihydroanthracene,6653
Ando W.,Itami A.,Furuhata T. and **Tokitoh N.** Isomerization and desulfurization of allene epi-sulfides,1787
Ando W.,Kumamoto Y.,Ishizuka H. and **Tokitoh N.** Reactions of cyclo-alkeno-1,2,3-selenadiazole with nucleophiles,4707
Andrew R.G.,Conrow R.E.,Elliott J.D.,Johnson W.S. and **Ramezani S.** Asymmetric synthesis via acetal templates. 14. Preparation of enantiomerically pure (3S,4R)-statine deriva-tives,6535
Angle S.R see Trost B.M. 375
Annapurna G.S see Rama Rao A.V. 451
Annen U. and **Regitz M.** Phospha-barrelene mit $\lambda^3\sigma^2$-phosphor,5141
Annoura H see Tamura Y. 5709, 5681
Annunziata R.,Cinquini M.,Cozzi F.,Raimondi L. and **Stefanelli S.** Highly stereoselective synthesis of optically active masked syn-α,β-dihydroxy aldehydes,3139
Anthony I.J. and **Wege D.** Hetero-cyclic cuclopropparenes: 5H-cyclopropf[f]isobenzofuran and 5H-cyclopropa[f][2]benzo-thiophene,4217
Anthony N.J.,Grice P. and **Ley S.V.** Development of a synthetic route towards milbemycin β_1: preparation of an advanced model system,5763
Anthony N.J.,Clarke T.,Jones A.B. and **Ley S.V.** Synthesis of the monocyclic nonaromatic C-1 to C-10 fragments of the milbemycins and avermectins,5755
Antonioletti R.,Bonadies F. and **Scettri A.** A new convenient synthesis of 3(2H)-furanones,2297
Aoki H see Hanzawa Y. 659
Aoyama N see Araki S. 4289
Aoyama Y.,Kaschara T.,Yamagishi A.,Toi H. and **Ogoshi H.** 5,15-bis(8-quinolyl)- and -bis(2-pyridyl)octaethylporphyrin. Preparation, stabilities of atropisomers, and metal-ion binding properties,2143
Aoyama Y.,Saita K.,Toi H.,Ogoshi H. and **Okamoto Y.** Preparation and optical resolution of novel 5,10-diaryloctaethylporphyrins with C_2 symmetry,4853
Apeloig Y.,Arad D.,Kapon M. and **Wallerstein M.** The stereo-chemistry of Diels-Alder reactions of cyclopropenes,5917
Apparao S see Schmidt R.R. 4045
ApSimon J.W see Frank J. 2759
Arad D see Apeloig Y. 5917
Arai K see Kitano Y. 6351
Arai K.,Shaw C.,Nozawa K.,Kawai K. and **Nakajima S.** Electrochemical amidation of esters,441
Arai Y see Koizumi T. 3689
Araki S see Butsugan Y. 3707
Araki S.,Aoyama N. and **Butsugan Y.** Quinonoid mesoions, (2,3-diphenyltetrazol-5-ylio)-phenolates,4289
Araki Y.,Endo T.,Tanji M.,Nagasawa J. and **Ishido Y.** Synthesis of C-glycosyl compounds by the addition of glycosyl radicals to olefins,5853
Aramaki Y see Hashimoto Y. 3511, see Teshima T. 3509
Ardill H see Aly M.F. 6077
Ardisson J.,Ferezou J.P.,Julia M. and **Pancrazi A.** Erratum,3050
Ardisson J.,Férézou J.P.,Julia M. and **Pancrazi A.** Free radical cyclisation approach to the southern moiety of avermectins,2001
Ardisson J.,Férézou J.P.,Julia M.,Lenglet L. and **Pancrazi A.** Stereocontrolled synthesis of the spiroketal unit of 22,23-dihydroavermectin B_{1b},1997
Arepally A see Giguere R.J. 6553
Argay G see Miljković D. 5737
Arimoto M.,Yamaguchi H.,Fujita E.,Ochiai M. and **Nagao Y.** Iodosylbenzene-trimethylsilyl azide-boron trifluoride etherate a highly efficient system for direct synthesis of allyl azides from allyl-silanes,6289
Arisawa M see Hayashi T. 3693
Arjona O.,de la Pradilla R.F.,Pérez R.A.,Plumet J. and **Viso A.** Regio- and stereoselective electrophilic additions to exo and endo-2-hydroxy-2-methyl-7-oxabicyclo.2.2.1 hept-5-ene,5549
Arjona O.,de la Pradilla R.F.,Manzano C.,Pérez S. and **Plumet J.** Stereoselectivity of the reaction between 7-oxa-bicyclo[2.2.1]hept-5-en-2-one and organocuprate reagents,5547
Armesto D.,Bosch P.,Horspool W.M. and **Ortiz M.J.** Unexpected reactions of 1,4-diaza-1,3-dienes under acylating conditions. A new cyclization to non-acylated imidazole deriva-tives,4605
Armistead D.M see Burke S.D. 3905
Armistead D.M. and **Danishefsky S.J.**

Model studies directed toward the avermectins: a route to the oxahydrindene subunit,4959
Arnaud A see Vo-Quang Y. 4057
Arnold K.A see White B.D. 1749
Arques A see Molina P. 4451
Arreguy-San Miguel B.,**Maillard B.** and **Delmond B.** Cyclisation radicalaire: une nouvelle approche au squelette steroidique a partir de composes diterpeniques,2127
Arrowsmith R.J.,**Davies D.E.**,**Fogden Y.C.**,**Harris C.J.** and **Thompson C.** Amino-alcohol dipeptide analogues: a simple synthesis of a versatile isostere for the development of proteinase inhibitors,5569
Arseniyadis S see Huang P.Q. 547
Asada T see Tokoroyama T. 6645
Asakawa Y see Hashimoto T. 6293, 6295, 6303
Asano M see Fusetani N. 5837
Asao T see Sotokawa H. 5873, see Tajiri A. 6465
Asaoka M.,**Shima K.** and **Takei H.** (R)- and (S)-5-trimethylsilyl-2-cyclo-hexenone: a versatile chiral source for the synthesis of optically active cyclo-hexanone derivatives,5669
Asaoka M. and **Takei H.** Trimethyl-silyl group directed Wagner-Meerwein rearrangement of bicyclo[2.2.2]octan-2-ol derivatives,6343
Asato A.E see Mead D. 259
Ashby E.C. and **Pham T.N.** Evidence for electron transfer in reactions of nucleophiles with optically active alkyl halides. A challenge to the S_N2 transition state,3183
Ashby E.C. and **Pham T.N.** The question of the validity of using radical probes for determining SET. The reaction of alkyl halides with $LiAlH_4$,3197
Ashton P.R.,**Chrystal E.J.T.**,**Mathias J.P.**,**Parry K.P.**,**Slawin A.M.Z.**,**Spencer N.**,**Stoddart J.F.** and **Williams D.J.** Complexation of diquat and paraquat by macro-cyclic polyethers incorporating two dihydroxynaphthalene residues,6367
Asirvatham E see Posner G.H. 5071
Aso Y see Hu N.X. 1281
Atanes N.,**Quitián E.**,**Saá C.**,**Castedo L.** and **Saá J.M.** The reaction of 1-alkyldihydroisoquinolines with benzyne. An unexpected entry to dibenzindolizines,817
Atasoy B.,**Balci M.** and **Büyükgüngör O.** Thermal cycloadditions of 4-phenyl-1,2,4-triazoline-3,5-dione to 7,7-carbomethoxy-7H-benzocycloheptene and 7,7-dimethylk-7H-benzocycloheptene cycloheptatriene-norcaradiene equilibrium,555
Atkins R. and **Carless H.A.J.** Photo-oxidation of α-phellandrene: the formation of cyclohexadienyl hydroperoxides and their reduction to arene 1,4-hydrates,6093
Atkinson R.S.,**Darrah C.M.** and **Kelly B.J.** Aziridination of alkenes by 3-amino-2-ethylquinazolin-3H-4-one and lead tetra-acetate-trifluoroacetic acid,1711
Atta-ur-Rahman,**Khanum S.** and **Fatima T.** Stricticine - a new alkaloid from the leaves of Rhazya stricta,3609
Aubé J see Baldwin S.W. 179
Augustyn J.A.N see Bezuidenhoudt B.C.B. 4857
Aurrecoechea J.M. and **Okamura W.H.** A short, enantiospecific synthesis of the 1α-hydroxyvitamin D enzyme A-ring synthon,4947
Austin G.N.,**Fleet G.W.J.**,**Peach J.M.**,**Prout K.** and **Son J.C.** Chiral oxetanes from sugar lactones: synthesis of derivatives of 3,5-anhydro-1,2-O-isopropylidene-α-D-glucuronic acid and of 3,5-anhydro-1,2-O-isopropylidene-β-L-iduronic acid,4741
Auvin S see Guillerm G. 535
Auzanneau F.-I see Charon D. 1393
Avery M.A.,**Jennings-White C.** and **Chong W.K.M.** The total synthesis of (+)-artemisinin and (+)-9-desmethylartemisinin,4629
Awata Y see Kinjo J. 3697
Ayafor J.F see Lontsi D. 6683
Azerad R see Buisson D. 5033, 3939, see Dernoncour R. 4661, see Ouazzani-Chahdi J. 1109
Aziz M. and **Rouessac F.** Syntheses de la (+)-marmine, des (+)-epoxy,6',7'- et (-)-epoxy-3',6'-auraptenes et des racemiques correspondants,2579

Bäuml E.,**Kolberg G.** and **Mayr H.** A carbocationic 1,3-alkenyl shift,387
Baba K see Kohda K. 6285
Babler J.H. and **Marcuccilli C.J.** A facile route to α-imino acetals and the corresponding monoacetal derivatives of α-diketones with complete regiochemical control,4657
Baboulene M see Dicko A. 6041
Babu S see Larock R.C. 5291
Bachi M.D.,**De Mesmaeker A.** and **Stevenart-De Mesmaeker N.** Free-radical annelation in the synthesis of bicyclic β-lactams. 6. Synthesis of tert-butyl-2-benzylidene-1-carbapenam-3-carboxylate,2887
Bachi M.D.,**De Mesmaeker A.** and **Stevenart-De Mesmaeker N.** Free-radical annelation in the synthesis of bicylic β-lactams.5. Synthesis of carba-penams,2637
Baciocchi E.,**Del Giacco T.** and **Sebastiani G.V.** Photochemical oxidation and autooxidation of some cycloalkanes promoted by ceric ammonium nitrate in aceto-nitrile,1941
Baciocchi E.,**Civitarese G.** and **Ruzzicconi R.** Synthesis of 1,4-dicarbonyl compounds by the ceric ammoniom nitrate promoted reaction of ketones with vinyl and isopropenyl acetate,5357
Back T.G.,**Krishna M.V.** and **Muralidharan K.R.** A general syn-thesis of allenic sulfones from acetylenes using seleno-sulfonation,1737
Bacos D.,**Celerier J.-P.** and **Lhommet G.** Cyclic β-enaminoesters decarboxylation with boric acid: a convenient synthesis of cyclic imines,2353
Baczko K see Plusquellec D. 5050, 3809
Badejo I see Hua D.H. 5465
Baettig K.,**Dallaire C.**,**Pitteloud R.** and **Dealongchamps P.** Synthesis and transannular Diels-Alder reaction of a cis-trans-trans 13-membered macrocyclic trienone,5249
Baettig K.,**Marinier A.**,**Pitteloud R.** and **Dealongchamps P.** Synthesis and transannular Diels-Alder reaction of a trans-ciscis 13-membered macrocyclic trienone,5253
Bagchi A see Oshima Y. 2025
Baggiolini E.G.,**Hennessy B.M.**,**Iacobelli J.A.** and **Uskokovic M.R.** Stereospecific synthesis of the Lythgoe's ring A aldehyde for the preparation of 1α-hydroxylated tachysterols and calciferols,2095
Bagheri V see Negishi E. 5793
Bai J see Ding H. 2599
Bailey P.D.,**Hollinshead S.P.** and **McLay N.R.** Exceptional stereo-chemical control in the Pictet-Spengler reaction,5177
Bailey P.D. On the stereochemistry of the Pictet-Spengler reaction,5181
Bailey P.D. and **Hollinshead S.P.** Synthesis of 3-(indol-2-yl)-propenoate derivatives of tryptamine, valuable inter-mediates for the preparation of indole alkaloids,2879
Baker G.H.,**Brown P.J.**,**Dorgan R.J.J.**,**Everett J.R.**,**Ley S.V.**,**Slawin A.M.Z.** and **Williams D.J.** A conformational studys of bafilomycin A_1 by X-ray crystallography and NMR techniques,5565
Baker R see Brimble M.A. 4891
Bakker B.H. and **Cerfontain H.** Sulfonation of alkenes with an excess of sulfur trioxide; stereospecific formation of carbyl sulfates,1703
Bakker B.H. and **Cerfontain H.** Sulfonation of alkenes with sulfur trioxide- stereospecific β-sultone formation,1699
Bakker C.G see Scheeren J.W. 1821, see van der Woerd R. 2763
Bakthavachalam V. and **Czarnik A.W.** On the function of ionized carboxylate residues at the active sites of glycosyl trans-ferase enzymes,2925
Balaban A.T see Balaban T.-S. 1341, see Dinculescu A. 3145, see Uncuta C. 3143
Balaban T.-S see Dinculescu A. 3145
Balaban T.-S. and **Balaban A.T.** Δ^3-Dihydropyrans and tetra-hydropyrans by reduction of pyrylium salts with sodium boro-hydride in acetic acid,1341
Balandrin M.F see Lee S.M. 3543
Balavoine G see Clinet J.C. 5509
Balci M see Akbulut N. 1689, see Atasoy B. 555
Balczewski P see Mikolajczyk M. 573
Baldoví V see Alvaro M. 3613
Baldwin J.E.,**North M.** and **Flinn A.** A convenient new synthesis of homoserine lactone,3167
Baldwin J.E.,**Dyer R.L.**,**Ng S.C.**,**Pratt A.J.** and **Russell M.A.** Application of E.coli aspartate transaminase to amino acid syn-thesis,3745
Baldwin J.E.,**Ng S.C.**,**Pratt A.J.**,**Russell M.A.** and **Dyer R.L.** Enzymic synthesis of isotopically labelled L-tyrosine,2303
Baldwin J.E.,**Ng S.C.** and **Pratt A.J.** Synthesis of phenoxyacetyl-N-sulphonyl cycloserine,4319
Baldwin J.E. and **Flinn A.** Use of L-aspartic acid β-semialdehyde in the synthesis of more complex new protein amino acids,3605
Baldwin S.W. and **Aubé J.** Asymmetric synthesis with chiral hydroxyl-amines. Synthesis of optically pure 4-substituted azetidinones,179
Ballester P.,**Costa A.**,**García-Raso A.** and **Mestres R.** Unsaturated

carboxylic acid dienolates. Addition to substituted cyclohexanones. Inverted kinetic and thermodynamic stereoselectivities,3853
Ballesteros M see Ortuño R.M. 3405
Ballini J.P see Viari A. 3349
Balme G see Fournet G. 4533
Balu M.P.,Ila H. and **Junjappa H.** Cycloaromatization of α-oxoketene dithioacetals with 2-picolyllithium: a facile quinolizinium cation annelation,3023
Banaszek A see Dziewiszek K. 1569
Bando T see Tamaru Y. 3497
Banerjee S see Mahato S.B. 5315
Banfi L see Guanti G. 4335, 4331
Bankaitis-Davis D.M see Crimmins M.T. 3651
Bano S see Riccio R. 2291
Barany G see Mullen D.G. 491
Barasch D see Sterling J. 1685
Barbaro G.,Battaglia A. and **Giorgianni P.** 2-Iminoxetanes from ketenimine-aldehyde cycloadditions. Part I. Synthesis and controlled ring opening of 2-N-p-tolyimino-3,3-dimethyl-4-phenyloxetane,2995
Barbato S.,De Napoli L.,Mayol L.,Piccialli G. and **Santacroce C.** Solid phase synthesis of cyclic oligodeoxyribonucleotides,5727
Barbiric D.A see Mehta G. 1295
Barcelo G see Sennyey G. 5809
Barchietto G see Gerdil R. 4685
Barcina J.O see Martínez A.G. 6441, see Martinez A.G. 1929
Bargar T.M see McCarthy J.R. 2207
Barieux J.J. and **Schirmann J.P.** ^{17}O-Enriched hydrogen peroxide and T.butyl hydroperoxide: synthesis, characterization and some applications,6443
Barker A.J.,Teall M.R. and **Johnson G.** A novel synthesis of substituted 3-aminopenems,2283
Barluenga J.,López F. and **Palacios F.** A facile and efficient preparation of the unknown primary β-enaminophosphines. Synthesis of the first 1,3,4-diaza-λ^5-phosphinines,2875
Barluenga J.,López F. and **Palacios F.** A simple synthesis of the first 1-2λ^5-benzazaphosphinine ring,4327
Barney C.L see McCarthy J.R. 2207
Barrans J see N'Gando M'Pondo Th. 6049
Barre V. and **Uguen D.** Cyclopentanation with β-methylthioallyl phenyl sulfone,6045
Barreto M.M see Guingant A. 3107
Barrett A.G.M. and **Raynham T.M.** Approaches to avermectin assembly: synthesis of the spiroketal system,5615
Barrett A.G.M. and **Dhanak D.** Chloromethylaluminum 2-(2-propenyl)-anilide - a convenient reagent for the conversion of lactones into protected hydroxy acids,3327
Barrett A.G.M. and **Lebold S.A.** Convenient syntheses of 6-arylmethyl- and 6-(1-E-propenyl)-3-pyridinols,5791
Barrett A.G.M. and **Mani N.S.** Synthesis of a destrophane prototype: a novel cavity molecule ,6133
Barron C.A see Ramage R. 4105
Bartels B.,Hunter R.,Simon C.D. and **Tomlinson G.D.** A versatile vinyl sulphide synthesis using benzenesulphenyl chloride,2985
Bartoli D see Tiecco M. 3849
Barton D.H.R.,Finet J.-P. and **Khamsi J.** Copper salts catalysis of N-phenylation of amines by trivalent organobismuth compounds,887
Barton D.H.R.,Yadav-Bhatnagar N.,Finet J.-P. and **Khamsi J.** Phenylation of aromatic and aliphatic amines by phenyllead triacetate using copper catalysis,3111
Barton D.H.R.,Bohé L. and **Lusinchi X.** Sodium hydrogen telluride: a mechanistic chameleon,6609
Barton D.H.R.,Guilhem J.,Hervé Y.,Potier P. and **Thierry J.** Synthesis of 2S, 3aS, 7aS- and of 2S, 3aR, 7aR- perhydroindole-2-carboxylic acid derivatives from L-aspartic acid,1413
Barton T.J. and **Yeh M.-H.** Generation and rearrangement of a 1-norbornene in pyrolysis of 1-sila-2-oxynorbornanes,6421
Bartra M.,Urpí F. and **Vilarrasa J.** New synthetic "tricks". $[Et_2NH][Sn(SPh)_3]$ and Bu_2SnH_2, two useful reagents for the reduction of azides to amines,5941
Barua N.C see Borbaruah M. 5741
Basavaiah D.,Bharathi T.K. and **Gowriswari V.V.L.** DABCO Catalyzed coupling of α-keto esters with acrylonitrile and methyl acrylate,4351
Basavaiah D.,Gowriswari V.V.L. and **Bharathi T.K.** DABCO Catalyzed dimerization of α,β-unsaturated ketones and nitriles,4591
Bashiardes G. and **Davies S.G.** The asymmetric synthesis of (-)-captopril utilising the iron chiral auxiliary $[(\eta^5\text{-}C_5H_5(Fe(CO)(PPh_3)]$,5563
Basualdo I see Hayashi T. 3693
Batelaan J.G.,Hageman H.J. and **Verbeek J.** The photodecomposition of α-nitratomethylbenzoin as studied by ESR,2163
Bates A.D see Jones R.C.F. 1565
Bates D.K.,Sell B.A. and **Picard J.A.** An interrupted pummerer reaction induced by Vilsmeier reagent (POCl$_3$/DMF),3535
Bates R.B see Niak U.S. 5641
Bateson J.H.,Quinn A.M. and **Southgate R.** Synthesis of some 4-acyloxy-7-oxo-1-azabicyclo [3.2.0]hept-2-ene-2-carboxylates,1561
Bathgate A. and **Malpass J.R.** A simple approach to northropane and nortrip-6-ene derivatives,5937
Batllori R see Ortuño R.M. 3405
Batta G see Perjési P. 571
Battaglia A see Barbaro G. 2995
Battaglia A.,Cainelli G.,Giacomini D.,Martelli G. and **Panunzio M.** Cycloaddition reaction of heterocumulenes and ester enolates: a novel synthesis of 4-alkylidene-azetidin-2-ones,4347
Bauld N.L see Harirchian B. 927
Baumgartner M.T see Pierini A.B. 4653
Baumstark A.L. and **McCloskey C.J.** Epoxidation of alkenes by dimethyldioxirane: evidence for a spiro transition state,3311
Baumstark A.L.,Dotrong M. and **Vasquez P.C.** Oxygen-atom transfer reagents: new, reactive α-azohydroperoxides,1963
Baxter S.G see Weissman S.A. 603
Bazin H.,Zhou X.-X.,Glemarec C. and **Chattopadhyaya J.** An efficient synthesis of Y-nucleoside (wyosine) by regiospecific methylation of N^4-desmethylwyosine using organozinc reagent,3275
Béres J see Otvös L. 6381
Bérubé G. and **Deslongchamps P.** Synthesis and transannular Diels-Alder reaction of a 13-membered macrocyclic triene having a tetrasubstituted enol ether as a dienophile,5255
Beanland J see Carless H.A.J. 5933
Beau J.-M.,Jaurand G.,Esnault J. and **Sinaÿ P.** Synthesis of the disaccharide C-D fragment found in everninomicin-C and -D, avalamycin-A and -C, and curamycin-A: stereochemistry at the spiro-ortholactone center,1105
Beaucage S.L see Reddy M.P. 23
Beaudement K. and **Clough J.M.** Stereocontrolled synthesis of strobilurin A and its (9E)-isomer,475
Becher J see Molina P. 4451
Beck H see Egert E. 789
Becker H.-D. and **Andersson K.** Erratum,1954
Becker H.-D. and **Andersson K.** Photochemistry of the anthracene chromophore: synthesis and photochemical isomerization of 1,2-di(9-anthryl)-1-hydroxypropene, a novel simple enol,1323
Beckh H.-J see Märkl G. 3475
Beedle E.C see Matteson D.S. 4499
Begley M.J.,Bhandal H.,Hutchinson J.H. and **Pattenden G.** Dichotomous reactivity in atannane and cobalt mediated radical cyclisations,1317
Behr J.-P.,Bergdoll M.,Chevrier B.,Dumas P.,Lehn J.-M. and **Moras D.** Macrotricyclic and macropentacyclic ditopic receptor molecules. Synthesis, crystal structure and substrate binding,1989
Belaud C see Alami N.E. 59
Belgacem L.,Henin J.,Massiot G. and **Vercauteren J.** An enantioselective access to the (-)-tubotaiwine skeleton,3573
Bell R.A. and **Hunter H.N.** Synthesis and 1H NMR spectrum of N6',N9-octamethylenepurine cyclophane,147
Bell T.W. and **Rothenberger S.D.** Synthesis of annelated pyridines from 1,5-diketone equivalents using cupric acetate and ammonium acetate,4817
Bellido I.S see de Pascual Teresa J. 821
Belotti D see Cossy J. 4545, 4547
Belter R.K see Poss A.J. 2555
Belzecki C see Chmielewski M. 3035
Belzner J. and **Szeimies G.** Tetracyclo[5.1.0.0^1,^{4}.0^3,^{7}]octane: some unexpected addition reactions and a new synthesis,3099
Benedikt G.M. and **Traynor L.** Intramolecular electrophilic displacement of acyl by nitro group during attempted synthesis of 3-nitrocoumarins,763
Benezra C see Lepoittevin J.-P. 4339, see Mattes H. 1697
Beniya Y see Kato S. 6473
Bennasar M.-L see Bosch J. 231
Bentz G.,Beabes N.,Laurent A. and **Stamm H.** Intramolecular radical trapping in "set" ring opening of N-enoyl aziridines, a new mechanistic probe and a new synthesis of pyrrolidones,2511
Berg U see Hammarström L.-G. 4883
Berganza L.H see Hayashi T. 3693
Bergdoll M see Behr J.-P. 1989
Berger S. and **Diehl B.W.K.** Correlation between deuterium

isotope effects and ^{13}C-NMR chemical shifts in substituted benzenes,1243
Berglund B.A see Zefirov N.S. 242
Bergman A see Squillacote M.E. 275
Bergman J. and **Pelcman B.** Coupling of indoleacetic acid trianion or methyl indoleacetic acid dianion. A biomimetic approach to indolocarbazole alkaloids,4441
Bergman J. and **Venemalm L.** Intramolecular ring closure of α,β-unsaturated 3-acylindoles,3741
Bergman R see Dolata D.P. 707
Berlage U.,Schmidt J.,Milkova Z. and **Welzel P.** A (formal) total synthesis of (+)-strigol, the witchweed germination factor,3095
Berlage U.,Schmidt J.,Peters U. and **Welzel P.** A formal total synthesis of (±)-strigol,3091
Bernáth G see Fülöp F. 115
Bernardinelli G see Jefford C.W. 4041, see Sakai R. 5493
Bernardon J.-M see Eustache J. 4681
Bernatchez M see Canonne P. 4997
Bernstein M.A see Guindon Y. 2225
Berrada S. and **Metzner P.** Diastereoselective auto-protonation of enolates anti-Houk selectivity,409
Berson J.A see Greenberg M.M. 4263
Berthault P see Perly B. 3331
Berthelot J.,Guette C.,Fournier F. and **Davoust D.** Electro-hydrodimerisation d'enones en presence de sels metalliques,1881
Bertram V see Cable K.M. 4101
Bertz S.H.,Gibson C.P. and **Dabbagh G.** The preparation of lithium organocuprates from various Cu(I) salts,4251
Besbes N see Bentz G. 2511
Bestmann H.-J. and **Schobert R.** Total synthese des Macrodiolids (R,R,)-(-)-grahamimycin A,6587
Bestmann H.J. and **Schmidt M.** Synthese von Y-Hydroxynitrilen, Y-Butyrolactonen und α-Methyleno-Y-butyrolactonen aus Epoxiden und Natrium-[cyan-(triphenylphosphoranyliden)-methanid],2111
Betz R see Schmidt R.R. 6591
Beugelsmans R see Amrollah-Madjdabadi A. 4525
Beugelsmans R. and **Ginsburg H.** Reactions $S_{RN}1$: Partie no 18. Action de sulfanions derives de $HS(CH_2)_nSH$ vis-a-vis des halo-1 et -2 naphtalenes,413
Beunery E.C see Hoogerhout P. 1553
Bezuidenhoudt B.C.B.,Swanepoel A.,Augustyn J.A.N. and **Ferreira D.** The first enantioselective synthesis of poly-oxygenated α-hydroxydihydrochalcones and circular dichroic assessment of their absolute configuration,4857
Bhandal H see Begley M.J. 1317
Bharathi T.K see Basavaiah D. 4351, 4591
Bhardwaj R.K see Davidson R.S. 2981
Bharucha K see Zieger H. 5989
Bhat K.L see Harris B.D. 2837
Bhatia S.K. and **Hajdu J.** A new approach to the synthesis of ether phospholipids. Preparation of 1,2-dialkylglycerophosphorylcholines from L-glyceric acid,271
Bhatia S.K. and **Hajdu J.** Stereospecific synthesis of 2-thiophosphatidyl-cholines; a new class of biologically active phospholipid analogues,3767
Bhatia S.K. and **Hajdu J.** Stereospecific synthesis of PAF analogues. Preparation of 2-thioacetyl-2-deoxyglycerophosphochloline(2-ThioPAF),1729
Bhattacharyya S see Moss R.A. 5005
Bhattacharyya S.,Ghosal M. and **Mukherjee D.** Stereocontrolled synthesis of xanthoperyl methyl ether,2431
Bhide R see Bold G. 1973
Bhupathy M see Abraham W.D. 2203
Bhupathy M. and **Cohen T.** 1-Methoxy-1-(phenylthio)cyclopropanes from olefins via the Pummerer rearrangement,4797
Bhupathy M. and **Cohen T.** 1-Phenylthio-1-(trimethylsiloxy)-cyclopropanes via the sila-Pummerer rearrangement,4793
Bickelhaupt F see van de Heisteeg B.J.J. 6493, see van der Louw J. 5929, 2889
Bideau A see Vercauteren J. 1267
Bielecki S see Ramage R. 4105
Bigi F see Sartori G. 1533
Biller S.A see Stork G. 1035
Billups W.E see Chang S.-C. 1733
Bir G. and **Kaufmann D.** Synthese von Isopinocampheylhalogenboranen und ihre Verwendung als chirale Katalysatoren für asymmetrische Diels-Alder-Reaktionen,777
Birbaum J.-L see Aguilar R. 865
Birkinshaw T.N. and **Holmes A.B.** Synthesis of (±)-isoprosopinines A and B,813
Bischofberger N. Synthesis of 4-C substituted pyrimidine nucleosides,2821
Bishop R. and **Burgess G.** Ritter reactions. II. Reductive deamidation of N-bridgehead amides,1585
Bittner M.,Gonzalez F.,Valdebenito H.,Silva M.,Paul V.J.,Fenical W.,Chen M.H.M. and **Clardy J.** A novel tetracyclic polyketal from the marine red alga Laurencia chilensis,4031
Bittner S see Moradpour A. 3805
Bizot J see Deprez D. 4679
Black R.M see Anderson D.W. 2653, 2657, 2661
Black T.H. and **DuBay W.J.,III.** A new synthesis of substituted spiro butyrolactones via dyotropic rearrangement,4787
Blackburn G.M.,Thatcher G.R.J.,Hosseini M.W. and **Lehn J.-M.** Evidence for a photophosphatase catalysed cleavage of adenosine triphosphate by a dissociative-type mechanism within a receptor-substrate complex,2779
Blacker A.J see Jazwinski J. 6057
Blackman A.J.,Hambley T.W.,Picker K.,Taylor W.C. and **Thirasasana N.** Hinckdentine-A: a novel alkaloid from the marine bryozoan Hincksinoflustra denticulata,5561
Blackstock S.C see Greenberg M.M. 4263
Blade R.J see Crombie L. 4875, 4879
Blade R.J.,Robinson J.E.,Peek R.J. and **Weston J.B.** Stereoselective synthetic approaches to aryl-polyene isobutylamides,3857
Bladel K.A see Lash T.D. 1135
Blaney W.M see Ley S.V. 1594, 221
Blasberger D.,Green D.,Carmely S.,Spector I. and **Kashman Y.** Rearrangement and opening of the macrolide of latrunculin B,459
Bloch R. and **Seck M.** Stereoselective intramolecular Michael addition induced by a thermolabile group: synthesis of optically active five-membered oxygen-containing rings,5819
Bloch R. and **Gilbert L.** Stereoselective reactions induced by a thermolabile group: chelation and non chelation controlled additions of organometallics to a Diels-Alder adduct of furan,423
Blonski C see Fourrey J.L. 5157, see Viari A. 3349
Bloodworth A.J.,Bowyer K.J. and **Mitchell J.C.** A mild, convenient, halogen-exchange route to gem-difluorides and trifluorides,5347
Bloodworth A.J. and **Hargreaves M.** Conversion of bicyclo[2.10]-pentane into 2,3-dioxa-bicyclo]2.2.1]heptane via t-butyl peroxymercuriation,2783
Blough B.E see Burke S.D. 3905
Blum J see Amer I. 1321
Blunt J.W.,Lake R.J.,Munro M.H.G. and **Toyokuni T.** The stereochemistry of eudistomins C,K,E,F and L,1825
Blystone S.L see Pearson A.J. 2459
Boaventura M.A see Drouin J. 3923
Bock H.,Dammel R.,Fischer S. and **Wentrup C.** Nitrile imines RC=N-N-Si$(CH_3)_3$: optimization of gas phase synthesis and assignment of their photoelectron spectra,617
Bock M.G see Rittle K.E. 521
Bock M.G.,DiPardo R.M.,Evans B.E.,Rittle K.E.,Veber D.F. and **Freidinger R.M.** An expedient synthesis of 3-amino-1,3-dihydro-5-phenyl-2H-1,4-benzodiazepin-2-one,939
Boddy I see Paterson I. 5205
Bodenteich M. and **Griengl H.** Synthesis of enantiomerically pure carbocyclic 3'-azido-2',3'-dideoxythymidine, a potential anti-aids drug,5311
Bodo B see Ghogomu R. 2967
Bodo B.,Davoust D.,Lecommandeur D.,Rebuffat S.,Genetet I. and **Pinon J.** Hymatoxin A, a diterpene sulfate phytotoxin of Hypoxylon mammatum, parasite of aspen,2355
Boeckman R.K.,Jr.,Heckendorn D.K. and **Chinn R.L.** Studies directed toward the synthesis of the erementholides 1. Preparation of a ring A/B model system via a conjugate addition-acylation protocol,3551
Boese R see Ipaktschi J. 3467, see Maier G. 4515
Boger D.L. and **Coleman R.S.** Further observations on the Lewis acid-catalyzed benzylic hydroperoxide rearrangement: use of a boron-trifluoride/hydrogen peroxide preformed, aged reagent,1027
Boger D.L. and **Patel M.** Total synthesis of prodigiosin,2499
Bohé L see Barton D.H.R. 6609
Bohlmann F see Hess T. 5643, see Krause W. 2575
Boland W. and **Müller D.G.** On the odor of the Mediterranean seaweed Dictyopteris membranacea; new C_{11} hydrocarbons from marine brown algae - III,307
Bold G.,Chao S.,Bhide R.,Wu S.-H.,Patel D.V. and **Sih C.J.** A chiral bicyclic intermediate for the synthesis of forskolin,1973
Boltanski A see Gutman A.L. 5367
Boltansky A see Gutman A.L. 3861
Bolte J see Passerat N. 1277
Bolte J.,Demuynck C. and **Samaki H.** Utilization of enzymes in organic chemistry: transketolase catalyzed synthesis of ketoses,5525

Bolton R.E.,Moody C.J.,Rees C.W. and **Tojo G.** Synthesis of the combined centre- and right-hand section of the antitumour agent CC-1065,3163
Bonadies F see Antonioletti R. 2297
Bonadies F.,Di Fabio R.,Gubbiotti A.,Mecozzi S. and **Bonini C.** Studies on asymmetric synthesis of ß-hydroxy-δ-lactone inhibitors of HMGCoA reductase 1. A new preparation of the lactone moiety of compactin,703
Bonet J.-J see Planas A. 471
Bonini B.F see Alberti A. 3737
Bonini C see Bonadies F. 703
Bonnarin V see Quenard M. 2237
Bonnert R.V see Brown P.A. 693
Bonnert R.V. and **Jenkins P.R.** The Diels-Alder reaction of dienes with a cis-1-methyl group,697
Borbaruah M.,Barua N.C. and **Sharma R.P.** Selective reduction of aldehydes in presence of a ketone with chlorotrimethylsilane and nickel boride,5741
Borchardt R.T see Sinhababu A.K. 4139
Borodkin V.S see Sviridov A.F. 3839, 3835
Borredon E.,Delmas M. and **Gaset A.** Epoxydation en milieu hétérogène solide-liquide: effet des interactions a l'interface sur la stabilite de l'ylure de dimethylsulfonium - consequence sur la stereochimie de la reaction d'epoxydation,1877
Borselli G see Ricci A. 4093
Boruah R.C see Konwar D. 955
Bosch J see Alvarez M. 4457
Bosch J.,Bennasar M.-L.,Zulaica E.,Massiot G. and **Massoussa B.** Total synthesis of the indole alkaloid ngouniensine and epingouniensine,231
Bosch P see Armesto D. 4605
Bosch P.,Campe F.,Chamorro E.,Gasol V. and **Guerrero A.** Tetrabutylammonium bifluoride: a versatile and efficient fluorinating agent,4733
Bose A.K. and **Mangiaracina P.** Tris(3,6-dioxaheptyl)amine: a superior complexing agent for dissolving metal reactions,2503
Bossennec V see Perly B. 3331
Botta B.,Delle Monache F. and **Delle Monache G.** A novel type of prenylated anthranoids from Psorospermum glaberrimum,567
Botta M see Hanessian S. 1143, 1147, 1151
Botta M.,De Angelis F.,Gambacorta A.,De Ferra L.,Montesperelli G. and **Nicoletti R.** Studies related to cephalosporins.IV. Electrophilic addition to 3-exomethylene-1-cephams. the Addition of phenylselenenyl chloride,5539
Bottorff K.J see Gassman P.G. 5449
Bouchoux G. and **Hoppilliard Y.** Formation de l'ion enolate $[CH_2CPCHCOCH_3]$ par condensation en phase gazeuse,4537
Bouhroum S. and **Vottero P.J.A.** Acetylation, deacetylation regioselectives de glycals caracterisation par spectrometrie de masse,5529
Boukouvalas J see Jefford C.W. 4041, 4037, 949
Boulaajaj S.,Le Gall T.,Vaultier M.,Grée R.,Toupet L. and **Carrié R.** A new indolizidine synthesis,1761
Boulanger R see Canonne P. 4997
Bourdieu C. and **Foucaud A.** 1,2-λ^3azaphosphinine by flash vacuum thermolysis,4673
Bowyer K.J see Bloodworth A.J. 5347
Boyd B.A.,Thoma R.J. and **Neilson R.H.** Oxidation reactions of a 1-phosphadiene: synthesis of phosphacyclobutenes,6121
Boyd D.R. and **O'Kane G.A.** Synthesis and oxygen-walk rearrangement of dibenz(a,c)anthracene 1,2-oxide,6395
Boyle P.H.,Hughes E.M.,Khattab H.A. and **Lockhart R.J.** Synthesis of 6-acetylhomopterin. A naturally occurring pyrimido[4,5-b][1,4]-diazapine,5331
Brandi A.,Carli S.,Guarna A. and **De Sarlo F.** Regioselectivity in the 1,3-dipolar cycloaddition of nitrile oxides to alkylidenecyclopropanes,3845
Brandstadter S.M.,Ojima I. and **Hirai K.** Reactions of ketene silyl acetals with imine-complexes of titanium tetrachloride. New and conveninent routes to 5,6-dihydro-2-pyridones and 5-amino-2-alkenoates,613
Brandt C.A see Comasseto J.V. 5611
Braun M see Mahler H. 5145
Bravdo T see Amer I. 1321, see Gutman A.L. 5367
Braverman S.,Reisman D. and **Freund M.** Skeletal rearrangement of a 2,6-dithiaadamantane-2,2,6,6-tetraoxide derivative during thermal and photochemical sulfur dioxide extrusion,5189
Braverman S. and **Freund M.** The synthesis of new 3,4-dimethylenethiolane derivatives,5913
Bravo P. and **Resnati G.** An efficient approach to enantiomerically pure fluorhydrins,4865
Bredenkamp M.W. and **Wiechers A.** Deviations from the generality of the 'mass spectrometric - method' for determining the mode of ester attachment in pyrrolizidine alkaloids,3725
Bredenkamp M.W. and **Wiechers A.** NMR-SPI: a reliable method for determining the mode of ester attachment in pyrrolizidine alkaloids,3729
Breipohl G.,Knolle J. and **Stüber W.** Preparation and application of new acid labile anchor groups for the synthesis of peptide amides by FMOC solid phase synthesis,5651
Breipohl G.,Knolle J. and **Geiger R.** Solid phase synthesis of peptide aminoalkylamides development and application of new linking agents,5647
Bremner D.H.,Ringan N.S. and **Smith A.D.M.** New methodology for C-4 substitution and sulphoxide deoxygenation reactions in ceph-3-ems,6687
Brealow R. and **Guo T.** The thioxanthone system as a template in free radical relay chlorination of a steroid,3187
Breuilles P. and **Uguen D.** Synthetic studies related to pentalenolactones; improved preparation of the Tsuji's conjunctive reagent,6053
Brill W.K.-D. and **Caruthers M.H.** Synthesis of nucleoside methylphosphonothioates,3205
Brimble M.A.,Gibson J.J.,Baker R.,Brimble M.T.,Kee A.A. and **O'Mahony M.J.** 1,4-Addition of 2-trimethylsilyloxyfuran to quinones: a facile route to the furo[3,2-b]benzofuran nucleus,4891
Brimble M.T see Brimble M.A. 4891
Britton T.C see Evans D.A. 6141
Broadbent T.A see Koft E.R. 2799
Broka C.A.,Hu L.,Lee W.J. and **Shen T.** Synthetic studies on thrysiferol,4993
Broka C.A. and **Reichert D.E.C.** Thiophenol promoted cyclization of enynes,1503
Brondum K see Molina P. 4451
Brooks D.W see Schmidt S.P. 767
Brossmer R see Mack H. 191
Brown D see Liotta D. 1069
Brown D.W.,Campbell M.M.,Chambers M.S. and **Walker C.V.** Mono- and dithionopeptide synthesis,2171
Brown D.W.,Campbell M.M.,Taylor A.P. and **Zhang X.** Regio- and diastereoselectivity in aldol reactions of cyclopent-2-enone, 2-(5H)furanone and their derived trimethylsilyloxydienes,985
Brown H.C see Srebnik M. 3771
Brown J.D see Meyers A.I. 5283, 5279
Brown J.M.,James A.P. and **Prior L.M.** Kinetic resolution in the directed hydrogenated of N-substituted α-(aminoalkyl) acrylates, precursors of optically active ß-amino acids,2179
Brown P.A.,Bonnert R.V.,Jenkins P.R. and **Selim M.R.** A silicon directed diene synthesis,693
Brown P.E. and **Islam Q.** A novel silver ion assisted cleavage of a trichlorocyclopropane,3047
Brown P.J see Baker G.H. 5565
Brown S.H. and **Crabtree R.H.** A novel route to alkanes, alcohols, and ethers by dehydrodimerization,5599
Browne M.E see Ciufolini M.A. 171
Bruneau C. and **Dixneuf P.H.** Catalytic synthesis of O-ß-oxoalkylcarbamates,2005
Bryce M.R.,Gardiner J.M.,Hursthouse M.B. and **Short R.L.** A highly stereoselective synthesis of an azaspirolactam related to cephalotaxus alkaloids,577
Bryce M.R.,Moore A.J.,Kim Y.H.,Liu Z.-X. and **Nowak M.J.** Conductieng and insulating salts of phosphiniminium cations with 7,7,8,8-tetracyano-p-quinodimethane (TCNQ),4465
Büyükgüngör O see Atasoy B. 555
Buchanan G.W. and **Kirby R.A.** Novel conformational equilibria in crown ethers. Cis-anti-cis dicyclohexano-14-crown-4,1507
Buchanan G.W.,Kirby R.A.,Ripmeester J.A. and **Ratcliffe C.I.** Solid phase stereochemical dynamics of 18-crown-6 ether and its KNCS complex as studied by low temperature carbon-13 nuclear magnetic resonance,4783
Buchner H see Mannschreck A. 3479
Buchwald S.L.,LaMaire S.J.,Nielsen R.B.,Watson B.T. and **King S.M.** A modified procedure for the preparation of $Cp_2Zr(H)Cl$ (Schwart's reagent),3895
Buchwald S.L. and **LaMaire S.J.** A regiospecific method for the hydrocyanation of olefins,295
Buchwald S.L. and **LaMaire S.J.** Erratum,1834
Buchwald S.L.,Sayers A.,Watson B.T. and **Dewan J.C.** The zirconocene induced coupling of benzyne with nitriles: synthesis, structure and reactions of novel azametallacylopentenes,3245
Buglass A.J.,Dorr M. and **Juffkins M.** On the rate maxima observed in the acid-hydrolysis of some alkylhydroxamic acids,3283
Buisson D see Ouazzani-Chahdi J. 1109
Buisson D.,Sanner C.,Larcheveque M.

and **Azerad R.** Diastereo- and enantioselective microbiological reduction of 2-methyl 3-oxo-alkanoates,3939
Buisson D.,Henrot S.,Larcheveque M. and **Azerad R.** New chiral building blocks by microbial asymmetric reduction: a direct access to funationalized 2R,3R- and 2S,3R-2-methyl-3-hydroxy butyrate synthons,5033
Buist P.H.,Dallmann H.G.,Rymerson R.T. and **Seigel P.M.** Highly chemo-, regio-, and stereo-selective introduction of a cis-double bond into a thia-analogue of stearic acid,857
Buist P.H.,Findlay J.M.,Léger G. and **Pon R.A.** Synthesis and bio-methylenation of two homo-allylically fluorinated oleic acids,3891
Bullock W.H see McCombie S.W. 4127, see Padwa A. 3193
Buncel E see Strauss M. 159, 6009
Bundle D see Gerken M. 5067
Bunnelle W.H see Narayanan B.A. 6261
Bunting J.W. and **Moors R.G.** Equilibrium constants for intra-molecular cyclization of iso-quinolinium cations,3915
Bunya M. see Watanabe Y. 4179
Buono G see Muchow G. 6163
Burdisso M.,Gandolfi R.,Pevarello P. and **Rastelli A.** Role of steric, electrostatic and hydrogen bonding effects as face selectivity controlling factors in nitrone cycloadditions,1225
Bureau R see Joucla M. 2975
Bures E.J. and **Keay B.A.** The 1,4 O→C silyl migrations of carious 3-[(trialkylsilyl)-oxymethyl]-furans and -thiophenes,5965
Burgess G see Bishop R. 1585
Burgess V.A. and **Easton C.J.** Selective Y-hydrogen atom abstraction in reactions of N-acetylamino acids and N-alkyl-acetamides with titanous ion and hydrogen peroxide,2747
Burk R.M see Corey E.J. 6413
Burke L.D see Shea K.J. 735
Burke S.D.,Chandler A.C.,III,Nair M.S. and **Campopiano O.** An alternative route to the C(7)-C(13) subunit of erythronolide B via a hydropyran template,4147
Burke S.D.,Deaton D.N.,Olsen R.J.,Armistead D.M. and **Blough B.E.** Stereocontrolled one-pot conversions of α-alkoxy esters to syn- and anti-1,2-diol derivatives,3905
Burke S.D.,Schoenen F.J. and **Nair M.S.** The dioxanone-to-dihydro-pyran Claisen rearrangement. Synthesis of C(7)-C(13)fragments of erythronolides A and B,4143
Burkholder W.E see Phillips J.K. 6145
Burns G see Aitken R.A. 3717
Buschmann H.J see Matthes K.E. 5573
Bushby R.J.,Jarecki C.,Oduwole D. and **Sales K.D.** 2-Methylenecyclo-hept-3-en-1,5-diyl(a vinyl-TMM biradical) has a triplet ground state,6501
Bushnell G.W see Mitchell R.H. 5119
Buso M see De Lucchi O. 107
Butler D.N see Warrener R.N. 6503
Butler D.N.,Officer D.L.,Pitt I.G.,Russell R.A. and **Warrener R.N.** Transfer technology II. Preparation of transfer reagents for the site specific delivery of disubstituted cyclobutadienes and their use in the synthesis of hetero bridged propellanes,6507
Butsugan Y see Araki S. 4289
Butsugan Y.,Ito H. and **Araki S.** Barbier-Grignard-type allylation of aldehydes with metallic antimony,3707
Buxton S.R.,Hols K.H. and **Skattebol L.** Synthesis of furans by carbene insertion,2167
Byrne B. and **Karras M.** Magnesium-Oppenauer oxidation of alcohols to aldehydes and ketones,769
Byström S.E see Bäckvall J.E. 4199

Cable K.M.,Herbert R.B. and **Mann J.** On the biosynthesis of the fungal isocyanide, xanthocillin monomethyl ether,3159
Cable K.M.,Herbert R.B.,Bertram V. and **Young D.W.** Stereochemistry associated with the conversion of C-3 of serine through methylenetetrahydrofolate and methenyltetrahydrofolate in the biosynthesis of tuberin,4101
Cacchi S.,Ciattini P.G.,Morera E. and **Ortar G.** A novel approach to α-keto acid derivatives via palladium-catalyzed arylation and vinylation of methyl α-methoxyacrylate,3039
Cadilla R see Medina J.C. 1059
Cain C.M. and **Simpkins N.S.** Concise asymmetric synthesis of (5S, 6S)- aeginetolide and (5S)-dihydroacetinidiolide,3723
Cainelli G see Battaglia A. 4347
Cainelli G.,Giacomini D.,Panunzio M.,Martelli G. and **Spunta G.** A synthetic approach to 4-oxo and 4-thioxo azetidinones from heterocumulenes and ester enolates. A novel synthesis of 4-thio-acetoxy azetidin-2-ones,3593
Cainelli G.,Giacomini D.,Panunzio M.,Martelli G. and **Spunta G.** β-Lactams from esters and silyl-imines: a revaluation. Synthesis of N-unsubstituted 4-alkyl-β-lactams,5369
Cairns P.M see Magnus P. 3307
Caldwell W.B see Lis R. 1487
Callahan R.J see Underwood G.R. 5427
Calverley M.J. Reductive alkylation of a selenoacetal in the elaboration of steroid side chains: stereochemistry and application in a synthesis of 1α-hydroxyvitamin D$_3$,1337
Camou F.A see Niak U.S. 5641
Campbell A.L.,Pilipauskas D.R.,Khanna I.K. and **Rhodes R.A.** The mild and selective N-debenzylation of tertiary alkyl-amines using β-trimethylsilyl-ethyl chloroformate,2331
Campbell C.L see Martin S.F. 503
Campbell M.,Sainsbury M. and **West R.** Rearrangements of 6-methoxy-carbonyl 7-oxabicyclo]2.2.1]-hept-2-enes under Prévost's reaction conditions,3865
Campbell M.M see Brown D.W. 985, 2171
Campopiano O see Burke S.D. 4147
Camps F see Bosch P. 4733
Camps F.,Coll J.,Moretó J.M. and **Torras J.** Stereoselective synthesis of bicyclo[3.3.0]oct-1-en-3-one derivatives,4745
Camps P.,Iglesias C.,Lozano R.,Miranda M.A. and **Rodriguez M.J.** A new synthetic entry into the tricyclo[3.3.0.0^{4,7}]octane skeleton,1831
Cane D.E. and **Mellwaine D.B.** The biosynthesis of ovalicin from β-trans-bergamotene,6545
Canonne P.,Boulanger R. and **Bernatchez M.** Diastereoselective spiroannelation,4997
Cantacuzène D. and **Guerreiro C.** Papain catalyzed esterification of alanine by alcohols and diols,5153
Cantos A.,Marquet J. and **Moreno-Mañas M.** On the regioselectivity of the nucleophilic aromatic photosubstitution. The photo-reaction of 4-nitroveratrole with n-hexylamine,4191
Cao W see Ding W. 81
Capdevielle P see Reinaud O. 4675, see Toussaint O. 539
Capet M.,Cuvigny T.,Hervé du Penhoat C.,Julia M. and **Loomis G.** Syntheses with sulfones L: preparation of βhydroxysulfones through the combined oxidative desulfonylation/condensation reaction of sulfonyl anions. Application to terpene syn-thesis,6273
Caple R see Zefirov N.S. 242
Caporusso A.M.,Polizzi C. and **Lardicci L.** Reactions of 3-alkyl- and 3,3-dialkyl-1-bromo-allenes with organocuprates: effects of the nature of the cuprate reagent on the regio- and stereoselectivity,6073
Carboni B see Vaultier M. 4169
Carbonnelle A.-C see Leboff A. 4163
Cardellicchio C.,Fiandanese V.,Marchese G. and **Ronzini L.** Functionalized ketones by iron mediated reaction of Grignard reagents with acyl chlorides,2053
Cardellina J.H see Kinzer K.F. 925
Cardellina J.H.,Hendrickson R.L.,Manfredi K.P.,Strobel S.A. and **Clardy J.** Bissetone, a unique antimicrobial pyranone from the gorgonian Briareum polyanthes,727
Cardwell K.,Hewitt B. and **Magnus P.** Methods for indole alkaloid syn-thesis. Compatibility of the 16-methoxy substituent with the indole-2,3-quinodimethane strategy to Aspidosperma-type indole alkaloids,3303
Carignan Y see Strauss M. 159, 6009
Cariou M.,Simonet J. and **Toupet L.** Unexpected electrooxidations of aromatic enol ethers in the presence of non current nucleo-philes,1275
Carless H.A.J see Atkins R. 6093
Carless H.A.J.,Beanland J. and **Mwesigye-Kibende S.** The Paternò-Büchi reaction as a route to medium-ring ethers and acetals,5933
Carli S see Brandi A. 3845
Carlson D.V see Coull J.M. 745
Carnely S see Blasberger D. 459
Carnely S. and **Kashman Y.** Naamines and naamidines, novel imidazole alkaloids from the calcareous sponge Leucetta chagosensis,3003
Carr C.A.,Robinson M.J.T. and **Tchen C.D.A.** Accurate measurement of conformational equilibria using NMR chemical shifts at the fast exchange limit: dual anancomeric models for 1-methyl-1-chloro-cyclohexane,897
Carreño M.C.,García Ruano J.L. and **Rubio A.** Synthesis and reduction of chiral sulfinyl cyco-hexanones,4861
Carrera G.M.,Jr see Shue Y.-K. 3225
Carretero J.C. and **Ghosez L.** A new synthesis of α,β-unsaturated sulphonates and their stereo-selective conversion into trans-α,β-epoxysulphonates,1101
Carretero J.C.,De Lombaert S. and **Ghosez L.** Methyl 3-phenyl-

sulphonyl orthopropionate: an efficient reagent for the synthesis of Y-lactones and butenolides,2135
Carretero J.C.,García Ruano J.L. and **Rodríguez J.H.** Stable episulphuranes,4593
Carrié R see Boulaajaj S. 1761, see Knouzi N. 1757
Carson M.S see Tully L.E. 5925
Carta M.P see Marfat A. 4027
Carter J.S see Kemp D.S. 4641, 4645
Cartier D see Mirand C. 3565
Caruthers M.H see Brill W.K.-D. 3205
Casabianca H.,Royer J.,Satrallah A.,Taty-C A. and **Vicens J.** Synthesis of calix[4]arenes presentireng no plane of symmetry,6595
Casadevall E see Metzger P. 3931
Casnati G see Sartori G. 1533
Caspi E see Njar V.C.O. 6549
Cass A.E.G see Rossiter J.T. 5173
Cassady J.M see Reddy K.S. 3075
Cassels B see Stadler R. 1251
Cassidy F.,Evans J.M.,Smith D.M. and **Stamp G.** Unexpected products from the reactions of 6-cyano-, and 6-nitro-3,4-epoxy-3,4-dihydro-2,2-dimethyl-2H-1-benzopyran with azacyclotridecanone,2403
Castedo L see Atanes N. 817, see Martin G. 2407
Castedo L.,Mascareñas J.L. and **Mouriño A.** An improved synthesis of 1α,25-dihydroxyvitamin D A synthons,2099
Castedo L.,Granja J.,Maestro M.A. and **Mouriño A.** Stereoselective synthesis of 25-hydroxyvitamin D_3 side chain via the acetal template route,4589
Castellino S see Keck G.E. 281
Castro B see Jouin P. 1665, 1661
Cava M.P see Chen W. 6025, see Jackson Y.A. 5635, see O'Malley G.J. 1131, see Rajeswari S. 5099
Cavalcanti J.F see Delle Monache F. 563
Cavicchioni G. Model depsipeptide derivatives from 2-bromo-N-benzylisobutyramide,2427
Cazaux L see Leygue N. 4049
Cecchi L see Colotta V. 5165
Cederbaum F.E see Negishi E. 917
Celerier J.-P see Bacos D. 2353
Celerier J.P.,Haddad M.,Jacoby D. and **Lhommet G.** Heterocyclization of primary amines with highly activated cyclopropanes: a new route to isoretronecanol,6597
Cercello J.,Marquet J. and **Moreno-Mañas M.** Copper complex protection in the regioselective alkylation of methyl 3,5-dioxohexanoate. Preparation of 3-alkyl derivatives of 4-hydroxy-6-methyl-2-pyrone,3715
Cerfontain H see Bakker B.H. 1703, 1699
Cesario M see Jazwinski J. 3489, 6057
Cevasco G see Thea S. 5193
Cha J.K see Venkataraman H. 2455
Cha J.K. and **Cooke R.J.** Synthetic studies toward verrucosidin: determination of the absolute configuration,5473
Cha J.S.,Kim J.E.,Oh S.Y.,Lee J.C. and **Lee K.W.** Direct conversion of saturated and unsaturated carboxylic acids into aldehydes by thexylbromoborane-dimethyl sulfide,2389
Cha J.S.,Kim J.E.,Oh S.Y. and **Kim J.D.** One-pot conversion of carboxylic acids to aldehydes through treatment of acyloxy-9-borabixcyclo[3.3.1]nonanes with lithium 9-boratabicyclo[3.3.1]-nonane,4575
Cha J.S.,Kim J.E.,Yoon M.S. and **Kim Y.S.** One-pot transformation of carboxylic acids into aldehydes through stepwise treatment of acyloxy-9-borabicyclo[3.3.1]-nonanes with tert-butyllithium and 9-borabicyclo[3.3.1]-nonane,6231
Cha Y see Turro N.J. 1723
Chadwick D.J. and **Plant A.** 2,3-Dimethylene-2,3-dihydrothiophene: the thiophene analogue of ortho-xylylene,6085
Chai W.-G see Ye M. 2615
Chakravarty A.K. and **Pakrashi S.C.** Solanocastrine, a unique 16,23-cyclo-22,26-epiminocholestane from Solanum capsicastrum,4753
Chakravarty P.K.,Combs P.,Hoch A. and **Greenlee W.J.** An efficient synthesis of Y-amino-ß-keto-alkylphosphonates from α-amino acids,611
Challacombe K.,Plackett S.J. and **Meakins G.D.** The use of protium and deuterium analogues in mechanistic studies of thiazole syntheses,5767
Chaloner P.A. and **Perera S.A.R.** Enantioselective addition of diethylzinc to benzaldehyde in the presence of ephedrine derivatives,3013
Chambers M.S see Brown D.W. 2171
Chamorro E see Bosch P. 4733
Chan T.H see Fei C.P. 849, see Wei Z.Y. 3441
Chandler A.C.,II see Burke S.D. 4147
Chandler R.F see Hu T. 5993
Chandra A.,Misra L.N. and **Thakur R.S.** Dihydrofurano-terpenoids of Davana oil,6377
Chandra H.,Symons M.C.R.,Korth H.-G. and **Sustmann R.** Electron spin resonance studies of the tetra-acetyl-glucosyl radical at 77 K: evidence for initial formation of an unstable conformer,1455
Chandrasekhar S. and **Roy C.D.** Evidence for a stereoelectronic effect in the Baeyer-Villiger reaction: introducing the intramolecular reaction,6371
Chang C.-T see Curran D.P. 2477
Chang H.S see Kim Y.H. 4285
Chang S.-C.,Kafafi Z.H.,Hauge R.H.,Margrave J.L. and **Billups W.E.** The isolation and characterization of copper methylene via matrix isolation spectroscopy,1733
Chang S.B see Kim S. 2735
Chao S see Bold G. 1973
Chapleo C.B see Lee T.V. 2301
Chapman K.T see Evans D.A. 2314
Charles G see Yankep E. 427
Charleson D.A see Reed L.A. 3431
Charon D.,Auzanneau F.-I.,Mérienne C. and **Szabo L.** Formation of 1,5-lactones from 3-deoxy-D-manno-2-octulosonic acid derivatives,1393
Charrier C. and **Mathey F.** Characterisationn of the parent phosphole and phospholyl anion and some of their C-substituted derivatives by ^1H and ^{13}C NMR spectroscopy,5025
Chassaignol M see Thuong N.T. 4157
Chastrette M see Stambouli A. 5301
Chatterjee A see Mandal S. 1309
Chatterjee S see Khandelwal Y. 4089, see Moss R.A. 5005
Chattopadhyay T.K see Kumar A.K. 3713
Chattopadhyaya J see Bazin H. 3275
Chaudhuri N.C see Vankar Y.D. 551
Chaussard J.,Combellas C. and **Thiebault A.** Electrochemical reductions in liquid ammonia: electrolytic birch reactions and chemical bond fissions,1173
Chen B see Kahn M. 1623
Chen K.-M.,Hardtmann G.E.,Prasad K.,Repic O. and **Shapiro M.J.** 1,3-syn Diastereoselective reduction of ß-hydroxyketones utilizing alkoxydialkylboranes,155
Chen M see Chen Z. 1673
Chen M.-Y see Fang J.-M. 2853
Chen M.H.M see Bittner M. 4031
Chen Q.Y. and **He Y.-B.** A novel method for carbon-carbon bond formation palladium-catalyzed cross-coupling reaction of phenyl fluoroalkanesulfonates with organozinc reagents,2387
Chen S. and **Snyder J.K.** Molluscicidal saponins from Allium vineale,5603
Chen T.-S see Schaap A.P. 1155
Chen W. and **Cava M.P.** Convenient synthetic equivalents of 2-lithiopyrrole and 2,5-dilithiopyrrole,6025
Chen X see Tanaka K. 4173
Chen Y see Zhang Y. 3815
Chen Z.,Wang B. and **Chen M.** Steroidal bitter principles from tacca plantaginea structures of taccalonolide A and B,1673
Cheng C.-C see Turro N.J. 2929
Cheng J see Kobayashi J. 4939
Cheng W see Sharp M.J. 5093
Cheng W. and **Snieckus V.** Synthetic connections to the aromatic directed metalation reaction. Iterative ortho metalation-cross coupling tactics for the construction of polyphenyls,5097
Cheng X.-M see Kozikowski A.P. 3189
Chern J.-W.,Lee H.-Y.,Huang H. and **Shish F.** A novel and efficient synthesis of isoguanosine,2151
Chevrier B see Behr J.-P. 1989
Chiba M.,Takahashi H.,Takahashi H.,Morimoto T. and **Achiwa K.** Synthesis and application of a novel bisphosphine ligand, (-)-DIOCP, as an unsymmetrized DIOP to prove the general utility of new designing concept,3675
Chigr M.,Fillion H. and **Rougny A.** An efficient route to aminoanthraquinones and derivatives via a Diels-Alder reaction,4529
Chimiak A see Milewska M.J. 1817
Chinn M.S see Doyle M.P. 833
Chinn R.L see Boeckman R.K.,Jr. 3551
Chittenden G.J.F see Vekemans J.A.J.M. 2299
Chiu P.-K. and **Sammes M.P.** Thermal rearrangement of 3H-pyrroles by competitive 1,5]-sigmatropic shifts, and the reversibility of the 3H- to 2H-pyrrole interconversion,2775
Chiu Y.L.,Sant'ana A.E.G. and **Utley J.H.P.** Electro-organic reactions. Part 29: Cathodic reduction activated by arene-chromium tricarbonyl complexation,1349
Chmielewski M.,Kaluza Z.,Abramski W. and **Belzecki C.** Stereocontrolled entry to 1-oxapenams and 1-oxacephems from carbohydrates,3035
Cho B.P. and **Harvey R.G.** Erratum,2906
Cho B.P. and **Harvey R.G.** Synthesis of polycyclic aromatic fluoranthenes,861
Cholody W.M.,Lhomme M.F. and **Lhomme J.** Reduction of the anticancer drug "nitracrine". Access to dihydropyrazolo- and dihydropyrimidino-acridines,5029
Chong J.M.,Cyr D.R. and **Mar E.K.** Regioselectiuve opening of 2,3-

epoxy alcohols withy organocuprates. Enhanced C-2 selectivity through solvent effects,5009
Chong W.K.M see Avery M.A. 4629
Choudhuri L.N see Kundu N.G. 5543
Chow K. and **Moore H.W.** (2-Aryl-2-cyanoethenyl)ketenes---annulated cyanophenols from azidoquinones,5013
Christ W see Almstead N. 1627
Christl M see Hegmann J. 6429
Christl M. and **Herzog C.** 3-(Phenylsulfonyl)tricyclo[4.1.0.0.^{2,7}]-hept-4-en-3-yllithium,187
Christl M.,Hegmann J.,Reuchlein H.,Peters K.,Peters E.-M. and **von Schnering H.G.** Überbrükte neungliedrige α,β-ungesättigte Enollactone - Synthese aus 5-Phenyl-1,3,4-oxadiazin-6-on-2-carbonsäure-methylester und Konfigurationsanalyse,6433
Chrystal E.J.T see Ashton P.R. 6367
Chuche J see Dhimane H. 885, see Pale P. 6447
Chuit C see Tellier F. 3335
Ciattini P.G see Cacchi S. 3039
Cinquini M see Annunziata R. 3139
Ciufolini M.A. and **Browne M.E.** Efficient palladium-mediated synthesis of a spirocyclic model for fredericamycin A,171
Civitarese G see Baciocchi E. 5357
Clardy J see Bittner M. 4031, see Cardellina J.H. 727, see Kobayashi J. 4939, see Okamoto K.T. 4969, see Sakata K. 5607, see San-Martin A. 6013, see Seto H. 3357, see Williams D.E. 5079
Clardy J.,Van Duyne G.,Gallardo A.,Manta E.,Martín J.D.,Pérez C.,Pérez R.,Ravelo J.L.,Rodríguez M.L. and **Schulte G.K.** A new diterpene with two polymorphic modifications from a marine alga,6699
Clare M see Djuric S.W. 299
Clarembeau M. and **Krief A.** Erratum,1114
Clark J.H see Ando T. 1421
Clark J.H. and **Owen N.D.S.** Formation and reactivity of a strongly hydrogen bonded fluoride-4-cyanophenol complex,3627
Clark J.H. and **Macquarrie D.J.** The synthesis of organofluorine compounds using potassium fluoride-tetraphenylphosphonium bromide systems,111
Clarke T see Anthony N.J. 5755
Clarke T.,Stewart J.D. and **Ganem B.** Stereoselective fragmentation of a tricyclic diester leading to a potent chorismate mutase transition state inhibitor,6253
Clavel J.-L see Montero J.-L. 1163
Clawson P. and **Whiting D.A.** Polarised diaryl carbonyl ylids: the specificity of additions to unsymmetric dipolarophiles,3155
Clemett C.J see Roberts D.W. 3383
Clennan M.W see Jaeger D.A. 4805
Clerici A. and **Porta O.** Halide exchange and reduction of phenacylhalides promoted by aqueous titanium(III) salts at various pHs. Mechanistic considerations,1541
Cleve G see Lis R. 1487
Clinch K.,Vasella A. and **Schauer R.** Synthesis of (2R),4S,5S)-5-acetamidoi-4-hydroxy-pipecolinic acid as a potential inhibitor of sialidases,6425
Clinet J.C. and **Balavoine G.** A novel preparative method for α,β-unsaturated oxazolines via α-phenylthiooxazolines,5509
Clough J.M see Beautement K. 475
Clough J.M.,Mann I.S. and **Widdowson D.A.** Transition metal mediated organic synthesis: the synthesis of moracin M,2645
Cockerill G.S see Mortimore M. 3747
Coe J.W see Roush W.R. 931
Coerver J.M see Nelson D.J. 943
Coghlan M.J see Paquette L.A. 5017
Cohen M.A see Akhtar M. 2413
Cohen T see Abraham W.D. 2203, see Bhupathy M. 4797, 4793
Cole R.J see Phillips N.J. 1619
Cole T.E see Srebnik M. 3771
Coleman R.S see Boger D.L. 1027
Coll J see Camps F. 4745
Collignon N see Tay M.K. 1263
Collingwood S.P.,Davies A.P. and **Golding B.T.** Conversion of alcohols into alkyl bromides and iodides via O-alkylisoureas,4445
Collins S. and **Hong Y.** Alkyl and aryllanthanum triflates: new reagents for the conversion of tertiary amides to ketones,4391
Colonna S.,Manfredi A. and **Spadoni M.** The effect of organic cosolvents on the enantioselectivity in the bovine serum albumin catalyzed Weitz-Scheffer condensation,1577
Colotta V.,Cecchi L.,Melani F.,Palazzino G. and **Filacchioni G.** The correct synthesis of 2,3-dihydro-2-aryl-4-R-[1]benzopyrano[4,3-c]pyrazole-3-ones,5165
Comasseto J.V.,Ferraz H.M.C.,Petragnani N. and **Brandt C.A.** Cyclofunctionalization of unsaturated alcohols with aryl tellurium trihalides,5611
Combellas C see Alam N. 6171, see Chaussard J. 1173
Combe P see Chakravarty P.K. 611
Come J.H see Feldman K.S. 607
Comins D.L. and **Mantlo N.B.** Regioselective addition of nucleophiles to 1-(phenoxycarbonyl)-3-trialkylstannylpyridinium salts,759
Comins D.L. and **O'Connor S.** The addition of alkylzinc iodides to 1-(phenoxycarbonyl)pyridinium salts,1843
Conn R.E see Evans D.A. 39
Connolly B.A. Solid phase 5'-phosphorylation of oligonucleotides,463
Connolly J.D see Lontsi D. 6683
Conrow R.E see Andrew R.G. 6535
Constant J.F.,Fahy J.,Lhomme J. and **Anderson J.E.** Adenine-thymine pairing in water induced by an intercalating agent,1777
Cook J.M see Lannoye G. 4821, 6242
Cooke A.M.,Potter V.L. and **Gigg R.** Synthesis of D1-myo-inositol 1,4,5-trisphosphate,2305
Cooke R.J see Cha J.K. 5473
Cooper C.B see Wender P.A. 6125
Cooper J.,Knight D.W. and **Gallagher P.T.** A route to optically active trisubstituted pyrrolidines using Claisen rearrangements of azalactones,3031
Cooper P.J see Nelson D.J. 943
Coppi L.,Ricci A. and **Taddei M.** C-centred optically active organosilanes, 1. Synthesis of new silylated chiral auxiliaries,965
Coppi L.,Mordini A. and **Taddei M.** C-centred optically active organosilanes,2. Application to enantioselective allylation of carbonyl compounds,969
Coppi L.,Ricci A. and **Taddei M.** Synthesis of 4-halotetrahydropyrans from allylsilanes and carbonyl compounds in the presence of Lewis acids,973
Corbel B.,Hernot D.,Haelters J.-P. and **Sturtz G.** Synthesis of α-phosphorylated cyclopentanones by intramolecular carbenoid cyclizations of α-diazo β-keto alkylphosphonates and phosphine oxides,6605
Corbera J see Ortuño R.M. 3405
Corbier B see Lamare V. 6269
Corey E.J. and **Xiang Y.B.** A method for the off-ring functionalization of carbon-substituted furans. Synthesis of kahweol from cafestol,5403
Corey E.J. and **Su W.-g.** A novel, onestep annulation process for the synthesis of ring-fused 2-cyclopentenones,5241
Corey E.J.,Ritter K.,Tius M. and **Májera C.** Biomimetic synthesis of a preclavulone A model,3547
Corey E.J.,Nagata R. and **Wright S.W.** Biomimetic total synthesis of colneleic acid and its function as a lipoxygenase nihibitor,4917
Corey E.J. and **Hannon F.J.** Chiral catalysts for the enantioselective addition of organometallic reagents to aldehydes,5233
Corey E.J. and **Matsuda S.P.T.** Generality of marine prostanoid biosynthesis by the 2-oxidopentadienyl cation pathway,4247
Corey E.J.,Seibel W.L. and **Kappos J.C.** Mechanism of the nitrous acid-induced dealkylation of trisubstituted (terminal isopropylidene) olefins to form acetylenes,4921
Corey E.J. and **Ghosh A.K.** Mn(III)-promoted annulation of enol ethers and esters to fused or spiro 2-cyclopentenones,175
Corey E.J.,Wright S.W. and **Mehrotra M.M.** Practical, stable standards for the reversed phase HPLC analysis of peptidic leukotrienes,739
Corey E.J. and **Nagata R.** Synthesis of three new dehydroarachidonic acid derivatives and their oxidation by soybean lipoxygenase,5391
Corey E.J. and **Burk R.M.** Total synthesis of (±)-tricyclohexaprenol, a possible forerunner of sterols in the evolution of biomembranes,6413
Corey E.J. and **Hannon F.J.** Zinc complexes of chiral phenols as catalysts for enantioselective addition of organozinc reagents to aldehydes,5237
Corey P.F. Asymmetric bromolactonization reaction: synthesis of optically active 2-hydroxy-2-methyl-alkanoic acids from 2-methylenealkonoic acids,2801
Cork D.G see Ando T. 1421
Cornaos A see Grimaldi J. 3487
Cornelisse J see Tintel C. 2057
Cornwall P.,Dell C.P. and **Knight D.W.** New methods for the homologation of thiazoles and oxazoles by regiospecific lithiations of thiazole- and oxazole-carboxylic acid derivatives,3585
Corriu R.J.P.,Moreau J.J.E. and **Vernhet C.** Silylamines in organic synthesis: a new access to functional pyrroles via organocuprates addition on methyl-bis(trimethylsilyl)aminomethylpropiolate,2963
Corriu R.J.P.,Lanneau G.F. and **Perrot M.** The one-pot conversion of carboxylic acids to aldehydes via activated silyl carboxy-

lates,3941
Cortez C see Harvey R.G. 6137
Cosmo R.,Hambley T.W. and **Sternhell S.** Anomalous internuclear distances in 1,8-substituted naphthalenes and 1,4-substituted phenanthrenes,6239
Cossé-Barbi A. and **Dubois J.E.** Bond angle distortion of C_2CZC_2 fragments (Z = C, N, P, S, O, Si) by CZC opening and symmetrical C_2C- distortion. Analysis of crystallographic data by perturbation of symmetry distortion coordinates,1169
Cossío F.P.,Ganboa I.,García J.M.,Lecea B. and **Palomo C.** N,N-Dimethylphosphoramidic dichloride: a convenient reagent for the preparation of β-lactams from acetic acids and imines,1945
Cossy J see Hugel G. 1773
Cossy J.,Henin F. and **Leblanc C.** A very short access to 4-substituted thiochromanes,1417
Cossy J.,Belotti D. and **Pete J.P.** Photoreductive cyclization of N,N-dialkyl β-oxoamides: formation of six-membered ring lactams,4545
Cossy J.,Belotti D. and **Pete J.P.** Photoreductive cyclization: application to the total synthesis of (±) hirsutene,4547
Cossy J. and **Pale P.** Silylation selective par l'hexamethyldisilazane,6039
Costa A see Ballester P. 3853
Costa A. and **Saá J.M.** On the metalation of phenolic compounds: ready access to highly substituted phenols,5551
Coull J.M.,Carlson D.V. and **Weith H.L.** Synthesis and characterization of a carbamate-linked oligonucleoside,745
Coulter M.J see Hua D.H. 5465
Courtois G. and **Miginiac L.** Methode generale de preparation de N-alkyl N-trimethylsilyl alkoxymethylamines, aghents efficaces de monoalkylaminomethylation d'organometalliques,1659
Coutts S.J. and **Wallace T.W.** A route to functionalised 1,5-dicarbonyl systems via heterodiene cycloadditions of a 2-acyl-2-enoic acid,5195
Couty F see Agami C. 5659
Coveney D.J.,Patel V.F. and **Pattenden G.** Acylcobalt salophen reagents. Precursors to acyl radical intgermediates for inter- and intramolecular oxidative Michael addition reactions,5949
Coxon J.M. and **Hartshorn M.P.** Prochiral stereoselection of Cl hydrogens in the rearrangement of Cl-substituted epoxides: a reexamination of p-methoxystyrene oxide,1333
Coyle J.D.,Hill R.R. and **Jeffs G.E.** Photochemically induced ring-opening in prolyl peptides,2529
Cozzi F see Annunziata R. 3139
Crabtree R.H see Brown S.H. 5599
Craig D.C see St C. Black D. 6691
Cramer F see Dabkowski W. 3561, 3559
Crank G see Khan H.R. 3381
Crenne J.-Y see Margolin A.L. 1607
Crescenzi O see Palumbo P. 467
Creswell M.W see Takacs J.M. 5627
Crews P see Quiñoà E. 2467, 3229
Crich D. and **Fortt S.M.** On the effect of ring size in the cyclization of carbonyl and vinyl radicals onto alkenes,2895
Crich D. and **Davies J.W.** Stereoselectivity in free radical reactions,4205
Crimmins M.T. and **Mascarella S.W.** Radical cleavage of cyclobutanes: alternative routes to (±)-silphinene,5063
Crimmins M.T.,Hollis W.G.,Jr. and **Lever J.G.** Selenium initiated cyclization-2,3 sigmatropic rearrangement: synthesis of the C1 to C10 fragment of the milbemycins and the avermectins,3647
Crimmins M.T.,Hollis W.G.,Jr. and **Bankaitis-Davis D.M.** Studies directed toward the total synthesis of the milbemycins: synthesis of the C11 to C31 fragment of milbemycin D,3651
Crisco L.V.T see Davies H.M.L. 371
Crisco L.V.T. Erratum,3170
Crombie L.,Hobbs A.J.W.,Horsham M.A. and **Blade R.J.** Hydrozirconation methods for natural isobutylamides (anacyclic, pellitorine and its vinylogue) and synthons,4875
Crombie L.,Horsham M.A. and **Blade R.J.** Synthetic approaches to isobutylamides of insecticidal interest,4879
Crooks S.L see Marshall J.A. 5081, 527
Cross S see Kashman Y. 5461
Crossley M.J.,Crumbie R.L.,Fung Y.M.,Potter J.J. and **Pegler M.A.** Y-Lactam analogues of monocyclic β-lactam antibiotics,2883
Crotti P.,Macchia F.,Pizzabiocca A.,Renzi G. and **Speranza M.** Anomalous stereochemistry of gas-phase acid-induced ring opening in 1-phenylcyclohexene oxide,3393
Crozet M.P.,Jentzer O. and **Vanelle P.** Reactions de substitution $S_{RN}1$ en serie quinonique,5531
Crul M.J.F.M see Klunder A.J.H. 3147
Crumbie R.L see Crossley M.J. 2883
Cullis P.M.,Misra R. and **Wilkins D.J.** A general configurational analysis of O-substituted [^{16}O,^{18}O]thiophosphates,4211
Cunningham R.T see Walkup R.D. 4019
Curci R.,Lopez L.,Troisi L.,Rashid S.M.K. and **Schaap A.P.** Synthesis of 1,2-diozetanes via electron-transfer oxygenation,5319
Curran D.P. and **Chang C.-T.** Atom transfer cyclization reactions of α-iodo carbonyls,2477
Cuvigny T see Capet M. 6273
Cuvigny T.,Julia M.,Jullien L. and **Rolando C.** A simple way to some ketone homoenolates,2587
Cyr D.R see Chong J.M. 5009
Czarnik A.W see Bakthavachalam V. 2925

Dabard R see Larpent C. 2507
Dabbagh G see Bertz S.H. 4251
Dabkowski W.,Cramer F. and **Michalski J.** A new strategy for dinucleotide synthesis via phosphite route involving phosphorochloridates as intermediates,3559
Dabkowski W.,Cramer F. and **Michalski J.** A new synthesis of phosphorofluoridates of biological interest. The reaction of phosphoroazolides with benzoyl fluoride,3561
Dailey W.P. 3-Fluoro-3-trifluoromethyldiazirine,5801
Dailey W.P. The structures and energies of pentaprismane and hexaprismane - an ab initio study,5787
Dakka G. and **Sasson Y.** Selective hydrobromination of branched alcohols using phase transfer catalysis,1223
Dallaire C see Baettig K. 5249
Dallmann H.G see Buist P.H. 857
Daly J.J see Schantl J.G. 6577
Dasha M.J.,Usman N. and **Ogilvie K.K.** The rapid chemical synthesis of arabinonucleotides,1633
Dassel R see Bock H. 617
Dasseux D.,Pornet J. and **Miginiac L.** Synthese de vinylidene-3 pyrrolidines, piperidines et perhydroazepines a partir d'ω-monoalkylaminopropargyltrimethylsilanes par processus d'aminomethylation-desilylation intramoleculaire,4689
Dan'kov Yu.V see Zefirov N.S. 242
Danheiser R.L. and **Savariar S.** A general method for the reductive dechlorination of 4,4-dichlorocyclobutenones,3299
Daniel H. and **Le Corre M.** Stereoselectivite de la reaction de Wittig. Utilisation d'une phosphine portant un groupement nucleophile,1165
Danikiewicz W. and **Makosza M.** An unusual reaction of 4-methoxy-1-nitronaphthalene and 4-amino-1-nitronaphthalene with dimethyl phosphite under basic conditions,1707
Danishefsky S.J see Armistead D.M. 4959, see Selnick H.G. 4955, see Wincott F.E. 4951
Dannals R.F see Lever J.R. 4015
Dantanarayana A.P see White J.D. 6417
Darrah C.M see Atkinson R.S. 1711
Das B see Kundu N.G. 5543
Das T.K see Ghosh S. 4611
Date T see Hashimoto H. 3505
Datta D.B see Ghosh S. 4611
Dauben W.G. and **Takasugi J.J.** Organic reactions at high pressure. Wittig reaction of hindered ketones with non-stabilized ylides,4377
Davidson R.S.,Walker M.D. and **Bhardwaj R.K.** The oxidative desulphurisation and deselenation at pentacovalent phosphorus catalysed by metalloporphyrins,2981
Davies A.P see Collingwood S.P. 4445
Davies D.E see Arrowsmith R.J. 5569
Davies H.M.L. and **Crisco L.V.T.** Synthesis and pyrolysis of cyclic sulfonium ylides,371
Davies H.M.L.,Smith H.D. and **Korkor O.** Tandem cyclopropanation/cope rearrangement sequence. Stereospecific [3 + 4] cycloaddition reaction of vinylcarbenoids with cyclopentadiene,1853
Davies J.W see Crich D. 4205
Davies S.G see Bashiardes G. 5563
Davis F.A.,Wei J.,Sheppard A.C. and **Gubernick S.** The mechanism of hydroxylation of organometallic reagents by 2-sulfonyloxaziridines,5115
Davoust D see Berthelot J. 1881, see Bodo B. 2355, see Duhamel L. 5517
Dax S see Marino J.P. 4007
De Angelis F see Botta M. 5539
De Clercq P see De Wilde H. 4757
De Felice V.,Piccialli G.,Santacroce C. and **Vitagliano A.** Synthesis and characterization of a platinum(II) nucleoside complex linked through A Pt-C σ-bond,2757
De Felippis J see Squillacote M.E. 275
De Ferra L see Botta M. 5539
De Keukeleire D see Stanssens D.

4195
De Lange B see Mobilio D. 1483
De Lombaert S see Carretero J.C. 2135
De Lucchi O., **Busa M.** and **Modena G.** Chiral epoxides as recoverable auxiliaries in the synthesis of optically active sulfinyl dienophiles,107
De Meesmaeker A see Bachi M.D. 2887, 2637
De Napoli L see Barbato S. 5727
De Sarlo F see Brandi A. 3845
De Wilde H see Van der Eycken E. 4759
De Wilde H., **De Clercq P.**, **Vandewalle M.** and **Röper H.** L-(S)-Erythrulose a novel precursor to L-2,3-O-isopropylidene-C$_4$ chirons,4757
Dékány G see Frank J. 2759
Deaton D.N see Burke S.D. 3905
Decicco C see Lange G.L. 2833
Decristoforo M see Schantl J.G. 6577
Defauw J see Giguere R.J. 6553
Degl'Innocenti A see Ricci A. 4093
Degueil-Castaing M., **de Jeso B.**, **Drouillard S.** and **Maillard B.** Enzymatic reactions in organic synthesis: 2- ester interchange of vinyl esters,953
Dehmlow E.V. and **Wilkenloh J.** Steuerung einer Reaktionsverzweigung durch geeignete Phasentransfer-Katalysatoren Anwendungen der Phasentransfer-Katalyse 37,5489
Dehnel A. and **Kanabus-Kaminska J.M.** Double rearrangement in the pyrrolidine-1,2-oxide system leading to pentasubstituted pyrroles,3907
DeHoff B.S see Marshall J.A. 723, 527
Del Giacco T see Baciocchi E. 1941
Delfino J.M., **Schreiber S.L.** and **Richards F.M.** An efficient method for the partial synthesis of mixed-chain phosphatidylethanolamines,2327
Delfino J.M., **Stankovic C.J.**, **Schreiber S.L.** and **Richards F.M.** Synthesis of a bipolar phosphatidylethanolamine: a novel compound for a membrane-spanning probe,2323
Dell C.P see Cornwall P. 3585
Dell'Erba C see Novi M. 1345
Dell'Innocenti M see Malanga C. 239
Della E.W. and **Schlesser C.H.** Rearrangements of bicyclo[n.1.1]alkylium cations,3869
Delle Monache F see Botta B. 567
Delle Monache F., **Delle Monache G.**, **Cavalcanti J.F.** and **Pinheiro R.M.** An unexpected dihydrophenanthrene from Clusia paralycola,563
Delle Monache G see Botta B. 567, see Delle Monache F. 563
Delmas M see Borredon E. 1877
Delmond B see Arreguy-San Miguel B. 2127
Delpech B. and **Lett R.** Retrosynthetic studies with Forskolin ,4061
Deluca H.F see Kutner A. 6129
Demarchi B. and **Vogel P.** Synthesis of polyfunctional, linearly condensed six-membered ring systems by regioselective tandem Diels-Alder additions. Synthesis and reactivity of 6,7-bis(chloromethyl)-8,9-bis(methylene)-2-oxabicyclo[3.2.1]nonan-3-one,2239
Dembiński R see Skowrońska A. 4209
Demers J.P. and **Klaubert D.H.** Addition of arylmetallics to azodicarboxylates: a novel synthesis of arylhydrazines by aromatic hydrazination,4933
Demir A.S., **Enders D.**, **Puff H.** and **Franken S.** Asymmetric Michael addition/lactamization via SAMP-/RAMP-hydrazones enantioselective synthesis of substituted tetrahydro-2,5(1H,3H)-quinolinediones,3795
Demuynck C see Bolte J. 5525
Denarié M., **Grencuillat D.**, **Malfroot T.**, **Seniet J.-P.**, **Sennyey G.** and **Wolf P.** 2,2'-Carbonyl-bis(3,5-dioxo-4-methyl-1,2,4-oxadiazolidine): I-a new reagent for the preparation of carbamates and amides, application to the synthesis of dipeptides,5823
Deng S see Nakamura H. 621
Denis J.-M see Pellerin B. 5811
Denne I see Vaultier M. 4169
Denny M see Mead D. 259
Depezay J.-C see Duréault A. 3341
Deprez D., **Margraff R.**, **Bizot J.** and **Pulicani J.-P.** Reduction electrochimique de la fonction amide d'un compose antitumoral, l'echinosporine,4679
Deprez L see Van der Eycken E. 4759
Dernoncour R. and **Azerad R.** Enantioselective hydrolysis of 2-(chlorophenoxy)propionic esters by esterases,4661
Descotes G see Praly J.P. 1405
DeShong P., **Slough G.A.** and **Rheingold A.L.** Synthesis of carbonyl compounds using organomanganese pentacarbonyl complexes,2229
DeShong P., **Sidler D.R.** and **Slough G.A.** Synthesis of enones and butenolides using organomanganese pentacarbonyl complexes,2233
Deshpande V.H see Rama Rao A.V. 451, 455
DeSilva R see Schaap A.P. 1155
Deslongchamps P see Baettig K. 5253, 5249, see Bérubé G. 5255, see Lavallée J.-F. 3457
Devaud M see Lecat J.-L. 5821, see Tue Bi B. 3799
DeVries K.M see Doyle M.P. 833
Dewan J.C see Buchwald S.L. 3245
Deziel R. Mild palladium (0)-catalyzed deprotection of allyl esters. A useful application in the synthesis of carbapenems and otherβ-lactam derivatives,4371
Dhanak D see Barrett A.G.M. 3327
Dhanak D., **Kuroda R.** and **Reese C.B.** Ring-expansion of a dihalogenocarbene adduct of a cycloheptene derivative and the corresponding retro-reaction,1827
Dharanipragada R. and **Diederich F.** Diastereomeric complex formation between a novel optically active host and naproxen in aqueous solution,2443
Dhimane H., **Pousselet J.-C.**, **Chuche J.**, **Lhomme G.** and **Haddad M.** Cyclizationa of aminomethyleneketenes by intramolecular displacement of chlorine: synthesis of bicyclic enaminoesters,885
Dhumrongvaraporn S see Wang K.K. 1007
Di Fabio R see Bonadies F. 703
Dicko A., **Montury M.** and **Baboulene M.** Protection of primary and secondary amines in the hydroboration reaction,6041
Diederich F see Dharanipragada R. 2443, see Seward E. 5111
Diehl B.W.K see Berger S. 1243
Dieter J.W., **Li Z.** and **Nicholas K.M.** Iron-mediated aromatic allylation,5415
Dietrich-Buchecker C.O see Noblat S. 5829
Differding E., **Vandevelde O.**, **Roekens B.**, **Van T.T.** and **Ghosez L.** A versatile method of synthesis of anilines and cyclohexenones,397
DiFiore K.A see Harrington P.J. 495
Dinculescu A., **Balaban T.-S.** and **Balaban A.T.** Synthesis of indolizines starting from pyrylium salts,3145
Ding H., **Zhou W.** and **Bai J.** Reactions of 2-alkyl-, 2-phenyl- and 2-alkoxy-1,2-oxaborolanes with (dichloromethyl)lithium. A novel synthesis of 1,4-alkanediols,2599
Ding W., **Zhang P.** and **Cao W.** A facile synthesis of methyl 2-perfluoroalkyl-6-methoxybenzoates via acyclic precursors,81
DiPardo R.M see Bock M.G. 939, see Rittle K.E. 521
Dixneuf P.H see Bruneau C. 2005
Dixon L.A see Tanis S.P. 2495
Diyizou Y.L., **Genevois A.**, **Lazrak T.**, **Wolff G.**, **Nakatani Y.** and **Qurisson G.** Synthesis and properties of a photoreactive transmembrane probe,5743
Djuric S.W., **Miyano M.**, **Clare M.** and **Rydzewski R.M.** A stereocontrolled synthesis of a novel prostacyclin analog "allenecarbacyclin". Application of molecular mechanics calculations to organic synthesis,299
Dõé de Maindreville M see Mirand C. 3565
Dolata D.P. and **Bergman R.** Acceleration of a Diels-Alder reaction in an ultracentrifuge,707
Dolbier W.R., **Jr.** and **Seabury M.** The effect of styrene α-substituents on the regiochemistry of [2+2] cycloadditions with difluoroallene,1491
Dolence E.K., **Morita H.**, **Watt D.S.** and **Fitz T.** Utilization of a nitrenium ion cyclization in a synthesis of a photoactive prostaglandin, 17-(4-azido-2-hydroxyphenyl)-18,19,20-trinorprostaglandin $F_{2\alpha}$,43
Doleschall G. An efficient synthesis of N-monoalkylated hydroxylamines ,2993
Dombroski M.A see Mohan R. 845
Dorfmeister G see Märkl G. 1093, 1089
Dorgan R.J.J see Baker G.H. 5565
Dorow R.L see Evans D.A. 1123
Dorr M see Buglass A.J. 3283
Dotrong M see Baumstark A.L. 1963
Doubleday C., **Jr** see Turro N.J. 2929
Dougherty D.A see Kaisaki D.A. 5263
Dousset P see Fourrey J.L. 5157, see Viari A. 3349
Doutheau A see Saroli A. 5501
Dow R.L. and **Flynn M.J.** Total synthesis of erbstatin,2217
Doyle M.P., **Loh K.-L.**, **DeVries K.M.** and **Chinn M.S.** Enhancement of stereoselectivity in catalytic cyclopropanation reactions,833
Dresely S see Hoffmann R.W. 5303
Dressel J see Paquette L.A. 4965
Drouillard S see Degueil-Castaing M. 953
Drouin J. and **Boaventura M.A.** Regiocontrolled cyclisation of acetylenic ketones. First example of selective desilylation of a triple bond in the presence of a silyl enol ether,3923
Drummond J.T. and **Johnson G.** Synthesis of a cognition enhancing beta-lactam fused gamma-lactam,5245
DuBay W.J., **III** see Black T.H. 4787
Dubois J.E see Cossé-Barbi A. 1169
Duell B.L see Katritzky A.R. 3899

Duggan M.E see Nicolaou K.C. 1501
Duhamel L.,Ravard A.,Plaquevent J.-C. and **Davoust D.** Enantioselective dehydrohalogenation via asymmetric deprotonation by chiral lithium amides: deracemization of a compound bearing a chiral axis,5517
Duhamel P.,Goument B. and **Plaquevent J.-C.** A formal synthesis of aspartame via the oxazirïdine - amide rearrangement,2595
Duhamel P.,Eddine J.J. and **Valnot J.-Y.** Enantioselective methylation of glycine influence of the structure of the chiral nucleofugal,3801
Duine J.A see Jongejan J.A. 2767
Dujardin G see Poirier J.-M. 3337
Dulcere J.P.,Rodriguez J.,Santelli M. and **Zahra J.P.** Preparation d'acyl-4 methylene-3 tetrahydrofuranes: un acces aux α-methylene γ-lactones et butenolides fonctionnalises,2009
Dumartin G.,Pereyre M. and **Quintard J.-P.** Chemo, regio and stereoselectivity in the reaction of p-bromobenzaldehyde with α-ethoxycrotyltributyltin,3935
Dumas P see Behr J.-P. 1989
Dumont W see Krief A. 1549
Duncan L see Haralambidis J. 5199
Duncan M.P see Moriarty R.M. 2845
Dunlap N.K see Smith A.B. 3663, 3659
Dupas G see Ambles A. 6449
Durëault A.,Tranchepain I.,Greck C. and **Depezay J.-C.** Nucleophilic opening of chiral bis-aziridines: a route to enantiomerically pure α-amino acids and polysubstituted piperidines,3341
Dureja P.,Walia S. and **Mukerjee S.K.** Superoxide mediated dehydrohalogenation of photodieldrin and photoaldrin,895
Durst H.D see Katritzky A.R. 3899
Dutasta J.P. and **Simon P.** Synthesis of novel crown derivatives incorporating a diaminophosphine group in a polyether macrocycle,3577
Dyer R.L see Baldwin J.E. 2303, 3745
Dyszlewski A.D see McCombie S.W. 4127, see Padwa A. 3193
Dziewiszek K.,Banaszek A. and **Zamojski A.** The synthesis of the heptose region of the gram-negative bacterial core oligosaccharides,1569

Eaton P.E.,Higuchi H. and **Millikan R.** Synthesis of zinc. cadmium, tin and silicon derivatives of cubane,1055
Eberbach W. and **Roser J.** Pyrrole and pyridine derivatives via 1,7-cyclization of butenynyl nitrones. The product-determining influence of substituents on the deactivation pathway of the oxaza-cycloallene intermediates,2689
Eberbach W. and **Roser J.** The epoxyhexenyne - vinylfuran transformation: evidence for carbene intermediates,2685
Eberhardt M.K. and **Soto K.** Formation of ethylene from beta-halopropionic acids,3439
Eckl E see Märkl G. 2119
Eddine J.J see Duhamel P. 3801
Effenberger F. and **Straub A.** A novel convenient preparation of dihydroxyacetone phosphate and its use in enzymatic aldol reactions,1641
Egert E.,Beck H.,Schmidt D.,Conschorrek C. and **Hoppe D.** Stereoselective synthesis of functionalized, tetra- and penta-substituted 1,3-butadienes by allene Claisen rearrangement,789
Eggleston D.S see Lan-Hargest H.-Y. 6557, 6117
Egler R.S see Peterson J.R. 6109
Ehret C see Lamare V. 6269
Ehrhardt J.D see Huber D. 6453
Eibler E.,Käsbauer J.,Pohl H. and **Sauer J.** Konkurrenzexperimente zum Nachweis von Acylnitrenen,1097
Eichinger P.C.H see Meijs G.F. 5559
El Abbassi M.,Essassi E.M. and **Fifani J.** Nouvelle synthese des benzodiazepines1,5 a partir de la γ-pyrone,1389
El Idrissi M. and **Santelli M.** Cyclization of 1,5-hexadien-3-ols to 4-halogeno-cyclo-hexenes: obtention of halogeno-octahydronaphtalenes from allylpulegols,2583
El-Alaoui M see Toullec J. 1889
El-Din G.W see Isaacs N.S. 2191
El-Dusouqui O.M.E.,Mahmud K.A.M. and **Sulfab Y.** π-Complex formation and collapse in electrophilic halogenation of aromatic substrates,2417
Eliel E.L. and **Lynch J.E.** The configurations of (-)-2,3,3-trimethyl-2-hydroxybutanoic acid, $Me_3CC(Me)(OH)CO_2H$, (-)-3,3,4-trimethyl-3-hydroxy-1-pentyne and (-)-3-t-butyl-3-methyl-1-chloroallene,4813
Elliott J.D see Andrew R.G. 6535, see Lan-Hargest H.-Y. 6117, 6557
Ellman J.A see Evans D.A. 1123, 6141
Enders D see Demir A.S. 3795
Endo M see Nakagawa M. 431
Endo T see Araki Y. 5853, see Watanabe Y. 3953
Endo Y see Hashimoto Y. 3511
England W.P see Shea K.J. 5623
Engler T.A.,Naganathan S.,Takusagawa F. and **Yohannes D.** Regioselective preparation of tricyclic terpene ring systems by cycloaddition of 1,3,3-trimethyl-2-vinylcyclohexene with unsymmetrical-quinones,5267
Engman L. Hydrolytic selenoxide elimination reaction for the preparation of 2-chloro-1-olefins,1463
Enoki N see Segawa M. 3703
Epifani E.,Florio S. and **Ingrosso G.** Regioselective control of allyllithiums of some heterocycles: α vsγ condensation with aldehydes,6385
Erden I. and **Amputch M.A.** Thermal decomposition of 7-isopropylidene-2,3-dioxabicyclo[2.2.1]heptane: evidence for allene oxide and cyclopropanone intermediates,3779
Ermolenko M.S see Sviridov A.F. 3839, 3835
Esnault J see Beau J.-M. 1105
Essassi E.M see El Abbassi M. 1389
Essenfeld A.P see Roush W.R. 2447
Estermann H see Seebach D. 3103
Estreda D.M.,Martín J.D.,Pérez R.,Rivera P.,Rodríguez M.L. and **Ruano J.Z.** Furocaespitane and related C_{11} metabolites from Laurencia caespitosa,687
Eustache J.,Bernardon J.-M. and **Shroot B.** Aromatic retinoises: a short synthesis of 7-hydroxy-6-(5,6,7,8-tetrahydro-5,5,8,8-tetramethyl-2-naphthyl)-2-naphthoic acid,(7-hydroxy-TTNN),4681
Evans B.E see Bock M.G. 939, see Rittle K.E. 521
Evans D.A.,Ellman J.A. and **Dorow R.L.** Asymmetric halogenation of chiral imide enolates. A general approach to the synthesis of enantiomerically pure α-amino acids,1123
Evans D.A.,Sjogren E.B.,Weber A.E. and **Conn R.E.** Asymmetric synthesis of anti-β-hydroxy-α-amino acids,39
Evans D.A.,Britton T.C. and **Ellman J.A.** Contrasteric carboximide hydrolysis with lithium hydroperoxide,6141
Evans D.A. and **Chapman K.T.** Erratum,2314
Evans J.M see Cassidy F. 2403
Evenberg D see Hoogerhout P. 1553
Everett J.R see Baker G.H. 5565

Fahy J see Constant J.F. 1777
Fajkos J see Joska J. 2901
Fales H.M see Phillips J.K. 6145
Fallis A.G see Tuladhar S.M. 523
Fan H see Moss R.A. 4779
Fan W.-Q see Katritzky A.R. 1195
Fang J.-M. and **Chen M.-Y.** Free radical type addition of toluenesulfonyl cyanide to unsaturated hydrocarbons,2853
Fang T.-S. and **Mei W.-P.** Ozonation and chemiluminescence of 8,8,9,9-tetramethylacenaphtho-[1,2-b]-1,4-dioxin. Evidence for dual reaction pathways,329
Fariña F.,Paredes M.C. and **Stefani V.** Synthesis, structure and rectivity of 4-acetylamino-9a-acetoxy-1,9,10-anthracenetrione,4109
Fastrez J. Cyclization versus polymerization in polycondensation reactions under continuous addition of two symmetrical monomers,419
Fatima T see Atta-ur-Rahman 3609
Faulkner D.J see Kernan M.R. 2809
Fauve A. and **Veschambre H.** Erratum,5770
Fauve A. and **Veschambre H.** Use of biological systems for the preparation of chiral molecules IV: a two-step chemoenzymatic synthesis of a natural pheromone (4R,5S)-(-)-4-methy- 5-hydroxy heptan 3-one, sitophilure,5037
Férézou J.P see Ardisson J. 2001, 1997
Feenstra R.W.,Stokkingreef E.H.M.,Nivard R.J.F. and **Ottenheijm H.C.J.** An efficient synthesis of N-hydroxy-α-amino acid derivatives of high optical purity,1215
Fegley G.J see Feldman K.S. 607
Fehlner J.R see Turro N.J. 2929
Fei C.P. and **Chan T.H.** Stereoselective synthesis of α-D-glucopyranosides via 6-silyl-α-D-glucopyranosyl bromides,849
Feldman K.S.,Come J.H.,Fegley G.J.,Smith B.D. and **Parvez M.** Synthesis of the barbaralone nucleus via photocyclization of an alkynyl tropone,607
Fenical W see Bittner M. 4031
Ferezou J.P see Ardisson J. 3050
Ferguson G see Matthes K.E. 5573
Fernández A.H see Martinez A.G. 1929
Fernández J.J see Norte M. 1693
Ferraz H.M.C see Comasseto J.V. 5611
Ferre E see Gil G. 1647
Ferreira D see Bezuidenhoudt B.C.B. 4857
Ferro E see Hayashi T. 3693
Fewkes E.J see Semmelhack M.F. 1497
Fiandanese V see Cardellicchio C.

2053
Fifani J see El Abbassi M. 1389
Filacchioni G see Colotta V. 5165
Fillion H see Chigr M. 4529
Findlay J.M see Buist P.H. 3891
Finet J.-P see Barton D.H.R. 887, 3111
Fischer S see Bock H. 617
Fiscus D see Glinka J. 3221
Fisher J.W see Jungheim L.N. 285
Fitz T see Dolence E.K. 43
Fitzsimmons B.J see Leblanc Y. 3449
Flamini A.,Giuliani A.M. and **Poli N.** Catalytic activation of phenylisocyanate by Ti(bpy)$_3$,2169
Fleet G.W.J see Austin G.N. 4741
Fleet G.W.J. and **Son J.C.** Methyl 5-O-tert-butyldiphenylsilyl-2-deoxy-D-threo-pentofuranoside; an approach to the synthesis of 3;substituted;2',3';dideoxynucleosides including 3'-azido-3'-deoxythymidine and of 3'-substituted;2,3'-dideoxy-C-nucleosides,3615
Fleet G.W.J. and **Seymour L.C.** Synthesis of intermediates for stereospecific synthesis of α- and β-C nucleosides: ring contraction of protected 2-O-trifluoromethanesulphonates of galacto- and altropyranosides,3015
Flegel M see Krchnák V. 4469
Fleming A.,Sinai-Zingde G.,Natchus M. and **Hudlicky T.** [2+3] Cyclopentene annulation and other trimethylsilyl iodide-mediated rearrangement pathways of vinylcyclopropanes,167
Fleming I. and **Sanderson P.E.J.** A one-pot conversion of the phenyldimethylsilyl group into a hydroxyl group,4229
Fleming I.,Kindon N.D. and **Sarkar A.K.** The stereichemistry of an Sp2" reaction of a chiral dienylmethylsilane,5921
Fletschinger M see Zipperer B. 2513
Fletschinger M.,Zipperer B.,Fritz H. and **Prinzbach H.** 1H-aza- and oxa-heterocinyl-anions - planar-diatropic 10 π-systems,2517
Flinn A see Baldwin J.E. 3167, 3605
Flitsch W.,Jones R.A. and **Hohenhorst M.** 3a-Azaazulenes containing a carbonyl group in the 5-membered ring,4397
Flitsch W.,Hampel K. and **Hohenhorst M.** A new versatile route to 3-hydroxypyrroles,4395
Florio S see Epifani E. 6385
Flynn M.J see Dow R.L. 2217
Földesi A see Perjési P. 571
Fogden Y.C see Arrowsmith R.J. 5569
Folest J.C.,Nedelec J.Y. and **Perichon J.** Electrochemical synthesis of tertiary phosphines from organic halides and chlorophosphines,1885
Font J see Ortuño R.M. 3405
Fontaine C see Fourrey J.L. 1769, see Païs M. 1409
Fontana F.,Minisci F. and **Vismara E.** New general and convenient sources of alkyl radicals, useful for selective syntheses,6373
Foote C.S see Orfanopoulos M. 15
Forbes J.E. and **Pattenden G.** Epoxides in synthesis. Studies towards the aurovertins,2771
Forrester A.R. and **Purushotham V.** Reaction of superoxide and ozonate radical-ions with 9,10-dichloro-9,10-diphenyldihydroanthracene,3279
Fortgens H.P see Mooiweer H.H. 3285
Fortt S.M see Crich D. 2895
Fotouhi N see Kemp D.S. 4637
Foucaud A see Bourdieu C. 4673
Fourneron J.D see Lamare V. 6269
Fournet G.,Balme G. and **Gore J.** Attaque nucleophile intramoleculaire d'organopalladiques issus de la carbopalladation d'alkylidenecyclopropanes,4533
Fournier F see Berthelot J. 1881
Fourrey J.L.,Varenne J.,Fontaine C.,Guittet E. and **Yang Z.W.** A new method for the synthesis of branched ribonucleotides,1769
Fourrey J.L.,Varenne J.,Blonski C.,Dousset P. and **Shire D.** 1,1-bis-(4-Methoxyphenyl)-1'pyrenyl methyl (bmpm): a new fluorescent 5' protecting group for the purification of unmodified and modified oligonucleotides,5157
Fraile A.G see Martínez A.G. 6441, see Martinez A.G. 1929
Francis J.E.,Gorczyca L.A.,Mazzenga G.C. and **Meckler H.** A convenient synthesis of 3,5-disubstituted-1,2.4-triazoles,5133
Francisco C.G.,Freire R.,Rodríguez M.S. and **Suárez E.** β-Fragmentation of alkoxy radicals. An approach to the synthesis of ring A of vernolepin,3397
Frank J.,Dékány G.,Pelczer I. and **ApSimon J.W.** The composition of primycin,2759
Frank W. and **Gompper R.** Electron-rich and electron-poor pentalene derivatives,3083
Franken G.A.M see Vekemans J.A.J.M. 2299
Franken S see Demir A.S. 3795
Frazier J.L see Lam P.Y.-S. 5477
Fréchou C see Solladié G. 61
Frechette R.F see Jacobi P.A. 2937
Freidinger R.M see Bock M.G. 939, see Rittle K.E. 521
Freire R see Francisco C.G. 3397
Freire R.,Hernández R.,Rodríguez M.S.,Suárez E. and **Perales A.** Tandem β-fragmentation-intramolecular functionalization of alkoxy radicals. An approach to the synthesis of A and A' rings of limonin,981
Frejd T see Pattersson L. 2753, see Rehnberg N. 3589
Frenette R see Adams J. 4773
Freund M see Braverman S. 5189, 5913
Frick W see Schmidt R.R. 4045
Friedrichsen W see König B.-M. 4279
Frissen A.E.,Marcelis A.T.M. and **van der Plas H.C.** Novel intramolecular Diels-Alder reactions of pyrimidines. Synthesis of heterocyclic annelated pyridines,1589
Fristad W.E see Yang F.Z. 1493
Fritz H see Fletschinger M. 2517, see Marterer W. 5497, see Trah S. 4403, 4399
Fronczek F.R see White B.D. 1753
Froneman M.,Hodro T.A.,Qaba L. and **Vather S.M.** Anchimeric assistance and selectivity in diethylamino group transfer from metals to phosphoryl centres,2979
Fruscella W.M see Shea K.J. 5623
Fülöp F.,Pihlaja K.,Mattinen J. and **Bernáth G.** A new aspect of the Leuckart reaction: synthesis of 1-methyl and/or 3-hydroxymethyl-1,3-heterocycles,115
Fuentes A.,Marinas J.M. and **Sinisterra J.V.** Catalyzed synthesis of chalcones under interfacial solid-liquid conditions with ultrasound,4541
Fuentes A.,Marinas J.M. and **Sinisterra J.V.** Evidence d'un mecanisme de catalyse par transfert monoelectronique (ETC) pour la reaction de cannizzaro, en phase heterogene, en conditions sonochimiques,2947
Fuentes A.,Marinas J.M. and **Sinisterra J.V.** Wittig-Horner reaction catalyzed by activated barium hjydroxide in the presence of ultrasound,2951
Fugami K.,Oshima K. and **Utimoto K.** One-pot synthesis of tetrahydrofuran derivatives from allylic alcohols and vinyl ethers by means of palladium(II) acetate,809
Fuhlendorff R.,Lund T.,Lund H. and **Pedersen J.A.** Rate of homogeneous electron-transfer in self-exchange reactions of methylviologen,5335
Fujihara H see Furukawa N. 5845, 2727
Fujii M.,Yamakage S.,Takaku H. and **Hata T.** (Butylthio)carbonyl group: a new protecting group for the guanine residue in oligoribonucleotide synthesis,5713
Fujii M.,Nagai H.,Sekine M. and **Hata T.** The phosphorothioite method 2. Use of S-(t-butyl) β-cyanoethyl phosphorothioites of deoxyribonucleoside for the synthesis of oligodeoxyribonucleosides on polymer supports,1435
Fujii T see Nohara F. 1287
Fujikawa S.,Fukui Y.,Koga K.,Iwashita T.,Komura H. and **Nomoto K.** Structure of genipocyanin G_1, a spontaneous reaction product between genipin and glycine,4699
Fujioka H see Tamura Y. 5709, 5681
Fujisawa T see Sato T. 5677
Fujise Y see Mazaki Y. 977, see Tsunoda T. 2537, see Yamaga H. 585
Fujita E see Arimoto M. 6289
Fujita M see Iwata C. 3131, 3135, 2255
Fujita M. and **Hiyama T.** Mechanistic aspects of fluoride ion-catalyzed reduction of carbonyl compounds with hydrosilanes,2263
Fujita T see Maeda M. 633, see Uesato S. 4431
Fujiwara S see Katsumura S. 1191
Fukazawa Y see Hashimoto T. 6295, see Mazaki Y. 977, see Usui S. 91
Fukui Y see Fujikawa S. 4699
Fukukawa K see Shuto S. 199
Fukuoka S.,Hanri H.,Katsuki T. and **Yamaguchi M.** Activation of carboxylic acids and alcohols by intramolecular cyclization. Acylation of trimethylsilylacetylenes and alkylation of aromatic compounds,6205
Fukuoka S.,Takimoto S.,Katsuki T. and **Yamaguchi M.** Activation of mixed carboxylic α-bromotoluoyl anhydrides by silver tetrafluoroborate. Synthesis of esters and thiol esters,4711
Fukuzawa A.,Sato H. and **Masamune T.** Synthesis of (±)-prepinnaterpene, a bromoditerpene from the red alga Laurencia pinnata yamada,4303
Fung Y.M see Crossley M.J. 2883
Furihata K see Seto H. 3357
Furihata K.,Chuchi M. and **Seto H.** Time sharing gated decoupling NOE (TSD-NOE). A new NOE technique using highly selective irradiation frequency,3353
Furstoss R see Lamare V. 6269
Furuhata T see Ando W. 1787
Furuhata T. and **Ando W.** Novel ring-closing reactions in thermolyses of 2-methylene-1,3,4-thiadiazoline derivatives,1179
Furukawa N see Nabeshima T. 6211

Furukawa N.,Shibutani T. and **Fujihara H.** A new source for generation of benzyne and pyridine: reactions of O-halophenyl (or 3-bromo-4-pyridyl) phenyl sulfoxides with Grignard reagents,2727
Furukawa N.,Shibutani T. and **Fujihara H.** Preparation of pyridyl Grignard reagents and corss coupling reactions with sulfoxides bearing azaheterocycles,5845
Furuta K.,Hayashi S.,Miwa Y. and **Yamamoto H.** Asymmetric Diels-Alder reaction. A facile route to chiral alkyl hydrogen cyclohexene-1,2-dicarboxylate,5841
Furutani H see Tsuboi S. 2709
Fusetani N see Kato Y. 6225
Fusetani N.,Asano M.,Matsunaga S. and **Hashimoto K.** Acalycixeniolides, novel norditerpenes which inhibit cell divisionn of fertilized starfish eggs, from the Gorgonian Acalycigorgia inermis,5837
Fusetani N.,Shiragaki T.,Matsunaga S. and **Hashimoto K.** Bioactive marine metabolites XX. Petrosynol and petrosynone, antimicrobial C_{31} polyacetylenes from the marine sponge Petrosia sp.: determination of the absolute configuration,4313
Fusetani N.,Yasukawa K.,Matsunaga S. and **Hashimoto K.** Dimorphosides A and B, novel steroid glycosides from the gorgonian Anthoplexaura dimorpha,1187
Fusetani N.,Sugano M.,Matsunaga S. and **Hashimoto K.** K,K-Atpase inhibitors from the marine sponge Siphonochalina truncata: absolute configuration of siphonodiol and two related metabolites,4311

Galan A.A see Lee T.V. 2301
Galindo A see González A. 4203
Gallagher P.T see Cooper J. 3031
Gallardo A see Clardy J. 6699
Gallego L.H see Quijano J. 3555
Gallucci J.C see Paquette L.A. 1363
Galpin I.J.,Karim Mohammed A. and **Patel A.** Synthesis of cyclosporin analogues,6517
Galzi J.L.,Ilien B.,Simon E.J.,Goeldner M. and **Hirth C.** Marquage irréversible des récepteurs des opioides a l'aide de sels d'aryldiazonium dérives du fentanyl,401
Galzy P see Vo-Quang Y. 4057
Gambacorta A see Botta M. 5539
Gammill R.B see Nash S.A. 4003
Gan E.K see Sam T.W. 2541
Ganboa I see Cossío F.P. 1945
Gandhi R.P.,Ishar M.P.S. and **Wali A.** Addition of 1,4- diphenyl- 1-azabutadiene to allenic esters,6679
Gandolfi R see Burdisso M. 1225
Gandour R.D see White B.D. 1753
Ganem B see Clarke T. 6253, see Widom J.M. 4389
Ganguli B.N see Khandelwal Y. 4089
Ganguly A.K see McCombie S.W. 4127, 4123
Gani D see Akhtar M. 2413
Gannett P.M.,Lawson T. and **Toth B.** Anomalous reaction of adenine and 4-(hydroxymethyl)benzenediazonium ion,1015
Garpía H see Alvaro M. 3613
García J.M see Cossío F.P. 1945
García Ruano J.L see Carreño M.C. 4861, see Carretero J.C. 4593
García-Raso A see Ballester P. 3853
Garcia J. and **Vilarrasa J.** New synthetic "tricks" from aliphatic amines and amides to azides and/or how to convert RNHCOR' into RNHCOR" avoiding drastic hydrolyses,341
Garcia-Garibay M.,Scheffer J.R.,Trotter J. and **Wireko F.** Generation of optical activity through solid state reaction of a racemic mixture that crystallizes in a chiral space group,4789
Garcia-Garibay M.,Scheffer J.R.,Trotter J. and **Wireko F.** Triplet energy sensitization of a crystalline phase photorearrangement,1741
Gardiner J.M see Bryce M.R. 577
Garratt P.J.,Pielke M. and **Porter J.R.** A short, efficient synthesis of (±)valerane,589
Garratt P.J. and **Porter J.R.** Reaction of dilithiated 1,2-diesters with β-bromoethyl-oxirane. Synthesis of annelated γ-lactones,351
Gaset A see Borredon E. 1877
Gasol V see Bosch P. 4733
Gassman P.G. and **Bottorff K.J.** Anti-Markovnikov addition of nucleophiles to a non-conjugated olefin via single electron transfer photochemistry,5449
Gassman P.G. and **Singleton D.A.** Propargyl cations -- powerful ambient temperature dienophiles in the Diels-Alder reaction,5969
Gauthier J.Y. and **Guindon Y.** Exceptionally mild and stereospecific ring fragmentations promoted by dimethylboron bromide,5985
Geiger R see Breipohl G. 5647
Gelbard G see Quenard M. 2237
Genetet I see Bodo B. 2355
Genevois A see Diyizou Y.L. 5743
Genizi E see Goldschmidt Z. 4867
Gennari C.,Venturini I.,Gislon G. and **Schimperna G.** Asymmetric synthesis of trans-β-lactams through $TiCl_4$-mediated addition to imines,227
Geraghty N.W.A.,Monaghan M.J. and **Hanley N.M.** Photochemistry of 1-allyl-naphthalen-2(1H)-ones: a revised mechanism for the formation of benzotricyclo[3.3.1.$0^{2,7}$]nonen-8-ones,4729
Gerdil R. and **Barchietto G.** Heterogeneous asymmetric ring-opening reactions of prochiral epoxides included as guest molecules in tri-o-thymotide clathrates,4685
Gerken M. and **Bundle D.** Synthesis of immunologically active oligosaccharide determinants of the Brucella A antigen: utilization of intermediates derived from methyl 4-azido-4,6-dideoxy-α-D-mannopyranoside,5067
Gerlach U. and **Hünig S.** Diastereoselektive Protonierung von Carbanionen,5805
Gesson J.-P.,Jacquesy J.-C. and **Mondon M.** Total synthesis of (-) altholactone (goniothalenol) from D-glucose,3945
Gesson J.-P.,Jacquesy J.-C. and **Mondon M.** Total synthesis of (+) altholactone (goniothalenol) from D-glucose,3949
Gheorgiu M.D see Uncuta C. 3143
Ghera E. and **Maurya R.** Synthesis and chemical transformations of cyclobuta[a]naphthalene and -antracene derivatives,709
Ghogomu R.,Sondengam B.L.,Martin M.T. and **Bodo B.** Lophirone A, a biflavonoid with unusual skeleton from Lophira lanceolata.,2967
Ghosal M see Bhattacharyya S. 2431
Ghosez L see Carretero J.C. 1101, 2135, see Differding E. 397
Ghosh A.K see Corey E.J. 175
Ghosh S.,Das T.K.,Datta D.B. and **Mehta S.** Studies on enamides. Part I. Photochemical rearrangements of N-aroylcarbazoles,4611
Ghosh S.K see Sarkar T.K. 2061
Giacomini D see Battaglia A. 4347, see Cainelli G. 3593, 5369
Gibbs R.A. and **Okamura W.H.** Synthesis of 3-deoxy-1α,25-dihydroxy-9,11-dehydrovitamin D_3: selective formation of 6β-vitamin D vinylallenes and their thermal [1,5]-sigmatropic hydrogen shift,6021
Gibson C.P see Bertz S.H. 4251
Gibson J.J see Brimble M.A. 4891
Giese B. and **Witzel T.** Stereoselective radical reactions with enolones,2571
Gigg R see Cooke A.M. 2305
Giguere R.J.,Namen A.M.,Lopez B.O.,Arepally A.,Ramos D.E.,Majetich G. and **Defauw J.** Studies on tandem ene/intramolecular Diels-Alder reactions,6553
Gil G.,Ferre E.,Meou A.,Le Petit J. and **Triantaphylides C.** Lipase-catalyzed ester formation in organic solvents. Partial resolution of primary allenic alcohols,1647
Gilbert A. and **Heath P.** Specific ortho photocycloaddition of enol ethers to 2-substituted anisoles: facile synthesis of bicyclo[4.2.0]octa-2,7-dienes in sunlight,5909
Gilbert L see Bloch R. 423
Gilchrist T.L.,Hughes D. and **Wasson R.** Selective reduction and cleavage of the N-N bond of fused tetrahydropyridazines: a route to functionalised lactams,1573
Gilchrist T.L. and **Summersell R.J.** Synthesis of conjugated trienes by palladium(0) catalysed cross coupling,1469
Gilheany D.G.,Thompson N.T. and **Walker B.J.** Cycloheptatrienylphosphorus derivatives. An abnormal phosphonium salt hydrolysis,3843
Gill J.C.,Marples B.A. and **Traynor J.R.** Regioselective 2-hydroxylation of 3-methoxyoestra-1,3,5(10)-trienes via chromium carbonyl complexes,2643
Gingras M see Harpp D.N. 4373
Ginsburg H see Beugelmans R. 413
Giorgianni P see Barbaro G. 2995
Girardet M. and **Meunier B.** Further evidence for a metal-oxo intermediate in the olefin epoxidation by iron- or manganese-bleomycin complexes associated with $KHSO_5$, an oxygen atom donor,2955
Giri B.P see Schaap A.P. 1155, 935
Gislon G see Gennari C. 227
Giuliani A.M see Flamini A. 2169
Giumanini A.G see Verardo G. 3011
Gleiter R. and **Kissler B.** 2,4-Dimethylenetricyclo[3.3.0.$0^{3,7}$]-octane and 2,9-dimethylenetricyclo[4.3.0.$0^{3,8}$]nonane. Synthesis and through-space interactions,6151
Gleiter R.,Müller G.,Huber-Patz U.,Rodewald H. and **Irngartinger H.** A new path to the tri-

cyclo[5.4.0.0^{2},^{8}]undecane skeleton,1985
Gleiter R.,Karcher M.,Ziegler M.L. and **Huber B.** A superphane of cyclobutadiene capped by cyclo pentadienylcobalt,195
Gleiter R. and **Staeerle U.** Tetracyclo[5.3.0.0^{2},^{6}0^{3},^{8}]deca-4,7-diene. A new $(CH)_{10}$ hydrocarbon,6159
Glemarec C see Bazin H. 3275
Glidewell C.,Lloyd D.,Lumbard K.W. and **McKechnie J.S.** A stable and long-lived germamine,343
Glinka J.,Fiscus D.,Rao C.B. and **Shechter H.** Substituent and coordination effects in singlet reactions of 3-diazo-3H-1,2,3,4-triazoles with sbustituted benzenes and nitro compounds,3221
Gnonlonfoun N. and **Zamarlik H.** Cyclisation electrophile induite par le triflate stanneux: synthese du (±)-tetrahydroactinidiolide trans,4053
Godefroi E.F see Vekemans J.A.J.M. 2299
Godfrey A see Linderman R.J. 3911
Godfrey J.D.,Jr.,Gordon E.M. and **Von Langen D.J.** Synthesis of peptide derived amino alcohols II. Synthetic methodology for the preparation of tertiary alcohols,1603
Goeldner M see Galzi J.L. 401
Gokel G.W see White B.D. 1749, 1753
Golding B.T see Collingwood S.P. 4445
Goldschmidt Z. and **Genizi E.** Photochemistry of bridged cycloheptadienes. Multiplicity dependent pericyclic rearrangements of excited bicyclo[4.2.1]-nona-2,4-diene-7,7,8,8-tetracarbonitrile,4867
Goldstein S see Tufariello J.J. 263, 267
Gompper R see Frank W. 3083
Gonschorrek C see Egert E. 789, see Hoppe D. 785
González A.,Galindo A.,Manailla H. and **Trigos A.** The homolytic fragmentation of 1-hydroperoxy-eudesmanolides,4203
González M.S see de Pascual Teresa J. 821
Gonzalez F see Bittner M. 4031
Goodchild J see Agrawal S. 3539
Goodman J.M.,Paterson I. and **Kahn S.D.** A force field model for boron enolates,5209
Gopal D. and **Rajagopalan K.** Studies on the sequential Claisen rearrangement of methyl-3-aryloxy-2-(aryloxymethyl)-prop-2-enoates,5327
Gorczyca L.A see Francis J.E. 5133
Gordon E.M see Godfrey J.D.,Jr. 1603
Gore J see Fournet G. 4533
Gosselin G see Huss S. 1714, 415
Goswami P see Ahmad Z. 4329
Goto K see Yamada T. 4557
Goto T see Idaka E. 1901, see Ienaga K. 4587, 1285, see Isobe M. 6485, see Kondo T. 2273, see Nakatsuka S. 3671
Goto T.,Tamura H. and **Kondo T.** Chiral stacking of cyanin and pelargonin - soluble and insoluble agregates as determined by means of circular dichroism,5907
Goulart M.O.F.,Ling-Chung S.K. and **Utley J.H.P.** Electro-organic reactions. Part 32. Electrogenerated bases from quinonemethides,6081
Gould S.J see Prabhakaran P.C. 3994
Goulet M.T see Schreiber S.L. 6005, 6001, 1043
Goument B see Duhamel P. 2595
Gowriswari V.V.L see Basavaiah D. 4351, 4591
Graczyk P see Mikolajczyk M. 573
Graillot Y see Guy A. 2969
Gramatica P see Manitto P. 4221, see Monti D. 5047
Granja J see Castedo L. 4589
Gras J.-L.,Mouguier R. and **Mchich M.** Transacetalisation de triols a partir du dimethoxymethane. Selectivite et applications synthetiques,6601
Grass F see Mignani G. 5505
Graves D.D see Schlessinger R.H. 4385, 4381
Graves D.M see Linderman R.J. 4259
Gravey A.M see Vo-Quang Y. 6167
Gray B.D.,McMillan C.M.,Miller J.A. and **Moore M.** Bicyclo[3.2.1]oct-6-enes via (3+2)cycloaddition,235
Gray B.D.,McMillan C.M.,Miller J.A. and **Ullah G.M.** Cyclopentenyl sulphides via (3+2)cycloaddition,689
Gray D see Stewart L.J. 4497
Grée D see Morey J. 2959
Grée R see Boulaajaj S. 1761, see Morey J. 2959
Greck C see Duréault A. 3341
Greck C.,Grice P.,Jones A.B. and **Ley S.V.** Synthesis of a novel 3,4-dihydromilbemycin analogue,5759
Greco A see Licchelli M. 3719
Green D see Blasberger D. 459
Green J see Ramage R. 2287
Greenberg M.M.,Blackstock S.C. and **Berson J.A.** Identity of 3,4-dimethylenethiophene reactive intermediates from diazene and bis-allene precursors. Correlation of singlet biradical reactivity in the tetramethyleneethane and trimethylenemethane series,4263
Greenlee W.J see Chakravarty P.K. 611
Grenouillat D see Denarié M. 5823
Grenouillat D.,Senet J.-P. and **Sennyey G.** 2,2'-Carbonyl-bis(3,5-dioxo-4-methyl-1,2,4-oxadiazolidine): II-Reagent for the direct esterification of carboxylic acids,5827
Gribble G.W. and **Johnson D.A.** A directed metalation route to the Zwitterionic indole alkaloids. Syntheses of indolo[2,3-a]-quinolizine, flavopereirine, flavocarpine, and dihydroflavopereirine,5259
Grice P see Anthony N.J. 5763, see Greck C. 5759
Grieco P.A see Spohn R.F. 2491
Griengl H see Bodenteich M. 5311
Grierson D.S see Jimonet P. 6179, see Tubéry F. 6457, 6461
Griesser H see Lieberknecht A. 4275
Grigg R see Aly M.F. 6077
Grimaldi J. and **Cormons A.** Cyclisation d'α-cyanhydrines Y-alleniques en dihydro-3.6 cyano-2 2H-pyrannes,3487
Grimaldo Moron J.T see Vincens M. 1259
Grimme W. and **Wiechers G.** Intramolecular Diels-Alder reaction of bicyclo[6.4.0]dodeca-4,9,11-triene,6035
Grob C.A.,Wang G. and **Yang C.** Charge dispersal in 1- and 2-adamantyl cations,1247
Grob C.A. and **Sawlewicz P.** Twin Y-silicon effect in 1-bromo-adamantane solvolysis,951
Grootenhuis P.D.J see Skowronska-Ptasinska M. 1937
Grossi L. Base-catalyzed autoxidation of trialkylam,ines. An E.S.R. study,3387
Groundwater P.W. and **Sharp J.T.** The cyclisation of benzonitrile 3,3-diarylallyl ylides to give 3H-2-benzazepines: substituent directive effects and mechanism,2069
Gruber L see Otvös L. 6381
Gruseck U. and **Heuschmann M.** Asymmetric induction in the inverse Diels-Alder reaction of chiral 2-methylene-imidazolidines,2681
Gruseck U. and **Heuschmann M.** The remarkable reactivity of 2-alkylidene-imidazolidines in inverse Diels-Alder reactions,6027
Günther E see Adam W. 4407
Guanti G.,Narisano E. and **Banfi L.** A stereocontrolled synthesis of 3-(1'-hydroxyethyl)-2-azetidinones through trimethylsilyl trifluoromethanesulphonate catalyzed condensation of silyl ketene acetal derived from ethyl 3-hydroxybutyrate and imine,4335
Guanti G.,Narisano E. and **Banfi L.** Diastereoselective in trimethylsilyl trifluoromethanesulphonate catalyzed reaction of silyl ketene acetals with imines,4331
Guarna A see Brandi A. 3845
Gubbiotti A see Bonadies F. 703
Gubernick S see Davis F.A. 5115
Guenot P see Pellerin B. 5811
Guerra F.I.,Neumann J.M. and **Huynh-Dinh T.** Synthetic 6-glucosyl phospholipid as a drug transport system,3581
Guerreiro C see Cantacuzène D. 5153
Guerrero A see Bosch P. 4733
Guette C see Berthelot J. 1881
Guette J.P see Guy A. 2969
Guggenheim T.L. 2,2,5,5-Tetramethyl-2,5-disila-1-thiacyclopentane, an easily prepared sulfur transfer reagent,6139
Guggisberg A see Milenkov B. 315, 2666
Guibé-Jampel E. and **Rousseau G.** Selectivity in the transesterification of esters by supported enzymes,3563
Guilhem J see Barton D.H.R. 1413, see Henin J. 1271, see Jazwinski J. 3489, 6057, see Souchet M. 2371
Guillerm G.,Varkados M.,Auvin S. and **Le Goffic F.** Synthesis of hydroxylated pyrrolidines derivatives as potential inhibitors of SAH/MTA nucleosidase,535
Guindon Y see Gauthier J.Y. 5985
Guindon Y.,Bernstein M.A. and **Anderson P.C.** Ring cleavage of THP and THF ethers using dimethylboron bromide,2225
Guindon Y. and **Anderson P.C.** Stereoelectronic effects in the ring cleavage of methyl glycopyranosides using dimethylboron bromide,2485
Guingant A. and **Barreto M.H.** A new route for the efficient synthesis of (±)ochromycinone, a naturally occurring benz[a]anthraquinone,3107
Guitián E see Atanes N. 817, see Martin G. 2407
Guittet E see Fourrey J.L. 1769, see Païs M. 1409
Guo T see Breslow R. 3187
Gupta A.K.,Ila H. and **Junjappa H.** Aromatic annelation via α-oxoketene dithioacetals: synthesis of thioresorcinol dimethyl ethers,1459
Gupta B.D.,Roy S. and **Roy M.** Sulphur dioxide insertion into organocobaloximes: a true insertion of

a case of radical chain process,1219
Gupta M.M see Akhila A. 4085
Gupta S.C see Yadav N.S. 2049
Gurjar M.K see Rama Rao A.V. 2183
Gurjar M.K. and **Pawar S.M.** Synthesis of L-daunosamine from D-glucurono-6,3-lactone,1327
Gutman A.L.,Zuobi K. and **Boltansky A.** Enzymatic lactonisation of Y-hydroxyesters in organic solvents. Synthesis of optically pure Y-methylbutyrolactones and Y-phenylbutyrolactone,3861
Gutman A.L.,Oren D.,Boltanski A. and **Bravdo T.** Enzymatic oligomerisation versus lactonisation of ω-hydroxyesters,5367
Guy A.,Lemaire M.,Graillot Y.,Negre M. and **Guette J.P.** Stereoselectivity in intramolecular Diels Alder reaction II: influence of alkyl substituent on cyclisation of azatrienes,2969
Guy R.G. and **Mountford P.** Reactions of α-thiocyanato-β-dicarbonyl compounds: A C-S-C + C-N route to thiazoles,117
Guyot M see Kondracki M.-L. 5815

Häbich D. and **Hartwig W.** Synthesis of a new carbapenem with a 6-methyl hydroxyacetate side chain,781
Haag-Zeino B see Schmidt R.R. 4045
Haces A see Shen G.-Y. 2917
Haddad M see Celerier J.P. 4597, see Dhimane H. 885
Hadel L.M see Moss R.A. 4779, 1969
Hadener A see Smith A.B. 3663
Hadjiarapoglou L.P. The chemistry of photolytically and thermally generated α-ketocarbenes from iodonium ylides of β-diketones,4449
Haelters J.-P see Corbel B. 6605
Hageman H.J see Batelaan J.G. 2163
Haginiwa J see Ruangrungsi N. 3679
Hagiwara N see Irie K. 3267
Hahn W.R see Sibi M.P. 2933
Haider S.I see Malik S. 163, see Siddiqui S. 1311
Hajdu J see Bhatia S.K. 1729, 3767, 271
Halczenko W see Hartman G.D. 3241
Hale K.J see Smith A.B.,III. 5591
Hale K.J.,Hough L. and **Richardson A.C.** The cyclisation of the di- and tetra-aldehydes derived from sucrose with nitroalkanes,891
Hallberg A see Andersson C.-M. 4215
Hamachi I see Tabushi I. 3363, 5899
Hamada M see Yamaguchi M. 1785
Hamada Y see Sugiura T. 2251
Hamamoto Y see Nakagawa M. 431, see Yoshikawa M. 2029
Hamamura K see Tanikaga R. 3705
Hamasaki S see Nakagawa M. 431
Hambley T.W see Blackman A.J. 5561, see Cosmo R. 6239
Hamel N see Alper H. 3237
Hamelin J see Mkairi A. 1397
Hammarström L.-G.,Berg U. and **Liljefors T.** Conformational energies of trans-1,4-difluoro- and trans-1-chloro-4-fluorocyclohexane. The role of electrostatic interactions,4883
Hamoud A see Ratovelomanana V. 1649
Hampel K see Flitsch W. 4395
Han B.H.,Park M.H. and **Wah S.T.** Structure of daechualkaloid-A, a new pyrrolidine alkaloid of novel skeleton from Zizyphus jujuba var Inermis,3957
Han O. and **Liu H.** Synthesis of stereospecifically labeled carbohydrates: preparation of (3S)- and (3R)-[3-^{2}H,]-ascarylose,1073
Han Q see Isoe S. 5865
Hanack M see Martínez A.G. 6441
Hanafusa T see Ando T. 1421
Hanamoto T.,Hayama T.,Katsuki T. and **Yamaguchi M.** Cleavage of t-butyldimethylsilyl ether with t-butyl hydroperoxide and dioxobis(2,4-pentanedionato)-molybdenum(VI) system,6329
Hanamoto T.,Katsuki T. and **Yamaguchi M.** Construction of four consecutive asymmetric centers I. anti- and syn- selective epoxidation of β-methyl-cis-homoallylic alcohols,6191
Hanamoto T.,Katsuki T. and **Yamaguchi M.** Construction of four consecutive asymmetric centers. II. Regioselective epoxide-ring opening of Y,δ-cis-epoxy-β-methyl alcohols by alkylation,6195
Hanaoka M see Yasuda S. 2399
Handa Y. and **Inanaga J.** A highly stereoselective pinacolization of aromatic and α,β-unsaturated aldehydes mediated by titanium(III)-magnesium(II) complex,5717
Handley R.S see Schaap A.P. 935, 1159, 1155
Hanessian S.,Sahoo S.P. and **Botta M.** Methodology for the polyene and related antibiotics-enantio-specific synthesis of chiral structural units of amphotericin B from a common progenitor: the C_{1_9}-C_{2_8} and C_{1_2}-C_{2_8} segments,1147
Hanessian S.,Sahoo S.P. and **Botta M.** Methodology for the polyene and related antibiotics-enantio-specific synthesis of chiral structural units of amphotericin B from a common progenitor: the C_1-C_{1_9} polyol segmen,1143
Hanessian S. and **Botta M.** Methodology for the polyene and related antibiotics-versatime and practical access to bi-functional all-trans polyolefinic systems,1151
Hanley N.M see Geraghty N.W.A. 4729
Hannon F.J see Corey E.J. 5237, 5233
Hanquet G.,Lusinchi X. and **Milliet P.** Peracid oxidation of an immonium fluoroborate a new example of oxaziridinium salt,6061
Hanson A.W see Hu T. 5993
Hanzawa Y see Mead D. 259
Hanzawa Y.,Inazawa K.,Kon A.,Aoki H. and **Kobayashi Y.** The Reformatsky reaction of bromodifluoromethyl-acetylene derivatives: application to the synthesis of fluorinated bioactive compounds,659
Hara H see Shimazaki M. 5891
Harada K see Kimura I. 1917, 1921
Harada T.,Kurokawa H. and **Oku A.** An enantiodifferentiating conversion of racemic 1,3-alkanediols into enantiomerically pure materials,4847
Harada T.,Wada I. and **Oku A.** Enantiodifferentiating functionalization of 2-substituted 1,3-propanediols via chiral spiroketal: two methods for the preparation of (S)-2,3-dimethylbutyl phenyl sulfides,4181
Harada T.,Kurokawa H. and **Oku A.** Resolution of 1,3-alkanediols via chiral spiroketals derived from L-menthone,4843
Haralambidis J.,Duncan L. and **Tregear G.W.** The solid phase synthesis of oligonucleotides containing a 3'peptide moiety,5199
Harangi J see Miljković D. 5733
Harata K see Murakami T. 321
Hardtmann G.E see Chen K.-M. 155
Harel Y see Rubin M.B. 5373
Hargreaves N see Bloodworth A.J. 2783
Harirchian B. and **Bauld N.L.** The intramolecular cation radical Diels-Alder reaction,927
Harkema S see Skowronska-Ptasinska M. 1937
Harmata M. and **Schlemper E.O.** Lewis acid mediated reactions of N-phenyl-(4-methylphenyl)-sulfoximidoyl chloride with alkynes. A novel route to benzothiazines,5997
Harpp D.N. and **Gingras M.** Cyano and fluorodestannylation: a new methodology using some powerful sulfur transfer reagents, the organotin sulfides,4373
Harrington P.J. and **DiFiore K.A.** A preparation of 3-aryl-2,5-dihydrothiophene-1,1-dioxides from aryl iodides,495
Harris B.D.,Bhat K.L. and **Joullie M.M.** Synthetic studies of didemins. II. Approaches to statine diastereomers,2837
Harris C.J see Arrowsmith R.J. 5569
Harris C.M. and **Harris T.M.** Synthesis and configurational assignment of optically active 1-hydroxyindolizidines,2559
Harris F.L. and **Weiler L.** The stereospecific formation of an exocyclic alkene by a consecutive radical cyclization-elimination,2941
Harris J.M see McManus S.P. 5299
Harris T.M see Harris C.M. 2559
Harrison C.R. Transient titanium enolate aldol condensations,4135
Harrison L.W see Larock R.C. 4977
Hart D.J see Ha D.-C. 4489
Hart H. and **Shahlai K.** Facile retro Diels-Alder reaction of a vinyl lithium compound,5437
Hartman G.D. and **Halczenko W.** Regioselective generation and trapping of mono- and dianions of 3-arylsulfonyl furans. Bidentate carbanion stabilization via sulfones,3241
Hartmann E see Mannschreck A. 3479
Hartmann W see Ooms P. 4271, 2701
Hartshorn M.P see Coxon J.M. 1333
Hartshorn M.P.,Jensen R.G.,Waller A.G. and **Wright G.J.** ^{15}N-Labelling studies of the reaction of 2,6-di-t-butyl-4-methyl-4-nitrocyclohexa-2,5-dienone with nitrogen dioxide; a revised mechanism,6701
Hartwig W see Häbich D. 781
Harusawa S.,Yoneda R.,Omori Y. and **Kurihara T.** Non-aqueous cyanation of halides using lithium cyanide,4189
Harvey R.G see Cho B.P. 861, 2906
Harvey R.G.,Cortez C.,Ananthanarayan T.P. and **Schmolka S.** A new coumarin synthesis based on the aromatic metalation reaction,6137
Harwood L.M. and **Robertson J.** Preparation of cyclic ethers via oxidative cyclisation of 2-(4-hydroxyalkyl) and 2-(5-hydroxy-alkyl)furans with DDQ,5175
Hase T.A see Nieminen T.E.A. 4725
Hasebe K see Yamaguchi M. 2017
Hasebe M. and **Tsuchiya T.** Photo-reductive decarboxylation of carboxylic acids via their benzophenone oxime esters,6207
Hasegawa K.,Matsuda F.,Yanagiya M.

and **Matsumoto T.** Effect of magnesium cation on high selective 1,5-asymmetric reduction of C_2-symmetric acetalketones,1671
Hasegawa T see Machiguchi T. 203
Hashimoto C see Sasaki N.A. 6069
Hashimoto H.,Kawa M.,Saito Y.,Date T.,Horito S. and **Yoshimura J.** A convenient one-pot preparation of glycosyl bromides as well as glycosyl acetates from benzyl glycosides using N-bromosuccinimide,3505
Hashimoto K see Fusetani N. 4311, 4313, 1187, 5837, see Kato Y. 6225
Hashimoto M.,Kan T.,Yanagiya M.,Shirahama H. and **Matsumoto T.** Synthesis of A-B-C-ring segment of thyrsiferol construction of a strained tetrahydropyran ring existent as a boat form,5665
Hashimoto S see Takemura H. 5687
Hashimoto S.,Shinoda T.,Shimada Y.,Honda T. and **Ikegami S.** Chiral synthesis of isocarbacyclin ((+)-9(O)-methano-$\Delta^6(^6a)$-PGI_1) intermediate via rhodium(II)-catalyzed intramolecular C-H insertion reaction,637
Hashimoto T see Ono N. 2277
Hashimoto T.,Tori M.,Mizuno Y. and **Asakawa Y.** Cryptoporic acids A and B, novel bitter drimane sesquiterpenoid ethers of isocitric acid, from the fungus Cryptoporus volvatus,6303
Hashimoto T.,Tori M.,Asakawa Y. and **Fukazawa Y.** Plagiochins A, B, C, and D, new type of macrocyclic bis(bibenzyls) having a biphenyl linkage between the ortho positions to the benzyl methylenes, from the liverwort Plagiochila acanthophylla subsp. japonica,6295
Hashimoto T.,Tori M. and **Asakawa Y.** Sacculaplagin, a new highly oxidized sacculatane diterpenoid hemiacetal from the liverwort Plagiochila acanthophylla subsp. Japonica,6293
Hashimoto Y.,Shudo K.,Endo Y.,Aramaki Y.,Kawai N. and **Nakajima T.** Synthesis of spider toxin (JSTX-3) and its analogs,3511
Hassen W see McKenzie T.C. 2563, 5435
Hassner A see Amarasekara A.S. 3151, see Murthy K.S.K. 97
Hassner A. and **Murthy K.** α-Bromination of aldoximes. A route to fused azetidines,683
Hassner A. and **Naidorf S.** Erratum,1114
Hassner A. and **Amarasekara A.S.** Phenylselenium azide addition to alkenes. A new and stereospecific introduction of Se and N into organic molecules,5185
Hassner A. and **Murthy K.S.K.** Stereoselectivity during intramolecular nitrile oxide olefin cycloadditions. Synthesis of fused azetidines,4097
Hata M see Nakata T. 5661
Hata T see Fujii M. 5713, 1435, see Hotoda H. 1681, see Sekine M. 5691
Hatakeyama H see Tabushi I. 4299
Hatakeyama S.,Satoh K.,Sakurai K. and **Takano S.** A synthesis of (-)-pyrenophorin using 4-DMAP-catalyzed ester exchange reaction of phosphonoacetates with lactols,2717
Hatakeyama S.,Satoh K.,Sakurai K. and **Takano S.** Efficient ester exchange reaction of phosphonoacetates,2713
Hatanaka M. and **Nitta H.** A stereocontrolled synthesis of the key intermediate of (+)-thienamycin from (R)-(-)-3-hydroxybutyric acid esters,69
Hatanaka M. A stereoselective approach to 1β-methylcarbapenem antibiotic starting from (R)-(-)-3-hydroxybutyric acid ester,83
Hatanaka Y. and **Hiyama T.** Palladium-mediated silylation of organic halides with disilane/F-reagent,4715
Hatano M see Sotokawa H. 5873, see Tajiri A. 6465
Hattori H see Kondo S. 5861
Hattori K see Iwata C. 3131, 3135
Hauck P see Still W.C. 2817
Hauge R.H see Chang S.-C. 1733
Hawkins J.M. and **Sharpless K.B.** Asymmetric epoxidation models: an alkyl hydroperoxide dependent change in mechanism,2825
Hayakawa H see Ando W. 1803
Hayakawa H.,Tanaka H.,Obi K.,Itoh M. and **Miyasaka T.** A simple and general entry to 5-substituted uridines based on the regioselective lithiation controlled by a protecting group in the sugar moiety,87
Hayakawa K.,Yasukouchi T. and **Kanematsu K.** A new approach to pyrrolophenanthridone alkaloids via allene intramolecular cycloaddition: total synthesis of hippadine,5895
Hayakawa Y.,Wakabayashi S.,Nobori T. and **Noyori R.** A general approach to nucleoside 3'- and 5'-monophosphates,2259
Hayakawa Y.,Nobori T.,Noyori R. and **Imai J.** Synthesis of 2'-5',3'-5' linked triadenylates,2623
Hayama T see Hanamoto T. 6329
Hayashi S see Furuta K. 5841
Hayashi T see Ito Y. 4849, 6215
Hayashi T.,Yamamoto A. and **Ito Y.** Palladium(0)-catalyzed cyclization of 2-butenylene dicarbamates forming 4-vinyl-2-oxazolidones,4837
Hayashi T.,Kishi M.,Kawasaki M.,Arisawa M.,Shimizu M.,Suzuki S.,Yoshizaki M.,Morita N.,Tezuka T.,Kikuchi T.,Berganza L.H.,Ferro E. and **Basualdo I.** Scopadulcic acid-A and -B, new diterpenoids with a novel skeleton, from a Paraguayan crude drug "Typychá Kuratū (Scoparia dulcis L.),3693
Hayashi Y see Uemura M. 641
Hayashida M see Sakairi N. 2871
He Y.-B see Chen Q.Y. 2387
Heath P see Gilbert A. 5909
Heathcock C.H see Oare D.A. 1354
Heckendorn D.K see Boeckman R.K.,Jr. 3551
Hecker M see Hofmann U. 5655
Heckles K.,Johnstone R.A.W. and **Wilby A.H.** Fast atom bombardment of organic substrates at controlled low temperatures,103
Heffner R.,Safaryn J.E. and **Joullié M.M.** A new synthesis of benzo[f]ninhydrin,6539
Hegarty A.F. and **O'Neill P.** Sterically stabilized α-acyl free radicals: α-isopropropoxycarbonyl, N-morpholinocarbonyl and cyano bis(pentachlorophenyl)methyl radicals,901
Hegde V.,Jahng Y. and **Thummel R.P.** Polyaza cavity shaped molecules 13. A versatile new terpyridine synthesis,4023
Hegde V.R.,King A.H.,Patel M.G.,Puar M.S. and **McPhail A.T.** A new isochromanequinone anti-biotic, SCH 38519, with a novel sugar linkage,4485
Hegmann J see Christl M. 6433
Hegmann J.,Christl M.,Peters K.,Peters E.-M. and **von Schnering H.G.** Intramolekulare [2+2]-Cycloadditionen von Y-Oxoketenen,6429
Hehre W.J see Kahn S.D. 279
Heidt P.C see Mash E.A. 1865
Heikkila J see Sekine M. 5691
Heine H.W see St C. Black D. 6691
Heissler D see Plaue S. 1401
Helmchen G.,Ihrig K. and **Schindler H.** EPC-Synthesis via asymmetric Diels-Alder reactions/retro Diels-Alder reactions I: (R)- and (S)-matsutake alcohol, (R)- and (S)-sarcomycin methyl ester,183
Hemmerle H. and **Gais H.-J.** Asymmetric hydrolysis and esterfication catalyzed by esterases from porcine pancreas in the synthesis of both enantiomers of cyclopentanoid building blocks,3471
Hendrickson R.L see Cardellina J.H. 727
Hendry D.,Hough L. and **Richardson A.C.** Enantiospecific synthesis of (6R,7S,8aR)-dihydroxyindolizidine and (6R,7R,8S,8aR)-trihydroxyindolizidine from D-glucose,4601
Hendry D.,Hough L. and **Richardson A.C.** Enantiospecific synthesis of 1-deoxy-castanospermine, (6S,7R,8R,8aR)-trihydroxyindolizidine, from D-glucose,4597
Henegar K.E. and **Winkler J.D.** A new method for the synthesis of dioxolenones via the carboxylation of ketone enolates with anisyl cyanoformate,1051
Henin F see Cossy J. 1417, see Piva O. 4825
Henin J see Belgacem L. 3573
Henin J.,Massiot G.,Vercauteren J. and **Guilhem J.** An enantioselective entry into the Strychnos alkaloid skeleton,1271
Hennessy B.M see Baggiolini E.G. 2095
Henrot S see Buisson D. 5033, see Larchevêque M. 1781
Herber J see Ipaktschi J. 3467
Herbert R.B see Cable K.M. 4101, 3159
Hernández R see Freire R. 981
Hernández R.,Medina M.C.,Salazar J.A.,Suárez E. and **Prangé T.** Intramolecular functionalization of amides leading to lactams,2533
Hernot D see Corbel B. 6605
Herradon B see Seebach D. 3791
Herrmann S see Ruppert R. 6583
Heraldf M. and **Martin A.R.** Synthesis of a new conformationally defined serotonin homologue by intramolecular [4+2] cycloaddition,3423
Hervé du Penhoat C see Capet M. 6273
Hervé Y see Barton D.H.R. 1413
Herzog C see Christl M. 187
Hess T.,Zdero C. and **Bohlmann F.** Structure and synthesis of furnaosesquiterpenes from Eumorphia prostata,5643
Hesse M see Milenkov B. 2666, 315
Heuschmann M see Gruseck U. 2681, 6027
Hewitt B see Cardwell K. 3303
Hiemstra H see Klaver W.J. 1581, see Moolweer H.H. 3285
Higa T see Kato Y. 6225, see Sakai R. 5493
Higuchi H see Eaton P.E. 1055

Hikichi K see Segawa M. 3703
Hikino H see Oshima Y. 2025
Hikota M see Tone H. 4569
Hill R.R see Coyle J.D. 2529
Hilty T.K see Revis A. 4809
Hino T see Nakagawa M. 6281
Hirai K see Brandstadter S.M. 613
Hirai Y see Murahashi S.-I. 77
Hirama M see Lilitkarntakul S. 1207
Hirano Y see Ishiguro K. 6201
Hirasawa T see Yasuda S. 2399
Hirata T see Saito H. 4065
Hirata Y see Kobayashi J. 4939, see Nakamura H. 621
Hirayama H see Mitani M. 4573
Hirota H.,Yokoyama A.,Miyaji K.,Nakamura T. and **Takahashi T.** Synthetic studies on quassinoids: total synthesis of (±)-amarolide,435
Hirota K see Shimada K. 207
Hirotsu K see Yoshida J. 667
Hirsch S see Kashman Y. 5461
Hirth C see Galzi J.L. 401
Hirukawa T see Kato T. 1439
Hisatome M see Watanabe J. 1427
Hissmann E see Mormann W. 3087
Hiyama T see Fujita M. 2263, see Hatanaka Y. 4715, see Kusumoto T. 1811, 1807
Hiyoshi K see Uemura M. 641
Ho D see Reddy K.S. 3075
Hölzl W see Märkl G. 2693
Hössel P see Adam W. 4407
Hobbs A.J.W see Crombie L. 4875
Hobbs D.W. and **Still W.C.** Synthesis of diphenyl thioether derivatives of peptides amd amino-acids,2805
Hoekstra W see Liotta D. 1069
Hoffmann R.W see Vaultier M. 4169
Hoffmann R.W. and **Dresely S.** Chiral α-methoxy-E-crotylboronates, reagents for stereoselective C-C-bond formation under reagent control of diastereo-selectivity,5303
Hofmann U.,Meese C.O.,Hecker M. and **Ullrich V.** Synthesis of novel prostaglandin $F_{2\alpha}$ isomers and structure of an enzymatically formed 13-hydroxyprostaglandin endoperoxide,5655
Hohenhorst M see Flitsch W. 4395, 4397
Hojo M see Tamaru Y. 325, 3497
Hojo M.,Masuda R. and **Okada E.** Nucleophilic nitrogen-nitrogen exchange reaction at aromatic carbon atoms--reaction of N,N-dimethyl-2,4-bistrifluoroacetyl-1-naphthylamine with various amines,6199
Hollinshead S.P see Bailey P.D. 5177, 2879
Hollis W.G.,Jr see Crimmins M.T. 3647, 3651
Holm K.H see Buxton S.R. 2167
Holmes A.B see Birkinshaw T.N. 813
Holt D.A see Lan-Hargest H.-Y. 6117
Holton R.A. and **Kennedy R.M.** Stereo-control of the metal-ammonia reduction: formation of either cis- or trans-fused decalones from a common intermediate,303
Homnick C.F see Rittle K.E. 521
Honda T see Hashimoto S. 637, see Okuma K. 6649
Hong C.Y see Kang S.H. 675
Hong Y see Collins S. 4391
Honig G.W.N see van Elburg P.A. 6397
Hoogerhout P.,Evenberg D.,van Boeckel C.A.A.,Poolman J.T.,Beurery E.C.,van der Marel G.A. and **van Boom J.H.** Synthesis of fragments of the capsular polysaccharide of Haemophilus influenzae type B, comprising two or three repeating units,1553
Hopf H see Lehrich F. 2697
Hopkins P.B see Pratt D.V. 3065
Hoppe D see Egert E. 789, see Krämer T. 5149
Hoppe D. and **Gonschorrek C.** 4-Oxy-substituted 1-lithio-1,2-alkadienyl carbamates: trapping of configuratively stable allenic carbanions and stereo-specific 1,4-elimination for the synthesis of alk-3-en-1-ynyl carbamates,785
Hoppilliard Y see Bouchoux G. 4537
Hori K.,Ando M.,Takaishi N. and **Inamoto Y.** Palladium-catalyzed acylation of activated alkenes with bridgehead acid chlorides,5883
Hori Y see Mitsudo T. 4417
Horiguchi Y see Matsuoka R. 1299
Horita K.,Nagato S.,Oikawa Y. and **Yonemitsu O.** Stereoselective synthesis of the middle (C10-C17) and right (C18-C30) segments, and their coupling to complete a formal synthesis of the polyether antibiotics salinomycin,3253
Horito S see Hashimoto H. 3505
Horne K see Linderman R.J. 3911
Horsham M.A see Crombie L. 4879, 4875
Horsley D.B see Peterson J.R. 6109
Horspool W.M see Armesto D. 4605
Hoshino M see Nakayama J. 1799, 4423, see Tadano K. 2741
Hosoda A see Mead D. 259
Hosoda A.,Taguchi T. and **Kobayashi Y.** Highly cis-selective Wittig reaction of oxido-allylic phosphorane with aldehyde. An efficient synthesis of 11-cis-retinoids,65
Hosomi A see Tominaga Y. 1529
Hosoya K see Tanikaga R. 3705
Hosseini M.W see Blackburn G.M. 2779
Hotoda H.,Wada T.,Sekine M. and **Hata T.** Tris(2,4,6-tribromophenoxy)-dichlorophosphorane: a novel condensing agent for rapid internucleotidic bond formation in the phosphotriester approach,1681
Hough L see Hale K.J. 891, see Hendry D. 4597, 4601
Houk K.N see Liu C.-Y. 1367, 1371
Houwen-Claassen A.A.M see Klunder A.J.H. 3147, 1329
Howe G.P.,Wang S. and **Procter G.** Stereoselective additions to α,β-epoxy-aldehydes; the formation of "non-chelation controlled" products,2629
Hoyer G.A see Lis R. 1487
Hrib N.J. A synthesis of forskolin. Hydroxylation of 9-deoxy-forskolin ,19
Hsiao Y see Kitamura M. 4829
Hu J.-S see Li X.-Y. 6317
Hu L see Broka C.A. 4993
Hu M.X.,Aso Y.,Otsubo T. and **Ogura F.** Cyclofunctionalization of hydroxyolefins induced by arene-tellurinic anhydride,1281
Hu T.,Chandler R.F. and **Hanson A.W.** Obscurinine: a new lycopodium alkaloid,5993
Hünig S see Gerlach U. 5805
Hünig S. and **Schmitt M.** Laticyclische 1,5-Konjugation in Azoverbindungen mit parallel benachbarten Dreiringein-heiten,4521
Hua D.H.,Coulter M.J. and **Badejo I.** Stereospecific 1,4-addition reaction of sulfinylallyl anion: synthesis of (±)-pentalenolactone E methyl ester,5465
Huang M see Chern J.-W. 2151
Huang P.Q.,Arseniyadis S. and **Husson H.-P.** Asymmetric synthesis X: A chiral pyrrolidine synthon for a new approach to the synthesis of alkaloids,547
Huang X.,Xie L. and **Wu H.** A novel route for the synthesis of α,β-unsaturated esters, ketones and nitriles using dibutyl telluride,801
Huang Y. and **Lu X.** Novel palladium catalyzed synthesis of pyran derivatives,6219
Huang Y.Z see Shi L. 2155
Huang Y.Z.,Shi L.,Yang J. and **Zhang J.** A facile and highly stereo-selective synthesis of (2E)-, (2E,4E)- unsaturated amides and related natural products,2159
Huang Z. and **Wang X.** A facile ring cleavage of cyclic ketones. Synthesis of 9-(alkoxycarbonyl-alkyl)pyrido[1,2-a]-pyrimidines,1527
Huber D.,Leclerc G. ,Ehrhardt J.D. and **Andermann G.** The 3,4-dimethoxybenzyl group: a protective group for new 2-imino-imidazolidine derivatives,6453
Huber-Patz U see Gleiter R. 1985
Hudlicky T see Fleming A. 167
Hudlicky T.,Sinai-Zingde G. and **Natchus M.G.** Selective reduction of α,β-unsaturated esters in the presence of olefins,5287
Huff J.R see deSolms S.J. 4503
Huffman J.W.,Liao W.-P. and **Wallace R.H.** Dissolving metal reductions of ketones: comments on the dianion mechanism,3315
Hugel G.,Cossy J. and **Levy J.** A biomimetic entry in the hexa-cyclic tuboxenin ring system methylene-indolines, indolanines and indoleniniums, XXII ,1773
Hughes A.N see Quin L.D. 5783
Hughes D see Gilchrist T.L. 1573
Hughes E.M see Boyle P.H. 5331
Huizinga W.B see Klunder A.J.H. 357
Hull C.,Mortlock S.V. and **Thomas E.J.** Stereoselective synthesis of Z-alkenes from α-methyl-crotylstannanes and alde-hydes,5343
Hung C.W. and **Wong H.N.C.** Reduction of enedicarboxylate compounds with low valent titanium,2393
Hung M.-H see Trost B.M. 1354
Hunkler D see Zipperer B. 2513
Hunt J.E see Kini A.M. 4153
Hunter H.N see Bell R.A. 147
Hunter R see Bartels B. 2985
Hursthouse M.B see Bryce M.R. 577
Huryn D.M see Smith A.B. 3659
Huss S.,Gosselin G. and **Imbach J.L.** Erratum,1714
Huss S.,Gosselin G. and **Imbach J.-L.** Synthèse chimique de nucléotides possedant des liaisons phospho-diesters 2',-5' et 3'-5' vicinales,415
Hussain N. and **Leonard J.** Total synthesis of specionin-natural product or artifact?,4871
Hussaini F.A see Prakash O. 685
Husson H.-P see Huang P.Q. 547, see Jimonet P. 6179, see Randriambola L. 2123, see Royer J. 6175, see Tubéry F. 6457, 6461
Hutchins R.O. and **Rutledge M.C.** Highly diastereoselective reductions of N-diphenyl-phosphinyl imines. Synthesis of axial primary cyclic amines,5619
Hutchinson J.H see Begley M.J. 1317
Hutchinson J.H.,Pattenden G. and **Myers P.L.** Tandem radical cyclisation - intramolecular Mukaiyama aldolisation approach to Forskolin,1313
Hutt J see Solladie G. 797, see Solladié G. 61

Huynh-Dinh T see Guerra F.I. 3581
Hwang C.-K see Nicolaou K.C. 1501
Hwang K.-C see Turro N.J. 2929
Hwang K.-J. and **Logusch E.W.** A convenient synthesis of vinyl sulfoximies from β-hydroxyalkyl sulfoximines,4149

Ibata T see Liu M.T.H. 1011
Ichihara A.,Miki M.,Tazaki H. and **Sakamura S.** Synthesis of (±)-solanapyrone A,1175
Ichihara J see Ando T. 1421
Ichikawa Y see Niitsuma S. 3967, 4713
Ichinose Y.,Nozaki K.,Wakamatsu K.,Oshima K. and **Utimoto K.** Et,B Induced stereoselective radical addition of Ph,GeH to acetylenes and its application to isomerization of olefins,3709
Idaka E.,Ohashi Y.,Ogawa T.,Kondo T. and **Goto T.** Structure of zebrinin, a novel acylated anthocyanin isolated from Zebrina pendula,1901
Ienaga K.,Nakamura K. and **Goto T.** Bioactive compounds produced in animal tissues (I); two diketopiperadine plant growth regulators containing hydroxyproline isolated from rabbit skin tissue extract,1285
Ienaga K.,Nakamura K.,Goto T. and **Konishi J.** Bioactive compounds produced in animal tissues (II); two hydantoin plant growth regulators isolated from inflamed rabbit skin tissue,4587
Igarashi Y see Tokitoh N. 5903
Iglesias C see Camps P. 1831
Iglesias L.P see Martinez A.G. 1929
Iguchi K see Mori K. 5673
Ihle N.C see Wender P.A. 2451
Ihrig K see Helmchen G. 183
Iida K see Nakata T. 5661
Iio H see Tokoroyama T. 6645, see Tsukamoto M. 4561
Iio H.,Hizobuchi T. and **Tokoroyama T.** High diastereoselectivity observed in the vinylation reaction of α,β-epoxy aldehydes with β-silylphosphorous ylide,2379
Iitaka Y see Morikawa T. 671
Ikariya T see Kawano H. 1905
Ikbal M see Sicsic S. 1887
Ikeda H see Uesato S. 4431
Ikegami S see Hashimoto S. 637
Ikehara M see Tanaka T. 2611
Ikota N see Takemura H. 5687
Ikura M see Segawa M. 3703
Ila H see Balu M.P. 3023, see Gupta A.K. 1459
Ilien B see Galzi J.L. 401
Imada Y see Murahashi S.-I. 77
Imai J see Hayakawa Y. 2623
Imai K see Imi K. 3127
Imamoto T. and **Takiyama N.** Divalent smarium-induced cyclopropanation of lithium enolates. A one-pot synthesis of cyclopropanols from ketones,1307
Imamura N see Ramasamy K. 5107
Imamura S see Shuto S. 199
Imanishi T see Iwata C. 2255, 3135, 3131
Imbach J.-L see Huss S. 415, see Montero J.-L. 1163
Imbach J.L see Huss S. 1714
Imi K.,Imai K. and **Utimoto K.** Regioselective hydration of alkynones by palladium catalysis,3127
Imoto M.,Kusumoto S. and **Shiba T.** A new synthesis of 3-deoxy-D-manno-2-octulosonic acid (KDO) from D-mannose,6235
Imoto M.,Kusunose N.,Matsuura Y.,Kusumoto S. and **Shiba T.** Preparation of novel pyranosyl fluorides of 3-deoxy-D-manno-2-octulosonic acid (KDO) feasible for synthesis of KDO α-glycosides,6277
Inaba H see Isoe S. 5865
Inaba T see Nabeshima T. 6211
Inamoto N see Yoshifuji M. 6325
Inamoto Y see Hori K. 5883
Inanaga J see Handa Y. 5717, see Matsukawa M. 5877, see Otsubo K. 4435, 4437, see Tabuchi T. 215
Inazawa K see Hanzawa Y. 659
Ingroso G see Epifani E. 6385
Inoue H see Soai K. 4841
Inouye H see Uesato S. 4431
Inouye Y see Mori K. 5673
Ipaktschi J.,Herber J.,Kalinowski H.-O. and **Boese R.** Synthese und Diels-Alder Reaktionen von Homo-dehydroisodicyclopentadien,3467
Ireland C.M see Moriarty R.M. 749
Irie A see Yamaguchi M. 2017
Irie K.,Hagiwara N. and **Koshimizu K.** Synthesis of a biologically active fluorescent indolactam derivative; a method of preparing new probes for receptor analysis of tumor promoters,3267
Irngartinger H see Gleiter R. 1985
Isaacs N.S. and **El-Din G.N.** The application of high pressure to some difficult Wittig reactions,2191
Isaacs N.S.,Najem T.S. and **Van Eldik R.** Volumes of activation for anion-diazonium ion recombination,3043
Ishar M.P.S see Gandhi R.P. 6679
Ishibashi M see Kobayashi J. 4939
Ishida M see Kato S. 6473
Ishida R see Segawa M. 3703
Ishido Y see Araki Y. 5853
Ishiguro K.,Hirano Y. and **Sawaki Y.** Turning the reactivity of carbonyl oxides from nucleophilic to electrophilic. A novel deoxygenation of sulfoxides by electrophilic α,α,α-trifluoroacetophenone O-oxide,6201
Ishihama M see Nakagawa M. 431
Ishihara K.,Mori A. and **Yamamoto H.** Stereoselective reduction of bicyclic acetals. A method for reductive generation of heterocyclic ring systems,6613
Ishihara M see Shizuri Y. 3831
Ishihara T see Kuroboshi M. 6481, 3501
Ishii Y see Kawano H. 1905, see Machiguchi T. 203
Ishikawa J see Kawada Y. 445
Ishikawa M see Ito Y. 1293
Ishikawa T see Iwamura M. 679
Ishitobi H see Tsuji T. 2745
Ishizuka H see Ando W. 4707
Ishizuka T. and **Kunieda T.** Mild and selective ring-cleavage of cyclic carbamates to amino alcohols,4185
Islam Q see Brown P.E. 3047
Isobe M.,Nishikawa T.,Pikul S. and **Goto T.** Synthetic studies on tetrodotoxin (1) stereocontroled synthesis of the cyclohexane moiety,6485
Isoe S see Katsumura S. 1191, see Yoshida J. 667, 6621, 211, 1234
Isoe S.,Katsumura S.,Okada T.,Yamamoto K.,Takemoto T.,Inaba H.,Han Q. and **Nakatani K.** Novel synthesis (-)-secologanin aglucon-O-silyl ether from (+)-genipin via oxidative fragmentation of Y-hydroxyalkylstannane,5865
Isono K see Nohara F. 1287
Itahara T. An unusual reaction of cis-6-hydroperoxy-5-hydroxy-5,6-dihydrothymine with ascorbic acid,4079
Itami A see Ando W. 1787
Itani H see Tsuji T. 2745
Itaya T see Nohara F. 1287
Ito H see Butsugan Y. 3707
Ito S see Lilitkarntakul S. 1207, see Tsunoda T. 2537
Ito T see Kimura I. 1921
Ito Y see Hayashi T. 4837, see Meng J.-B. 6665
Ito Y. and **Terashima S.** A highly stereoselective synthesis of a key intermediate of 1β-methylcarbapenems employing the Reformatsky reaction of 3-(2-bromopropionyl)-2-oxazolidone derivatives,6625
Ito Y. and **Terashima S.** A highly stereoselective synthesis of aldols employing the Reformatsky reaction of 3-(2-bromopropionyl)-2-oxazolidone derivatives with various aldehydes,6629
Ito Y. and **Ogawa T.** An efficient approach to stereoselective glycosylation of N-acetylneuraminic acid: use of phenylselenyl group as a stereocontrolling auxiliary,6221
Ito Y.,Sawamura M. and **Hayashi T.** Asymmetric aldol reaction of an isocyanoacetate with aldehydes catalyzed by chiral ferrocenylphosphine-gold(I) complexes: Design and preparation of new efficient ferrocenylphosphine ligands,6215
Ito Y.,Nakajo E.,Sho K. and **Tamao K.** Fluoride anion induced novel reaction of α-(sulfonio)ketone triflate,2247
Ito Y.,Nishimura S. and **Ishikawa M.** New synthesis of N-substituted bis(silyl)imines,1293
Ito Y.,Sawamura M.,Matsuoka M.,Matsumoto Y. and **Hayashi T.** Palladium-catalyzed allylation of α-isocyanocarboxylates,4849
Ito Y. and **Ogawa T.** Sulfenate esters as glycosyl acceptors: a novel approach to O-glycosides from thioglycosides and sulfenate esters,4701
Ito Y. and **Ogawa T.** Sulfenate esters as glycosyl acceptors: a novel approach to the synthesis of 2-deoxyglycosides,2723
Ito Y.,Uozu Y. and **Matsuura T.** Trans-cis photoisomerization of para-styrylstilbenes,3493
Itô S see Mazaki Y. 977, see Yamaga H. 585
Itoh F see Kita Y. 1431
Itoh M see Hayakawa H. 87, see Kobayashi K. 3369
Itoh S.,Nii K.,Mure M. and **Ohshiro Y.** Novel addition of nitroalkanes to o-quinones,3975
Itoh T see Sato T. 5677
Iwaizumi M see Matsumoto K. 5707
Iwamoto K see Satoh T. 2603
Iwamura H see Iwamura M. 679, see Kawada Y. 445
Iwamura M.,Ishikawa T.,Koyama Y.,Sakuma K. and **Iwamura H.** 1-Pyrenylmethyl esters, photolabile protecting groups for carboxylic acids,679
Iwanowicz E.J see Schlessinger R.H. 2083
Iwasaki G. and **Shibasaki M.** Further studies on the stereochemistry of metal enolate-imine condensation reactions,3257
Iwasaki H see Kume T. 6305
Iwasaki H.,Kume T.,Yamamoto Y. and **Akiba K.** Reaction of 4-t-butyldimethylsiloxy-1-benzopyrylium salt with enol silyl ethers and active methylenes,6355

Iwasawa H see Kano S. 6331
Iwashita T see Fujikawa S. 4699, see Kimura I. 1921, see Xu Y. 499
Iwata C.,Fujita M.,Moritani Y.,Sugiyama K.,Hattori K. and **Imanishi T.** Asymmetric functionalization at a prochiral carbon center by the aid aof sulfinyl chirality: a selective formation of 6-substituted (3*R*,5*S*)- and (3*S*,5*S*)-3-hydroxymethyl-3,4-dihydro-5-(p-tolyl)-sulfinyl-2*H*-pyrans,3131
Iwata C.,Fujita M.,Moritani Y.,Hattori K. and **Imanishi T.** Asymmetric induction by sulfinyl chirality. A total synthesis of (+)-talaromycin A and (-)-talaromycin B,3135
Iwata C.,Moritani Y.,Sugiyama K.,Fujita M. and **Imanishi T.** Stereoselective synthesis of all isomers of 2-methyl-1,6-dioxaspiro[4.5]decane (insect pheromone) using a chiral sulfoxide auxiliary,2255
Iyoda M.,Sato K. and **Oda M.** Novel diphenoquinone-type redox systems containing seven-membered quinonoid structure,625
Iznaden M see Portella C. 1655
Izumi Y see Matsuda I. 3361, see Sato S. 6657

Jackson P.S see Roberts D.W. 3383
Jackson Y.A.,White C.L.,Lakshmikantham M.V. and **Cava M.P.** 2-Methylene-1,3-diselenole: a precursor of tetraselenafulvalene (TSeF),5635
Jacob P.W see Matlin A.R. 5083
Jacobi P.A. and **Frechette R.F.** Stereospecific total synthesis of 7α- and 7β-eremophilane-6-one and 7α- and 7β-eremophilane,2937
Jacoby D see Celerier J.P. 6597
Jacquesy J.-C see Ambles A. 6449, see Gesson J.-P. 3945, 3949
Jaeger D.A.,Clennan M.W.,Leyden D.E. and **Murthy R.S.S.** Selectivity of aromatic chlorination reactions within a reversed-phase liquid chromatography column,4805
Jaggi D see Jefford C.W. 4037, 4041
Jahng Y see Hegde V. 4023
Jakobs U see Märkl G. 2119
James A.P see Brown J.M. 2179
Janssens A see Van der Eycken E. 3519
Jarecki C see Bushby R.J. 6501
Jasiczak J. Oxidation of the α-ketol and enone derivatives of cyclohexanone by tetrazolium salts,4323
Jaurand G see Beau J.-M. 1105
Jaynes B.H see Ziegler F.E. 2339
Jaszinski J.,Blacker A.J.,Lehn J.-M.,Cesario M.,Guilhem J. and **Pascard C.** Cyclo-bisintercalands: synthesis and structure of an intercalative inclusion complex, and anion binding properties,6057
Jaszinski J.,Lehn J.-M.,Méric R.,Vigneron J.-P.,Cesario M.,Guilhem J. and **Pascard C.** Polyaza-macrocycles of cyclophane type: synthesis, structure of a chloroform inclusion complex and anion binding,3489
Jean M see Piers E. 5075
Jebaratnam D.J see Trost B.M. 1611
Jefford C.W see Sakai R. 5493
Jefford C.W.,Sledeski A.W. and **Boukouvalas J.** A direct synthesis of (±)-eldanolide *via* the highly regioselective prenylation of 2-trimethylsiloxyfuran,949
Jefford C.W.,Jaggi D. and **Boukouvalas J.** Diastereoselectivity in the directed aldol condensation of 2-trimethylsiloxyfuran with aldehydes. A stereodivergent route to *threo* and *erythro* δ-hydroxy-γ-lactones,4037
Jefford C.W.,Jaggi D.,Bernardinelli G. and **Boukouvalas J.** The synthesis of (±)-cavernosine,4041
Jeffs G.E see Coyle J.D. 2529
Jeganathan A see Richardson S.K. 2335
Jenkins I.H see Pelter A. 5213
Jenkins P.R see Bonnert R.V. 697, see Brown P.A. 693
Jenner G. High pressure sequential ($\pi^2+\pi^2+\pi^2$) and ($\pi^2+\sigma^2+\sigma^2$) cycloaddition reactions. Synthesis of polycyclic bisabbucts from C_7H_8 hydrocarbons,3927
Jennings H.J see Pozsgay V. 5091, 1375
Jennings-White C see Avery M.A. 4629
Jensen R.G see Hartshorn M.P. 6701
Jenson T.M see Marshall J.A. 723
Jentzer O see Crozet M.P. 5531
Jeong J.U see Kang J. 3261
Jew S see Posner G.H. 5071
Jiang J see Zhang Y. 3815
Jiang X see Li X. 3699
Jimonet P.,Grierson D.S. and **Husson H.-P.** 2-Cyano Δ³ piperideines XIV: facile synthesis of 1-substituted benzomorphans,6179
Johns R.B see Perich J.W. 101
Johnson C.R see Medich J.R. 4131
Johnson C.R. and **Marren T.J.** Trimethylsilyl chloride/tetramethylethylenediamine facilitated additions of organocopper reagents (RCu) to enones,27
Johnson D.A see Gribble G.W. 5259
Johnson G see Barker A.J. 2283, see Drummond J.T. 5245
Johnson M.C see Lash T.D. 1135
Johnson W.S see Andrew R.G. 6535
Johnstone R.A.W see Heckles K. 103
Joiner K.A. and **King F.D.** Synthesis of sterically hindered 4-dialkylamino pyridines,3733
Jones A.B see Anthony N.J. 5755, see Greck C. 5759
Jones K see Wright C. 6389
Jones M.,Jr see Li Z.-H. 753
Jones N.D see Jungheim L.N. 289
Jones R.A see Flitsch W. 4397
Jones R.C.F. and **Bates A.D.** Metallation of 3-acetyltetramic acids: a new synthesis of 3-dienoyl- and 3-trienoyl-tetramic acids,1565
Jones R.J see Rajeswari S. 5099
Jongbunprasert V see Ruangrungsi N. 3679
Jongejan J.A. and **Duine J.A.** Enzymatic hydrolysis of cyclopropyl acetate, a facile method for medium- and large-scale preparations of cyclopropanol,2767
Joshi B.V see Rama Rao A.V. 6497
Jonka J.,Fajkos J. and **Turecek F.** Solvolytic rearrangements in 3-acetoxy-4β,5β-cyclopropanocholestane-19-p-toluenesulfonates,2901
Joucla M. and **Mortier J.** Flash vacuum thermolysis of oxazolidines: a new way to reactive azomethine ylides. Regio and stereospecific synthesis of substituted pyrrolidines,2973
Joucla M.,Mortier J. and **Bureau R.** Flash vacuum thermolysis of oxazolidines: a new way to reactive azomethine ylides. Ring closure to aziridines,2975
Jouin P.,Castro B.,Zeggaf C.,Pantaloni A.,Senet J.P.,Lecolier S. and **Sennyey G.** Convenient one-pot esterification of N-protected aminoacids *via* isopropenyl chloroformate activation,1661
Jouin P.,Castro B.,Zeggaf C.,Pantaloni A.,Senet J.P.,Lecolier S. and **Sennyey G.** Mono-esterification of N-protected di-acids aspartic and glutamic by chloroformate activation,1665
Joule J.A see Kiss M. 2187
Joullie M.M see Harris B.D. 2837
Joullié M.M see Heffner R. 6539
Juffkins M see Buglass A.J. 3283
Julia M see Ardisson J. 3050, 1997, 2001, see Capet M. 6273, see Cuvigny T. 2587
Jullien L see Cuvigny T. 2587
Jun T.X see Ono N. 2277
Jung M.E.,Usui Y. and **Vu C.T.** Rapid and efficient synthesis of a fully functionalized synthon for the bottom half of the antiparasitic agent, ivermectin,5977
Jung S see Vinick F.J. 741
Jungheim L.N.,Sigmund S.K. and **Fisher J.W.** Bicyclic pyrazolidinones, a new class of antibacterial agent based on the β-lactam model,285
Jungheim L.N.,Sigmund S.K.,Jones N.D. and **Swartzendruber J.K.** Bicyclic pyrazolidiunones, steric and electronic effects on antibacterial activity,289
Junjappa H see Balu M.P. 3023, see Gupta A.K. 1459
Jurczak J see Pikul S. 2627
Just G see O'Connor B. 3235
Just G. and **Singh R.** The synthesis of 11-13-membered diacetylenic and 18-membered tetraacetylenic ring systems,5981

Kálmán A see Miljković D. 5737
Kabalka G.W see Stewart L.J. 4497
Kabuto C see Matsumoto K. 5707, see Sotokawa H. 5873, see Tajiri A. 6465
Kadota S.,Tsubono K.,Makino K.,Takeshita M. and **Kikuchi T.** Convenient synthesis of magnoshinin, an anti-inflammatory neolignan,2857
Kafafi Z.H see Chang S.-C. 1733
Kagan H.B see Vougioukas A.E. 6065, 5513
Kahn M. and **Chen B.** Methodology for the synthesis of mimetics of peptide β-turns,1623
Kahn S.D see Goodman J.M. 5209
Kahn S.D.,Keck G.E. and **Hehre W.J.** The effect of protecting groups on chelation control,279
Kaisaki D.A. and **Dougherty D.A.** 3,4-Diazabenzvalene, the azoalkane precursor to tetrahedrane. Synthesis and reactivity,5263
Kaji A see Ono N. 2277, see Tanikaga R. 3705
Kajtár-Peredy M see Nógrádi M. 2899
Kakisawa H see Kusumi T. 3981, 4695
Kakiuchi K see Kobiro K. 5578, 3825, see Tobe Y. 2861, see Ue M. 3979
Kaku Y see Koyama H. 2863
Kalinowski H.-O see Ipaktschi J. 3467
Kaluza Z see Chmielewski M. 3035
Kalyan Y.B see Pogrebnoi S.I. 4893
Kamal A.,Rao A.B. and **Sattur P.B.** Enzymatic cyclization of 2-carbamoyloxy benzoates:

formation of 2H-1,3-benzoxazine-2,4(3H)-diones,2425
Kambe N see Ogawa A. 3271
Kamiński R see Skowrońska A. 4209
Kamiyama K.,Urano Y.,Kobayashi S. and **Ohno M.** Stereocontrolled synthesis of 6-epi-D-purpurosamine B by iodocyclocarbamation of a chiral Z-olefin derived from L-alanine and L-malic acid,3123
Kamohara T see Aoyama Y. 2143
Kan T see Hashimoto M. 5665
Kan-Fan C see Randriambola L. 2123
Kanabus-Kaminska J.M see Dehnel A. 3907
Kaneko T. and **Wong H.** Total synthesis of (±) podophyllotoxin,517
Kanematsu K see Hayakawa K. 5895
Kanemoto S see Shimizu M. 1677
Kanemoto S.,Shimizu M. and **Yoshioka H.** Chemoselective synthesis of homoallylic fluorides from cyclopropylmethanols by ring opening,663
Kanemoto S.,Shimizu M. and **Yoshioka H.** Novel synthesis of monofluorocyclobutanes by the ring expansion fluorination of cyclopropylmethanols with an amine-metal fluoride-pyridinium poly(hydrogen fluoride)-complex,6313
Kang H.K see Lee I. 1183
Kang J.,Lee J.H.,Kim K.S.,Jeong J.U. and **Pyun C.** Convenient preparation of acyltrimethylsilanes from carboxylic acid derivatives,3261
Kang S.H. and **Hong C.Y.** Simple synthetic routes to geiparvarin,675
Kano S.,Yokomatsu T.,Iwasawa H. and **Shibuya S.** A new facile diastereoconversion of 2-amino alcohols involving a novel cyclocarbamation,6331
Kanoh M see Yamamoto K. 6347
Kanou K see Wakamiya T. 5887
Kaplan J see Newcomb M. 1615
Kapon M see Apeloig Y. 5917
Kappos J.C see Corey E.J. 4921
Karcher M see Gleiter R. 195
Karim Mohammed A see Galpin I.J. 6517
Karkour B see Salaun J. 4669
Karpeisky M.Ya see Padyukova N.Sh. 3623
Karras M see Byrne B. 769
Karrick G.L see Rabideau P.W. 2481
Karuso P. and **Scheuer P.J.** Long-chain α,ω-bisisothiocyanates from a marine sponge,4633
Kashihara H.,Suemune H.,Kawahara T. and **Sakai K.** Syntheses of optically active bicyclo[3.3.0]-oct-2-ene derivatives based on asymmetric elimination,6489
Kashimura S see Shono T. 4411
Kashman Y see Blasberger D. 459, see Carmely S. 3003, see Kato Y. 6225
Kashman Y.,Hirsch S.,Koehn F. and **Cross S.** Reiswigins A and B, novel antiviral diterpenes from a deepwater sponge,5461
Kataoka Y see Takai K. 1443
Katayama M see Kondo S. 5861
Kates S.A see Mohan R. 845, see Snider B.B. 841
Kato K see Niitsuma S. 3967, 4713
Kato S.,Min S.,Beniya Y. and **Ishida M.** Thiophosphorosulfenyl bromides and iodides - synthesis and characterization,6473
Kato T.,Hirukawa T.,Uyehara T. and **Yamamoto Y.** The first synthesis of (+)-3α-acetoxy-15β-hydroxy-7,16-secotrinervita-7,11-diene, defense substance from a termite soldier,1439
Kato Y.,Fusetani N.,Matsunaga S.,Hashimoto K.,Sakai R.,Higa T. and **Kashman Y.** Antitumor macrodiolides isolated from a marine sponge Theonella sp.: structure revision of misakinolide A,6225
Kato Y.,Ohta H. and **Tsuchihashi G.** Enzyme-mediated asymmetric hydrolysis of α-benzyloxycarboxylic esters,1303
Katritzky A.R. and **Sengupta S.** α-Lithio trimethylsilylmethyl lithium carbonate as methanol dianion synthon. A one-pot synthesis of α-hydroxy ketones,1847
Katritzky A.R.,Fan W.-Q. and **Li Q.-L.** Acetals and ketals of 2-(2-pyridyl)propane-1,3-diol novel protection for carbonyl groups,1195
Katritzky A.R. and **Sengupta S.** Facile descilyative hydroxyalkylation and acylation of 1-trimethyl-silylmethyl-2-pyridone,5419
Katritzky A.R.,Duell B.L.,Durst H.D. and **Knier B.** Unusual catalytic activity of analogues of 2-iodoxybenzoic acid in the hydrolysis of active phosphates,3899
Katsuki T see Fukuoka S. 6205, 4711, see Hanamoto T. 6195, 6329, 6191, see Kuroda S. 803
Katsuki T. and **Yamaguchi M.** Synthesis of optically acvtive insect pheromones, (2R),5S)-2-methyl-5-hexanolide, (3S,11S)-3,11-dimethyl-2-nonacosanone, and sericornin,651
Katsumura S see Isoe S. 5865
Katsumura S.,Fujiwara S. and **Isoe S.** Total synthesis of E-neomanoalide via Pd(O) catalyzed coupling of allylhalide and α-stannylfuran followed by chemoselective oxygenation of α-silylfuran,1191
Kaufmann D see Bir G. 777
Kaupp G. and **Ringer E.** The first photocycloadditions of indolizine,6155
Kawa M see Hashimoto H. 3505
Kawada Y.,Ishikawa J.,Yamazaki H.,Koga G.,Murata S. and **Iwamura H.** Correlation of the two torsional degrees of freedom about the bonds connecting the bridgehead carbons to the sulfur atom in bis(9-triptycyl) sulfide,445
Kawahara T see Kashihara H. 6489
Kawai K see Arai K. 441
Kawai N see Hashimoto Y. 3511, see Teshima T. 3509
Kawai T see Kondo T. 2273
Kawana M. and **Kuzuhara H.** The facile synthesis of 2'-azido-2',3'-dideoxyadenosine. Preparative applications of the deoxygenative [1,2]-hydride shift and β-elimination reactions of sulfonates with $Mg(OMe)_2$-$NaBH_4$,4075
Kawano C see Nagamatsu T. 3263
Kawano H.,Ishii Y.,Ikariya T.,Saburi M.,Yoshikawa S.,Uchida Y. and **Kumobayashi H.** Ruthenium(II)-binap complex catalyzed asymmetric hydrogenation of unsaturated dicarboxylic acids,1905
Kawasaki M see Hayashi T. 3693
Kawase M see Sinhababu A.K. 4139
Kawazoe Y see Kohda K. 6285
Kawazoe Y.,Nomura M.,Kondo Y. and **Kohda K.** Selective desilylation of phenolic and alcoholic trimethylsilyl ethers,4307
Ke Y.Y see Kita Y. 1431
Keay B.A see Bures E.J. 5965
Keck G.E see Kahn S.D. 279
Keck G.E. and **Castellino S.** Direct evidence for the absence of chelation with β-silyloxy aldehydes and Lewis acids,281
Keck G.E.,Abbott D.E. and **Wiley M.R.** New allylstannanes for the connective construction of monoprotected vicinal diols,139
Kee A.A see Brimble M.A. 4891
Kelly B.J see Atkinson R.S. 1711
Kemp D.S see McBride B.J. 3435
Kemp D.S. and **Carter J.S.** Amino acid derivatives that stabilize secondary structures of polypeptides-III. β-Enaminonitriles as analogs of secondary amides. The MCC group-1-acylamino-2-aminoalkyl-3-cyano-2-cyclopentenes as amino acid analogs,4641
Kemp D.S. and **Carter J.S.** Amino acid derivatives that stabilize secondary structures of polypeptides-IV. Practical synthesis of 4-alkylamino-3-cyano-6-azabicyclo[3.2.1]oct-3-enes (Beb derivatives) as Y-turn templates,4645
Kemp D.S. and **Fotouhi N.** Peptide synthesis by prior thiol capture-V. The scope and control of disulfide interchange during the acyl transfer step,4637
Kempf D see Still W.C. 2817
Kende A.S see Leboff A. 4163
Kennedy R.M see Holton R.A. 303
Kenny C see Molander G.A. 4367
Kenyon R.W see Pattenden G. 4749
Kernan M.R. and **Faulkner D.J.** Halichondramide, an antifungal macrolide from the sponge Halichondria sp.,2809
Kerscher V. and **Kreiser W.** Enantiomerenreine glycerin-Derivate durch enzymatische Hydrolyse prochiraler Ester,531
Kessar S.V.,Singh T. and **Vohra R.** An interesting application of photocyclisation in aporhoeadane alkaloid synthesis,5323
Khamsi J see Barton D.H.R. 3111, 887
Khan H.R. and **Crank G.** An anomalous reaction between 2-amino-4-methyloxazole and aldehydes: aryl and alkyl hydroxymethylation at the 5-position,3381
Khandelwal Y.,de Souza N.J.,Chatterjee S.,Ganguli B.N. and **Rupp R.H.** Synthesis of metabolites of Forskolin,4089
Khanna I.K see Campbell A.L. 2331
Khanum S see Atta-ur-Rahman 3609
Khattab H.A see Boyle P.H. 5331
Kienlen J.-C see Pflieger D. 1519
Kikuchi H see Takahashi M. 2139
Kikuchi T see Hayashi T. 3693, see Kadota S. 2857
Kim C.U.,Luh B. and **Partyka R.A.** Stereoselective synthesis of 1-β-methylcarbapenem,507
Kim H see Schlecht M.F. 4354
Kim H.-j. and **Schlecht M.F.** Substituent-directed oxidation: regiochemistry and stereochemistry of the addition of hypervalent iodine reagents to cycloalkenols,5229
Kim H.J. and **Kim Y.H.** Novel desulfurization of thiocarbonyl compounds into their carbonyl compounds with tertiary butyl thionitrate,1669
Kim J. and **Kinghorn A.D.** Use pof the selective inept NMR technique in the structure elucidation of (+)-afzelechin-7-O-β-D-apioside, a bitter principle of

Polypodium glycyrrhiza,3655
Kim J.D see Cha J.S. 4575
Kim J.E see Cha J.S. 4575, 6231, 2389
Kim K see Shim S.B. 645
Kim K.S see Kang J. 3261
Kim M see Kubo I. 921
Kim M.W see Marino J.P. 4925
Kim S.,Chang S.B. and **Lee P.H.** A new convenient method for β-lactam formation from β-amino acids using bis(5'-nitro-2'-pyridyl) 2,2,2-trichloroethyl phosphate,2735
Kim S. and **Kim S.S.** Direct conversion of carboxylic acids and carboxylic esters into S,S'-diphenyl acetals and phenyl sulfides with thexylphenylthioborane,1913
Kim S. and **Park J.H.** Selective removal of tetrahydropyranyl ethers in the presence of tert-butyldimethylsilyl ethers with magnesium bromide in ether,439
Kim S.S see Kim S. 1913
Kim Y.H see Bryce M.R. 4465, see Kim H.J. 1669, see Shim S.B. 645
Kim Y.H.,Lee H.K. and **Chang H.S.** Facile conversion of tosylhydrazones to the carbonyl compounds using peroxysulfur intermediate,4285
Kim Y.S see Cha J.S. 6231
Kimura I.,Yamamoto K.,Harada K. and **Suzuki M.** Structural investigation of the antibiotic sporaviridin XII. Isolation of the pseudoagyloones from N-acetylsporaviridins under basic conditions,1917
Kimura I.,Ota Y.,Kimura R.,Ito T.,Yamada Y.,Kimura Y.,Sato Y.,Watanabe H.,Mori Y.,Harada K.,Suzuki M. and **Iwashita T.** Structural investigation of the antibiotic sporaviridin XIII. The total structures of N-actylsporaviridins,1921
Kimura R see Kimura I. 1921
Kimura T see Ando T. 1421, see Tanaka K. 4173
Kimura Y see Kimura I. 1921
Kindon N.D see Fleming I. 5921
King A.H see Hegde V.R. 4485
King C.R see Mazzocchi P.H. 2473
King F.D see Joiner K.A. 3733
King J.F. and **Skonieczny S.** A cautionary comment on a recent communication entitled "A measure of charge transfer (ρ) versus a measure of bond tightness (ρij) in the transition state",5001
King J.L.,Posner B.A.,Mak K.T. and **Yang N.C.** Stereospecific deoxygenation of 1,2-diols to olefins,3919
King S.M see Buchwald S.L. 3895
Kinghorn A.D see Kim J. 3655
Kini A.M.,Tytko S.F.,Hunt J.E. and **Williams J.M.** 4,5-Methylenedithio-4',5'-propylenedithiotetrathiafulvalene (MPT) and 4,5-ethylenedithio-4',5'-propylenedithiotetrathiafulvalene (EPT),4153
Kinjo J.,Yokomizo K.,Awata Y.,Shibata M.,Mohara T.,Teramine T. and **Takahashi K.** Structures of phytotoxins, AV-toxins C, D and E, produced by zonate leaf spot fungus of mulberry,3697
Kinzer K.F. and **Cardellina J.H.** Three new β-carbolines from the Bermudian tunicate Eudistoma olivaceum,925
Kinzy W. and **Schmidt R.R.** Direct 3,6-di-O-protection of glucal and galactal,1981
Kira M.,Kobayashi M. and **Sakurai H.** Regiospecific and highly stereoselective allylation of aldehydes with allyltrifluorosilane activated by fluoride ions,4081
Kirby A.J. and **Walwyn D.R.** Intramolecular hydride transfer from a 1,4-dihydropyridine to an α-ketoester in aqueous solution. A model for lactate dehydrogenase,2421
Kirby R.A see Buchanan G.W. 1507, 4783
Kirihara M see Tamura Y. 4583, 3971
Kishi M see Hayashi T. 3693
Kishi Y see Aicher T.D. 3463, see Negri D.P. 1063
Kishimoto H see Tamura Y. 4583
Kiss M.,Russell-Maynard J. and **Joule J.A.** 1,3-Dipolar cycloadditions to oxidopyraziniums,2187
Kissler B see Gleiter R. 6151
Kita Y see Tamura Y. 4583, 5709, 3971
Kita Y.,Tamura O.,Miki T. and **Tamura Y.** Chemistry of O-silylated ketene acetals: an efficient synthesis of α-thio-N-heterocycles from ω-amidosulfoxides by a novel intramolecular Pummerer-type rearrangement,6479
Kita Y.,Itoh F.,Tamura O.,Ke Y.Y. and **Tamura Y.** The chemistry of O-silylated ketene acetals: an efficient stereocontrolled synthesis of N-benzoyl L-duanosamine,1431
Kitagawa I see Yoshikawa M. 2029
Kitagawa Y see Ogawa M. 3985
Kitamura M.,Hsiao Y.,Noyori R. and **Takaya H.** General asymmetric synthesis of benzomorphans and morphinans via enantioselective hydrogenation,4829
Kitamura M.,Manabe K.,Noyori R. and **Takaya H.** Kinetic resolution of 4-hydroxy-2-cyclopentenone by rhodium-catalyzed asymmetric isomerization,4719
Kitano Y.,Matsumoto T.,Wakasa T.,Okamoto S.,Shimazaki T.,Kobayashi Y.,Sato F.,Miyaji K. and **Arai K.** A highly efficient synthesis of optically pur Y-iodo allylic alcohols and their conversion into various optically active allylic alcohols,6351
Kitazawa M see Teshima T. 4705
Klaubert D.H see Demers J.P. 4933
Klaver W.J.,Hiemstra H. and **Speckamp W.N.** Diastereoselective alkylation of the dianion of 5-ethoxy-4(S)-hydroxy-1-isopropyl-2-pyrrolidinones; synthesis of enantiomerically pure azabicycles,1581
Kleffert P see Toullec J. 1889
Klibanov A.M see Margolin A.L. 1607
Klier K.,Kresze G.,Werbitzky O. and **Simon H.** The microbial reductive splitting of the N-O-bond of dihydrooxazines; an alternative to the chemical reduction,2677
Kline D.N see Padwa A. 913
Klingler F.D see Williams D.R. 869
Klocke J.A see Lee S.M. 3543
Kloosterman M.,Moesmuller E.W.J.,Schoonmaker H.E. and **Meijer E.M.** Application of lipases in the removal of protective groups on glycerides and glycosides,2989
Klumpp G.W see Schakel M. 5747, see van der Louw J. 5929, 2889
Klunder A.J.H.,Lange J.H.M. and **Zwanenburg B.** Angular alkylation of 2-carboethoxy-tricyclo[5.2.1.0^{2},^{6}]decadienone and its implications for the skeletal integrity,3027
Klunder A.J.H.,Huizinga W.B.,Sessink P.J.M. and **Zwanenburg B.** Enzymic optical resolution and flash vacuum thermolysis in concert for the synthesis of optically active cyclopentenones,357
Klunder A.J.H.,Crul M.J.F.M.,Houwen-Claassen A.A.M.,Kooy M.G. and **Zwanenburg B.** Remote electronic control in the LiAlH$_4$ reduction of tricyclic p-tolylsulfonylmethyl enones,3147
Klunder A.J.H.,Houwen-Claassen A.A.M.,Kooy M.G. and **Zwanenburg B.** Sulfone mediated synthesis of cyclopentadienone epoxides from 10-oxatricyclo[5.2.1.0^{2},^{6}]-decadienones. A convenient route to epi-pentenomycins,1329
Knapp S.,Kukkola P.J.,Sharma S. and **Pietranico S.** N-Benzoylcarbamate cyclizations,5399
Knapp S. and **Levorse A.T.** Stereocontrolled synthesis of diamines from iodolactams,3213
Knealey A see Ziegler F.E. 1725
Knier B see Katritzky A.R. 3899
Knight D.W see Cooper J. 3031, see Cornwall P. 3585
Knolle J see Breipohl G. 5651, 5647
Knouzi N.,Vaultier M.,Toupet L. and **Carrié R.** Intramolecular cyclization of ω-primary amino electrophilic olefins to functionalized pyrrolidines and piperidines,1757
Ko O.-H see Reddy K.S. 3075
Köcher J see Neumann W.P. 3783
König B.-M. and **Friedrichsen W.** Intramolekulare Cycloadditionen mit Isobenzofuranen-II. Synthese des rac. 18-Hydroxyöstron-3-methylethers,4279
Königstein V.,Tochtermann W.,Peters E.-M.,Peters K. and **von Schnering H.G.** Die Ringerweiterung von [6]Paracyclophan-8,9-dicarbonsäurediethylester zu Hexanocyclooctatetraen- und [8]-Paracyclophan-Derivaten durch zweumalige Addition von Dihalogencarbenen,3483
Kobayashi J see Nakamura H. 621
Kobayashi J.,Cheng J.,Ishibashi M.,Nakamura H.,Ohizumi Y.,Hirata Y.,Sasaki T.,Lu H. and **Clardy J.** Prianosin A, a novel antileukemic alkaloid from the Okinawan marine sponge Prianos melanos,4939
Kobayashi K see Nagaoka H. 6641, 2021
Kobayashi K.,Itoh M. and **Suginome H.** A new synthesis of phthalides through β-scission of benzocyclobutenol hypoiodites,3369
Kobayashi M see Kira M. 4081
Kobayashi N see Mead D. 259
Kobayashi S see Kamiyama K. 3123
Kobayashi T see Paquette L.A. 3531
Kobayashi T.,Sakakura T. and **Tanaka M.** One-step synthesis of α-hydroxy acids via reductive double carbonylation of organic halides,2721
Kobayashi Y see Hanzawa Y. 659, see Hosoda A. 65, see Kitano Y. 6351, see Mead D. 259, see Morikawa T. 671, see Okamoto S. 2033
Kobayashi Y.,Shimazaki T. and **Sato F.** Highly stereocontrolled, multigram scale synthesis of leukotriene B$_4$,5849
Kobayashi Y.,Okamoto S.,Shimazaki T.,Ochiai Y. and **Sato F.** Synthesis and physiological activities of both enantiomers of coriolic acid and their geometric isomers,3959
Kobiro K see Tobe Y. 2861, see Ue M. 3979

Kobiro K.,Takahashi M.,Nishikawa N.,Kakiuchi K.,Tobe Y. and **Odaira Y.** Complexation between novel cyclophane host and polar guests by hydrogen bonding,3825
Kobiro K.,Takahashi M.,Nishikawa N.,Kakiuchi K.,Tobe Y. and **Odaira Y.** Erratum,5578
Kobuke Y see Tabushi I. 5899
Kochetkov N.K see Sviridov A.F. 3835, 3839
Kocieński P see Mortimore M. 3747, see Whitby R. 3619
Kock-van Dalen A.C see Sinninghe Damsté J.S. 957
Kodama M see Tsunoda T. 2537
Kodama T see Maeda M. 633
Kodato S see Nakagawa M. 6281
Koehn F see Kashman Y. 5461
Koerner M see Lipshutz B.H. 945
Koft E.R.,Kotnis A.S. and **Broadbent T.A.** Synthesis of a potential Forskolin A-B ring precursor bny tandem Michael-aldol reactions,2799
Koga G see Kawada Y. 445
Koga K see Fujikawa S. 4699, see Takemura H. 5687, see Tomioka K. 6637, 1291
Kohda K see Kawazoe Y. 4307
Kohda K.,Baba K. and **Kawazoe Y.** Chemical reactivity of alkylguanines. I. Methylation of O⁶-methylguanine derivatives,6285
Kohmoto S see Sakai R. 5493, see Wright A.E. 1377
Kohra S see Tominaga Y. 1529
Koizumi T.,Arai Y.,Takayama H.,Kuriyama K. and **Shiro M.** A disproof of Kahn-Hehre's proposal on the ground state conformations and the steric course of the Diels-Alder reaction of vinyl sulfoxides,3689
Kokil P.B see Koser G.F. 5431
Kolasa T.,Sharma S. and **Miller M.J.** Reactions of organometallics with oximes. Synthesis of α-N-hydroxy amino acids,4973
Kolasa T. and **Miller M.J.** Synthesis of substituted 3-hydroxy-4-alkoxycarbonyl-2-azetidinones,1861
Kolberg G see Bäuml E. 387
Kole P.L see Kumar S. 4363
Kolobushkina L.I see Padyukova N.Sh. 3623
Kolodiazhnyi O.I. Thiocetenes phosphores,881
Komatsu K.,Akamatsu H. and **Okamoto K.** The tropylium ion annelated with bicyclo[2.1.1]hex-2-ene: stabilization due to σ-π conjugation versus destabilization due to Mills-Nixon type π-bond localization,5889
Komeshima N see Takemura H. 5687
Kominami K see Yamamura K. 6475
Komura H see Fujikawa S. 4699, see Xu Y. 499
Kon A see Hanzawa Y. 659
Kondo H see Tamura Y. 5709
Kondo S.,Yasui K.,Katayama M.,Maruno S.,Kondo T. and **Hattori H.** Structure of pamamycin-607, an aerial mycelium-inducing substance of Streptomyces alboniger,5861
Kondo T see Goto T. 5907, see Idaka E. 1901, see Kondo S. 5861
Kondo T.,Tsuji Y. and **Watanabe Y.** Ruthenium complex catalyzed intermolecular hydroacylation of olefins,6229
Kondo T.,Kawai T.,Tamura H. and **Goto T.** Structure determination of heavenly blue anthocyanin, a complex monomeric anthocyanin from the morning glory Ipomoea tricolor, by means of the negative NOE method,2273
Kondo Y see Kawazoe Y. 4307, see Ozaki S. 4691
Kondracki M.-L. and **Guyot M.** Smenospongine: a cytotoxic and antimicrobial aminoquinone isolated from Smenospongia sp.,5815
Konishi J see Ienaga K. 4587
Konishi S see Utaka M. 1447
Konstantinović S see Mihailović M.Lj. 4343
Konstantinović S.,Vukićević R. and **Mihailović M.Lj.** Electrochemical cyclization of unsaturated hydroxy compounds. Part II. Phenylselenolactonization,6511
Korwar D.,Boruah R.C. and **Sandhu J.S.** A novel reaction of Vilsmeier reagent with 2,1-benzisoxazoles,955
Kooy M.G see Klunder A.J.H. 3147, 1329
Koreeda M. and **Tanaka Y.** Stereoselective acyclic synthesis via allylmetals: threo vicinal diols from both E and Z-Y-alkoxyallyltins and aldehydes,143
Korkor O see Davies H.M.L. 1853
Korth H.-G see Chandra H. 1455
Koser G.F.,Kokil P.B. and **Shah M.** Direct functionalization of sulfides with hypervalent iodine reagents: methoxysulfonium and amidosulfonium tosylates,5431
Koshimizu K see Irie K. 3267
Koshino H.,Togiya S.,Yoshihara T.,Sakamura S.,Shimanuki T.,Sato T. and **Tajimi A.** Four fungitoxic C-18 hydroxy unsaturated fatty acids from stromata of Epichloe typhina,73
Kotali A. and **Tsoungas P.G.** Oxidation of N-aroylhydrazones of o-hydroxyaryl ketones with lead(IV)acetate: a facile route to aromatic o-diketones,4321
Kotnis A.S see Koft E.R. 2799, see Rigby J.H. 4943
Kouklovsky C see Pouilhès A. 6183
Kowalski C.J. and **Lal G.S.** 1-Acetoxy and 1-silyloxy-1,3-dienes via reductive homologation of α,β-unsaturated esters,2463
Koyama H.,Kaku Y. and **Ohno M.** Synthesis of (-)-ambrox from l-abietic acid,2863
Koyama K see Mitani M. 4573
Koyama Y see Iwamura M. 679
Koz'min A.S see Zefirov N.S. 242
Koziara A. and **Zwierzak A.** Iminophosphorane-mediated transformation of tertiary alcohols into t-alkylamines and their N-phosphorylated derivatives,6513
Kozikowski A.P.,Lin G.Q. and **Springer J.P.** An approach to bitetrahydrofurans from glucose and a correction of the literature,2211
Kozikowski A.P. and **Wu J.-P.** Protection of alcohols as their (p-methoxybenzyloxy)methyl ethers,5125
Kozikowski A.P. and **Cheng X.-M.** Use of a thermally stable optically active nitrile oxide in the synthesis of a lyngbyatoxin A intermediate,3189
Kozlowska M see Pikul S. 2627
Kozuka M see Xu Y. 499
Krämer T. and **Hoppe D.** Reagent-controlled enantioselective homoaldol reaction with chiral 1-oxyallyllithium derivatives. Enantio-divergent tuning by achiral titanium reagents,5149
Krafft G.A see Meinke P.T. 5121, 3887
Krafft M.E see Stork G. 1035
Kramer J.B see Norbeck D.W. 773
Krantz A see Tam T.F. 1127
Kraus G.A. and **Thurston J.** Alkoxy radicals in organic synthesis. A novel approach to spiroketals,4011
Kraus J.-L. Sur la réactivité du squarate diméthyle vis-à-vis de thiols,1765
Krause W. and **Bohlmann F.** Synthesis of hydroxycadalene and hydroxyoxycalamenene via 13-hydroxyxanthorrhizol, a possible precursor of parvifolin,2575
Krchnák V.,Vágner J.,Flegel M. and **Mach O.** Continuous-flow solid-phase peptide synthesis,4469
Kreh R.P.,Spotnitz R.M. and **Lundquist J.T.** Selective oxidations with ceric methanesulfonate and ceric trifluoromethanesulfonate,1067
Kreiser W see Kerscher V. 531
Krepinsky J.J see Perdomo G.R. 5595
Kresza G see Klier K. 2677
Krief A see Clarembeau M. 1114
Krief A. and **Trabelsi M.** Novel synthesis of Y-selenobutyrates from geminally diactivated cyclopropane derivatives,4225
Krief A.,Laboureur J.L. and **Dumont W.** Original synthesis of carbonyl compounds and gem-dihalocyclopropanes from β-hydroxyalkylselenides,1549
Krief A. and **Laboureur J.L.** Regiochemistry of the ring expansion of unsymmetrically substituted ketones involving β-hydroxyalkylselenides,1545
Krimer M.Z see Pogrebnoi S.I. 4893
Krishna A see Pandey G. 4615, 2649
Krishna M.V see Back T.G. 1737
Krishnamurthy N see Mehta G. 5945
Krogh-Jespersen K see Moss R.A. 4779
Kropp M. and **Schuster G.B.** Photoreduction of substituted arenes with borates asnd borohydride: an electron transfer mechanism,5295
Ku Y.-Y see Moriarty R.M. 749
Ku Y.Y see Moriarty R.M. 3071
Kubo I see Xu Y. 499
Kubo I.,Kim M. and **Naoki H.** New insect growth inhibitory flavan glucosides from Viscum tuberculatum,921
Kuhajda K see Miljković D. 5737
Kukkola P.J see Knapp S. 5399
Kulanthaivel P. and **Pelletier S.W.** Deoxygenation reactions of C_{19}-diterpenoid alkaloids,3883
Kullnig R.K see Schultz A.G. 4929
Kumagai M see Murata M. 5869
Kumamoto Y see Ando W. 4707, 5699, 4833, 2867
Kumar A.K. and **Chattopadhyay T.K.** Catalytic role of diorganotin dichloride in esterification of carboxylic acids,3713
Kumar M.A see Menon R.B. 5313
Kumar N see St C. Black D. 6691
Kumar S. and **Kole P.L.** Dihydrodiols of dibenz(a,c)anthracene,4363
Kumaraswamy G see Pandey G. 4615, 2649
Kume T see Iwasaki H. 6355
Kume T.,Iwasaki H.,Yamamoto Y. and **Akiba K.** Regioselective addition of organocuprates to 2-siloxypyrylium salt: facile syntheses of substituted 2-siloxy-4H-pyrans and their reactions with electrophiles,6305
Kumobayashi H see Kawano H. 1905
Kundu N.G.,Das B.,Majumdar A. and **Choudhuri L.N.** A silicon-mediated synthesis of novel 5-substituted 2,4-dimethoxypyrimidines and 5-substituted uracils,5543

Kunesch N.,Miet C. and **Poisson J.** Utilisation de la guanidine comme agent désacétylant sélectif: une méthode de désacétylation instantanée appplicable aux sucres,3569
Kunieda T see Ishizuka T. 4185, see Nagamatsu T. 3263, 2375
Kunnen K.B see Medich J.R. 4131
Kung F.-A see Peterson G.A. 1381
Kunz H. and **Lerchen H.-G.** Stereocontrolled synthesis of D-α-hydroxy carboxylic acids from L-amino acids,1873
Kuo S see White J.D. 3061
Kurihara K see Tabushi I. 4299
Kurihara T see Harusawa S. 4189
Kuriyama K see Koizumi T. 3689
Kuroboshi M.,Okada Y.,Ishihara T. and **Ando T.** A new efficient method for the generation of E-alkyl ketone metal enolates by using copper(II) bromide-lithium aluminbium hydride reagent and their aldol reaction with carbonyl compounds,3501
Kuroboshi M. and **Ishihara T.** Zinc-copper(I) chloride or -silver(I) acetate promoted aldol reaction of chlorodifluoromethyl ketones with carbonyl compounds. A general and effective route to α,α-dilfuoro-β-hydroxy ketones,6481
Kuroda R see Dhanak D. 1827
Kuroda S.,Katsuki T. and **Yamaguchi M.** Stereoselective synthesis of (2E,4Z)-dien-1-ols; key intermediates for synthesis of sex pheromones of silk worm and of grape vine moth,803
Kuroda Y see Tabushi I. 4069, 5695
Kurokawa H see Harada T. 4843, 4847
Kurotaki A see Takano S. 3991
Kurth M.J. and **Abreo M.A.** Organocuprate chemistry of vicinal epoxymesylates,5631
Kurusu Y see Masuyama Y. 443
Kusakabe Y see Seto H. 3357
Kusumi T.,Ohtani I.,Nishiyama K. and **Kakisawa H.** Caryoynencins, potent antibiotics from a plant pathogen,3981
Kusumi T.,Ooi T.,Watanabe M.M.,Takahashi H. and **Kakisawa H.** Cyanoviridin RR, a toxin from the cyanobacterium (blue-green alga) Microcystis viridis,4695
Kusumoto S see Imoto M. 6277, 6235
Kusumoto T. and **Hiyama T.** Palladium catalyzed double silylation of bis(trimethylsilyl)butadiyne by means of disilanes,1807
Kusumoto T. and **Hiyama T.** Reduction and oxidation of carbon-carbon doublebonds of 1,1,4,4-tetrakis(trimethylsilyl)-butatriene,1811
Kusunose N see Imoto M. 6277
Kutchan T.M see Stadler R. 1251
Kutner A.,Perlman K.L.,Sicinski R.R.,Phelps M.E.,Schnoes H.K. and **DeLuca H.F.** Vitamin D C-22 aldehydes. New key intermediates for the synthesis of side chain modified vitamin D analogues,6129
Kuwajima I see Matsuoka R. 1299, see Nakamura E. 337, see Sakata H. 5719, see Takanishi K. 2281
Kuwata F see Shono T. 4411
Kuyl-Yeheskiely E.,Tromp C.M.,van der Marel G.A. and **van Boom J.H.** Mild basic and highly selective hydrolysis of an aryl-alkyl 1-H-phosphonate diester: preparation of the mono-1-H-phosphonylated dipeptide Z-Ser(OPO_2H_2)-tyr(OH)NH_2,4461
Kuzuhara H see Kawana M. 4075, see Sakairi N. 2871
Kyler K.S see Medina J.C. 1059

Laboureur J.L see Krief A. 1549, 1545
Lacoste A.M see Vo-Quang Y. 6167
Ladlow M see Magnus P. 3307
Lake R.J see Blunt J.W. 1825
Lakshmikantham M.V see Jackson Y.A. 5635
Lal G.S see Kowalski C.J. 2463
Lam P.Y.-S. and **Frazier J.L.** Model study on the mode of action of muzigadial antifreedant,5477
LaMaire S.J see Buchwald S.L. 3895, see Buchwald S.L. 1834, 295
Lamare V.,Fourneron J.D.,Furstoss R.,Ehret C. and **Corbier B.** Microbial transformations 9. Biohydroxylation of alpha-cedrene and cedrol. Synthesis of an odoriferous minor component of cedar wood essential oil,6269
Lan-Hargest H.-Y.,Elliott J.D.,Eggleston D.S. and **Metcalf B.W.** The photochemical rearrangement of a steroidal dienol triflate,6557
Lan-Hargest H.-Y.,Elliott J.D.,Eggleston D.S.,Holt D.A.,Levy M.A. and **Metcalf B.W.** The synthesis of novel bridged A ring steroids,6117
Landais Y.,Rambault D. and **Robin J.P.** Ruthenium(V) tetrakis(trifluoroacetate), a new oxidizing agent.[1,2] III. An efficient access to the aporphine and homoaporphine skeletons and their structural studies,543
Landais Y.,Lebrun A.,Lenain V. and **Robin J.-P.** Synthesis of diaryl-butanes from cordigerines and reinvestigation of their oxidative couplings in deoxy-schizandrins. An unusual formation of phenyltetralin lignans,5161
Lange G.L.,Decicco C. and **Lee M.** Asymmetric induction in mixed [2+2] photoadditions. Effect on solvent, alkene concentration and temperature,2833
Lange J.H.M see Klunder A.J.H. 3027
Langlois N see Pouilhès A. 6183
Langlois Y see Pouilhès A. 6183
Lanneau G.F see Corriu R.J.P. 3941
Lannoye G. and **Cook J.M.** Erratum,6242
Lannoye G. and **Cook J.M.** General approach to the synthesis of polyquinenes. IV. Studies directed toward the preparation of dicyclopenta[cd,gh]-pentalene,4821
Larchevêque M. and **Petit Y.** A simple preparation of R or S glycidic esters; application to the synthesis of enantiomerically pure α-hydroxyesters,1993
Larchevêque M. and **Henrot S.** Préparation de nouveaux synthons chiraux: les β,γ-époxyesters; application à la synthèse de β-hydroxyesters énantiomériquement purs,1781
Larcheveque M see Buisson D. 3939, 5033
Lardicci L see Caporusso A.M. 6073, see Malanga C. 239
Larock R.C.,Leuck D.J. and **Harrison L.W.** Mercury in organic chemistry. 35. Synthesis of vinylic lactones from vinyl-mercurials and alkenoic acids via intramolecular π-allyl-palladium displacement,4977
Larock R.C. and **Babu S.** Synthesis of nitrogen neterocycles via palladium-catalyzed intramolecular cyclization,5291
Larpent C.,Dabard R. and **Patin H.** Catalytic hydrogenation of olefins in biphasic water-liquid system,2507
Lash T.D. and **Perun T.J.,Jr.** Synthesis of a meso, β-pentano-porphyrin related to the petro-porphyrins,6265
Lash T.D.,Bladel K.A. and **Johnson M.C.** Synthesis of porphyrins with four exocyclic rings from 4,5,6,7-tetrahydroindoles,1135
Lattes A see Perez E. 2343
Laucher D see Meyers A.I. 5283, 5279
Laurent A see Bentz G. 2511
Laurent D see Païs M. 1409
Laurent E.,Marquet B.,Tardivel R. and **Thiebault H.** Nouvelle méthode de préparation de cetones, ester et nitrile benzyliques α-fluores ou α,α-difluores,2359
Laval J.P see Perez E. 2343
Lavallée J.-F. and **Deslongchamps P.** Synthesis of tricyclic compounds via sequential intramolecular Michael addition and alkylation of β-ketoester ynones,3457
Lavilla R see Alvarez M. 4457
Lawrence D.S see Wagner R.W. 3069
Lawson T see Gannett P.M. 1015
Lazrak T see Diyizou Y.L. 5743
Le Corre M see Daniel H. 1165
Le Drian C. and **Vogel P.** Facile migration of acyl groups in Wagner-Meerwein transpositions. Acid-catalyzed rearrangements of 5,6-exo-epoxy-7-oxa-2-bicyclo[2.2.1]heptanone,1523
Le Gall T see Boulaajaj S. 1761
Le Gallic J see Lubineau A. 5041
Le Goffic F see Guillerm G. 535, see Sicsic S. 1887, see Souchet M. 2371, see Vo-Quang Y. 6167, 4057
Le Petit J see Gil G. 1647
Léger G see Buist P.H. 3891
Lévy J see Mirand C. 3565
Leblanc C see Cossy J. 1417
Leblanc Y.,Fitzsimmons B.J.,Rokach J.,Ueda N. and **Yamamoto S.** Synthesis of 5S-hydroxy-14,15 LTA, a biogenic precursor to the lipoxins,3449
Leboff A.,Carbonnelle A.-C.,Alazard J.-P.,Thal C. and **Kende A.S.** Intramolecular radical coupling of a phenolic enolate: oxidative fragmentation of the spiro-diketone intermediate,4163
Lebold S.A see Barrett A.G.M. 5791
Lebreton J see Marshall J.A. 723, 3323
Lebrun A see Landais Y. 5161
Lecat J.-L. and **Devaud M.** Regeneration electrochimique de la triphenylphosphine,5821
Lecea B see Cossío F.P. 1945
Lechevallier A see Amrollah-Madjdabadi A. 4525
Leckta T.C see Matlin A.R. 5083
Leclerc G. see Huber D. 6453
Lecolier S see Jouin P. 1665, 1661
Lecommandeur D see Bodo B. 2355
Lee H.-Y see Chern J.-W. 2151
Lee H.K see Kim Y.H. 4285
Lee I. and **Kang H.K.** A measure of charge transfer (ρ) versus a measure of bond tightness (ρ_{ij}) in the transition state,1183
Lee J.,Tang J. and **Snyder J.K.** Preparation and dienophilicity of 3-methyl-4,5-benzo-furandione,3427
Lee J.C see Cha J.S. 2389

Lee J.H see Kang J. 3261
Lee J.S see Murata M. 5869
Lee K.W see Cha J.S. 2389
Lee M see Lange G.L. 2833
Lee P.H see Kim S. 2735
Lee S.M.,Klocke J.A. and **Balandrin M.F.** The structure of 1-cinnamoylmelianolone, a new insecticidal tetranortriterpenoid, from Melia azedarach L. (Meliaceae),3543
Lee T.V.,Galan A.A. and **Chapleo C.B.** The reaction of α-chloro-α-phenylthioketones with phenols: an alternative synthesis of benzofurans,2301
Lee W.J see Broka C.A. 4993
Leech A.P see Abell C. 4887
Lefeuvre M see Plusquellec D. 4165
Lefker B.A see Meyers A.I. 1745
Lehn J.-M see Behr J.-P. 1989, see Blackburn G.M. 2779, see Jazwinski J. 6057, 3489
Lehrich F. and **Hopf H.** Alkine und Cumulene, XIX: Kreuzkonjugierte Mono- und Diallene,2697
Leigh D.A see Anderson D.W. 2661, 2657, 2653
Lemaire M see Guy A. 2969
Lenain V see Landais Y. 5161
Lenglet L see Ardisson J. 1997
Leonard J see Hussain N. 4871
Leonard J. and **Ryan G.** Asymmetric induction in acyclic Michael reactions: addition of organometallic reagents to enones derived from (R)-glyceraldehyde acetonide,2525
Leong-Ling S see Aly M.F. 6077
Lepoittevin J.-P.,Mattes H. and **Benezra C.** Synthesis of a catechol covalently bound to a tris-bipyridyl complex of ruthenium: a fluorescent potential hapten,4339
Leport L see Sibille S. 55
Lerchen H.-G see Kunz H. 1873
Leśnikowski Z.,Wolkanin P.J. and **Stec W.J.** Stereospecific synthesis of (Rp)- and (Sp)-thymidylyl methane-phosphonates,5535
Letcher R.M. and **Sin D.W.M.** 3H-Indoles and acetylenecarboxylic esters,3687
Lett R see Delpech B. 4061
Leuck D.J see Larock R.C. 4977
Leung H.-K. and **Smith K.M.** meso-Exchange in metallo-octaethylporphyrins,5453
Lever J.G see Crimmins M.T. 3647
Lever J.R.,Dannals R.F.,Wilson A.A.,Ravert H.T. and **Wagner H.N.,Jr.** Synthesis of carbon-11 labeled diprenorphine: a radioligand for positron emission tomographic studies of opiate receptors,4015
Levorse A.T see Knapp S. 3213
Levy J see Hugel G. 1773
Levy M.A see Lan-Hargest H.-Y. 6117
Lewis M.D. and **Menes R.** Absolute and relative configuration of L-660,631,5129
Ley S.V see Anthony N.J. 5755, 5763, see Baker G.H. 5565, see Greck C. 5759
Ley S.V.,Santafianos D.,Blaney W.M. and **Simmonds M.S.J.** Erratum,1594
Ley S.V.,Sternfeld F. and **Taylor S.** Microbial oxidation in synthesis: a six step preparation of (±)-pinitol from benzene,225
Ley S.V. and **Woodward P.R.** Preparation of t-butyl 4-diethylphosphono-3-oxobutanethioate and use in the synthesis of (E)-4-alkenyl-3-oxoesters and macrolides,345
Ley S.V.,Santafianos D.,Blaney W.M. and **Simmonds M.S.J.** Synthesis of a hydroxy dihydrofuran acetal related to azadirachtin: a potent insect antifeedant,221
Ley S.V. and **Woodward P.R.** The use of β-ketothioesters for the exceptionally mild preparation of β-ketoamides,3019
Leyden D.E see Jaeger D.A. 4805
Leygue N.,Cazaux L.,Picard C. and **Tisnes P.** Un tetralactame macrocyclique derive de l'acide dioxa-3,6 octanedioique. Nouvel ionophore neutre selectif du calcium,4049
Leyva E. and **Platz M.S.** The temperature dependent photochemistry of 1-naphthyl azide,11
Lhomme J see Cholody W.M. 5029, see Constant J.F. 1777
Lhomme M.F see Cholody W.M. 5029
Lhommet G see Bacos D. 2353, see Celerier J.P. 6597, see Dhimane H. 885
Li J.S see Wei Z.Y. 3441
Li L.-P see Ye M. 2615
Li Q.-L see Katritzky A.R. 1195
Li X.,Pan H. and **Jiang X.** N-Perhalofluoroalkylation of secondary amines by the reactions of the amines and amides with perhalofluoroalkanes. Halophilic attack of nitrogen mucleophilic on C-Br bond,3699
Li X.-Y. and **Hu J.-S.** Novel reactions of phosphonium ylides with perhaloalkanes: first examples of halophilic attacks by phosphonium ylides and a facile route to α-haloalkylphosphonium salts,6317
Li Z see Dieter J.W. 5415
Li Z.-H. and **Jones M.,Jr.** Hydrogenation of [7]paracyclophane. Formation of a hyperstable bridgehead olefin,753
Liao W.-P see Huffman J.W. 3315
Licchelli M. and **Greco A.** Catalyzed hydrosilylation of 2-methyl-1-buten-3-yne with methyldichlorosilane; promotional effect imparted by the presence of a different chlorosilane,3719
Lichtenthaler F.W see Lorenz K. 6437
Lichtenthaler F.W.,Lorenz K. and **Ma W.** A convergent total synthesis of (-)-anamarine from D-glucose,47
Lieberknecht A. and **Griesser H.** What is the structure of barettin ? Novel synthesis of unsaturated diketopiperazines,4275
Liebeskind L.S see Prasad J.S. 1857
Lightner D.A.,Zhang M.-H. and **Trull F.R.** Conformation of bilirubin esters from circular dichroism spectroscopy,4033
Lightner D.A.,Trull F.R. and **Zhang M.-H.** Novel synthesis of bilirubin mono-esters,1047
Likhitwitayawuid K see Ruangrungsi N. 3679
Lilitkarntakul S.,Hirama M. and **Ito S.** Diastereoselective deoxymercuration in acylic system. A remarkable assistance by the neighboring carbonate group,1207
Liljefors T see Hammarström L.-G. 4883
Lillie T.S see Ronald R.C. 131
Lim J.-L see Thummel R.P. 3319
Lim M.-I. and **Patil D.G.** Mushroom tyrosinase as an oxidant for the synthesis of 5,6-dihydroxyindole derivatives,3775
Lin G.Q see Kozikowski A.P. 2211
Lin H.-S see Paquette L.A. 5017, 31, 1363
Lin Y.,Ma D. and **Lu X.** Iridium pentahydride complex catalyzed dehydrogenation of alcohols in the absence of a hydrogen acceptor,3115
Lin Y.,Ma D. and **Lu X.** Iridium pentahydride complex catalyzed formation of C-C bond by C-H bond activation followed by olefin insertion,3249
Linderman R.J.,Godfrey A. and **Horne K.** A reactivity umpolung route to cyclic homoenolate aldol products via α-alkoxyorganocuprate conjugate additions,3911
Linderman R.J. and **Graves D.M.** An efficient procedure for the oxidation of fluorinated carbinols,4259
Linderman R.J. and **Lonikar M.S.** The synthesis of unsaturated trifluoromethyl ketones by regioselective organocuprate addition to acetylenic trifluoromethyl ketones,5271
Lindsey J.S see Wagner R.W. 3069
Ling-Chung S.K see Goulart M.O.F. 6081
Linstrumelle G see Ratovelomanana V. 1649
Linz T. and **Schäfer H.J.** Oxidation of non-activated C-H bonds in hydrocarbons and steroids,6581
Liotta D.,Brown D.,Hoekstra W. and **Monahan R.** Pyridinium dichromate-induced 1,3-oxidative rearrangements of enynols,1069
Lipshutz B.H.,Koerner M. and **Parker D.A.** 2-Thienyl(cyano)copper lithium. A lower order, stable "cuprate in a bottle" precursor to higher order regents,945
Lis R.,Caldwell W.B.,Rudd G.I.,Lunna W.C.,Jr.,Hoyer G.A.,Petzoldt K.,Cleve G. and **Sauer G.** "Product stereospecificity in the microbial reduction of imidazol-1-yl methyl aryl ketones",1487
Liskamp R.M.J see Veeneman G.H. 6695
Liu C.-Y. and **Houk K.N.** Dependence of the stereochemistries of intramolecular [8+] cycloadditions of alkenylheptafulvenes on tetraenophile stereochemistry,1371
Liu C.-Y. and **Houk K.N.** Intramolecular [8+2] cycloaddition and 10π-electron electrocyclization reactions of an 8-acylheptafulvene,1367
Liu H see Han O. 1073
Liu M.T.H. and **Paike N.** Equilibrium constants for triphenylmethyl bromide and 3-bromo-3-phenyldiazirine in acetonitrile,3763
Liu M.T.H.,Soundararajan N.,Anand S.M. and **Ibata T.** Kinetic studies of chloro-p-nitrophenylcarbene with acetone and diethyl fumarate,1011
Liu R.S.H see Mead D. 259
Liu Z.-X see Bryce M.R. 4465
Llobera A see Saá J.M. 5045
Lloyd D see Glidewell C. 343
López F see Barluenga J. 4327, 2875
Lockhart R.J see Boyle P.H. 5331
Loeffler S see Stadler R. 1251
Logusch E.W see Hwang K.-J. 4149
Loh K.-L see Doyle M.P. 833
Lonikar M.S see Linderman R.J. 5271
Lontsi D.,Sondengam B.L.,Ayafor J.F. and **Connolly J.D.** Cecropiacic acid, a new pentacyclic A-ring seco triterpenoid from Musanga cecropioides,6683
Loomis G see Capet M. 6273
Lopez B.O see Giguere R.J. 6553
Lopez L see Curci R. 5319, see N'Gando M'Pondo Th. 6049
Lorenz K see Lichtenthaler F.W. 47
Lorenz K. and **Lichtenthaler F.W.** A convergent total synthesis of (+)-anamarine from (R,R)-tartrate and D-gulono-

lactone,6437
Lozano R see Camps P. 1831
Lu H see Kobayashi J. 4939
Lu H.S.M see Sakata K. 5607, see San-Martin A. 6013
Lu X see Huang Y. 6219, see Lin Y. 3115, 3249, see Zhu J. 1897
Lubineau A.,Le Gallic J. and **Malleron A.** Stannous triflate mediated glycosidations. A stereoselective synthesis of 2-amino 2-deoxy-β-D-gluco-pyranosides directly with the natural N-acetyl protecting group,5041
Luche J.-L see de Souza-Barboza J.C. 2013, see Petrier C. 2351, 2347
Luedtke A.,Meng K. and **Timberlake J.W.** Carbonyl group stabilization of radicals: solvent effects on azoalkane decomposition,4255
Lugtenburg J see Tintel C. 2057
Luh B see Kim C.U. 507
Lui M.S see Wright A.E. 1377
Lumbard K.W see Glidewell C. 343
Lumma W.C.,Jr see Lis R. 1487
Lund H see Fuhlendorff R. 5335
Lund T see Fuhlendorff R. 5335
Lundquist J.T see Kreh R.P. 1067
Lusinchi X see Barton D.H.R. 6609, see Hanquet G. 6061
Luttmann K see Tochtermann W. 2521
Lygo B. and **O'Connor N.** Stereoselective synthesis of (±)-methyl nonactate and (±-methyl 8-epi-nonactate,3597
Lynch J.E see Eliel E.L. 4813
Lynch J.E.,Volante R.P.,Wattley R.V. and **Shinkai I.** Erratum,3994
Lynch J.E.,Volante R.P.,Wattley R.V. and **Shinkai I.** Synthesis of an HMG-COA reductase inhibitor; a diastereoselective aldol approach,1385
Lynch J.K see Trost B.M. 375
Lynn D.G see Phillips N.J. 1619

Ma D see Lin Y. 3115
Ma W see Lichtenthaler F.W. 47
Märkl G. and **Dorfmeister G.** 4-Hydroxy-1,3λ³-azaphosphole,1089
Märkl G. and **Beckh H.-J.** (3+2)- und (4+2)- Cycloadditionen mit den M(CO)₅- Komplexen (M=Cr,Mo,W) des 3,4-Diphenyl-λ³-phosphinins,3475
Märkl G. and **Dorfmeister G.** 1,3λ³-Aza'hosphinine durch Umsetzung von 3-Azapyryliumsalzen mit Tris(trimethylsilyl)-phosphan,1093
Märkl G.,Eckl E.,Jakobs U.,Ziegler M.L. and **Huber B.** 1,3λ³-Thiaphosphole,2119
Märkl G. and **Pflaum S.** 1.3λ³-aza-phospholo[1.2-α]pyridine - 1.2.4λ³-diazaphospholo[1.5-α]-pyridine - 1.3λ³-azaarsolo[1.5-α]pyridine - 1.2.4λ³-diazaar-solo[1.5-α]pyridine,1511
Märkl G.,Hölzl W. and **Trötsch-Schaller I.** 1-Chlor-1-phos-phirane,2693
Macchia F see Crotti P. 3393
Macdonald J.E. and **Poindexter G.S.** An anomalous metalation of a trimethylsilyl group,1851
Macdonald S.J.F see McKenzie T.C. 5435
Mach O see Krchnák V. 4469
Machida H see Nishiguchi T. 4565
Machiguchi T.,Otani H.,Ishii Y. and **Hasegawa T.** Tropothione, synthesis, spectra and chemical reactions,203
Mack H. and **Brossmer R.** Synthesis of 6-thiosialic acids and 6-thio-N-acetyl-D-neuraminic acid,191
Macquarrie D.J see Clark J.H. 111
Maeda M.,Kodama T.,Tanaka T.,Yoshizumi H.,Takemoto T.,Nomoto K. and **Fujita T.** Structures of domoilactone A and B, novel amino acids from the red alga, Chondria armatas,633
Maestracci M see Vo-Quang Y. 4057
Maestro M.A see Castedo L. 4589
Magnus P see Cardwell K. 3303
Magnus P.,Ladlow M. and **Cairns P.M.** Methods for indole alkaloid synthesis. Iodoxybenzenediphenyl-diselenide reagent system for the introduction of oxygen functionality into Aspidosperma-type alkaloids,3307
Magnus P. and **Slater M.** Studies on the hydrocarboxylation of N-acetylimines, enamines and allylamines,2829
Magnusson G see Pattersson L. 2753, see Rehnberg N. 3589
Mahajan M.P see Mazumdar S.N. 2641
Mahato S.B.,Banerjee S. and **Podder S.** Novel microbial trans-formation of 16-dehydro-pregnenolone by Arthrobacter simplex,5315
Mahler H. and **Braun M.** Stereo-selective addition of a novel, enantiomerically pure vinyl-lithium reagent to prochiral carbonyl compounds,5145
Mahmud K.A.M see El-Dusouqui O.M.E. 2417
Maier G.,Seipp U. and **Boese R.** Isolierung und Kristallstruktur-analyse eines Titantetrachlorid-Komplexes eines 1,3-Diketons,4515
Maillard B see Arreguy-San Miguel B. 2127, see Degueil-Castaing M. 953
Majetich G see Giguere R.J. 6553
Majumdar A see Kundu N.G. 5543
Mak K.T see King J.L. 3919
Mak T.C.W see Wang X.C. 5833, see Wong H.N.C. 6359
Maki Y see Shimada K. 207
Makino K see Kadota S. 2857
Makita A.,Nihira T. and **Yamada Y.** Lipase catalyzed synthesis of macrocyclic lactones in organic solvents,805
Makoaza M see Danikiewicz W. 1707
Makoaza M. and **Owczarczyk Z.** Direct formylation of nitroarenes via vicarious nucleophilic substi-tution of hydrogen,3021
Malanga C.,Menicagli R.,Dell'Innocenti M. and **Lardicci L.** A new approach to δ-lactones, related to the prelog Djerassi lactone,239
Malavaud C see N'Gando M'Pondo Th. 6049
Malfroot T see Denarié M. 5823
Malik S.,Ahmad S.S.,Haider S.I. and **Muzaffar A.** Salvadoricine - a new indole alkaloid from the leaves of Salvadora persica,163
Malleron A see Lubineau A. 5041
Malpass J.R see Bathgate A. 5937
Man Y.-M see Wong H.N.C. 6359
Manabe K see Kitamura M. 4719
Mandal S. and **Chatterjee A.** Structure of chiratanin, a novel dimeric xanthone,1309
Manfredi A see Colonna S. 1577
Manfredi K.P see Cardellina J.H. 727
Mangeney P.,Alexakis A. and **Normant J.F.** Acetals as chiral auxiliaries Part 4 (1). Asymmetric synthesis of γ,δ-ethylenic aldehydes an approach tp the California Red scale pheromone,2363
Mangiaracina P see Bose A.K. 2503
Mani N.S see Barrett A.G.M. 6133
Manitto P see Monti D. 5047
Manitto P.,Speranza G.,Monti D. and **Gramatica P.** Singlet oxygen reactions in aqueous solution. Physical and chemical quenching rate constants of crocin and related carotenoids,4221
Mann A see Nativi C. 347
Mann I.S see Clough J.M. 2645
Mann J see Cable K.M. 3159
Mannschreck A.,Hartmann E.,Buchner H. and **Andert D.** Twisted 9,10-phenanthrenequinones: chromato-graphic enrichment of enantiomers and barriers to racemization,3479
Mano T see Saito I. 1909
Mansilla H see González A. 4203
Manta E see Clardy J. 6699
Mantlo N.B see Comins D.L. 759
Manzano C see Arjona O. 5547
Mar E.K see Chong J.M. 5009
Marais D see Vo-Quang Y. 4057
Marcelis A.T.M see Frissen A.E. 1589
Marchese G see Cardellicchio C. 2053
Marcuccilli C.J see Babler J.H. 4657
Marfat A. and **Carta M.P.** Oxidation of indoles with pyridinium bromide perbromide a simple and efficient synthesis of 7-aza-oxindoles,4027
Margolin A.L.,Crenne J.-Y. and **Klibanov A.M.** Stereoselective oligomerizations catalyzed by lipases in organic solvents,1607
Margraff R see Deprez D. 4679
Margrave J.L see Chang S.-C. 1733
Marinas J.M see Alcantara A.R. 1515, see Fuentes A. 2951, 2947, 4541
Marinetti A. and **Mathey F.** Insertion of terminal alkynes into the phosphirene ring,5021
Marinier A see Baettig K. 5253
Marino J.P. and **Kim M.W.** Reactions of vinyl selenoxides and ketenes via 3,3-sigmatropic rearrange-ment,4925
Marino J.P. and **Dax S.** Synthesis and rearrangements of ortho-selenonium phenoxides,4007
Markus F see Anders E. 2675
Marples B.A see Gill J.C. 2643
Marples B.A. and **Spilling C.D.** The ene reaction of 5-allyl-2ξ-hydroxy-5α-cholestan-3-one: an unusually facile ene reaction,581
Marquet A see Schambel P. 4161
Marquet B see Laurent E. 2359
Marquet J see Cantos A. 4191, see Cercello J. 3715
Marren T.J see Johnson C.R. 27
Marrs P.S see Piers E. 5075
Marshall J.A. and **Lebreton J.** Enantioselective[2,3]Wittig ring contraction induced by chiral bases. The total synthesis and absolute configuration of (+)-aristolactone,3323
Marshall J.A. and **Trometer J.D.** Stereoselective S_N2' additions to chiral acyclic vinyl-oxiranes,4985
Marshall J.A. and **Crooks S.L.** Stereoselective synthesis of cembradolides via conjugate addition to cycloalkynones,5081
Marshall J.A.,DeHoff B.S. and **Crooks S.L.** Stereoselective synthesis of cembranolide precursors via macrocyclization of α-alkoxy-allylstannane aldehydes,527
Marshall J.A.,Lebreton J.,DeHoff B.S. and **Jenson T.M.** Total synthesis of the germacranolide (±)-aristolactone via "2,3] Wittig ring contraction,723
Martelli G see Battaglia A. 4347, see Cainelli G. 3593, 5369
Martener W.,Fritz H. and **Prinzbach H.** Stable cis,cis-trialkyl-triaziridines synthesis via

azo/nitrene addition, N-oxidation,5497
Marth C see Vedejs E. 3445
Martín J.D see Clardy J. 6699, see Estrada D.M. 687
Martínez A.G.,Alvarez R.M.,Vilar E.T.,Fraile A.G.,Barcina J.O.,Hanack M. and **Subramanian L.R.** Eine einfache Methode zur Darstellung tertiärer Iodide,6441
Martin A.R see Herslöf M. 3423
Martin G.,Guitián E.,Castedo L. and **Saá J.M.** Novel entry into the benzo(C)phenanthridine skeleton through the intermolecular benzyne cycloaddition (IBC) approach,2407
Martin J.C see Webb R.R.,II. 4963
Martin M.T see Ghogomu R. 2967
Martin P. Synthese von Glossobalol und Balanoglossol,1645
Martin S.F. and **Campbell C.L.** Total synthesis of (±)-crinine and (±)-buphanisine,503
Martinez A.G.,Fernández A.H.,Alvarez R.M.,Vilar E.T.,Fraile A.G.,Barcina J.O. and **Iglesias L.P.** Preparation of alkyl- and phenyl-substituted pyrimidines,1929
Maruno S see Kondo S. 5861
Maruoka K.,Nonoshita K. and **Yamamoto H.** Unusual conjugate addition of organolithium reagent to α,β-unsaturated ketone,5723
Maruyama K see Naruta Y. 4553
Maruyama M see Sakata K. 5607
Masamune S see Short R.P. 2841
Masamune T see Fukuzawa A. 4303
Mascarella S.W see Crimmins M.T. 5063
Mascareñas J.L see Castedo L. 2099
Mash E.A.,Nelson K.A. and **Heidt P.C.** Diastereoselective cyclopropanation via homochiral ketals. Dioxolane structural effects,1865
Mason I see Paterson I. 5205
Massebiau M.-C see Sibille S. 55
Massiot G see Belgacem L. 3573, see Bosch J. 231, see Henin J. 1271, see Vercauteren J. 1267
Massouasa B see Bosch J. 231
Masuda R see Hojo M. 6199
Masuda T see Nakatsuka S. 3671
Masuyama Y.,Yamada K. and **Kurusu Y.** Molybdenum hexacarbonyl as a thiophilic metal reagent: desulfenylative allylation using allylic sulfides,443
Mateo A see Alvarez-Ibarra C. 6667
Mathey F see Charrier C. 5025, see Marinetti A. 5021
Mathias J.P see Ashton P.R. 6367
Matlin A.R.,Leckta T.C.,McGarvey D.J.,Jacob P.W. and **Picken H.A.** Intramolecular photochemical reactions of 2-acyl-4-oxa-1,5-hexadienes,5083
Matlin A.R. and **McGarvey D.J.** Intramolecular photocycloaddition reactions of 1-acyl-3-oxa-1,5-hexadienes,5087
Matsjeh S see Sam T.W. 2541
Matsubara S.,Mitani M. and **Utimoto K.** A facile preparation of 1-perfluoroalkylalkenes and alkynes. Palladium catalyzed reaction of perfluoro-alkyl iodides with organotin compounds,5857
Matsuda A see Shuto S. 199
Matsuda F see Hasegawa K. 1671, see Matsumoto T. 4419
Matsuda I see Sato S. 6657
Matsuda I.,Shibata M.,Sato S. and **Izumi Y.** Cyclocodimerization of 1,3-butadiene derivatives with non-activated terminal acetylenes catalyzed by cationic rhodium(I) complex,3361
Matsuda S.P.T see Corey E.J. 4247
Matsui T see Nagaoka H. 2021
Matsukawa M.,Inanaga J. and **Yamaguchi M.** A novel SmI_2-induced masked-formylation of carbonyl compounds,5877
Matsumoto K.,Kabuto C.,Uchida T.,Yoshida H.,Ogata T. and **Iwaizumi M.** Formation of an extremely unusual 1:2 adduct from 3-cyano-indolizines and dimethyl acetylenedicarboxylate,5707
Matsumoto T see Hasegawa K. 1671, see Hashimoto M. 5665, see Kitano Y. 6351, see Segawa M. 3703
Matsumoto T.,Ohsaki M.,Matsuda F. and **Terashima S.** Efficient synthesis and antitumor activity of novel 14-fluoroanthracyclines,4419
Matsumoto Y see Ito Y. 4849
Matsumura Y see Shono T. 4073
Matsunaga S see Fusetani N. 4313, 4311, 5837, 1187, see Kato Y. 6225
Matsuoka M see Ito Y. 4849
Matsuoka R.,Horiguchi Y. and **Kuwajima I.** Stoichiometric generation of 3-siloxyallenyllithium and its reactions with electrophiles,1299
Matsuura T see Ito Y. 3493, see Meng J.-B. 6665, see Nishinaga A. 6309, see Saito I. 1909
Matsuura Y see Imoto M. 6277
Matsuzaki T see Nakamura H. 621
Matsuzawa K see Tomooka K. 6339
Mattes H see Lepoittevin J.-P. 4339
Mattes H. and **Benezra C.** Reactivity of t-butyldimethylsilyl ethers: a facile conversion into bromides,1697
Matteson D.S. and **Beedle E.C.** A directed chiral synthesis of amino acids from boronic esters,4499
Matteucci M.D. and **Webb T.R.** Synthesis and crosslinking properties of a deoxyoligonucleotide containing N^6,N^6-ethanodeoxyadenosine,2469
Matthes K.E.,Parker D.,Buschmann H.J. and **Ferguson G.** Structure and complexation behavior of macrocyclic thiopolyether amide substituents,5573
Matthews D.P see McCarthy J.R. 2207
Mattinen J see Fülöp F. 115
Matturro M.G. and **Reynolds R.P.** Intramolecular rearrangement of thioxonides: sulfine formation without sulfur atom scrambling, a double isotope crossover study,4981
Maumy M see Reinaud O. 4675, see Toussaint O. 539
Maurya R see Ghera E. 709
Mayol L see Barbato S. 5727
Mayol L.,Piccialli V. and **Sica D.** Spongiolactone, an unusual β-lactone diterpene isovalerate based on a new rearranged spongiane skeleton from Spongionella gracilis,3601
Mayr H see Bäuml E. 387, see Musigmann K. 4517
Mazaki Y.,Fujise Y.,Fukazawa Y. and **Itô S.** The effect of strain on the tropone ring. [3] and [5](2,7)troponophanes,977
Mazumdar S.N.,Sharma M. and **Mahajan M.P.** Diels-Alder cycloaddition reactions of 1,3-diazabutadienes with sulfene,2641
Mazzenga G.C see Francis J.E. 5133
Mazzocchi P.H.,King C.R. and **Amon H.L.** A photochemical approach to the fully functionalized ring system of chilinene, a key alkaloid of the berberine family,2473
McBride B.J. and **Kemp D.S.** Peptide synthesis by prior thiol capture. III. Assessment of levels of racemization during two typical thiol capture coupling reactions,3435
McCague R. A route to conformationally restricted antioestrogens by coupling of a vinyl triflate with an aryl zinc chloride,701
McCallum J.S see Peterson G.A. 1381
McCarthy J.R.,Barney C.L.,Matthews D.P. and **Bargar T.M.** A facile synthesis of β-substituted-α-allenyl primary amines,2207
McCloskey C.J see Baumstark A.L. 3311
McClure C.K see Paterson I. 1229
McClusky J.V see Wiberg K.B. 5411
McCombie S.W.,Shankar B.B. and **Ganguly A.K.** A new ring synthesis for 3- and polysubstituted furans: directing effects of a 3-(arenesulfonyl) group in metalation and Friedel-Crafts processes,4123
McCombie S.W.,Shankar B.B.,Ganguly A.K.,Padwa A.,Bullock W.H. and **Dyszlewski A.D.** Configurational properties and chemical reactivity of mono and dianions derived from aryl 2-alkoxyvinyl sulfones,4127
McCombie S.W. and **Metz W.A.** Cyclofunctionalisation of epoxy-alcohol derivatives. 2. Stereo- and regiospecific conversion to 1,3-dioxolanes,383
McCombie S.W. and **Nagabhushan T.L.** Cyclofunctionalisation reactions of epoxyalcohol derivatives. 3. Cyclisation-acyl migration of N-benzoylcarbamates to stereodefined oxazolidinones. A new, diastereospecific route to thiamphenicol,5395
McConnell O.J see Wright A.E. 1377
McDaniel K.F see Taylor E.C. 1977
McFarlane M.D. and **Smith D.M.** A new route to N-hydroxy-quinoxaline-2,3-diones and some aza-analogues,6363
McGarvey D.J see Matlin A.R. 5083, 5087
Mchich M see Gras J.-L. 6601
McIlwaine D.B see Cane D.E. 6545
McKechnie J.S see Glidewell C. 343
McKee J.A see Polniaszek R.P. 4511
McKenzie T.C.,Hassen W. and **Macdonald S.J.F.** Synthesis of the gilvocarcin-M aglycone,5435
McKenzie T.C. and **Hassen W.** Synthesis of the ravidomycin ring system,2563
McLay N.R see Bailey P.D. 5177
McMahon W.G see Schultz A.G. 4929
McManus S.P see Neamati-Mazraeh N. 837
McManus S.P.,Sedaghat-Herati M.R. and **Harris J.M.** Tosylate/chloride rate ratios for beta-thioethyl substrates. Dimerization of 2-(methylthio)-ethyl tosylate,5299
McMillan C.M see Gray B.D. 689, 235
McMurry J.E. and **Swenson R.** An attempted synthesis of tricyclo[8.2.^{1},^{1}°.0^1,^{7}.0$^{\text{*}}$,^{10}]-1(7),4(10)-dodecadiene,3209
McMurry T.B.H see Tully L.E. 5925
McPhail A.T see Hegde V.R. 4485, see Pradhan S.K. 1813
Méric R see Jazwinski J. 3489
Mérienne C see Charon D. 1393
**Mead D.,Asato A.E.,Denny M.,Liu R.S.H.,Hanzawa Y.,Taguchi

T.,Yamada A.,Kobayashi N.,Hosoda A. and **Kobayashi Y.** 9-Cis and 11-cis isomers of 18,18,18-, 19,19,19- and 20,20,20-trifluororetinal,259
Mead K.T. Syn-selective additions of acetylide anions to α-alkoxy-aldehydes,1019
Meakins G.D see Challacombe K. 5767
Meckler H see Francis J.E. 5133
Mecozzi S see Bonadies F. 703
Medani C see Nouguier R. 319
Medich J.R.,Kunnen K.B. and **Johnson C.R.** Synthesis of the carbocyclic nucleoside (-)-neplanocin A,4131
Medina J.C.,Cadilla R. and **Kyler K.S.** Intramolecular oxidative-cycloaddition of dihydropyrazolones,1059
Medina M.C see Hernández R. 2533
Meese C.O see Hofmann U. 5655
Mehrotra M.M see Corey E.J. 739
Mehta G.,Murthy A.N. and **Reddy D.S.K.** A photo-thermal metathesis approach to perhydro-as-indacenes: rapid construction of the carbocyclic segment of ikarugamycin,1467
Mehta G. and **Krishnamurthy N.** An enantioselective approach to dolastane diterpenes. Total synthesis of marine natural products (+)-isoamijiol and (+)-dolasta-(15),7,9-trien-14-ol,5945
Mehta G. and **Subrahmanyam D.** Model studies towards fredericamycin A. Protocol for the rapid creation of the spirocyclic centre,479
Mehta G.,Padma S.,Osawa E.,Barbiric D.A. and **Mochizuki Y.** Strain energy considerations in the photochemical [$\pi^2 + \pi^2$] cage cyclisations. A case study enroute to [6]-prismane,1295
Mehta S see Ghosh S. 4611
Mei W.-P see Fang T.-S. 329
Meijer E.M see Kloosterman M. 2989
Meijs G.F. and **Eichinger P.C.H.** A convenient route to alkylidene-cyclopropanes from cyclopropyl-diphenylphosphine oxide and carbonyl compounds,5559
Meinke P.T. and **Krafft G.A.** Regiochemical preferences in seleno-aldehyde cycloadditions,5121
Meinke P.T.,Krafft G.A. and **Spencer J.T.** Selenofluorenone: synthesis and cycloaddition chemistry,3887
Meinwald J see Sakaino M. 3201
Melani F see Colotta V. 5165
Mellor J.M see Abd El Samii Z.K.M. 1949
Mellor J.M. and **Wagland A.M.** New features of the intramolecular Diels-Alder route to hydro-isoindoles,5339
Menes R see Lewis M.D. 5129
Meng J.-B.,Ito Y. and **Matsuura T.** Novel photochemical reaction of indole with naphthalene and phenanthrene in the solid state,6665
Meng K see Luedtke A. 4255
Menicagli R see Malanga C. 239
Menon R.B.,Kumar M.A. and **Ravindranathan T.** Stereospecific synthesis of α-lipoic acid,5313
Menzek A see Akbulut N. 1689
Meou A see Gil G. 1647
Merényi R see Stévenart-De Mesmaeker N. 2591
Mestres R see Ballester P. 3853
Metcalf B.W see Lan-Hargest H.-Y. 6117, 6557
Metz W.A see McCombie S.W. 383
Metzger P. and **Casadevall E.** Lycopadiene, a tetraterpenoid hydrocarbon from new strains of the green alga Botryococcus braunii,3931
Metzner P see Berrada S. 409
Meunier B see Girardet M. 2955
Meyers A.I. and **Lefker B.A.** An efficient asymmetric synthesis of trisubstituted cyclohexenones and trisubstituted cyclo-pentenones from chiral 2,2-dialkyl 1,4- and 1,5-diketones,1745
Meyers A.I.,Sowin T.J.,Scholz S. and **Ueda Y.** An efficient enantio-selective synthesis of the carbapenam-2-one system. An approach to (+)-thienamycin and related carbapenams,5103
Meyers A.I.,Brown J.D. and **Laucher D.** Asymmetric synthesis of 1,1,2- and 1,2-substituted dihydronaphthalenes via a chiral naphthyl imine,5283
Meyers A.I.,Brown J.D. and **Laucher D.** Stereospecific conjugate addition of organolithium reagents to naphthylimines. A facile route to 1,1,2- and 1,2-substituted dihydro-naphthalenes,5279
Michalski J see Dabkowski W. 3559, 3561, see Skowrońska A. 4209
Michels E see Neumann W.P. 3783
Miet C see Kunesch N. 3569
Miginiac L see Courtois G. 1659, see Damour D. 4689
Miginiac Ph see Picotin G. 4551
Mignani G.,Morel D. and **Grass F.** A one-pot preparation of α-halo-carbonyl and α-halo-sulfonyl compounds by halo-deacylation,5505
Mihailović M.Lj see Konstantinović S. 6511
Mihailović M.Lj.,Konstantinović S. and **Vukićević R.** Electrochemical cyclization of unsaturated hydroxy compounds. Part I. Phenylselenoetherification,4343
Mikami K.,Takahashi K. and **Nakai T.** Diastereocontrol via the phenol- and palladium(II)-catalyzed Claisen rearrangement with cyclic enol ethers,5879
Mikhailov S.N see Padyukova N.Sh. 3623
Miki M see Ichihara A. 1175
Miki T see Kita Y. 6479
Mikolajczyk M.,Graczyk P. and **Balczewski P.** Conformation of 2-phosphoryl and 2-thiophosphoryl 1,3-dithianes and related compounds. Comments on the origin of S-C-P anomeric interactions,573
Milenkov B.,Guggisberg A. and **Hesse M.** Erratum,2666
Milenkov B.,Guggisberg A. and **Hesse M.** Ring enlargement by fragmentation reaction: transformation of 2-amino-methyl-2-(3-hydroxypropyl)cyclododecanone to 12-methylene-15-pentadecanolide,315
Milewska M.J. and **Chimiak A.** Oxidation of amino acid. Part V. A novel synthesis of N^{ε}-acetyl-N^{ε}-hydroxylysine from lysine,1817
Miljković D.,Kuhajda K.,Stanković S.,Argay G. and **Kálmán A.** Formationn of a bis-lactone from 3-O-acetyl-deoxycholic acid,5737
Miljković D.,Popsavin V. and **Harangi J.** Stereospecific synthesis of (+)-oxybiotin from D-xylose. Preparation of the final chiral (+)-oxybiotin precursor,5733
Milkova Z see Berlage U. 3095
Miller G see Almstead N. 1627
Miller J.A see Gray B.D. 235, 689
Miller M.J see Kolasa T. 1861, 4973, see Rajendra G. 6257
Miller R.D. and **Theis W.** The acid catalyzed cyclization of diazo-ketones: preparation of 2,4(3H,5H) furandiones,1039
Miller S.P.F see Phillips J.K. 6145
Milliet P see Hanquet G. 6061
Millikan R see Eaton P.E. 1055
Milowsky A.S see Tufariello J.J. 267, 263, 5481
Min S see Kato S. 6473
Minale L see Riccio R. 2291
Minami I see Tsuji J. 2397
Minami I.,Yuhara M. and **Tsuji J.** 1-Isopropylallyloxycarbonyl (IPAoc) as a protective group of amines and its deprotection catalysed by palladium-phosphine complex,2737
Minami I.,Yuhara M. and **Tsuji J.** Preparation of unstable 3-alkyl-idene furans by the palladium-catalyzed reaction of α-alkynyl epoxides with β-keto esters,629
Minami T see Uemura M. 641, see Yamaguchi M. 1785, 2017
Minato M see Tsuji J. 3683
Minisci F see Fontana F. 6373
Mirand C.,Dõé de Maindreville M.,Cartier D. and **Lévy J.** N-Benzene-sulfonyl-lindole as terminator in a biomimetic polyene cyclization: synthesis of a pentacyclic indolo-sesquiterpene,3565
Miranda M.A see Alvaro M. 3613, see Campe P. 1831
Misra L.N see Chandra A. 6377
Misra R see Cullis P.M. 4211
Mitani M see Matsubara S. 5857
Mitani M.,Hirayama H.,Takeuchi H. and **Koyama K.** An intramolecular darzens reaction of the ester group with the active halogen group. Preparation of 2,7-dioxa-bicyclo[4.1.0]heptanes from 1-bromo-4-acyloxybutane derivatives,4573
Mitchell J.C see Bloodworth A.J. 5347
Mitchell R.H.,Weerawarna K.S. and **Bushnell G.W.** anti-9,18-Dimethyl-2,11-diselena[3.3]meta-cyclophane - a correction to the literature. The selenoxide elimination applied to the synthesis of dimethyldihydro-pyrene,5119
Mitsuda Y see Yamada T. 4557
Mitsudo T.,Hori Y.,Yamakawa Y. and **Watanabe Y.** Ruthenium catalyzed selective synthesis of enol carbamates by fixation of carbon dioxide,4417
Miwa A see Okawara H. 2597
Miwa Y see Furuta K. 5841
Miyaji K see Hirota H. 435, see Kitano Y. 6351
Miyano M see Djuric S.W. 299
Miyasaka T see Hayakawa H. 87
Miyashita M.,Suzuki T. and **Yoshikoshi A.** Organoselenium-mediated reduction of α,β-epoxy ketones to β-hydroxy ketones: a new asccess to inter- and intra-molecular aldols,4293
Miyata K see Sakai T. 3817
Miyazaki M see Shizuri Y. 3831
Miyazawa M see Suzuki K. 3515
Mizobuchi T see Iio H. 2379
Mizuno Y see Hashimoto T. 6303
Mkairi A. and **Hamelin J.** Synthesis of α-activated Δ^1 pyrroline and Δ^1 piperideine: 1,3 dipolar and anionic reactivities,1397
Mlooch J. and **Steckhan E.** Electrochemically induced [4+2]-cycloadditions - a mechanistic interpretation of the cation radical Diels-Alder reaction based on preparative results,1081

Mobilio D. and **De Langr B.** 1,4-Diastereoselectivity in the addition of allylstannanes to 1-alkyl-2-oxocyclohex-3-eneacetic acid methyl esters,1483
Mochizuki Y see Mehta G. 1295
Modena G see De Lucchi O. 107
Modro T.A see Froneman M. 2979
Mohamed A.L see Sam T.W. 2541
Mohan R see Snider B.B. 841
Mohan R.,Kates S.A.,Dombroski M.A. and **Snider B.B.** Manganese (III) based oxidative free-radical cyclization. 3. Polycyclization reactions proceeding through secondary radicals,845
Mohler D.L. and **Thompson D.W.** Synthesis of isochromans via the titanium tetrachloride assisted cyclization of acetals of phenethyl alcohols,2567
Mohr P. and **Tamm C.** Stereoselective synthesis of functionalized erythro/1,3-diols,391
Mohr P. and **Tamm C.** Synthesis of endo-1,3-dimethyl-2,9-dioxa-bicyclo [3.3.1.] nonane,395
Mohri S see Tamura Y. 3971
Molander G.A. and **Kenny C.** Stereocontrolled intramolecular ketoneolefin reductive coupling reactions promoted by samarium diiodide,4367
Molina P.,Arques A.,Vinader V.,Becher J. and **Brøndum K.** Tandem aza-Wittig reaction/electrocyclic ring-closure of facile entry to the synthesis of fused pyrimidines: preparation of pyrazolo[3,4-d] and 1,2,3-triazolo]4,5-d]-pyrimidine derivatives,4451
Molko D see Schulhof J.C. 51
Monaco P.,Parrilli M. and **Previtera L.** Two endoperoxide diterpenes from Elodea canadensis,4609
Monaghan M.J see Geraghty N.W.A. 4729
Monahan R see Liotta D. 1069
Mondon M see Gesson J.-P. 3949, 3945
Monsalvatje M see Ortuño R.M. 3405
Monteiro H.J. Synthesism of α-diazo-β-keto phenylsulfones,3459
Montero J.-L.,Clavel J.-L. and **Imbach J.-L.** Synthesis of allylic phosphonates of biological interest,1163
Montesperelli G see Botta M. 5539
Monti D see Manitto P. 4221
Monti D.,Gramatica P.,Speranza G. and **Manitto P.** A convenient synthesis of both the anomers of ethyl (2,3,4,6-tetra-O-benzyl-D-glucopyranosyl)acetate,5047
Montury M see Dicko A. 6041
Moody C.J see Bolton R.E. 3163
Moody C.J. and **Taylor R.J.** Rhodium carbenoid mediated cyclisations. Use of ethyl lithiodiazoacetate in the preparation of ω-hydroxy-,-mercapto-, and -boc-amino-α-diazo-β-keto esters,5351
Moody C.J. and **Warrellow G.J.** Synthesis of the isoindolobenzazepine alkaloid lennoxamine,6089
Moolweer H.H.,Hiemstra H.,Fortgens H.P. and **Speckamp W.N.** Intramolecular reactions of acyclic N-acyliminium ions III[1],[2] silicon assisted cyclocondensation of glyoxylic esters to proline and pipecolic acid derivatives,3285
Moore A.J see Bryce M.R. 4465
Moore H.W see Chow K. 5013, see Perri S.T. 4507
Moore M see Gray B.D. 235
Moorhoff C.M. and **Schneider D.F.** Comments on the reaction of ethyl 4-(diethoxyphosphinyl)-3-oxobutanoate and related phosphonate esters with enals,559
Moorhoff C.M. and **Schneider D.F.** Condensation of ethyl and methyl 4-(triphenylphosphoranylidene)-3-oxobutanoate with enals,4721
Moore R.G see Bunting J.W. 3915
Moradpour A. and **Bittner S.** Thiophilic addition of alkyllithium to dithiocarboxylic acid anions: synthesis of 2-[bis(alkylthio)methylene]-1,3-dithioles,3805
Moras D see Behr J.-P. 1989
Mordini A see Coppi L. 969
Moreau J.J.E see Corriu R.J.P. 2963
Morel D see Mignani G. 5505
Moreno-Mañas M see Cantos A. 4191, see Cercello J. 3715
Morera E see Cacchi S. 3039
Moretó J.M see Camps F. 4745
Morey J.,Grée D.,Mosset P.,Toupet L. and **Grée R.** Synthesis and reactivity of E,Z butadiene-iron-tricarbonyl complexes,2959
Mori A see Ishihara K. 6613
Mori I see Moritake M. 1425
Mori K.,Iguchi K.,Yamada W.,Yamada Y. and **Inouye Y.** Stolonidiol, a new marine diterpenoid with a strong cytotoxic activity from the Japanese soft coral,5673
Mori M.,Uozumi Y. and **Shibasaki M.** Incorporation of molecular nitrogen into amides and imides by use of titanium-nitrogen complexes,6187
Mori Y see Kimura I. 1921
Moriarty R.M.,Ku Y.Y.,Sultana M. and **Tuncay A.** A new carboncarbon bond forming reaction in indole chemistry. C_3-arylation and alkylation with phenyl (8-indolyl)iodonium trifluoroacetate,3071
Moriarty R.M.,Roll D.M.,Ku Y.-Y.,Nelson C. and **Ireland C.M.** A revised structure for the marine bromoindole derivative citorellamine,749
Moriarty R.M.,Penmasta R. and **Prakash I.** Novel pentafluorophenyl hypervalent iodine reagents,877
Moriarty R.M.,Vaid R.K.,Duncan M.P. and **Vaid B.K.** Oxidative rearrangement of alkynes to carboxylic acid esters by [hydroxy(tosyloxy)iodo]benzene in methanol,2845
Moriarty R.M.,Penmasta R. and **Prakash I.** Synthesis of 1,4-diketones by the coupling reaction of trimethylsilyl enol ethers with lead tetraacetate,873
Morikawa T.,Nishiwaki T.,Iitaka Y. and **Kobayashi Y.** Radical cyclization to fluorinated double bonds: 5-exo ring closure of bromoacetals derived from fluoroallyl alcohols,671
Morimoto S see Murakami T. 321
Morimoto T see Chiba M. 3675
Morita H see Dolence E.K. 43
Morita N see Hayashi T. 3693, see Sotokawa H. 5873, see Tajiri A. 6465
Moritake M.,Ueda K. and **Mori I.** Two phenazine derivatives, polycartine A and B from Idesia polycarpa maxim (flacourtiaceae),1425
Moritani Y see Iwata C. 3135, 2255, 3131
Mormann W. and **Hissmann E.** Selektive Reaktionen von Isocyanatocarbonsäurechloriden mit silylierten Alkoholen und Aminen: eine einfache Synthese von Isocyanatocarbonsäureestern und -amiden,3087
Morrow G.W. and **Swenton J.S.** Spiroannulated cyclohexa-2,5-dienones via electrooxidation of p-aryl phenols a novel mode of anodic carbon-carbon bond formation,5445
Mortier J see Joucla M. 2973, 2975
Mortimore M.,Cockerill G.S.,Kocieński P. and **Treadgold R.** A synthesis of pseudogloeosporone,3747
Mortlock S.V see Hull C. 5343
Mosmuller E.W.J see Kloosterman M. 2989
Moss R.A.,Scrimin P.,Bhattacharya S. and **Chatterjee S.** A convenient preparation of 1,2-diacylglycerols; o-iodobenzoyl as a protecting group,5005
Moss R.A.,Scrimin P. and **Rosen R.T.** Chemistry of an acyloxyiodinane, the intermediate in iodosobenzoate catalyzed cleavage of active esters,251
Moss R.A.,Fan H.,Hadel L.M.,Shen S.,Wlostowska J.,Wlostowski M. and **Krogh-Jespersen K.** Chloroacrylonitrile, a detector substrate for carbene nucleophilicity; applications to phenylhalocarbenes,4779
Moss R.A.,Wilk B.K. and **Hadel L.M.** The fragmentation of benzyloxychlorocarbene: formation of benzyl cation,1969
Mosset P see Morey J. 2959
Mountford P see Guy R.G. 117
Mouriño A see Castedo L. 2099, 4589
Mrozik H see Shih T.L. 6015
Müller D.G see Boland W. 307
Müller G see Gleiter R. 1985
Muchow G.,Vannoorenberghe Y. and **Buono G.** Use of alkaloids and aminoalcohols in catalytic asymmetric induction: temperature effect on the addition of diethylzinc to benzaaldehyde,6163
Muchowski J.M. and **Scheller M.E.** Synthesis of 4-acylindoles via 2-(2-phenylsulfinylvinyl)-pyrrole,3453
Muckensturm B see Pflieger D. 1519
Mukerjee S.K see Dureja P. 895
Mukherjee D see Bhattacharyya S. 2431
Mullah K.B. and **Sutherland J.K.** The conversion of 2-acetylquinizarin into anthracyclines,2065
Mullen D.G. and **Barany G.** A new fluoridolysable anchoring linkage for orthogonal solid-phase peptide synthesis: preparation and properties of the N-(3 or 4)-[[[(4-hydroxymethyl)-phenoxy-t-butylphenyl]-silyl]phenyl]pentanedioic acid, monoamide (PBS) handle[1-3],491
Munro M.H.G see Blunt J.W. 1825
Murahashi S.-I and **Shiota T.** Selenium dioxide catalyzed oxidation of secondary amines with hydrogen peroxide. Simple synthesis of nitrones from secondary amines,2383
Murahashi S.-I.,Imada Y. and **Hirai Y.** Rhodium catalyzed hydrogenation of nitrogen heteroaromatics under water gas shift conditions. Selective synthesis of 1,2,3,4-tetrahydroquinolines and N-formyl-1,2,3,4-tetrahydroisoquinolines,77
Murahashi S.-I. and **Shiota T.** Short-step synthesis of amino acids and N-hydroxyamino acids from amines,6469

Murai S see Ogawa A. 3271
Murakami N see Yoshikawa M. 2029
Murakami T.,Harata K. and **Morimoto S.** Regioselective sulfonation of a secondary hydroxyl group of cyclodextrins,321
Muralidharan K.R see Back T.G. 1737
Murata M.,Kumagai M.,Lee J.S. and **Yasumoto T.** Isolation and structure of yessotoxin, a novel polyether compound implicated in diarrhetic shellfish poisoning,5869
Murata S see Kawada Y. 445
Murata S. and **Suzuki T.** Cyclization of olefinic alcohol by benzeneselenenyl triflate,4297
Murata S. and **Suzuki T.** Stereoselective formation of tetrahydrofuran and -pyran by benzeneselenenyl triflate,4415
Murata T see Yoshida J. 1234, 211
Muratake H. and **Natsume M.** Total synthesis of lyngbyatoxin A (teleociden A-1) and teleocidin A-2,2265
Mure M see Itoh S. 3975
Murphy P.J.,Procter G. and **Russell A.T.** Stereoselective aldol reactions via titanium enolates,2037
Murthy A.N see Mehta G. 1467
Murthy K see Hassner A. 683
Murthy K.S.K see Hassner A. 4097
Murthy K.S.K. and **Hassner A.** Fused β-lactams via intramolecular dipolar cycloaddition,97
Murthy R.S.S see Jaeger D.A. 4805
Musigmann K.,Mayr H. and **de Meijere A.** Addition reactions of the trichlorocyclopropenylium ion with alkenes: a novel access to cyclopropene- and cyclopropenone derivatives,4517
Muzaffar A see Malik S. 163
Muzart J see Piva O. 4825
Muzart J. Chromium^{VI} oxide -70% tert.butyl hydroperoxide, a simple catalytic system for oxidation of alcohols to carbonyl compounds,2133
Muzart J. Practical chromium^{VI} oxide-catalyzed benzylic oxidations using 70% tert-butylhydroperoxide,2131
Muzart J. Synthesis of unsaturated carbonyl compounds via a chromium-mediated allylic oxidation by 70% tert.butylhydroperoxide,4665
Mwesigye-Kibende S see Carless H.A.J. 5933
Myers A.G. Proposed structure of the neocarzinostatin chromophore-methyl thioglycolate adduct; a mechanism for the nucleophilic activation of neocarzinostatin,4493
Myers P.L see Hutchinson J.H. 1313
Mysorekar S.V see Rama Rao A.V. 2183

Májera C see Corey E.J. 3547
Nabeshima T.,Inaba T. and **Furukawa N.** Transition metal induced selective alkaline metal ion transport by a synthetic iono-'hore with double recognition sites for metals,6211
Nadzan A.M see Shue Y.-K. 3225
Nagabhushan T.L see McCombie S.W. 5395
Nagai H see Fujii M. 1435
Nagakura N see Stadler R. 1251
Nagamatsu T.,Kawano C.,Orita Y. and **Kunieda T.** Highly stereocontrolled photodimerization of tetramethyluracil by smectic liquid crystalline phase,3263
Nagamatsu T. and **Kunieda T.** New phosphorylating agents for general synthesis of mixed phosphate esters,2375
Naganathan S see Engler T.A. 5267
Nagao Y see Arimoto M. 6289
Nagaoka H.,Kobayashi K.,Okamura T. and **Yamada Y.** Asymmetric sequential Michael reaction: synthesis of optically active bicyclo[2.2.2]octane derivatives,6641
Nagaoka H.,Kobayashi K.,Matsui T. and **Yamada Y.** Total synthesis of (±)-sanadaol,2021
Nagasawa J see Araki Y. 5853
Nagata R see Corey E.J. 4917, 5391, see Saito I. 1909
Nagato S see Horita K. 3253
Naidorf S see Hassner A. 1114
Nair M.S see Burke S.D. 4143, 4147
Najem T.S see Isaacs N.S. 3043
Najera C. and **Yus M.** (E)-4-lithio-4-tosylbutenone dimethyl ketal: a new β-acylvinyl,6709
Naka K see Tabushi I. 4299
Nakae T see Yoshikawa M. 2029
Nakagawa M.,Hamamoto Y.,Ishihama N.,Hamasaki S. and **Endo M.** Pharmacologically active homosesterterpenes from palauan sponges,431
Nakagawa M.,Kodato S.,Nakayama K. and **Hino T.** Total synthesis and determination of absolute configuration of cerebroside B_{1_b} and its stereoisomers,6281
Nakahara Y see Shimizu M. 1677
Nakahara Y. and **Ogawa T.** A highly efficient, practical and stereoselective approach to the synthesis of α 1→4 linked galactooligosaccharides,2731
Nakahira H see Ozaki S. 4691, see Watanabe Y. 4179
Nakai T see Mikami K. 5879, see Teshima T. 4705
Nakajima M see Tomioka K. 1291
Nakajima S see Arai K. 441
Nakajima T see Hashimoto Y. 3511, see Teshima T. 3509
Nakajo E see Ito Y. 2247
Nakamura E.,Sekiya K. and **Kuwajima I.** Chiral zinc homoenolate of methyl isobutyrate. A new building block for the synthesis of chiral α-methylesters,337
Nakamura H see Kobayashi J. 4939
Nakamura H.,Deng S.,Kobayashi J.,Ohizumi Y.,Tomotake Y.,Matsuzaki T. and **Hirata Y.** Keramamine-A and -B, novel antimicrobial alkaloids from the Okinawan marine sponge Pellina sp.,621
Nakamura K see Ienaga K. 4587, 1285
Nakamura T see Hirota H. 435, see Yoshifuji M. 6325
Nakanishi K see Park M.H. 3823
Nakashima H see Yamaguchi M. 1785
Nakata T.,Hata N.,Iida K. and **Oishi T.** Determination of stereostructure of naturally occurring α,β-unsaturated δ-lactone derivatives through a stereoselective synthesis,5661
Nakatani K see Isoe S. 5865
Nakatani K. Synthesis of 2-indanones by intramolecular insertion of α-diazoketones,165
Nakatani M see Akiba K. 3367
Nakatani Y see Diyizou Y.L. 5743
Nakatsuka S.,Masuda T. and **Goto T.** Total syntheses of (±)-teleocidin B-3 and B-4,3671
Nakayama J.,Akimoto K.,Niijima J. and **Hoshino M.** Generation and dienophilic reactivity of α-oxoseleneoaldehydes and ketones,4423
Nakayama J.,Yamaoka S. and **Hoshino M.** Stereoselective synthesis of erythro- and threo-1,2-diols from diketo sulfides via cis-3,4-dihydroxythiolanes,1799
Nakayama K see Nakagawa M. 6281
Nanekata N see Takahashi K. 5683
Nanen A.M see Giguere R.J. 6553
Nanri H see Fukuoka S. 6205
Naoki H see Kubo I. 921
Narayanan B.A. and **Bunnelle W.H.** The cerium mediated conversion of esters to allylsilanes,6261
Nargund R.P see Spohn R.F. 2491
Narisano E see Guanti G. 4331, 4335
Naruta Y. and **Maruyama K.** Cytochrome P-450 modelling oxygenation of olefins within the space-restricted cavity of iron "BINAP porphyrin": rate enhacement in the presence of imidazole,4553
Nash S.A. and **Gammill R.B.** The synthesis of 2- and 3-fluorokhellin,4003
Natchus M see Fleming A. 167
Natchus M.G see Hudlicky T. 5287
Nativi C.,Taddei M. and **Mann A.** A regioselective synthesis of 2-tributylstannyl-1,3-dienes,347
Nativi C.,Ricci A. and **Taddei M.** A simple synthesis of 1-trimethylsilyl-2,3-dienes,2751
Natsume M see Muratake H. 2265, see Ogawa M. 3985
Naya K see Xu Y. 499
Neamati-Mazraeh N. and **McManus S.P.** Anchimeric assistance in solvolysis of haloalkylphosphines,837
Nedelec J.Y see Folest J.C. 1885
Neeland E.,Ounsworth J.P.,Sims R.J. and **Weiler L.** Stereoselective reductions and alkylations of 14-member ring macrolides,35
Negishi E.,Zhang Y. and **Bagheri V.** Highly stereoselective synthesis of exocyclic alkenes via cyclialkylation,5793
Negishi E.,Swanson D.R.,Cederbaum F.E. and **Takahashi T.** Zirconium-promoted bicyclization of enynes. Effects of enyne structure,917
Negre M see Guy A. 2969
Negri D.P. and **Kishi Y.** A total synthesis of polyether antibiotic (-)-A23187 (calcimycin),1063
Neilson R.H see Boyd B.A. 6121
Nelson C see Moriarty R.M. 749
Nelson D.J.,Cooper P.J. and **Coerver J.M.** A comparison of the relative reaction rates of alkenes toward hydroboration and toward oxymercuration,943
Nelson K.A see Mash E.A. 1865
Netscher T.,Schwesinger R.,Trupp B. and **Prinzbach H.** Tert-butyl- and 2,2,2-trifluoro-1,1-diphenylethane-sulfonates - hindrance of S-O-scisson in S_N2-substitution reactions,2115
Neumann J.M see Guerra F.I. 3581
Neumann W.L see Sworin M. 3217
Neumann W.P.,Michels E. and **Köcher J.** 1,4-Addition versus 1,2-addition of free germylenes Me_2Ge to 1,3-dienes,3783
Newcomb M. and **Kaplan J.** Rate constants and arrhenius function for scavenging of octyl radical by an N-hydroxy-pyridine-2-thione ester,1615
Ng S.C see Baldwin J.E. 2303, 4319, 3745
Ngoviwatchai P see Russell G.A. 6113
Nguyen C.-D see Zamir L.O. 3059
Niak U.S.,Paknikar S.K.,Bates R.B. and **Camou F.A.** The bromination product of santonic acid in wet chloroform,5641

Nicholas K.M see Dieter J.W. 5415
Nicolaou K.C.,Hwang C.-K.,Duggan M.E. and **Reddy K.B.** Thermal cycloadditions of dimethyl acetylenedicarboxylate with cyclic enolethers. An entry into medium size oxocyclic systems,1501
Nicoletti R see Botta M. 5539
Nielsen R.B see Buchwald S.L. 3895
Nieminen T.E.A. and **Hase T.A.** Selective reduction of ketones with sodium borohydride-acetic acid,4725
Nihira T see Makita A. 805
Nii K see Itoh S. 3975
Nii Y see Okawara H. 2597
Niibo Y see Otera J. 2147
Niijima J see Nakayama J. 4423
Niitsuma S.,Ichikawa Y.,Kato K. and **Takita T.** Studies on the total synthesis of oxetanocin; I. the first synthesis of a nucleoside having oxetanosyl-N-glycoside,3967
Niitsuma S.,Ichikawa Y.,Kato K. and **Takita T.** Studies on the total synthesis of oxetanocin; II. Total synthesis of oxetanocin,4713
Nishi T see Tone H. 4569
Nishiguchi T.,Machida N. and **Yamamoto E.** Dehydration of alcohols catalyzed by copper(II) sulfate absorbed on silica gel,4565
Nishii M see Nohara F. 1287
Nishikawa N see Kobiro K. 5578, 3825
Nishikawa T see Isobe M. 6485
Nishimura A see Nokami J. 649
Nishimura S see Ito Y. 1293
Nishinaga A.,Yamazaki S. and **Matsuura T.** New alkenyl-cobalt(III) complexes from oxidative denitrogenation of hydrazones by cobalt Schiff base complex-dioxygen system,6309
Nishitani K. and **Yamakawa K.** A facile synthesis of bicyclic α-methylene-γ-lactones by intramolecular cyclization of allyl-silylated aldehydes,655
Nishiwaki T see Morikawa T. 671
Nishiyama K see Kusumi T. 3981
Nishiyama Y see Ogawa A. 3271
Nishizawa M see Yamada H. 4315
Nitta H see Hatanaka M. 69
Nivard R.J.F see Feenstra R.W. 1215, see Scheeren J.W. 1821
Niwa M see Shizuri Y. 3831
Niwa S see Soai K. 4841
Njar V.C.O. and **Caspi E.** Enzymatic transesterification of steroid esters in organic solvents,6549
Nógrádi M.,Vermes B. and **Kajtár-Peredy M.** The constitution of riccardin B,2899
Noblat S.,Dietrich-Buchecker C.O. and **Sauvage J.-P.** Synthesis of an oblique bis-porphyrin system containing a 1,10-phenanthroline spacer,5829
Nobori T see Hayakawa Y. 2623, 2259
Nohara F.,Nishii M.,Ogawa K.,Isono K.,Ubukata M.,Fujii T.,Itaya T. and **Saito T.** Synthesis of guanine 7-oxide, an antitumor antibiotic from Streptomyces species,1287
Nohara T see Kinjo J. 3697
Nokami J.,Nishimura A.,Sunami M. and **Wakabayashi S.** Facile formation of 4-hydroxyalk-2-enone functionality,649
Nomoto K see Fujikawa S. 4699, see Maeda M. 633
Nomura M see Kawazoe Y. 4307
Nonoshita K see Maruoka K. 5723
Norbeck D.W. and **Kramer J.B.** Synthesis of azacyclic 2-deoxy-KDO,773
Norman T.C see Shen G.-Y. 2917
Normant J.F see Mangeney P. 2363, see Tellier F. 3335
Norte M. and **Fernández J.J.** Isolation and synthesis of aplysinadiene, a new rearranged dibromotyrosine derivative from Aplysina aerophoba,1693
North M see Baldwin J.E. 3167
Notermans S see Veeneman G.H. 6695
Nouguier R see Gras J.-L. 6601
Nouguier R. and **Medani C.** Alkylation directe et totale de sucres (pyrannosides) par catalyse par transfert de phase,319
Novi M.,Petrillo G. and **Dell'Erba C.** An $S_{RN}1$ approach to some aromatic nitriles *via* diazosulfides,1345
Nowak M.J see Bryce M.R. 4465
Nowakowska J see Vinick F.J. 741
Noyori R see Hayakawa Y. 2259, 2623, see Kitamura M. 4829, 4719
Nozaki H see Sato T. 6299
Nozaki K see Ichinose Y. 3709
Nozawa K see Arai K. 441
Nuber B see Gleiter R. 195, see Märkl G. 2119

O'Connor B. and **Just G.** A method for the conversion of aldehydes to methyl esters using pyridinium dichromate and methanol in dimethylformamide,3235
O'Connor N see Lygo B. 3597
O'Connor S see Comins D.L. 1843
O'Kane G.A see Boyd D.R. 6395
O'Mahony M.J see Brimble M.A. 4891
O'Malley G.J. and **Cava M.P.** Tremorgenic mycotoxins: synthesis of 6-demethoxy-fumitremorgin C,1131
O'Neill P see Hegarty A.F. 901
Oare D.A. and **Heathcock C.H.** Erratum,1354
Obara T see Shin C. 3827
Obi K see Hayakawa H. 87
Ochiai M see Arimoto M. 6289
Ochiai Y see Kobayashi Y. 3959
Oda K see Suemune H. 3373
Oda M see Iyoda M. 625, see Okada K. 3819
Odaira Y see Kobiro K. 5578, 3825, see Tobe Y. 2861, see Ue M. 3979
Oduwole D see Bushby R.J. 6501
Oehlschlager A.C see Stokes T.M. 2091
Officer D.L see Butler D.N. 6507
Ogasawara K see Takano S. 3991, 1783
Ogasawara T see Watanabe Y. 2607
Ogata K see Ruangrungsi N. 3679
Ogata T see Matsumoto K. 5707
Ogawa A.,Nishiyama Y.,Kambe N.,Murai S. and **Sonoda N.** Selenium, carbon monoxide, and water as a new reduction system: reductive cleavage of disulfides and diselenides to thiols and selenols,3271
Ogawa K see Nohara F. 1287
Ogawa M.,Kitagawa Y. and **Natsume M.** A high yield cyclization reaction for the framework of aspidosperma alkaloids synthesis of (±)-kopsinine and its related alkaloids,3985
Ogawa S see Tadano K. 2741
Ogawa T see Idaka E. 1901, see Ito Y. 6221, 4701, 2723, see Nakahara Y. 2731
Ogilvie K.K see Damha M.J. 1633
Ogoshi H see Aoyama Y. 2143, 4853
Ogura F see Hu N.X. 1281
Ogura K.,Uchida T.,Tsuruda T. and **Takahashi K.** A novel preparation of 3-methylthio-2-oxopropanal acetals using methylthiomethyl p-tolyl sulfone,5703
Oh S.Y see Cha J.S. 2389, 4575
Ohashi Y see Idaka E. 1901, see Tsuji J. 2397
Ohba S see Shizuri Y. 3831
Ohfune Y see Sakaitani M. 3987
Ohizumi Y see Kobayashi J. 4939, see Nakamura H. 621
Ohno M see Kamiyama K. 3123, see Koyama H. 2863
Ohsaki M see Matsumoto T. 4419
Ohshiro Y see Itoh S. 3975
Ohta H see Kato Y. 1303, see Okuma K. 6649
Ohtani I see Kusumi T. 3981
Ohuchi M see Furihata K. 3353
Olarbide M see Aizpurua J.M. 5365, 5361
Oikawa Y see Horita K. 3253, see Tone H. 4569
Oishi T see Nakata T. 5661
Ojima I see Brandstadter S.M. 613
Okada E see Hojo M. 6199
Okada K.,Semizo F. and **Oda M.** Photochemical reactions of (9-anthryl)methyl methyl fumarate and maleate: application to asymmetric [4+2]-photocycloaddition reaction,3819
Okada T see Isoe S. 5865
Okada Y see Kuroboshi M. 3501, see Tabushi I. 2269, see Yamamura K. 6475
Okamoto K see Komatsu K. 5889
Okamoto K.T. and **Clardy J.** Studies on a biomimetic approach to aerothionin and psammaplysin-A,4969
Okamoto S see Kitano Y. 6351, see Kobayashi Y. 3959
Okamoto S.,Shimazaki T.,Kobayashi Y. and **Sato F.** A highly efficient syunthesis of γ-halo allylic alcohols and propargylic alcohols with high optical purity. Practical method for synthesis of the prostaglandin ω-chain,2033
Okamoto Y see Aoyama Y. 4853
Okamura T see Nagaoka H. 6641
Okamura W.H see Aurrecoechea J.M. 4947, see de Lera A.R. 2921, see Gibbs R.A. 6021, see Shen G.-Y. 2917, see Theobald P.G. 6565
Okawara H.,Nii Y.,Miwa A. and **Sakakibara M.** An approach to stereoselective formation of glycinoeclepin a side chain,2597
Okawara M see Watanabe Y. 3953
Okazoe T see Takai K. 1443
Okinaga T see Tomooka K. 6335
Okinaka T see Akiba K. 3367
Oku A see Harada T. 4847, 4181, 4843
Okubo T see Utaka M. 1447
Okuma K.,Sakata J.,Tachibana Y.,Honda T. and **Ohta H.** Stereoselective synthesis of trans olefins by the reaction of Wittig reagents with selenium. Formation of selenocarbonyl compounds,6649
Okunaka R see Tamura Y. 3971
Okuno Y see Shizuri Y. 6661
Okura S see Sato T. 6299
Olsen R.J see Burke S.D. 3905
Omori Y see Harusawa S. 4189
Ono N.,Hashimoto T.,Jun T.X. and **Kaji A.** Ionic denitrohydrogenation of α-nitro or ß-nitro sulfides with triethylsilane,2277
Ono S see Yamamura K. 6475
Onomura O see Shono T. 4073
Ooi T see Kusumi T. 4695
Ooms P. and **Hartmann W.** Carbonylylide als Zwischenstufen der Photoreacktion aromatischer Ketone mit Halogenketenacetalen,4271
Ooms P. and **Hartmann W.** Orientierungsphänomene bei der photochemischen [2+2]-Cycloaddition von Thiocarbonyl-

verbindungen an Ketenacetale,2701
Oplinger J.A. and **Paquette L.A.** Synthesis of the Forskolin skeleton via anionic oxy-cope rearrangement,5441
Orahovats A.S see Trifonov L.S. 3391
Oren D see Gutman A.L. 5367
Orfanopoulos M.,Foote C.S. and **Saonou I.** Stereochemical dependence of isotope effects in the ene reaction of N-phenyl-1,2,4-triazoline-3,4-dione with isomers of butene-d_8,15
Orita Y see Nagamatsu T. 3263
Ortar G see Cacchi S. 3039
Ortiz M.J see Armesto D. 4605
Ortiz P see Alvarez-Ibarra C. 6667
Ortuño R.M.,Batllori R.,Ballesteros M.,Monsalvatje M.,Corbera J.,Sánchez-Ferrando F. and **Font J.** Chiral butenolides in Diels-Alder cycloadditions with isoprene and cyclopentadiene,3405
Osakada K.,Yamamoto T. and **Yamamoto A.** Decarbonylation of thiol esters to give sulfides promoted by transition metal complexes,6321
Osawa E see Mehta G. 1295
Oshima K see Fugami K. 809, see Ichinose Y. 3709
Oshima Y.,Bagchi A.,Hikino H.,Sinha S.C.,Sahai M. and **Ray A.B.** Withametelin, a hexacyclic withanolide of Datura metel,2025
Ota Y see Kimura I. 1921
Otake N see Seto H. 3357
Otani H see Machiguchi T. 203
Otera J see Sato T. 6299
Otera J.,Niibo Y. and **Aikawa H.** The efficient consecutive β-carboxylation and α-alkylation of cyclic α,β-enones; a new route to sarkomycin,2147
Otsubo K.,Inanaga J. and **Yamaguchi M.** A highly stereoselective conversion of α,β-epoxy esters to α-hydroxy esters. An efficient route to optically active α-hydroxyesters,4435
Otsubo K.,Inanaga J. and **Yamaguchi M.** SmI_{OOAc}-Induced highly regioselective reduction of α,β-epoxy esters and γ,δ-epoxy-α,β-unsaturated esters. An efficient route to optically active β-hydroxy and δ-hydroxy esters,4437
Otsubo T see Hu N.X. 1281
Ottenheijm H.C.J see Feenstra R.W. 1215
Otto H.-H see Richter F. 2945
Ouazzani-Chahdi J.,Buisson D. and **Azerad R.** Preparation of both enantiomers of a chiral lactone through combined microbiological reduction and oxidation,1109
Ounsworth J.P see Neeland E. 35
Ourisson G see Diyizou Y.L. 5743
Owczarczyk Z see Makosza M. 3021
Owen N.D.S see Clark J.H. 3627
Ozaki S see Watanabe Y. 2607, 4179
Ozaki S.,Kondo Y.,Nakahira H.,Yamaoka S. and **Watanabe Y.** Synthesis of D-myo-inositol 1,3,4,5-tetrakisphosphate,4691

Padwa A see McCombie S.W. 4127
Padwa A.,Tomioka Y. and **Venkatramanan M.K.** A study of the 5-exo methylene-isoxazolidine to 3-pyrrolidinone rearrangement,755
Padwa A.,Bullock W.H. and **Dyszlewski A.D.** Allylic 1,3-rearrangement of thiophenyl substituted sulfones,3193
Padwa A. and **Stull P.D.** Carbonyl ylide formation from the rhodium (II) acetate catalyzed reaction of a α-diazoketone,5407
Padwa A.,Kline D.N. and **Perumattam J.** Isoxazoline oxidation. An efficient method for the preparation of α,β-unsaturated carbonyl compounds,913
Padyukova N.Sh.,Karpeisky M.Ya.,Kolobushkina L.I. and **Mikhailov S.N.** A new scheme for the synthesis of 5'-nucleotide phosphonate analogs,3623
Page P.C.B.,Rosenthal S. and **Williams R.V.** Acyl silanes as synthetic intermediates: formation of acyl anions and unusual fluoride-initiated silicon to carbon alkyl group migration,4455
Pagni R.M see Stewart L.J. 4497
Païs M.,Fontaine C.,Laurent D.,La Barre S. and **Guittet E.** Stylotelline, a new sesquiterpene isocyanide from the sponge Stylotella sp. Application of 2D-NMR in structure determination,1409
Paike N see Liu M.T.H. 3763
Paknikar S.K see Niak U.S. 5641
Pakrashi S.C see Chakravarty A.K. 4753
Palacios F see Barluenga J. 4327, 2875
Palazzino G see Colotta V. 5165
Pale P see Cossy J. 6039
Pale P. and **Chuche J.** Silver assisted heterocyclization of acetylenic compounds,6447
Palomo C see Aizpurua J.M. 5365, 5361, see Cossío F.P. 1945
Palumbo P.,d'Ischia M.,Crescenzi O. and **Prota G.** Isolation of a new intermediate in the oxidative conversion of 5,6-dihydroxy-indole-2-carboxylic acid to melanin,467
Pan H see Li X. 3699
Pancrazi A see Ardisson J. 1997, 2001, 3050
Pandey G.,Krishna A. and **Kumaraswamy G.** Photosensitized (SET) conversion of 2'hydroxychalcones to flavonoids a probable biogenetic pathway,4615
Pandey G.,Kumaraswamy G. and **Krishna A.** Photosensitized single electron transfer oxidation of N-hydroxylamines: a convenient synthesis of cyclic nitrones,2649
Panek J.S. and **Sparks M.A.** Fluoride ion mediated conjugate addition reactions of 1-acyloxy-2-propenyl trimethylsilane. Synthesis of 3-(1-acyloxy-2-propenyl)alkanones,4649
Pansegrau P.D see Paquette L.A. 4965
Pantaloni A see Jouin P. 1665, 1661
Panunzio M see Battaglia A. 4347, see Cainelli G. 3593, 5369
Paquette L.A see Oplinger J.A. 5441, see Schlecht M.F. 4354
Paquette L.A.,Dressel J. and **Pansegrau P.D.** 9,10-Dimethylene-tricyclo[5.3.0.$0^{2,6}$]deca-3,5-diene,4965
Paquette L.A. and **Trova M.P.** Belting of the cyclooctatetraene ring across the transannular 1- and 5-positions,2795
Paquette L.A.,Romine J.L. and **Lin H.-S.** Diastereoselective π-facially controlled nucleophilic additions of chiral vinylorgano-metallics to chiral β,γ-unsaturated ketones - II. A practical method for stereo-controlled elaboration of the decahydro-as-indacene subunit of ikarugamycin,31
Paquette L.A.,Lin H.-S. and **Gallucci J.C.** Preparation and X-ray crystal structure analysis of a stable trimethylsilyloxy epoxide,1363
Paquette L.A.,Lin H.-S. and **Coghlan M.J.** Total synthesis of (±)-sterpuric acid,5017
Paquette L.A. and **Kobayashi T.** Unusual course of the chromate oxidation of secododecahedrene and its monoepoxide,3531
Paredes M.C see Fariña F. 4109
Park G see Walkup R.D. 1023
Park J.H see Kim S. 439
Park M.H see Han B.H. 3957
Park M.H.,Takeda R. and **Nakanishi K.** Microscale cleavage reaction of (phenyl)benzyl ethers by ferric chloride,3823
Parkanyi L see Williams D.E. 5079
Parker D see Matthes K.E. 5573
Parker D.A see Lipshutz B.H. 945
Parra T see de Pascual Teresa J. 821
Parrilli M see Monaco P. 4609
Parry K.P see Ashton P.R. 6367
Partyka R.A see Kim C.U. 507
Parvez M see Feldman K.S. 607
Pascal R.A.,Jr. and **Van Engen D.** The solid state structure of 9,11,20,22-tetraphenyltetrabenzo[a,c,l,n]pentacene-10,21-dione: a longitudinally twisted molecular ribbon,293
Pascard C see Jazwinski J. 3489, 6057
Pasqualini R see Vincens M. 1259
Pasquato L see Adam W. 311
Passerat N. and **Bolte J.** Large-scale enzymatic syunthesis of diastereoisomeric Y-hydroxy L-glutamic acids,1277
Patel A see Galpin I.J. 6517
Patel B.P see Swindell C.S. 5275
Patel D.V see Bold G. 1973
Patel M see Boger D.L. 2499
Patel M.G see Hegde V.R. 4485
Patel V.F see Coveney D.J. 5949
Patel V.F. and **Pattenden G.** Radical reactions in synthesis. Homolysis of alkyl cobalt salophens in the presence of radical trapping agents,1451
Paterson I see Goodman J.M. 5209
Paterson I. and **McClure C.K.** Studies in macrolide synthesis: aldol condensations of chiral ethyl-ketones via boron enolates,1229
Paterson I.,Boddy I. and **Mason I.** Studies in polyether synthesis using polyepoxide cyclisations,5205
Patil D.G see Lim M.-I. 3775
Patin H see Larpent C. 2507
Pattenden G see Begley M.J. 1317, see Coveney D.J. 5949, see Forbes J.E. 2771, see Hutchinson J.H. 1313, see Patel V.F. 1451
Pattenden G.,Pegg N.A. and **Kenyon R.W.** Synthesis of grevillins and their biogenetic interrelationship with terphenylquinones, xylerythrins and pulvinic acids,4749
Pattenden G. and **Robson D.C.** Total synthesis of prolycopene,5751
Pattersson L.,Frejd T. and **Magnusson G.** An enantiospecific synthesis of a taxol A-ring building unit,2753
Paul V.J see Bittner M. 4031
Pawar S.M see Gurjar M.K. 1327
Pérez C see Clardy J. 6699
Pérez R see Clardy J. 6699, see Estrada D.M. 687
Pérez R.A see Arjona O. 5549
Pérez S see Arjona O. 5547
Pétrier C see de Souza-Barboza J.C. 2013
Peach J.M see Austin G.N. 4741

Pearson A.J.,Blystone S.L. and **Roden B.A.** Chiral recognition during the reaction between diene-$Mo(CO)_3Cp$ cations and enolate nucleophiles bearing chiral auxiliaries,2459
Pedersen J.A see Fuhlendorff R. 5335
Pedulli G.F see Alberti A. 3737
Peek R.J see Blade R.J. 3857
Pegg N.A see Pattenden G. 4749
Pegler M.A see Crossley M.J. 2883
Peloman B see Bergman J. 4441
Pelczer I see Frank J. 2759
Pellerin B.,Guenot P. and **Denis J.-M.** Methylidenephosphine,5811
Pelletier S.W see Kulanthaivel P. 3883
Pelter A.,Rowlands M. and **Jenkins I.H.** Novel synthesis of hetero-aromatic containing electro-active polyaromatics of known linkages, order, topicity and stoichimetry,5213
Pelter A. and **Rowlands M.** The conversion of furans to 2(3H)-butenolides,1203
Peña M.R. and **Stille J.K.** Attachment of the anthramycin acrylamide side chain by the palladium catalyzed coupling reaction of a vinyl triflate,6573
Penmasta R see Moriarty R.M. 877, 873
Pennings Y see Westerduin P. 1557
Peperzak R see Scheeren J.W. 1821
Perales A see Freire R. 981
Perdomo G.R. and **Krepinsky J.J.** A glycosylation reaction: conversion of methyl glycosides to glycosyl chlorides by boron trichloride,5595
Perera S.A.R see Chaloner P.A. 3013
Pereyre M see Dumartin G. 3935
Perez E.,Alandis N.,Laval J.P.,Rico I. and **Lattes A.** Influence du formamide sur la stereochimie de la reaction de polymerisation du norbornene, amorcee par $RuCl_3$, $3H_2O$,2343
Periasamy M see Satyanarayana N. 2633
Perich J.W. and **Johns R.B.** A new, convenient and efficient general procedure for the conversion of alcohols into their dibenzyl phosphorotriesters using N,N-diethyl dibenzyl phosphoramidite,101
Perichon J see Folest J.C. 1885, see Sibille S. 55
Perjési P.,Szabó D.,Batta G. and **Földesi A.** The stereochemistry of reaction of 2-benzylidene-cyclohexanone with dithiocarbamic acid,571
Perlman K.L see Kutner A. 6129
Perly B.,Bossennec V.,Berthault P. and **Petitou M.** New tools for proton NMR analysis: one-dimensional multiple relay magnetization transfers. Application to iligosaccharides,3331
Perri C see Zieger H. 5989
Perri S.T. and **Moore H.W.** Synthesis of lonapalene,4507
Perrot M see Corriu R.J.P. 3941
Persons P.E see Reddy K.S. 3075
Perumattam J see Padwa A. 913
Perun T.J.,Jr see Lash T.D. 6265
Pete B see Quin L.D. 5783
Pete J.-P see Piva O. 4825
Pete J.P see Cossy J. 4547, 4545
Peters E.-M see Christl M. 6433, see Hegmann J. 6429, see Königstein V. 3483, see Tochtermann W. 2521
Peters K see Christl M. 6433, see Hegmann J. 6429, see Königstein V. 3483, see Tochtermann W. 2521
Peters U see Berlage U. 3091
Peterson G.A.,Kurng F.-A.,McCallum J.S. and **Wulff W.D.** Palladium catalyzed reduction of aryl triflates - utilization in the synthesis of angelicin, olivin and chromomycinone from phenols produced in the banzannulation reaction of chromium carbene complexes,1381
Peterson J.R.,Egler R.S.,Horsley D.B. and **Winter T.J.** Manganese(III) mediated radical cyclization. I. Factors affecting phenol and cyclopentanone synthesis,6109
Petit Y see Larchevêque M. 1993
Petitou M see Perly B. 3331
Petragnani N see Comasseto J.V. 5611
Petrier C. and **Luche J.-L.** Ultrasonically improved reductive properties of an aqueous Zn-$NiCl_2$ system-2. Regioselectivity in the reduction of (-)-carvone,2351
Petrier C. and **Luche J.-L.** Ultrasonically improved reductive properties of an aqueous Zn-$NiCl_2$ system-1 selective reduction of α,β-unsaturated carbonyl compounds,2347
Petrillo G see Novi M. 1345
Petzoldt K see Lis R. 1487
Pevarello P see Burdisso M. 1225
Pfau M see Volpe T. 2367
Pflaum S see Märkl G. 1511
Pflieger D.,Muckenstura B.,Robert P.C.,Simonis M.-T. and **Kienlen J.-C.** Synthesis of the furo-pyran moiety of azadirachtin,1519
Pham T.N see Ashby E.C. 3197, 3183
Phelan J see Strauss M. 6009
Phelps M.E see Kutner A. 6129
Phillips J.K.,Miller S.P.F.,Andersen J.F.,Fales H.M. and **Burkholder W.E.** The chemical identification of the granary weevil aggregation pheromone,6145
Phillips N.J.,Cole R.J. and **Lynn D.G.** Talaromycins C,D,E, and F,1619
Picard C see Leygue N. 4049
Picard J.A see Bates D.K. 3535
Piccialli G see Barbato S. 5727, see De Felice V. 2757
Piccialli V see Mayol L. 3601
Picken H.A see Matlin A.R. 5083
Picker K see Blackman A.J. 5561
Picotin G. and **Miginiac Ph.** Activation du zinc par le trimethylchlorosilane: preparation d'alcools β-ethyleniques a partir de bromures α-ethyleniques, de derives carbonyles et de zinc dans l'ether,4551
Pielke M see Garratt P.J. 589
Piering S see Sessler J.L. 6569
Pierini A.B.,Baumgartner M.T. and **Rossi R.A.** Photostimulated reactions of haloarenes with 2-naphthlamide ions. A facile synthesis of 1-aryl-2-naphthylamines,4653
Piers E.,Jean M. and **Marrs P.S.** Synthesis of vinylcyclopropanes via palladium-catalyzed coupling of cyclopropylzinc halides with vinyl iodides. Total syntheses of (±)-prezizanol and (±)-prezizaene,5075
Pietranico S see Knapp S. 5399
Pihlaja K see Füllöp F. 115
Pikul S see Isobe M. 6485
Pikul S.,Kozlowska M. and **Jurczak J.** Total synthesis of (+)-disparlure,2627
Pilipauskas D.R see Campbell A.L. 2331
Pindur U. and **Pleuffer L.** New [4+2]-Cycloadditions of in situ generated indolyl enol ethers as heterocyclic donor-activated 1,3-dienes to carbazole derivatives,3079
Pinheiro R.M see Delle Monache F. 563
Pinon J see Bodo B. 2355
Pinto D.J.P see Tufariello J.J. 5485, 5481
Pitt I.G see Butler D.N. 6507, see Warrener R.N. 6503
Pitteloud R see Baettig K. 5253, 5249
Pittman J.H see Purrington S.T. 3901
Piva O.,Henin F.,Muzart J. and **Pete J.-P.** A very enantioselective photodeconjugation of α,β-unsaturated esters,4825
Pizzabiocca A see Crotti P. 3393
Plackett S.J see Challacombe K. 5767
Planas A.,Tomás J. and **Bonet J.-J.** Spiran isolation in the dienone-phenol rearrangement,471
Plant A see Chadwick D.J. 6085
Plaquevent J.-C see Duhamel L. 5517, see Duhamel P. 2595
Platach H see Adam W. 4407
Platz M.S see Leyva E. 11, see Soundararajan N. 2813
Plaue S. and **Heissler D.** A new preparation of 4-(boc-amino-acyloxymethyl)phenylacetic acids for solid-phase peptide synthesis,1401
Pleuffer L see Pindur U. 3079
Plumet J see Arjona O. 5549, 5547
Plummer B.F. and **Singleton S.F.** The photodimerization of aceanthrylene,4801
Plusquellec D. and **Baczko K.** Erratum,5050
Plusquellec D. and **Baczko K.** Sugar chemistry without protecting groups: a novel regioselective synthesis of 6-O-acyl-D-glucopyranoses and methyl-6-O-acyl-α-D-glucopyranosides,3809
Plusquellec D. and **Lefeuvre M.** Sugar chemistry without protecting groups: a regioselective addition of the primary hydroxyl of mono-saccharides to alkyl-isocyanates,4165
Podder S see Mahato S.B. 5315
Pogrebnoi S.I.,Kalyan Y.B.,Krimer M.Z. and **Smit W.A.** Carrol rearrangement on the surface of chromatographic grade alumina,4893
Pohl H see Eibler E. 1097
Poinderter G.S see Macdonald J.E. 1851
Poirier J.-M. and **Dujardin G.** Reaction des vinylogues d'hemi-acetals et de leurs equivalents synthetiques sur les ethers d'enols heterocycliques,3337
Poisson J see Kunesch N. 3569
Poli N see Flamini A. 2169
Polizzi C see Caporusso A.M. 6073
Pollok T. and **Schmidbaur H.** 2,3-bis(diphenylphosphinyl)-1,3-butadiene via a double [2,3]-sigmatropic rearrangement. A reinvestigation of the reaction of 2-butyne-1,4-diol with chlorodiphenylphosphine,1085
Polniaszek R.P. and **McKee J.A.** Stereoselective reductions of chiral iminium ions,4511
Pommelet J.-C see Dhimane H. 885
Pon R.A see Buist P.H. 3891
Pon R.T. Enhanced coupling efficiency using 4-dimethyl-aminopyridine (DMAP) and either tetrazole, 5-(o-nitrophenyl) tetrazole, or 5-(p-nitrophenyl) tetrazole in the solid phase synthesis of oligoribonucleotides by the phosphoramidite procedure,3643
Ponglux D see Ruangrungsi N. 3679

Pont J.L see Taylor E.C. 379
Pool C.R see Sime J.T. 5169
Poolman J.T see Hoogerhout P. 1553
Popsavin V see Miljković D. 5733
Pornet J see Damour D. 4689
Porta O see Clerici A. 1541
Portella C. and **Izmaden M.** Reactions des esters d'acides 2H-perfluores avec les amines secondaires synthese simple de β-enaminoesters et de β-cetoesters polyfluores,1655
Porter J.R see Garratt P.J. 589, 351
Posner B.A see King J.L. 3919
Posner G.H.,Asirvatham E.,Webb K.S. and **Jew S.** One-pot, four-different-component annulations: flexible and efficient conversion of n-sized cycloalkenones into n+4 alkenolides,5071
Poss A.J. and **Belter R.K.** The total synthesis of delesserine, leucodrin, and dilaspirolactone aglycone,2555
Poss A.J. and **Smyth M.S.** The total synthesis of piptosidin,5469
Potier P see Barton D.H.R. 1413, see Sasaki N.A. 6069
Potter J.J see Crossley M.J. 2883
Potter V.L see Cooke A.M. 2305
Pougny J.R. and **Rollin P.** Synthesis from D-xylose of the salt marsh caterpillar moth pheromone (3Z,6Z,10R)-epoxyheneicosadiene and its (3Z,6E)-stereoisomer,2977
Pouilhès A.,Kouklovsky C.,Langlois N. and **Langlois Y.** α,β-Unsaturated oxazolines and oxazine, useful dienophiles in the Diels-Alder reaction,6183
Pozsgay V. and **Jennings H.J.** A new, stereoselective synthesis of methyl 1,2-trans-1-thioglycosides,1375
Pozsgay V. and **Jennings H.J.** Azide synthesis with stable nitrosyl salts,5091
Prabhakaran P.C.,Woo N.T.,Yorgey P.S. and **Gould S.J.** Erratum,3994
Pradhan S.K.,Thakker K.R. and **McPhail A.T.** Enantioselectivity in camphor pinacolisation,1813
Praemassing M see Steffan B. 3667
Prakash I see Moriarty R.M. 873, 877
Prakash O.,Roy R.,Agarwal S.,Hussaini F.A. and **Shoeb A.** Stereostructure of auricularic acid, a cleistanthane diterpenoid from Pogostemon auricularis hassk,685
Praly J.P. and **Descotes G.** Syntheses of "anomeric" gem dihalogenated glucopyranosyl derivatives,1405
Prangé T see Hernández R. 2533
Prasad J.S. and **Liebeskind L.S.** Acyclic stereochemical control using hexacarbonyldicobalt stabilized propargyl cations. A highly stereoselective route to 1β-methylcarbapenem precursors,1857
Prasad K see Chen K.-M. 155
Pratt A.J see Baldwin J.E. 2303, 3745, 4319
Pratt D.V. and **Hopkins P.B.** Diastereocontrol of the Claisen rearrangement by substituents external to the pericyclic array: synthetic studies on betaenone B and stemphyloxin 1,3065
Preuss R see Schmidt R.R. 6591
Previtera L see Monaco P. 4609
Primo J see Alvaro M. 3613
Prinzbach H see Fletschinger M. 2517, see Marterer W. 5497, see Netscher T. 2115, see Trah S. 4403, 4399, see Zipperer B. 2513
Prior L.M see Brown J.M. 2179
Procter G see Howe G.P. 2629, see Murphy P.J. 2037, see Russell A.T. 2045, 2041
Prota G see Palumbo P. 467
Prout K see Austin G.N. 4741
Puar M.S see Hegde V.R. 4485
Puff H see Demir A.S. 3795
Pulicani J.-P see Deprez D. 4679
Pullaiah K.C see Srikrishna A. 5203
Purrington S.T. and **Pittman J.H.** The preparation of α-fluorosulfoxides and vinyl fluorides,3901
Purushotham V see Forrester A.R. 3279
Pyne S.G. Intramolecular addition of amines to chiral vinyl sulfoxides, total synthesis of (R)-(+)-canadine,4737
Pyun C see Kang J. 3261

Qiu W see Shen Y. 449, 4283
Quenard M.,Bonnarin V. and **Gelbard G.** Epoxidation of olefins by hydrogen peroxide catalyzed by phosphonotungstic complexes,2237
Quijano J.,Rodríguez M.M.,del S. Yepes M. and **Gallego L.H.** Deuterium isotope effects in the thermal decomposition of β-hydroxy ketones and β-hydroxy esters,3555
Quin L.D.,Yao E.-Y. and **Szewczyk J.** Special properties imparted to the 9-phosphabicyclo[6.1.0]-nonatriene system by a P-(2,4,6-tri-t-butylphenyl) substituent: ^{17}O NMR spectrum of a bicyclic phosphirane oxide,1077
Quin L.D.,Hughes A.N. and **Pete B.** Thermolysis of 2-phosphabicyclo[2.2.2]octa-5,7-dienes: generation and trapping of P-methyl- and P-phenylphosphaethene,5783
Quiñoà E. and **Crews P.** Niphatynes, methoxylamine pyridines from the marine sponge, Niphates sp.,2467
Quiñoà E. and **Crews P.** Phenolic constituents of Psammaplysilla,3229
Quinn A.M see Bateson J.H. 1561
Quintard J.-P see Dumartin G. 3935
Quirion J.-C see Randriambola L. 2123
Quiroga M.L see Alvarez-Ibarra C. 6667

Ragoussis N. Modified Knoevenagel condensations. Synthesis of(E)-3-alkenoic acids,93
Raimondi L see Annunziata R. 3139
Rajagopalan K see Gopal D. 5327
Rajanikanth B. and **Seshadri R.** Stereoselective synthesis of 1,2-trans-1-thioglycoses using aluminium chloride: evidence for 1,2-cis-1-chloroglycopyranosylperacetates as the actual reaction intermediates,2295
Rajendra G. and **Miller M.J.** Y-Substituent effects on the oxidative cyclization of O-acyl β,Y-unsaturated hydroxamates,6257
Rajeswari S.,Jones R.J. and **Cava M.P.** A new synthesis of amides from acyl fluorides and N-silylamines,5099
Rajviroongit S see Aly M.F. 6077
Ram S. and **Spicer L.D.** Rapid debenzylationn of N-benzylamino derivatives to amino-derivatives using ammonium formate as catalytic hydrogen transfer agent,515
Rama Rao A.V.,Sreenivasan N.,Reddy D.R. and **Deshpande V.H.** Regiospecific synthesis of 9-ethoxy-4,5,6,8-tetramethoxy-1,3-dihydro-naphtho-(2,3-C) furan-1-one: a key synthon of frederica-mycin A,455
Rama Rao A.V.,Reddy D.R.,Annapurna G.S. and **Deshpande V.H.** Synthesis of 4,9-diethoxy-5,6,(7),8-trimethoxy-1,3-dihydronaphtho-(2,3-C)-furan-1-one: a key synthon of frederica-mycin A,451
Rama Rao A.V.,Myzorekar S.V.,Gurjar M.K. and **Yadav J.S.** Synthesis of (3R,4R)-1,5-hexadien-3,4-diol and its unsymmetrical derivatives: apaplication to (R)-(+)-α-lipoic acid,2183
Rama Rao A.V.,Reddy E.R.,Joshi B.V. and **Yadav J.S.** Synthesis of (R)-1-benzyloxy-3-buten-2-ol - a potential chiral synthon from L-(+)-tartaric acid: its applications in natural product syntheses,6497
Ramage R. and **Green J.** N_G-2,2,5,7,8-pentamethylchroman-6-sulphonyl-L-arginine: a new acid labile derivative for peptide synthesis,2287
Ramage R.,Barron C.A.,Bielecki S. and **Thomas D.W.** Solid phase peptide synthesis: fluoride ion release of peptide from the resin,4105
Ramasamy K.,Imamura N.,Robins R.K. and **Revankar G.R.** A facile synthesis of tubercidin and related 7-deazapurine nucleosides via the stereispecific sodium salt glycosylation procedure,5107
Rambault D see Landais Y. 543
Ramezani S see Andrew R.G. 6535
Ramos D.E see Giguere R.J. 6553
Rampal J.B see Reddy M.P. 23
Ramsay M.V.J.,Roberts S.M.,Russell J.C.,Shingler A.H.,Slawin A.M.Z.,Sutherland D.R.,Tiley E.P. and **Williams D.J.** Novel antiparasitic agents derived by modificastion of a new natural product series,5353
Randles K.R. and **Storr R.C.** Formation of indoles and quinolines by flash vacuum pyrolysis,5555
Randriambola L.,Quirion J.-C.,Kan-Fan C. and **Husson H.-P.** Structure of goniomitine, a new type of indole alkaloid,2123
Ranganathan D see Ranganathan S. 2893
Ranganathan S.,Ranganathan D. and **Singh S.K.** A practical and convenient synthesis of the nitroethylene transfer reagent, 2-nitroethyl phenyl sulfoxide,2893
Rao A.B see Kamal A. 2425
Rao C.B see Glinka J. 3221
Rao C.T see Vankar Y.D. 551
Rao T.S.,Reese C.B.,Serafinowska H.T.,Takaku H. and **Zappia G.** Solid phase synthesis of the 3'-terminal nonadecaribonucleoside octadecaphosphate sequence of yeast alanine transfer ribonucleic acid,4897
Rashid A see Wood W.W. 1933
Rashid S.M.K see Curci R. 5319
Rashidi-Ranjbar P. and **Sandström J.** Barriers to ring inversion in dibenzo[a,c]cyclooctene and its dihydro and tetrahydro derivatives by racemization and NMR bandshape studies,1537
Rastelli A see Burdisso M. 1225
Ratcliffe C.I see Buchanan G.W. 4783
Ratovelomanana V.,Hammoud A. and

Linstrumelle G. Selective palladium-catalysed substitution of 1,1-dichloroethylene,1649
Ravard A see Duhamel L. 5517
Ravelo J.L see Clardy J. 6699
Ravert H.T see Lever J.R. 4015
Ravindranathan T see Menon R.B. 5313
Ray A.B see Oshima Y. 2025
Raynham T.M see Barrett A.G.M. 5615
Razak D see Sam T.W. 2541
Reamer R.A see Ryan K.M. 2103
Rebuffat S see Bodo B. 2355
Reddy D.R see Rama Rao A.V. 455, 451
Reddy D.S.K see Mehta G. 1467
Reddy E.R see Rama Rao A.V. 6497
Reddy K.B see Nicolaou K.C. 1501
Reddy K.S.,Ko O.-H.,Ho D.,Persons P.E. and **Cassady J.M.** A novel enantioselective cyclization of a chiral epoxide to a benzofuran system,3075
Reddy M.P.,Rampal J.B. and **Beaucage S.L.** An efficient procedure for the solid phase tritylation of nucleosides and nucleotides,23
Reed L.A.,Charleson D.A. and **Volkmann R.A.** Addition of penicillin Grignards to glyoxals a synthesis of novel penam keto-alcohols,3431
Rees C.W see Bolton R.E. 3163
Reese C.B see Dhanak D. 1827, see Rao T.S. 4897
Reese C.B. and **Ward J.G.** Synthesis of D-myo-inositol 1,4,5-trisphosphate,2309
Reetz M.T. and **Vougioukas A.E.** Rhodium-diphosphine complexes as catalysts in aldol additions,793
Reginato G see Ricci A. 4093
Regitz M see Annen U. 5141
Rehnberg N.,Frejd T. and **Magnusson G.** Diastereoselective conjugate addition of lithium methylcyanocuprate to the chiral isoprene units 2-(R)- and (S)-benzyloxy-2,5-dihydro-4-furancarboxaldehyde. Total synthesis of (-)- and (+)-botryodiplodin and (+)- and (-)-epi-botryodiplodin,3589
Reichert D.E.C see Broka C.A. 1503
Reilly-Packard S see Almstead N. 1627
Reinaud O.,Capdevielle P. and **Maumy M.** Nouvelles voies de synthese de benzoquinones hetero-cycliques,4675
Reinhardt D.V see Tufariello J.J. 5481
Reinhoudt D.N see Skowronska-Ptasinska M. 1937, see van Elburg P.A. 6397
Reisman D see Braverman S. 5189
Renko Z.D see Bäckvall J.E. 4199
Renzi G see Crotti P. 3393
Repic O see Chen K.-M. 155
Resnati G see Bravo P. 4865
Reuchlein H see Christl M. 6433
Revankar G.R see Ramasamy K. 5107
Revial G see Volpe T. 2367
Revis A. and **Hilty T.K.** Novel synthesis of β-siloxy esters by condensation of carbonyls and trimethylsilane with α,β-unsaturated esters catalyzed by RhCl$_3$,4809
Rey A.W see Roy R. 4935
Reyes A see Aguilar R. 865
Reynolds R.P see Matturro M.G. 4981
Rheingold A.L see DeShong P. 2229
Rhodes R.A see Campbell A.L. 2331
Ribbons D.W see Rossiter J.T. 5173, see Taylor S.J.C. 6391
Ricci A see Coppi L. 973, 965, see Nativi C. 2751
Ricci A.,Degl'Innocenti A.,Borselli G. and **Reginato G.** Syunthesis of polyfunctionalized acylsilanes via propenoyltrimethyl-silane,4093
Riccio R.,Minale L.,Bano S. and **Ahmad V.U.** Starfish saponins. Part 32. Structure of a novel steroidal 5-O-methyl galacto-furanoside from the starfish Astropecten indicus,2291
Rich D.H see Shute R.E. 3419, see Tung R.D. 1139
Richards F.M see Delfino J.M. 2327, 2323
Richardson A.C see Hale K.J. 891, see Hendry D. 4601, 4597
Richardson S.K.,Jeganathan A. and **Watt D.S.** 1-Vinyl-4-methyl-2,6,7-trioxabicyclo[2.2.2]-octanes: unsaturated homoenolate anion equivalents,2335
Richter F. and **Otto H.-H.** Synthesis of nitro-substituted decalone by double Michael reactiuon, sequential Michael reaction, and by Diels-Alder reaction,2945
Rico I see Perez E. 2343
Rigby J.H. and **Kotnis A.S.** Synthesis of bicyclo[3.2.1]octanes by a tandem Diels-Alder-carbocation cyclization strategy,4943
Ringan N.S see Bremner D.H. 6687
Ringer E see Kaupp G. 6155
Riniker B see Sieber P. 6031
Rink H. Solid-phase synthesis of proteced peptide fragments using a trialkoxydiphenyl-methylester resin,3787
Ripmeester J.A see Buchanan G.W. 4783
Ritter K see Corey E.J. 3547
Rittle K.E see Bock M.G. 939
Rittle K.E.,Evans B.E.,Bock M.G.,DiPardo R.M.,Whitter W.L.,Homnick C.F.,Veber D.F. and **Freidinger R.M.** A new amine resolution method and its application to 3-aminobenzo-diazepines,521
Rivera P see Estrada D.M. 687
Röper H see De Wilde H. 4757
Robert P.C see Pflieger D. 1519
Roberts D.W.,Jackson P.S.,Saul C.D. and **Clemett C.J.** NMR evidence for β-sultones as initial products in reactions of olefins with sulphur trioxide,3383
Roberts S.M see Ramsay M.V.J. 5353
Robertson J see Harwood L.M. 5175
Robin J.-P see Landais Y. 5161
Robin J.P see Landais Y. 543
Robins R.K see Ramasamy K. 5107
Robinson J.E see Blade R.J. 3857
Robinson M.J.T see Carr C.A. 897, see Young D.J. 3631
Robles P see Sartori G. 1533
Robson D.C see Pattenden G. 5751
Roden B.A see Pearson A.J. 2459
Rodewald H see Gleiter R. 1985
Rodríguez J.H see Carretero J.C. 4593
Rodríguez M.L see Clardy J. 6699, see Estrada D.M. 687
Rodríguez M.M see Quijano J. 3555
Rodríguez M.S see Francisco C.G. 3397, see Freire R. 981
Rodriguez A.D.,Akee R.K. and **Scheuer P.J.** Two bromotyrosine-cysteine derived metabolites from a sponge,4989
Rodriguez J see Dulcere J.P. 2009
Rodriguez M.J see Camps P. 1831
Roekens B see Differding E. 397
Rogers D.W. Isodesmic enthalpies of hydrogenation of the lower alkenes,1967
Rokach J see Leblanc Y. 3449
Rolando C see Cuvigny T. 2587
Roll D.M see Moriarty R.M. 749
Rollin P see Pougny J.R. 2977
Rollin P. A short biomimetic synthesis of leptosphaerin,3813
Romine J.L see Paquette L.A. 31
Ronald R.C see Ruder S.M. 135
Ronald R.C.,Ruder S.M. and **Lillie T.S.** Solvolytic hydroperoxide rearrangements IV. Selective rearrangement of spiro[5,2]-octan-4-ol,131
Ronzini L see Cardellicchio C. 2053
Rosen R.T see Moss R.A. 251
Rosenfeld S.M. and **Sanford E.M.** Conformational mobilty in 3,6-diketo[8](9,10)anthra-cenophane,4775
Rosenthal S see Page P.C.B. 4455
Roser J see Eberbach W. 2689, 2685
Rossi R.A see Pierini A.B. 4653
Rossiter J.T.,Williams S.R.,Cass A.E.G. and **Ribbons D.W.** Aromatic biotransformations 2: production of novel chiral fluorinated 3,5-cyclohexadiene-cis-1,2-diol-1-carboxylates,5173
Roth A see Chakravarty P.K. 611
Rothenberger S.D see Bell T.W. 4817
Rouessac F see Aziz M. 2579
Rougny A see Chigr M. 4529
Roush W.R.,Essenfeld A.P. and **Warmus J.S.** Effect of dienophile activating group on the stereo-selectivity of the intra-molecular Diels-Alder reaction,2447
Roush W.R. and **Coe J.W.** Studies on the synthesis of nargenicin A_1. An example of an intramolecular Diels-Alder reaction that proceeds with a boat-like con-formation of the connectin chain,931
Rousseau G see Guibé-Jampel E. 3563, see Slougui N. 1651
Rovirosa J see San-Martin A. 6013
Rowlands M see Pelter A. 5213, 1203
Roy C.D see Chandrasekhar S. 6371
Roy M see Gupta B.D. 1219
Roy R see Prakash O. 685
Roy R. and **Rey A.W.** Chemoenzymatic synthesis of a C_3-chiral building block: a substrate modification approach,4935
Roy S see Gupta B.D. 1219
Royer J see Casabianca H. 6595
Royer J. and **Husson H.-P.** Asymmetric synthesis XI: a short synthesis of the chiral pyrrolidine synthon, 2-cyano-5-oxazolo-pyrrolidine,6175
Ruangrungsi N.,Likhitwitayawuid K.,Jongbunprasert V.,Ponglux D.,Aimi N.,Ogata K.,Yasuoka M.,Haginiwa J. and **Sakai S.** Alkaloids of Kopsia jasminiflora from Thailand,3679
Ruano J.Z see Estrada D.M. 687
Rubin M.B. and **Sander W.W.** The mechanism of photoisomerization of tetrabenzoylethylene,5137
Rubin M.B. and **Harel Y.** Thermal reactions of cyclo-butanediones,5373
Rubio A see Carreño M.C. 4861
Rudd G.I see Lis R. 1487
Ruder S.M see Ronald R.C. 131
Ruder S.M. and **Ronald R.C.** Solvolytic hydroperoxide rearrangement V. A stereo-selective synthesis of trans-fused butyrolactones,135
Rudorf W.-D. and **Schwarz R.** Intra-molecular Michael and anti-Michael additions of thiolate to conjugated acetylenic ketones,4267
Rueffer M. and **Zenk M.H.** Enzymatic formation of protopines by a microsomal cytochrome P-450 system of Corydalis vaginans,5307
Ruiz-Sanchez J see Shih T.L. 6015
Rupp R.H see Khandelwal Y. 4089
Ruppert R.,Herrmann S. and **Steckhan E.** Efficient indirect electro-chemical in-situ regeneration of NADH: electrochemically driven enzymatic reduction of pyrivate

catalyzed by D-LDH,6583
Russell A.T see Murphy P.J. 2037
Russell A.T. and **Procter G.** Allylsilanes in organic synthesis; stereoselective hydroxylactonisation of chiral amide-allylsilanes,2041
Russell A.T. and **Procter G.** Allylsilanes in organic synthesis; stereoselective reaction of chiral ester-allylsilanes with m-CPBA,2045
Russell G.A. and **Ngoviwatchai P.** A comparison of the reactions of tert-butyl mercury and magnesium chlorides with β-styrenyl derivatives,6113
Russell J.C see Ramsay M.V.J. 5353
Russell M.A see Baldwin J.E. 3745, 2303
Russell R.A see Butler D.N. 6507, see Warrener R.N. 6503
Russell-Maynard J see Kiss M. 2187
Rutledge M.C see Hutchins R.O. 5619
Ruzziconi R see Baciocchi E. 5357
Ryan G see Leonard J. 2525
Ryan K.M., Reamer R.A., Volante R.P. and **Shinkai I.** Enhanced reactivity of iminium ions as heterodienophiles in Lewis acid mediated 4+2 cycloaddition reactions,2103
Rydzewski R.M see Djuric S.W. 299
Ryerson R.T see Buist P.H. 857

Sánchez-Ferrando F see Ortuño R.M. 3405
Saá C see Atanes N. 817
Saá J.M see Atanes N. 817, see Costa A. 5551, see Martin G. 2407
Saá J.M. and **Llobera A.** A short and efficient synthesis of (±) O-methylperezone based on a novel oxidative degradation approach,5045
Saburi M see Kawano H. 1905
Sacoomano N.A see Stork G. 2087
Saeki K see Seto H. 3357
Safaryn J.E see Heffner R. 6539
Sahai M see Oshima Y. 2025
Sahoo S.P see Hanessian S. 1143, 1147
Sainsbury M see Campbell M. 3865
Saita K see Aoyama Y. 4853
Saito H. and **Hirata T.** Synthetic approach to quino-carcin,4065
Saito I., Nano T., Nagata R. and **Matsuura T.** Inter- and intramolecular epoxidation utilizing silyl-protected peroxy esters and copper salt,1909
Saito T see Nohara F. 1287
Saito Y see Hashimoto H. 3505, see Shizuri Y. 3831
Sakaguchi K see Yoshida J. 667
Sakai K see Kashihara H. 6489, see Suemune H. 3373
Sakai R see Kato Y. 6225
Sakai R., Kohmoto S., Higa T., Jefford C.W. and **Bernardinelli G.** Manzamine B and C, two novel alkaloids from the sponge Haliclona sp.,5493
Sakai S see Ruangrungsi N. 3679
Sakai T., Miyata K., Utaka M. and **Takeda A.** Me$_2$SiCl-NaI-CH$_3$CN as an efficient and practical reducing agent for benzylic alcohols,3817
Sakaino M. and **Meinwald J.** Diels-Alder reactions of vinylbicyclo[4.1.0]-heptenes,3201
Sakairi N., Hayashida M. and **Kuzuhara H.** Synthesis of a new antimicrobial aminoglycoside employing maltose as a key starting material,2871
Sakaitani M. and **Ohfune Y.** A new mode of cyclic carbamate formation via tert-butyldimethylsilyl carbamate. Stereoselective syntheses of statine and its analogue,3987
Sakakibara J see Ueda T. 4579
Sakakibara M see Okawara H. 2597
Sakakura T see Kobayashi T. 2721
Sakamura S see Ichihara A. 1175, see Koshino H. 73
Sakata H. and **Kuwajima I.** Conjugate addition of organocopper reagents to unsaturated esters,5719
Sakata J see Okuma K. 6649
Sakata K., Maruyama M., Uzawa J., Sakurai A., Lu H.S.M. and **Clardy J.** Structural revision of aspirochlorine (=antibiotic A3)641), a novel epidithiopiperazine-2,5-dione produced by Aspergillus spp.,5607
Sako M see Shimada K. 207
Sakuma K see Iwamura M. 679
Sakurai A see Sakata K. 5607
Sakurai H see Kira M. 4081
Sakurai K see Hatakeyama S. 2717, 2713
Salaün J see Fadel A. 2243
Salaun J. and **Karkour B.** Optically active cyclopropanols from the enzymatic resolution of dimethyl α-alkylsuccinates. Synthesis of chiral 2-vinylcyclobutanones and cyclohexenones,4669
Salazar J.A see Hernández R. 2533
Sales K.D see Bushby R.J. 6501
Sam T.W., Sew-Yeu C., Matsjeh S., Gan E.K., Razak D. and **Mohamed A.L.** Goniothalamin oxide: an embryotoxic compound from Goniothalamus macrophyllus (annonaceae),2541
Samaki H see Bolte J. 5525
Samizo F see Okada K. 3819
Sammakia T see Schreiber S.L. 6005
Sammes M.P see Chiu P.-K. 2775
San-Martin A., Rovirosa J., Xu C., Lu H.S.M. and **Clardy J.** Further structural studies on the 2-methyl-3)2H)-furanone derived metabolites of the marine alga Laurencia chilensis,6013
Sander W.W see Rubin M.B. 5137
Sanderson P.E.J see Fleming I. 4229
Sandhu J.S see Konwar D. 955
Sandison M.D see Schaap A.P. 1159
Sandström J see Rashidi-Ranjbar P. 1537
Sanford E.M see Rosenfeld S.M. 4775
Sanner C see Buisson D. 3939
Sant'ana A.E.G see Chiu Y.L. 1349
Santacroce C see Barbato S. 5727, see De Felice V. 2757
Santafianos D see Ley S.V. 221, 1594
Santelli M see Dulcere J.P. 2009, see El Idrissi M. 2583
Sarkar A.K see Fleming I. 5921
Sarkar T.K. and **Ghosh S.K.** Silicon-controlled rearrangement versus Krief-Reich reaction in β-seleno-Y-silyl alcohols: a new stereoselective synthesis of terminally-substituted allylsilanes,2061
Saroli A. and **Doutheau A.** Synthese de methoxycarbonyl-2 methoxy-2 tetrahydropyrannols-3,5501
Sartori G., Casnati G., Bigi F. and **Robles P.** Metal template ortho-acylation of phenols; a new general approach to anthracyclinones,1533
Sasai H. and **Shibasaki M.** Total synthesis of punaglandin 4,333
Sasaki K see Tezuka T. 4427
Sasaki M.A., Hashimoto C. and **Potier P.** A novel approach to the synthesis of optically pure non protein α-amino acids in both L and D configurations from L-serine,6069
Sasaki T see Kobayashi J. 4939
Sasaki Y see Tabushi I. 4069
Sasho M see Tamura Y. 4583, 3971
Sasson Y see Dakka G. 1223
Sato F see Kitano Y. 6351, see Kobayashi Y. 3959, 5849, see Okamoto S. 2033
Sato H see Fukuzawa A. 4303
Sato K see Iyoda M. 625
Sato S see Matsuda I. 3361
Sato S., Matsuda I. and **Izumi Y.** Aldol-type reactions between trimethylsilyl enol ethers and acetals with the aid of rhodium complex,6657
Sato T see Koshino H. 73
Sato T., Itoh T. and **Fujisawa T.** Diastereoselective α-alkylation of β-hydroxy sulfoxides and its application to the synthesis of (+)- and (-)-disparlure,5677
Sato T., Okura S., Otera J. and **Nozaki H.** Methoxy(phenylthio)methane as an ambi-equivalent of a methoxy- or phenylthiomethylene 1,1-dipole,6299
Sato Y see Kimura I. 1921
Satoh K see Hatakeyama S. 2717, 2713
Satoh T., Iwamoto K. and **Yamakawa K.** Intramolecular ring closure of α,β-epoxy sulfoxides with hydroxyl group: a novel synthesis of 2-acyl cyclic ethers and 3-keto cyclic ethers,2603
Satrallah A see Casabianca H. 6595
Sattur P.B see Kamal A. 2425
Satyanarayana N. and **Periasamy M.** Carbonylation of benzyl halides using $ClCl_2/NaBH_4/CO/NaOH$ reagent system,2633
Sauer G see Lis R. 1487
Sauer J see Eibler E. 1097
Sauers R.R. and **Van Arnum S.D.** Some novel isoxazole photochemistry: a comparison with vinyl azide chemistry,5797
Saul C.D see Roberts D.W. 3383
Sauriol F see Zamir L.O. 3059
Sauvage J.-P see Noblat S. 5829
Sauvêtre R see Tellier F. 3335
Savariar S see Danheiser R.L. 3299
Savignac P see Teulade M.-P. 405
Savignac Ph see Tay M.K. 1263
Sawaki Y see Ishiguro K. 6201
Sawamura M see Ito Y. 6215, 4849
Sawlewicz P see Grob C.A. 951
Sayers A see Buchwald S.L. 3245
Scettri A see Antonioletti R. 2297
Schäfer H.J see Linz T. 6581
Schaap A.P see Curci R. 5319
Schaap A.P., Chen T.-S., Handley R.S., DeSilva R. and **Giri B.P.** Chemical and enzymatic triggering of 1,2-dioxetanes.2: fluoride-induced chemiluminescence from tert-butyldimethylsilyloxy-substituted dioxetanes,1155
Schaap A.P., Sandison M.D. and **Handley R.S.** Chemical and enzymatic triggering of 1,2-dioxetanes.3: alkaline phosphatase-catalyzed chemiluminescence from an aryl phosphate-substituted dioxetane,1159
Schaap A.P., Handley R.S. and **Giri B.P.** Chemical and enzymatic triggering of 1,2-dioxetanes.1: aryl esterase-catalyzed chemiluminescence from a naphthyl acetate-substituted dioxetane,935
Schakel M., Vrielink J.J. and **Klumpp G.W.** Enhanced reactivity of 3-(methoxymethyl)- and 3-(dimethylaminomethyl)oxetanes towards alkyllithiums,5747
Schambel P., Viger A. and **Marquet A.** Synthese d'une nouvelle lactone

en serie steroide: une hydrolyse de nitrile en milieu neutre,4161
Schanti J.G.,Decristoforo M. and **Daly J.J.** 2-Aryl-1,2-diazetidin-3-ones (aza-β-lactams) via Grignard-induced cyclization of α-(2-arylhydrazino)-esters,6577
Schat G see van de Heisteeg B.J.J. 6493
Schauer R see Clinch K. 6425
Scheeren J.W.,Bakker C.G.,Peperzak R. and **Nivard R.J.F.** Mechanistic and synthetic aspects of the acid-catalysed hydrolysis of 2,2-dimethoxy-3,4-dihydropyrans into 3,4-dihydro-α-pyrones and δ-keto esters,1821
Scheffer J.R see Garcia-Garibay M. 1741, 4789
Scheller M.E see Muchowski J.M. 3453
Schenck P.A see Sinninghe Damsté J.S. 957
Scheuer P.J see Karuso P. 4633, see Rodriguez A.D. 4989
Schimperna G see Gennari C. 227
Schindler H see Helmchen G. 183
Schirmann J.P see Barieux J.J. 6443
Schlecht M.F see Kim H.-j. 5229
Schlecht M.F.,Kim H.,Paquette L.A. and **Trova M.P.** Erratum,4354
Schlemper E.O see Harmata M. 5997
Schlesser C.H see Della E.W. 3869
Schlessinger R.H. and **Graves D.D.** A non-congener based synthesis of L-(-)-rhodinose and of a C. hydroxyl protected derivative,4381
Schlessinger R.H. and **Graves D.D.** A synthesis of the tetramic acid subunit of streptolydigin: a reactivity definition of this subunit as an Emmons reagent,4385
Schlessinger R.H.,Tata J.R. and **Springer J.P.** Stereoselection in the reaction of acid halides and vinylogous urethanes,5423
Schlessinger R.H. and **Iwanowicz E.J.** The synthesis of either (+) or (-) trans-2,5-dimethyl-pyrrolidine,2083
Schmidbaur H see Pollok T. 1085
Schmidt D see Egert E. 789
Schmidt J see Berlage U. 3095, 3091
Schmidt M see Bestmann H.J. 2111
Schmidt R.R see Kinzy W. 1981
Schmidt R.R.,Frick W.,Haag-Zeino B. and **Apparao S.** C-Aryl-glycosides and 3-deoxy-2-glyculosonates via inverse type hetero-Diels-Alder reaction,4045
Schmidt R.R.,Preuss R. and **Betz R.** C-1 Lithiation of C-2 activated glucals,6591
Schmidt S.P. and **Brooks D.W.** 1,2-bis (diphenylphosphino)ethane tetrahalide: a convenient reagent for the conversion of alcohols to the corresponding halides,767
Schmidt U. and **Siegel W.** Synthesis of (4R)-4-((E)-2-butenyl)-4,N-dimethyl-L-threonine (MeBMT), the characteristic amino acid of cyclosporine,2849
Schmitt M see Hünig S. 4521
Schmolka S see Harvey R.G. 6137
Schneider D.F see Moorhoff C.M. 4721, 559
Schnoes H.K see Kutner A. 6129
Schobert R see Bestmann H.-J. 6587
Schoemaker H.E see Kloosterman M. 2989
Schoenen F.J see Burke S.D. 4143
Scholz S see Meyers A.I. 5103
Schreiber S.L see Delfino J.M. 2323, 2327
Schreiber S.L. and **Goulet M.T.** Stereochemical studies of the skipped-polyol polyene macrolide class: degradation and partial structure determination of mycoticin A and B,6001
Schreiber S.L.,Goulet M.T. and **Sammakia T.** Stereochemical studies of the skipped-polyol polyene macrolide class: NMR studies of a tetraformylal derivative of mycoticin A and B,6005
Schreiber S.L. and **Goulet M.T.** Stereochemistry of the 1,2-Wittig rearrangement: a synthesis of syn-1,3-diol monoethers,1043
Schulhof J.C.,Molko D. and **Teoule R.** Facile removal of new base protecting groups useful in oligonucleotide synthesis,51
Schulte G see Wincott F.E. 4951
Schulte G.K see Clardy J. 6699
Schultz A.G.,McMahon W.G.,Staib R.R. and **Kullnig R.K.** Intramolecular reactions of 2-(azidobutyl)-1,4-benzoquinones. Unexpected rearrangement to a furo[3,4-b]-indolizidine-2-one,4929
Schuster G.B see Kropp M. 5295, see Shields C.J. 853
Schwack W. Photoinduced para-cyclo-addition of phthalimides,1869
Schwartz A.W see van der Woerd R. 2763
Schwarz R see Rudorf W.-D. 4267
Schwesinger R see Netscher T. 2115
Scrimin P see Moss R.A. 251, 5005
Seabury M see Dolbier W.R.,Jr. 1491
Sebastiani G.V see Baciocchi E. 1941
Seck M see Bloch R. 5819
Sedaghat-Herati M.R see McManus S.P. 5299
Seebach D. and **Estermann H.** α-Alkylation of β-aminobutanoates with 1k-1,2-induction,3103
Seebach D. and **Herradon B.** Diastereoselective elaboration of the carbon skeleton of β-hydroxyesters from yeast reductions. Preparation of (2S)-2-hydroxy-cyclohexane carboxylic acids with three contiguous stereogenic centers,3791
Segami S see Shin C. 3827
Segawa M.,Enoki N.,Ikura M.,Hikichi K.,Ishida R.,Shirahama H. and **Matsumoto T.** Dictymal, a new seco-fusicoccin type diterpene from the brown alga Dictyota dichotoma,3703
Seibel W.L see Corey E.J. 4921
Seigel P.M see Buist P.H. 857
Seipp U see Maier G. 4515
Seitz S.P see Soll R.M. 5457
Sekiguchi Y see Takano S. 1783
Sekihachi J see Tamura Y. 3971
Sekine M see Fujii M. 1435, see Hotoda H. 1681
Sekine M.,Heikkila J. and **Hata T.** A new method for the synthesis of branched oligoribonucleotides using a fully protected branched triribonucleoside diphosphate unit,5691
Sekiya K see Nakamura E. 337
Selim M.R see Brown P.A. 693
Sell B.A see Bates D.K. 3535
Selnick H.G. and **Danishefsky S.J.** A novel degradation in the avermectin series: a stereospecific osmylation reaction,4955
Semerikov V.N see Zefirov N.S. 242
Semmelhack M.F. and **Fewkes E.J.** Deprotonation of $(\eta^4$-isoprene)$Fe(CO)_3$; an isoprene anion equivalent,1497
Senet J.-P see Denarié M. 5823, see Grenouillat D. 5827, see Sennyey G. 5809
Senet J.P see Jouin P. 1661, 1665
Sengupta S see Katritzky A.R. 1847, 5419
Sennyey G see Denarié M. 5823, see Grenouillat D. 5827, see Jouin P. 1661, 1665
Sennyey G.,Barcelo G. and **Senet J.-P.** Diallyl dicarbonate. A convenient reagent for the synthesis of allyl carbamates,5809
Seo W see Tomioka K. 6637
Serafinowska H.T see Rao T.S. 4897
Seshadri R see Rajanikanth B. 2295
Sessink P.J.M see Klunder A.J.H. 357
Sessler J.L. and **Piering S.** The synthesis and optical properties of the first quinone-linked porphyrin dimer,6569
Seto H see Furihata K. 3353
Seto H.,Furihata K.,Saeki K.,Otake N.,Kusakabe Y.,Xu C. and **Clardy J.** Structural studies of natural products by new NMR techniques. The structure of a new polyether antibiotic, portmicin,3357
Sew-Yeu C see Sam T.W. 2541
Seward E. and **Diederich F.** Redox-dependent complexation ability of flavin-hosts in aqueous solution,5111
Seymour L.C see Fleet G.W.J. 3015
Sha C.-K see Tsai C.-Y. 1419
Shah M see Koser G.F. 5431
Shahlai K see Hart H. 5437
Shankar B.B see McCombie S.W. 4127, 4123
Shankaran K see Sibi M.P. 2933
Shannon P.V.R see Jackson A.H. 4901
Shapiro M.J see Chen K.-M. 155
Sharma M see Mazumdar S.N. 2641
Sharma R.P see Borbaruah M. 5741
Sharma S see Knapp S. 5399, see Kolasa T. 4973
Sharp J.T see Groundwater P.W. 2069
Sharp M.J.,Cheng W. and **Snieckus V.** Synthetic connections to the aromatic directed metalation reaction. Functionalized aryl boronic acids by IPSO borodesilylation. General syntheses of unsymmetrical biphenyls and m-terphenyls,5093
Sharpless K.B see Hawkins J.M. 2825
Shaw C see Aral K. 441
Shea K.J. and **Burke L.D.** Bridgehead dienes. Thermal generation of the bicyclo[3.3.1]nona-1(2),4(5)-diene (ZZ) ring system,735
Shea K.J.,Fruscella W.M. and **England W.P.** Dichlorocyclopropanation and ring cleavage of bridgehead enol lactones. A stereo-controlled ring expansion sequence,5623
Shechter H see Glinka J. 3221
Shen G.-Y.,de Lera A.R.,Norman T.C.,Haces A. and **Okamura W.H.** Thermal rearrangement of tert-butyl substituted 9,10- and 11,12-allenic retinoids: 11-cis-isomers of 19,19,19- and 20,20,20-trimethylretinoids,2917
Shen S see Moss R.A. 4779
Shen T see Broka C.A. 4993
Shen Y. and **Qiu W.** A novel synthesis of tetrasubstituted fluoro-olefins via eliminative nucleophilic addition of β-keto-phosphonium salts,449
Shen Y. and **Qiu W.** A novel transylidation via nucleophilic addition and regiocontrolled elimination. One-pot synthesis of fluorodienes,4283
Sheppard A.C see Davis F.A. 5115
Shi L see Huang Y.Z. 2159
Shi L.,Xia W.,Yang J.,Wen X. and **Huang Y.Z.** A facile synthesis of ω-substituted conjugated polyenones via arsonium salt and its application towards the synthesis of navenone A,2155
Shi Y see Still I.W.J. 2489
Shiba T see Imoto M. 6235, 6277, see

Teshima T. 4705, 3509, see Wakamiya T. 5887
Shibasaki M see Iwasaki G. 3257, see Mori M. 6187, see Sasai H. 333, see Takahashi A. 1893
Shibata M see Kinjo J. 3697, see Matsuda I. 3361
Shibutani T see Furukawa N. 5845, 2727
Shibuya M. and **Terauchi H.** Synthetic studies toward azinomycins A and B. Synthesis and absolute stereochemistry of the minor component isolated from azinomycins producing strain,2619
Shibuya S see Kano S. 6331
Shields C.J. and **Schuster G.B.** Deoxygenation of epoxides by fluorenylidene,853
Shigemori H see Shizuri Y. 6661
Shih T.L.,Ruiz-Sanchez J. and **Mrozik H.** The total synthesis of argiopine (argiotoxin-636),6015
Shim S.B.,Kim K. and **Kim Y.H.** Direct conversion of oximes and hydrazones into their ketones with dinitrogen tetroxide,645
Shima K see Asaoka M. 5669
Shimada K.,Sako M.,Hirota K. and **Maki Y.** Oxidative photocyclization of N^6-benzoyladenosine derivatives. Facile formation of the quinazolinopurine ring system,207
Shimada Y see Hashimoto S. 637
Shimanuki T see Koshino H. 73
Shimazaki M.,Hara H.,Suzuki K. and **Tsuchihashi G.** On the use of epoxy alcohol-aldol rearrangement for stereoselective construction of quarternary carbon centers,5891
Shimazaki T see Kitano Y. 6351, see Kobayashi Y. 5849, 3959, see Okamoto S. 2033
Shimizu H see Hayashi T. 3693, see Kanemoto S. 6313, 663
Shimizu M.,Nakahara Y.,Kanemoto S. and **Yoshioka H.** Regiospecific preparation and allylation of fluoromethyl ketone enol ethers via fluoro-olefination of 1,2,3-triol derivatives,1677
Shimizu M. and **Yoshioka H.** Synthesis of 3-fluoroethylcyclopentenones via rearrangement of cyclopropyl methoxyallenyl carbinols promoted by hydrogen fluoride-pyridine-metal fluoride,3119
Shin C.,Obara T.,Segami S. and **Yonezawa Y.** Convenient syntheses and reactions of two kinds of basic α-dehydroamino acid derivatives,3827
Shingler A.H see Ramsay M.V.J. 5353
Shinkai I see Lynch J.E. 3994, 1385, see Ryan K.M. 2103
Shinoda T see Hashimoto S. 637
Shioiri T see Sugiura T. 2251
Shiota T see Murahashi S.-I. 2383, 6469
Shiotani N see Watanabe Y. 2607
Shiragaki T see Fusetani N. 4313
Shirahama H see Hashimoto M. 5665, see Segawa M. 3703
Shire D see Fourrey J.L. 5157, see Viari A. 3349
Shiro M see Koizumi T. 3689
Shish F see Chern J.-W. 2151
Shizuri Y.,Yamaguchi S.,Terada Y. and **Yamamura S.** Biomimetic reaction of germacrene-D epoxides in connection with periplanone A,1791
Shizuri Y.,Okuno Y.,Shigemori H. and **Yamamura S.** Efficient synthesis of (±)-8,14-cedranoxide using electrochemical method as a key step,6661
Shizuri Y.,Yamaguchi S.,Yamamura S.,Ishihara M.,Onba S.,Saito Y.,Niwa M.,Terada Y. and **Miyazaki M.** The synthesis of a tricyclic hydroazulenone from exo-epoxygermacrene-D in connection with peri-planone A,3831
Shizuri Y.,Yamaguchi S.,Terada Y. and **Yamamura S.** What is the correct structure for periplanone A,1795
Sho K see Ito Y. 2247
Shoeb A see Prakash O. 685
Shono T.,Matsumura Y.,Onoesura O. and **Yamada Y.** A new method for regioselective synthesis of 2-substituted 1-(methoxycarbonyl)-1,2-dihydropyridines,4073
Shono T.,Kashiwara S.,Yamaguchi Y. and **Kuwata F.** Michael addition of novel acyl anion equivalents generated by the electroreduction of oxazolinium salts to activated olefins,4411
Short R.L see Bryce M.R. 577
Short R.P. and **Masamune S.** Double asymmetric aldol reactions using the boron enolates derived from 3-(3-ethyl)pentyl propanethioate and ethanethioate with (R,R)-2,5-dimethylborolanyl triflate,2841
Shroot B see Eustache J. 4681
Shudo K see Hashimoto Y. 3511
Shue Y.-K.,Carrera G.M.,Jr. and **Madzan A.H.** Amide bond surrogates: a general synthetic route to trans carbohn-carbon double bond isosteres,3225
Shulkind M see Wright C. 6389
Shute R.E. and **Rich D.H.** A novel double deprotection-peptide cyclisation procedure and its application to the synthesis of analogues of the cyclic tetrapeptide HC-toxin,3419
Shuto S.,Ueda S.,Imamura S.,Fukukawa K.,Matsuda A. and **Ueda T.** A facile one-step synthesis of 5'-phosphatidylnucleosides by an enzymatic two-phase reaction,199
Sibi M.P.,Shankaran K.,Alo B.I.,Hahn W.R. and **Snieckus V.** Over-riding normal Friedel-crafts regiochemistry in cycliacylation. Regiospecific carbodesilylation and parham cyclization routes to 7-methoxy-1-indanols,2933
Sibille S.,d'Incan E.,Leport L.,Massebiau M.-C. and **Perichon J.** Electroreductive coupling of methallylchloride or methyl chloroacetate with carbonyl compounds catalyzed by nickel bipyridine complexes,55
Sica D see Mayol L. 3601
Sicinski R.R see Kutner A. 6129
Sicinski R.R. and **Szczepek W.J.** Homoallylic rearrangement in the peracid oxidation of 19-iodo-5-androsten derivative,5729
Sicsic S.,Ikbal M. and **Le Goffic F.** Chemoenzymatic approach to carbocyclic analogues of ribonucleosides and nicotinamide ribose,1887
Siddiqui S.,Ahmad S.S. and **Haider S.I.** Isolation of a new alkaloid "Yohambinine" from Rauwolfia serpentina Benth,1311
Sidler D.R see DeShong P. 2233
Sieber P. A new acid-labile anchor group for the solid-phase synthesis of C-terminal peptide amides by the FMOC method,2107
Sieber P. An improved method for anchoring of 9-fluorenylmethoxycarbonyl-amino acids to 4-alkoxybenzyl alcohol resins,6147
Sieber P. Modification of tryptophan residues during acidolysis of 4-methoxy-2,3,6-trimethylbenzenesulfonyl groups. Effects of scavengers,1637
Sieber P. and **Riniker B.** Protection of histidine in peptide synthesis: a reassessment of the trityl group ,6031
Siegel W see Schmidt U. 2849
Sigsund S.K see Jungheim L.N. 285, 289
Sih C.J see Bold G. 1973
Silva M see Bittner M. 4031
Sime J.T.,Pool C.R. and **Tyler J.W.** Regioselective enzymic hydrolysis in the isolation of isomers of mupirocin,5169
Simmonds M.S.J see Ley S.V. 221, 1594
Simon C.D see Bartels B. 2985
Simon E.J see Galzi J.L. 401
Simon H see Klier K. 2677
Simon P see Dutasta J.P. 3577
Simonet J see Cariou M. 1275
Simonis M.-T see Pflieger D. 1519
Simonneau R see Vo-Quang Y. 6167
Simova S.D see Trifonov L.S. 3391
Simpkins N.S see Cain C.M. 3723
Simpkins N.S. Preparation and reactions of a vinyl carbanion derived from an oxygenated vinyl sulphone,989
Sims R.J see Neeland E. 35
Sin D.W.M see Letcher R.M. 3687
Sinai-Zingde G see Fleming A. 167, see Hudlicky T. 5287
Sinaÿ P see Beau J.-M. 1105
Singh R see Just G. 5981
Singh S.K see Ranganathan S. 2893
Singh T see Kessar S.V. 5323
Singleton D.A see Gassman P.G. 5969
Singleton S.F see Plummer B.F. 4801
Sinha S.C see Oshima Y. 2025
Sinhababu A.K.,Kawase M. and **Borchardt R.T.** tert-Butyldimethylsilyl ethers of phenols: their one-step conversion to benzyl or methyl ethers and utility in regioselective ortho lithiation,4139
Sinisterra J.V see Alcantara A.R. 1515, see Fuentes A. 2951, 2947, 4541
Sinninghe Damsté J.S.,Kock-van Dalen A.C.,de Leeuw J.W. and **Schenck P.A.** The identification of 2,3-dimethyl-5-(2,6,10-trimethylundecyl)thiophene, a novel sulphur containing biological marker,957
Sjogren E.B see Evans D.A. 39
Skattebol L see Buxton S.R. 2167
Skonieczny S see King J.F. 5001
Skowrońska A.,Dembiński R.,Kamiński R. and **Michalski J.** Novel synthesis of symmetrical tetraalkyl monothiopyrophosphates,4209
Skowronska-Ptasinska M.,Telleman P.,Aarts V.M.L.J.,Grootenhuis P.D.J.,van Eerden J.,Harkema S. and **Reinhoudt D.N.** Intraannular functionalization of macrocyclic polyethers via organolithium chemistry; X-ray structure of 2-sulfinyl-1,3-xylyl-15-crown-4,1937
Slater M see Magnus P. 2829
Slawin A.M.Z see Ashton P.R. 6367, see Baker G.H. 5565, see Ramsay M.V.J. 5353, see Taylor S.J.C. 6391
Sledeski A.W see Jefford C.W. 949
Slough G.A see DeShong P. 2229, 2233
Slougui N. and **Rousseau G.** Reaction of a chlorovinylcarbene with ketenealkyl silyl acetals. Synthesis of new α- and β-allenic carboxylates,1651
Slovin E see Sterling J. 1685
Smit W.A see Pogrebnoi S.I. 4893
Smith A.B.,Yokoyama T.,Huryn D.M. and **Dunlap N.K.** Total synthesis

of (+)-mikrolin,3659
Smith A.B.,Yokoyama Y.,Dunlap N.K.,Hadener A. and **Tann C.** Total synthesis of dechloromikrolin: a structural reassignment with biosynthetic implications,3663
Smith A.B.,III.,Hale K.J. and **Vaccaro H.A.** The total synthesis of (+)-phyllanthostatin 2,5591
Smith A.D.M see Bremner D.H. 6687
Smith B.D see Feldman K.S. 607
Smith D.M see Cassidy F. 2403, see McFarlane M.D. 6363
Smith H.D see Davies H.M.L. 1853
Smith K.M see Leung H.-K. 5453
Smonou I see Orfanopoulos M. 15
Smyth M.S see Poss A.J. 5469
Snader K.M see Wright A.E. 1377
Snapper M.L see Wender P.A. 2221
Snider B.B see Mohan R. 845
Snider B.B.,Mohan R. and **Kates S.A.** Manganese (III) based oxidative free-radical cyclizations. 2. Polycyclization reactions proceeding through tertiary cations,841
Snieckus V see Cheng W. 5097, see Sharp M.J. 5093, see Sibi M.P. 2933, see Zani C.L. 6561
Snyder J.K see Chen S. 5603, see Lee J. 3427
Soai K.,Niwa S.,Yamada Y. and **Inoue H.** Chiral piperazine as a new chiral catalyst for the enantioselective addition of dialkyl zincs to aryl aldehydes,4841
Soares C.J see Kurth M.J. 1031
Soll R.M. and **Seitz S.P.** Synthetic studies on boron containing antibiotics,5457
Solladie G. and **Hutt J.** Asymmetric synthesis of polyhydroxylated natural products 11. The C-1/C-12 unit of amphotericin B.,797
Solladié G.,Hutt J. and **Fréchou C.** Asymmetric synthesis of polyhydroxylated natural products - I. Efficient preparation of L-arabinitol,61
Solomon R see Warrener R.N. 6503
Somfai P see Tanner D. 1211
Son J.C see Austin G.N. 4741, see Fleet G.W.J. 3615
Sondengam B.L see Ghogomu R. 2967, see Lontsi D. 6683
Sonobe H see Ando W. 6653
Sonoda N see Ogawa A. 3271
Sorokin V.D see Zefirov N.S. 242
Sorori T see Tobe Y. 2861
Soto K see Eberhardt M.K. 3439
Sotokawa H see Tajiri A. 6465
Sotokawa H.,Tajiri A.,Morita N.,Kabuto C.,Hatano M. and **Asao T.** HPLC Optical resolution of tricarbonyl(2,3-dihydrotropone)-iron and its absolute configuration,5873
Souchet M.,Guilhem J. and **Le Goffic F.** A new and easy synthesis of 2-carboxy-6-ono-cis-octahydroindole,2371
Soundararajan N see Liu M.T.H. 1011
Soundararajan N. and **Platz M.S.** Photochemical cleavage of benzylic stannanes,2813
South M.S see Van Sant K. 6019
Southgate R see Bateson J.H. 1561
Sowin T.J see Meyers A.I. 5103
Spadoni M see Colonna S. 1577
Spagnolo P. and **Zanirato P.** Aliphatic C-H, N-insertion versus aromatic N-substitution in the reaction of aryl-nitrenium-boron trifluoride complexes with methylated benzenes,961
Sparks M.A see Panek J.S. 4649
Speckamp W.N see Klaver W.J. 1581, see Mooiweer H.H. 3285
Spector I see Blasberger D. 459
Spencer J.T see Meinke P.T. 3887
Spencer N see Ashton P.R. 6367
Speranza G see Manitto P. 4221, see Monti D. 5047
Speranza M see Crotti P. 3393
Spicer L.D see Ram S. 515
Spilling C.D see Marples B.A. 581
Spino C. and **Weiler L.** A stereoselective synthesis of the tetrahydrofuran unit in ionomycin,731
Spohn R.F.,Grieco P.A. and **Hargund R.P.** Chemical transformations in the quassinoid series: construction of the sensitive hydroxy enone functionality present in ring A of quassimarin and related quassinoids,2491
Spotnitz R.M see Kreh R.P. 1067
Springer J.P see Kozikowski A.P. 2211, see Schlessinger R.H. 5423
Spunta G see Cainelli G. 5369, 3593
Squillacote M.E.,Bergman A.,De Felippis J. and **West E.M.** Thermal stability of cis-oxadiazidines. An example of anchimerically assisted ring opening,275
Srebnik M.,Cole T.E. and **Brown H.C.** Methylborane - a remarkable unhindered monoalkylborane which achieves the controlled sequential hydroboration of representative alkenes,3771
Sreenivasan N see Rama Rao A.V. 455
Srikrishna A. and **Sunderbabu G.** A simple synthesis of 2,3-disubstituted furans,6393
Srikrishna A. and **Pullaiah K.C.** Furannulation via radical cyclisation,5203
St C. Black D.,Craig D.C.,Heine H.W.,Kumar N. and **Williams E.A.** Unusual cycloaddition of some 1-acyl indoles to an o-quinone monoimide,6691
Stadler R.,Kutchan T.M.,Loeffler S.,Nagakura N.,Cassels B. and **Zenk M.H.** Revision of the early steps of reticuline biosynthesis,1251
Staib R.R see Schultz A.G. 4929
Stambouli A.,Amouroux R. and **Chastrette M.** Synthese stereoselective du decadiene-2(E),4(Z)oate d'ethyle a partir d'un monoacetal du glyoxal,5301
Stamm H see Bentz G. 2511
Stankovic C.J see Delfino J.M. 2323
Stanković S see Miljković D. 5737
Stanssens D.,De Keukeleire D. and **Vandewalle M.** Chelation controlled regioselective alkylation and 1,4 chirality transfer in optically active 1-alkoxy-1,4-cyclohexadienes,4195
Stévenart-De Meesmaeker N.,Herényi B. and **Viehe H.G.** Synthesis of dienes with 1,1-captofdative substitution,2591
Stec W.J see Leśnikowski Z. 5535, see Uznański B. 3401
Steckhan E see Mlcoch J. 1081, see Ruppert R. 6583
Stefanelli S see Annunziata R. 3139
Stefani V see Fariña F. 4109
Steffan B.,Praesassing M. and **Steglich W.** Physarochrome A, a plasmodial p'igment from the slime mould Physarum polycephalum (Myxomycetes),3667
Steglich W see Steffan B. 3667
Stemp G see Cassidy F. 2403
Sterling J.,Slowin E. and **Barasch D.** Use of malic acid as a chiral synthon: 24,25-dihydroxy-cholecalciferol,1685
Sternfeld F see Ley S.V. 225
Sternhell S see Cosmo R. 6239
Steuerle U see Gleiter R. 6159
Stevenart-De Meesmaeker N see Bachi M.D. 2637, 2887
Stewart J.D see Clarke T. 6253
Stewart L.J.,Gray D.,Pagni R.M. and **Kabalka G.W.** A convenient method for the addition of HI to unsaturated hydrocarbons using I_2 on Al_2O_3,4497
Stieltjes H see van der Louw J. 5929
Still I.W.J. and **Shi Y.** A stereoselective synthesis of clavularin A from 2-cycloheptenone,2489
Still W.C see Hobbs D.W. 2805
Still W.C.,Hauck P. and **Kempf D.** Stereochemical studies of lasalocid epimers. Ion-driven epimerizations,2817
Stille J.K see Peña M.R. 6573
Stoddart J.F see Anderson D.W. 2661, 2657, 2653, see Ashton P.R. 6367
Stokes T.M. and **Oehlschlager A.C.** Enzyme reactions in apolar solvents: the resolution of (±)-sulcatol with porcine pancreatic lipase,2091
Stokker G.E. Palladium catalyzed stereospecific Michael arylation of 6-alkyl-5,6-dihydro-2H-pyran-2-ones,3179
Stokkingreef E.H.M see Feenstra R.W. 1215
Stork G.,Krafft M.E. and **Biller S.A.** An approach to gelsemine,1035
Stork G. and **Saccomano N.A.** Enantioselective synthesis of an intermediate for the intramolecular Diels-Alder construction of 11-ketosteroids,2087
Storr R.C see Randles K.R. 5555
Straub A see Effenberger F. 1641
Strauss M.,Phelan J.,Carignan Y. and **Buncel E.** Synthesis and characterization of glycerol tripicrate and its sigma complexes with methoxide. Replacing the ONO_2 of nitroglycerine with $-OC_6H_2(NO_2)_3$,6009
Strauss M.,Torres R.,Carignan Y. and **Buncel E.** The preparation and characterization of picryl nitrocellulose. Formation of anionic sigma complexes (Meisenheimer complexes) in a polymeric system,159
Strazzolini P see Verardo G. 3011
Strobel S.A see Cardellina J.H. 727
Stüber W see Breipohl G. 5651
Stull P.D see Padwa A. 5407
Sturtz G see Corbel B. 6605
Su W.-g see Corey E.J. 5241
Sülzle D. Reactions of carbenes with anions,2769
Suárez E see Francisco C.G. 3397, see Freire R. 981, see Hernández R. 2533
Suami T see Tadano K. 2741
Subrahmanyam D see Mehta G. 479
Subramanian L.R see Martínez A.G. 6441
Sueoune H see Kashihara H. 6489
Suemune H.,Oda K. and **Sakai K.** Ring cleavage and reconstruction of five and six membered ring,3373
Sugano M see Fusetani N. 4311
Suginome H see Kobayashi K. 3369
Suginome H. and **Yamada S.** A simple new general synthesis of macrocyclic ketones: a new entry to the synthesis of exaltone and (±-muscone,3963
Sugiura T.,Hamada Y. and **Shioiri T.** A facile synthesis of ulicyclamide,2251
Sugiyama K see Iwata C. 3131, 2255
Sulfab Y see El-Dusouqui O.M.E. 2417
Sultana M see Moriarty R.M. 3071
Summerell R.J see Gilchrist T.L. 1469
Sun H see Xu Y. 499
Sunami M see Nokami J. 649

Sundertabu G see Srikrishna A. 6393
Surendrakumar S see Aly M.F. 6077
Sustmann R see Chandra H. 1455
Sutherland D.R see Ramsay M.V.J. 5353
Sutherland J.K see Mullah K.B. 2065
Suzuki K see Shimazaki M. 5891, see Tomooka K. 6339, 6335
Suzuki K.,Miyazawa M. and **Tsuchihashi G.** Catalytic version of epoxy silyl ether rearrangements,3515
Suzuki M see Kimura I. 1917, 1921
Suzuki S see Hayashi T. 3693
Suzuki T see Miyashita M. 4293, see Murata S. 4297, 4415
Sviridov A.F.,Ermolenko M.S.,Yashunsky D.V.,Borodkin V.S. and **Kochetkov N.K.** Total synthesis of erythronolide B.2. Skeleton assembly in (C_3-C_8) +(C_2-C_4) + (C_1-C_2) + (C_{11}-C_{13}) sequence,3839
Sviridov A.F.,Ermolenko M.S.,Yashunsky D.V.,Borodkin V.S. and **Kochetkov N.K.** Total synthesis of erythronolide B.1. Skeleton assembly in (C_3-C_{13}) + (C_7-C_8) + (C_1-C_6) sequence,3835
Swanepoel A see Bezuidenhoudt B.C.B. 4857
Swanson D.R see Negishi E. 917
Swartzendruber J.K see Jungheim L.N. 289
Swenson R see McMurry J.E. 3209
Swenton J.S see Morrow G.W. 5445
Swindell C.S. and **Patel B.P.** Synthesis and stereochemistry of a saturated tricyclic taxane model,5275
Sworin M. and **Neumann W.L.** The uncatalyzed conjugate addition reaction of 2-(1,3-dioxolan-2-yl)-ethylmagnesium bromide with cyclic α,β-enones,3217
Symons M.C.R see Chandra H. 1455
Szabo L see Charon D. 1393
Szabó D see Perjési P. 571
Szczepek W.J see Sicinski R.R. 5729
Szeimies G see Belzner J. 3099
Szewczyk J see Quin L.D. 1077

Tabuchi T. Inanaga J. and **Yamaguchi M.** A mild and efficient method for the formation of allylstannanes utilizing SmI_2-induced polarity inversion of π-allyl palladium complexes 215
Tabushi I see Yamamura K. 6475
Tabushi I. Kuroda Y. and **Sasaki Y.** A reversible and specific multiple binding or absorption of dithionite anion on cationic micellar surface 4069
Tabushi I. Hamachi I. and **Kobuke Y.** Control of electron transport by thermally induced phase transition of liposomal membrane 5899
Tabushi I. Yamamura K. and **Okada Y.** Liquid crystals. II. The tail design via β-oxygen atom modification for the remarkably enhanced stability of hexakis-(alkanoyloxy)triphenylene mesophase 2269
Tabushi I. Kuroda Y. and **Yamada M.** Racemization of phenylglycine catalyzed by pyridoxal. Catalytic effect of phosphate ion 5695
Tabushi I. and **Hamachi I.** Single wall bilayer liposome functionalized with the artificial flavolipid (II): its efficient electron flux conversion from NADH model of an appropriate structure in the transmembrane electron transfer 3363
Tabushi I. Kurihara K. Naka K. Yamamura K. and **Hatakeyama H.** Supramolecular sensor based on SnO_2 electrode modified with octadecylsilyl monolayer having molecular binding sites 4299
Tachibana Y see Okuma K. 6649
Tadano K. Hoshino M. Ogawa S. and **Suami T.** An alternative synthesis of (1R,2S,3R,4R)-2,3-dihydroxy-4-hydoxymethyl-1-cyclopentanamine, a synthetic intermediate of (-)-aristeromycin 2741
Taddei M see Coppi L. 973, 969, 965, see Nativi C. 347, 2751
Taffer I.M. and **Zipkin R.E.** Total enantiospecific synthesis of 12(R)-HETE 6543
Taguchi T see Hosoda A. 65, see Mead D. 259
Tajima A see Koshino H. 73
Tajiri A see Sotokawa H. 5873
Tajiri A. Sotokawa H. Morita N. Kabuto C. Hatano M. and **Asao T.** The absolute configuration of homotropone and its iron tricarbonyl complexes 6465
Takacs B.E see Takacs J.M. 5627
Takacs J.M. Anderson L.G. Creswell M.W. and **Takacs B.E.** Intramolecular formal iron-catalyzed ene reactions: the stereoselective and regiocontrolled formation of substituted tetrahydropyrans 5627
Takahashi A. and **Shibasaki M.** Stereo- and regiocontrolled construction of 3-alkyl-cis-bicyclo[4.3.0]non-3-ene derivatives. An efficient synthesis of the potent homoisocarbacyclin analog 1893
Takahashi H see Chiba M. 3675, 3675, see Kusumi T. 4695
Takahashi I see Takemura H. 5687
Takahashi K see Kinjo J. 3697, see Mikami K. 5879, see Ogura K. 5703
Takahashi K. Namekata N. Takase K. and **Takeuchi A.** Electronic structural characterization of cycloheptadienequinone and cyclopentenequinone systems having an electron donating diaminocyclopropenylidene moiety 5683
Takahashi M see Kobiro K. 3825, 5578
Takahashi M. and **Kikuchi H.** Ring transformation reaction of 1,2,4,5-tetrazines to 4-amino-pyrazoles by cyanotrimethylsilane 2139
Takahashi T see Hirota H. 435, see Negishi E. 917
Takai K. Kataoka Y. Okazoe T. and **Utimoto K.** Stereoselective synthesis of (E)-alkenylsilanes from aldehydes with a reagent prepared by chromium(II) reduction of $Me_3SiCHBr_2$ 1443
Takaishi N see Hori K. 5883
Takaku H see Fujii M. 5713, see Rao T.S. 4897
Takanishi K. Urabe H. and **Kuwajima I.** Remarkable stabilizing effects of silyl group on furfuryl chlorides and furfuryl Grignard reagents 2281
Takano S see Hatakeyama S. 2717, 2713
Takano S. Kurotaki A. and **Ogasawara K.** A double Diels-Alder reaction of a C_2-symmetric bis-dienophile: a new enantioselective approach to natural loganin 3991
Takano S. Yanase M. Sekiguchi Y. and **Ogasawara K.** Pratical synthesis of (R)-γ-amino-β-hydroxybutanoic acid (GABOB) from (R)-epichlorohydrin 1783
Takase K see Takahashi K. 5683
Takasugi J.J see Dauben W.G. 4377
Takaya H see Kitamura M. 4719, 4829
Takayama H see Koizumi T. 3689
Takeda A see Sakai T. 3817, see Tsuboi S. 2709, see Utaka M. 1447
Takeda R see Park M.H. 3823
Takei H see Asaoka M. 5669, 6343
Takemoto T see Isoe S. 5865, see Maeda M. 633
Takemura H. Komeshima N. Takahashi I. Hashimoto S. Ikota N. Tomioka K. and **Koga K.** Stereochemical aspects of asymmetric Diels-Alder reaction catalyzed by chiral alkoxyaluminum dichlorides 5687
Takeshita M see Kadota S. 2857
Takeuchi A see Takahashi K. 5683
Takeuchi H see Mitani M. 4573
Takeuchi K see Akasaka T. 6633
Takimoto S see Fukuoka S. 4711
Takita T see Niitsuma S. 4713, 3967
Takiyama N see Imamoto T. 1307
Takusagawa F see Engler T.A. 5267
Tam T.F. Thomas E. and **Krantz A.** Synthesis of 5-alkynylidene-oxazolidin-2-ones 1127
Tamao K see Ito Y. 2247
Tamariz J see Aguilar R. 865
Tamaru Y. Hojo M. and **Yoshida Z.** Inter- and intamolecular Dialkoxycarbonylation of 3-butenols catalyzed by palladium(II) 325
Tamaru Y. Bando T. Hojo M. and **Yoshida Z.** Synthesis of 2-vinyl-Y-butyrolactones by the palladium-catalyzed decarboxylative carbonylation of 3-vinyl-1-oxo-2,6-dioxacyclohexanes 3497
Tamatsukuri S see Tanaka T. 2611
Tambunan U.S.F see Tsunoda T. 2537
Tamm C see Mohr P. 395, 391, see Smith A.B. 3663
Tamura H see Goto T. 5907, see Kondo T. 2273
Tamura O see Kita Y. 1431, 6479
Tamura Y see Kita Y. 6479, 1431
Tamura Y. Kirihara M. Sekihachi J. Okunaka R. Mohri S. Tsugoshi T. Akai S. Sasho M. and **Kita Y.** A new synthetic strategy for heteroanthracyclines: total synthesis of D-ring thiophene analogs of daunomycin 3971
Tamura Y. Annoura H. Yamamoto H. Kondo H. Kita Y. and **Fujioka H.** Asymmetric synthesis of anthracyclinones using chiral acetal: synthesis of a new chiral AB-synthon, (-)-2-bromo-6-ethynyl-6-hydroxy-5,6,7,8-tetrahydro-1,4-naphthoquinone and its application for (-)-7-deoxy-daunomycinone 5709
Tamura Y. Annoura H. and **Fujioka H.** Highly stereoselective reduction of chiral α-keto-β,γ-unsaturated acetals: synthesis of both epimeric allyl alcohols by proper choice of additive 5681
Tamura Y. Akai S. Kishimoto H. Kirihara M. Sasho M. and **Kita Y.** Practical total synthesis of 11-deoxydaunomycinone and the first total synthesis of 11-deoxydaunomycin 4583
Tanaka C see Watanabe Y. 3953
Tanaka H see Hayakawa H. 87
Tanaka K. Chen X. Kimura T. and **Yoneda F.** Oxidation of thiol by 5-arylidene 1,3-dimethyl-barbituric acid and its application to syn thesis of unsymmetrical disulfide 4173
Tanaka M see Kobayashi T. 2721
Tanaka T see Maeda M. 633

Tanaka T. Tamatsukuri S. and **Ikehara M.** Phosphorylating agent for the synthesis of oligonucleotide with aliphatic amino group at 5' end 2611
Tanaka Y see Koreeda M. 143
Tang J see Lee J. 3427
Tanikaga R. Hosoya K. Hamamura K. and **Kaji A.** Stereochemistry in alkylations of dianions of β-hydroxysulfoxides and β-hydroxysulfones 3705
Tanis S.P. and **Dixon L.A.** Furans in synthesis.7. A formal total synthesis of (+/-)-perhydrohistrionicotoxin 2495
Taniyama T see Yoshikawa M. 2029
Tanji M see Araki Y. 5853
Tanner D. and **Somfai P.** An aziridine route to chiral β-lactams a novel entry to (+)-thienamycin 1211
Tardivel R see Laurent E. 2359
Tarnchompoo B. Thebtaranonth C. and **Thebtaranonth Y.** 2,3-Dicarbomethoxy-1,3-butadiene and its reactions 6671
Tarnchompoo B. Thebtaranonth C. and **Thebtaranonth Y.** Pyrrolidine and α-methylene-γ-lactam from the cyclization of α-(alkylaminoethyl)acrylate: synthesis of aza-sarkomycins 6675
Tashtoush H see Al-Talib M. 353
Tata J.R see Schlessinger R.H. 5423
Taty-C A see Casabianca H. 6595
Tay M.K. Aboujaoude E.E. Collignon N. and **Savignac Ph.** Phosphonates α-lithies agents de transfert fonctionnel. Preparation d'aldehydes α,β-insatures α-substitues 1263
Taylor A.P see Brown D.W. 985
Taylor E.C. McDaniel K.F. and **Warner J.C.** Diels-Alder reactions of bicyclic 1,2,4-triazines: the conversion of pyrimido[4,5-e]-1,2,4-triazines to pyrido[2,3-d]pyrimidines (5-deazapteridines)[1],[2] 1977
Taylor E.C. and **Pont J.L.** Further intramolecular Diels-Alder reactions of 1,2,4-triazines. Synthesis of dihydropyrrolo[2,3-b]pyridines 379
Taylor R.J see Moody C.J. 5351
Taylor S see Ley S.V. 225
Taylor S.J.C. Ribbons D.W. Slawin A.M.Z. Widdowson D.A. and **Williams D.J.** Biochemically generated chiral intermediates for organic synthesis: the absolute stereochemistry of 4-bromo-cis-2,3-dihydroxycyclohexa-4,6-diene-1-carboxylic acid formed from 4-bromobenzoic acid by a mutant of Pseudomonas putida 6391
Taylor W.C see Blackman A.J. 5561
Tazaki H see Ichihara A. 1175
Tchen C.D.A see Carr C.A. 897
Teall M.R see Barker A.J. 2283
Telleman P see Skowronska-Ptasinska M. 1937
Tellier F. Sauvêtre R. Normant J.F. and **Chuit C.** Reduction d'alcools allyliques fluores par le borohydrure de sodium 3335
Tecule R see Schulhof J.C. 51
Terada Y see Shizuri Y. 3831, 1791, 1795
Teramine T see Kinjo J. 3697
Terashima S see Ito Y. 6625, 6629, see Matsumoto T. 4419
Terauchi H see Shibuya M. 2619
Terheijden J see Tintel C. 2057
Teshima T. Wakamiya T. Aramaki Y. Nakajima T. Kawai N. and **Shiba T.** Synthesis of a new neurotoxin NSTX-3 of papua New Guinean spider 3509
Teshima T. Nakai T. Kitazawa M. and **Shiba T.** Total synthesis of lepidopteran A, self-defence substance produced by silkworm 4705
Testaferri L see Tiecco M. 3849
Teulade M.-P. and **Savignac P.** Conversion directe par les alkyllithiens des phosphates en phosphonates α-lithies 405
Tezuka M see Yajima T. 4177
Tezuka T see Hayashi T. 3693
Tezuka T. Sasaki K. and **Ando S.** Base and acid catalyzed reactions of phenylazo 1-naphthyl ether, a new reactive diazoether. Reply to the Kekulé's mechanism for the diazo coupling reaction 4427
Thakker K.R see Pradhan S.K. 1813
Thakur R.S see Akhila A. 4085, see Chandra A. 6377
Thal C see Leboff A. 4163
Thatcher G.R.J see Blackburn G.M. 2779
Thea S. and **Cevasco G.** A facile synthesis of sulfinytl chlorides from thiolacetates 5193
Thebtaranonth C see Tarnchompoo B. 6675, 6671
Thebtaranonth Y see Tarnchompoo B. 6675, 6671
Theis W see Miller R.D. 1039
Theobald P.G. and **Okamura W.H.** On the stereospecific reduction of vinylsulfoxides with the possibility of deuterium labeling 6565
Thiébault A see Alam N. 6171
Thiéry A see Vo-Quang Y. 4057
Thiebault A see Chaussard J. 1173
Thiebault H see Laurent E. 2359
Thierry J see Barton D.H.R. 1413
Thijs L see Waanders P.P. 2409
Thirasasana N see Blackman A.J. 5561
Thoma R.J see Boyd B.A. 6121
Thomas D.W see Ramage R. 4105
Thomas E see Tam T.F. 1127
Thomas E.J see Hull C. 5343
Thompson C see Arrowsmith R.J. 5569
Thompson C.M. "Remote" dianions I. Utility of 4-phenylsulfonylbutanoic acid in the mild conversion of aldehydes and ketones to lactones 4243
Thompson D.W see Mohler D.L. 2567
Thompson M see Wright C. 6389
Thompson N.T see Gilheany D.G. 3843
Thompson R.A see Allenmark S. 3751
Thompson W see Wright A.E. 1377
Thummel R.P see Hegde V. 4023
Thummel R.P. and **Lim J.-L.** 2,3;6,7-bis(2',3'-quinolino)TCU: a rigid syn-ortho-cyclophane 3319
Thuong N.T. and **Chassignol M.** Synthese et reactivite d'oligothymidylates substitues par un agent intercalant et un groupe thiophosphate 4157
Thurston J see Kraus G.A. 4011
Tiecco M. Tingoli M. Testaferri L. and **Bartoli D.** Asymmetric oxidation of prochiral selenides to optically active selenoxides 3849
Tiley E.P see Ramsay M.V.J. 5353
Timberlake J.W see Luedtke A. 4255
Tingoli M see Tiecco M. 3849
Tintel C. Terheijden J. Lugtenburg J. and **Cornelisse J.** Photoreduction and photoaddition reactions of pyrenediones 2057
Tisnes P see Leygue N. 4049
Tömöközi I see Otvös L. 6381
Tobe Y see Kobiro K. 3825, 5578, see Ue M. 3979
Tobe Y. Sorori T. Kobiro K. Kakiuchi K. and **Odaira Y.** Thermal [2+2] cycloaddition of benzene derivative. Cycloaddition of (Z)-[6]paracycloph-3-ene with tetracyanoethylene 2861
Tochtermann W see Königstein V. 3483
Tochtermann W. Luttmann K. Peters E.-M. Peters K. and **von Schnering H.G.** Eine Eintopfsynthese von[6](2,5)Furanophanen durch Ringverengung von [6](3,6)oxepinophanen mit Rutheniumtetroxid 2521
Togiya S see Koshino H. 73
Toi H see Aoyama Y. 2143, 4853
Tojo G see Bolton R.E. 3163
Tokitoh N see Ando W. 4833, 1787, 2867, 4707, 1803, 5699
Tokitoh N. Igarashi Y. and **Ando W.** Silicon Pummerer reaction of thiazolidine S-oxides; a new method for stereospecific C-5 functionalization of thiazolidines 5903
Tokoroyama T see Iio H. 2379, see Tsukamoto M. 4561
Tokoroyama T. Tsukamoto M. Asada T. and **Iio H.** One-pot stereospecific construction of cis-clerodane skeletone by means of doubly stereocontrolled cyclization: total synthesis of linaridial 6645
Tomás J see Planas A. 471
Tominaga Y. Kohra S. and **Hosomi A.** Selective carbophilic addition of organolithiums to thioamides. A novel synthesis of unsymmetrical ketones and α-alkylated amines 1529
Tomioka K see Takemura H. 5687
Tomioka K. Seo W. Ando K. and **Koga K.** Chlorotrimethylsilane promoted asymmetric Michael reaction of chiral enamines of α-alkyl β-keto esters 6637
Tomioka K. Nakajima M. and **Koga K.** Novel use of aryloxyaluminum dichloride in the chiral diamine mediated asymmetric addition reaction of Grignard reagents to benzaldehyde 1291
Tomioka Y see Padwa A. 755
Tomizawa G see Umemoto T. 2705
Tomlinson G.D see Bartels B. 2985
Tomooka K. Matsuzawa K. Suzuki K. and **Tsuchihashi G.** Lactols in stereoselection 2. Stereoselective synthesis of disubstituted cyclic ethers 6339
Tomooka K. Okinaga T. Suzuki K. and **Tsuchihashi G.** Lactols in stereoselection 1. Highly selective 1,4- and 1,5-asymmetric induction 6335
Tomotake Y see Nakamura H. 621
Tone H. Nishi T. Oikawa Y. Hikota M. and **Yonemitsu O.** A stereoselective total synthesis of (9S)-9-dihydroerthronolide A from D-glucose 4569
Tori M see Hashimoto T. 6295, 6293, 6303
Torras J see Camps F. 4745
Torres R see Strauss M. 159
Toth B see Gannett P.M. 1015
Toullec J. El-Alaoui M. and **Kleffert P.** Thermodynamics of the isodesmic enol-to-methyl enol ether equilibrium in water 1889
Toupet L see Boulaajaj S. 1761, see Cariou M. 1275, see Knouzi N. 1757, see Morey J. 2959
Toussaint O. Capdevielle P. and **Maumy M.** Asymmetric synthesis by copper-catalyzed decarboxylation of phenylmalonic diacids and hemiesters 539
Toyokuni T see Blunt J.W. 1825
Trabelsi M see Krief A. 4225
Trah S. Weidmann K. Fritz H. and **Prinzbach H.** Cooperative [2+2+2] cycloaddition reactions in polyquadricyclanylidene [n]rotanes - model studies in tris-spiro(C,H_4)systems 4403

Trah S. Weidmann K. Fritz H. and **Prinzbach H.** Intercyclic vs. intracyclic [π2+σ2+σ2]/[π2+π2] cycloaddition reactions in sterically fixed norborna-diene/quadricyclane systems 4399
Tranchepain I see Duréault A. 3341
Traynor J.R see Gill J.C. 2643
Traynor L see Benedikt G.M. 763
Treadgold R see Mortimore M. 3747
Tregear G.W see Haralambidis J. 5199
Triantaphylides C see Gil G. 1647
Trifonov L.S. Simova S.D. and **Orahovats A.S.** Intramolecular Diels-Alder reaction of aryl allene phosphonates 3391
Trigos A see González A. 4203
Trötsch-Schaller I see Märkl G. 2693
Troisi L see Curci R. 5319
Troseter J.D see Marshall J.A. 4985
Troup C.M see Kuyl-Yeheskiely E. 4461
Trost B.M. Lynch J.K. and **Angle S.R.** Asymmetric cis - hydroxylation via epoxidation-carboxylation: A formal synthesis of (+)-citreoviral 375
Trost B.M. Urch C.J. and **Hung M.-H.** Erratum 1354
Trost B.M. and **Jebaratnam D.J.** Syntheses of the picrotoxane skeleton via the palladium (II) - catalyzed carbacyclization reaction 1611
Trost M.K see Yang F.Z. 1493
Trotter J see Garcia-Garibay M. 4789, 1741
Trova M.P see Paquette L.A. 2795, see Schlecht M.F. 4354
Truchet F see Vaultier M. 4169
Trull F.R see Lightner D.A. 4033, 1047
Trupp B see Netscher T. 2115
Tsai C.-Y. and **Sha C.-K.** 2H-Pyrrolo[3,4-b]pyridine and 2H-pyrrolo[3,4-c]pyridine: synthesis of the parent ring system and the Diels-Alder reaction 1419
Tsoungas P.G see Kotali A. 4321
Tsuboi S see Utaka M. 1447
Tsuboi S. Furutani H. Utaka M. and **Takeda A.** A practical synthesis of chiral 3-chloro-2-hydroxy-alkanoates and 2,3-epoxyalcohols 2709
Tsubono K see Kadota S. 2857
Tsuchihashi G see Kato Y. 1303, see Shimazaki M. 5891, see Suzuki K. 3515, see Tomooka K. 6339, 6335
Tsuchiya A see Yajima T. 4177
Tsuchiya T see Hasebe M. 6207
Tsugoshi T see Tamura Y. 3971
Tsuji J see Minami I. 629, 2737, see Yamada T. 4557, see Yamamoto K. 6347
Tsuji J. and **Minato M.** Oxidation of olefins to ketones in combination with electro-oxidation 3683
Tsuji J. Ohashi Y. and **Minami I.** Preparation of thermpdynamically stable enol silyl ethers of γ-δ-unsaturated ketones by palladium-catalyzed decarboxy-lation-allylation of allyl 2,3-disubstituted 3-trimethylsiloxy-acrylates 2397
Tsuji T. Itani H. and **Ishitobi H.** Highly stereoselective methoxy-lation at the seven position of cephalosporins 2745
Tsuji Y see Kondo T. 6229
Tsukahara H see Ue M. 3979
Tsukamoto M see Tokoroyama T. 6645
Tsukamoto M. Ito H. and **Tokoroyama T.** Carbonyl addition reaction by means of β-silyl- and β-stannyl-phosphorous ylides: diastereo-selective E-propenylation of α-chiral aldehydes 4561
Tsunoda T. Amaike M. Tambunan U.S.F. Fujise Y. Ito S. and **Kodama M.** Total synthesis of (±)-lauren-1-ene, the unique fenestrane diterpene 2537
Tsuruda T see Ogura K. 5703
Tubéry F. Grierson D.S. and **Husson H.-P.** Simple 4-acetoxy-5,6-dihydropyridinium salts: new synthesis for the preparation of functionalized piperidine systems 6457
Tubéry F. Grierson D.S. and **Husson H.-P.** Thio-Claisen rearrangement approach to the synthesis of 2,3-disubstituted 4-piperidones 6461
Tue Bi B. and **Devaud M.** Preparation electrochimique des chloromethyl et dichloromethyl-phosphonates de diethyle 3799
Tufariello J.J. Pinto D.J.P. Milowsky A.S. and **Reinhardt D.V.** A convenient route to azetidine-2,3-diones and cis-3β-amido azetidinones 5481
Tufariello J.J. Milowsky A.S. Al-Nuri M. and **Goldstein S.** A highly stereoselective synthesis of (E,E)-1,5-dienes 263
Tufariello J.J. and **Pinto D.J.P.** A nitrone-based approach to the synthesis of cis-3-amido azetidinones 5485
Tufariello J.J. Milowsky A.S. Al-Nuri M. and **Goldstein S.** The synthesis and cycloaddition reactions of 3-aza-bicyclo[3.1.0]hex-2-ene 3-oxide and 3-azabicyclo]3.2.0]hept-2-ene 3-oxide. Highly strained bicyclic nitrones 267
Tuladhar S.M. and **Fallis A.G.** Phenylsulfenyl chloride/N,N-diisopropylethylamine: a useful reagent for cyclic ether formation (sulfenyl-etherification) 523
Tully L.E. Carson M.S. and **McMurry T.B.H.** A novel sesquiterpene lactone from Vernonia erinacea 5925
Tuncay A see Moriarty R.M. 3071
Tung R.D. and **Rich D.H.** Total synthesis of the unusual cyclosporine amino acid MeBMT 1139
Turecek F see Joska J. 2901
Turro N.J. and **Cha Y.** Carbonyl ylide formation in the reaction of methylene with acetone 1723
Turro N.J. Doubleday C.,Jr. Hwang K.-C. Cheng C.-C. and **Fehlner J.R.** Magnetic isotope effects in biradicals: substantial ^{13}C enrichment and a novel mechanistic probe 2929
Turro N.J. and **Zhang Z.** Photo-chemistry of molecules absorbed on alkali ion exchanged zeolites. A "Lebensraum" effect on product formation 5637
Tyler J.W see Sime J.T. 5169
Tytko S.F see Kini A.M. 4153

Ubukata M see Nohara F. 1287
Uchida M see Yamaguchi M. 2017
Uchida T see Matsumoto K. 5707, see Ogura K. 5703
Uchida Y see Kawano H. 1905
Ue M. Tsukahara H. Kobiro K. Kakiuchi K. Tobe Y. and **Odaira Y.** Unusual rearrangement of tricyclo[6.3.0.0^{1,5}]undecan-5-one 3979
Ueda K see Moritake M. 1425
Ueda N see Leblanc Y. 3449
Ueda S see Shuto S. 199
Ueda T see Shuto S. 199
Ueda T. Yoshida H. and **Sakakibara J.** A facile conversion of the methyl group to the cyano group of 5-amino-6-methyluracils and 4-aminoantipyrine 4579
Ueda Y see Meyers A.I. 5103
Ueki M. and **Amemiya M.** Removal of 9-fluorenylmethyloxycarbonyl (Fmoc) group with tetrabutyl-ammonium fluoride 6617
Uemura M. Minami T. Yamashita Y. Hiyoshi K. and **Hayashi Y.** Regio- and stereospecific carbon-carbon bond formation of η^4-(trans-dienol)Fe(CO)$_3$ complexes 641
Ueno Y see Watanabe Y. 3953
Uesato S. Ikeda H. Fujita T. Inouye H. and **Zenk M.H.** Elucidation of iridodial formation mechanism - partial purification and characterization of the novel monoterpene cyclase from Rauwolfia serpentina cell suspension cultures 4431
Uguen D see Barre V. 6045, see Breuilles P. 6053
Ullah G.M see Gray B.D. 689
Ulirich V see Hofmann U. 5655
Umemoto T. and **Tomizawa G.** Nase-initiated reactions of N-fluoro-pyridinium salts; a novel cyclic carbene proposed as a reactive species 2705
Uncuta C. Gheorgiu M.D. and **Balaban A.T.** Formation of 6,6-dimethyl-2,4-cyclohexadienylidene-1-imines from primary amines and 2,6-diisopropylpyrylium salts 3143
Underwood G.R. and **Callahan R.J.** The solvolysis of N-acetoxy-acetanilides: the elucidation of two major reaction pathways for model ultimate carcinogens under neutral conditions 5427
Uozu Y see Ito Y. 3493
Uozumi Y see Mori M. 6187
Urabe H see Takanishi K. 2281
Urano Y see Kamiyama K. 3123
Urch C.J see Trost B.M. 1354
Urpi F see Bartra M. 5941
Uskokovic M.R see Baggiolini E.G. 2095
Usman N see Damha M.J. 1633
Usui S. and **Fukazawa Y.** A facile synthesis of [m.m]metacyclophadiones 91
Usui Y see Jung M.E. 5977
Utaka M see Sakai T. 3817, see Tsuboi S. 2709
Utaka M. Konishi S. Okubo T. Tsuboi S. and **Takeda A.** A facile synthesis of optically pure L-armentomycin and its D-isomer. Highly enantioselective reduction of the C-C double bond of methyl (E)- and (Z)-2,4,4-trichloro-2-butenoate by using baker's yeast 1447
Utimoto K see Fugami K. 809, see Ichinose Y. 3709, see Imi K. 3127, see Matsubara S. 5857, see Takai K. 1443
Utley J.H.P see Chiu Y.L. 1349, see Goulart M.O.F. 6081
Uyehara T see Kato T. 1439
Uzawa J see Sakata K. 5607
Uznański B. Wilk A. and **Stec W.J.** Deoxyribonucleoside 3'phosphor-diamidites as substrates for solid supported synthesis of oligodeoxyribonucleotides and their phosphorothioate and DNA-triester analogues 3401

Vágner J see Krchnák V. 4469
Vacca J.P see deSolms S.J. 4503
Vaccaro H.A see Smith A.B.,III. 5591
Vaid B.K see Moriarty R.M. 2845

Vaid R.K see Moriarty R.M. 2845
Valdebenito H see Bittner M. 4031
Valnot J.-Y see Duhamel P. 3801
Van Arnum S.D see Sauers R.R. 5797
Van der Eycken E. Janssens A. and **Vandewalle M.** Iridoids: An efficient conversion of (-)-catalpol into)-)-specionin 3519
Van der Eycken E. De Wilde H. Deprez L. and **Vandewalle M.** L-(S)-Erythrulose: the synthesis of (R)-1,2,4-butanetriol and of some related C$_4$ chirons 4759
Van Der Puy M. Direct fluorination of substituted pyridines 255
Van Duyne G see Clardy J. 6699
Van Eldik R see Isaacs N.S. 3043
Van Engen D see Pascal R.A.,Jr. 293
Van Sant K. and **South M.S.** Formation of α-enaminoketones from α-azidoketones: an elimination of molecular nitrogen from α-azido-ketones 6019
Van T.T see Differding E. 397
Vandevelde O see Differding E. 397
Vandewalle M see De Wilde H. 4757, see Stanssens D. 4195, see Van der Eycken E. 4759, 3519
Vanelle P see Crozet M.P. 5531
Vankar Y.D. Chaudhuri N.C. and **Rao C.T.** Regioselective reductions of 2,3-epoxy acetals with zinc-chlorotrimethylsilane and lithium aluminium hydride: convenient synthesis of 1,2 and 1,3-diones 551
Vannoorenberghe Y see Muchow G. 6163
Varenne J see Fourrey J.L. 1769, 5157
Vargas K see Almstead N. 1627
Varkados M see Guillerm G. 535
Vasapollo G see Alper H. 6411
Vasella A see Clinch K. 6425
Vasquez P.C see Baumstark A.L. 1963
Vather S.M see Froneman M. 2979
Vaultier M see Boulaajaj S. 1761, see Knouzi N. 1757
Vaultier M. Truchet F. Carboni B. Hoffmann R.W. and **Denne I.** Diels-Alder reactions of 1,3-dienylboronates as a new route to functionalized carbocycles 4169
Veber D.F see Bock M.G. 939, see Rittle K.E. 521
Vedananda T.R see White J.D. 3061
Vedejs E. and **Marth C.** DBP Ylides: Wittig reagents for synthesis of E-alkenes from aldehydes 3445
Veeneman G.H see Westerduin P. 1557
Veeneman G.H. Notermans S. Liskamp R.M.J. van der Marel G.A. and **van Boom J.H.** Solid-phase synthesis of a naturally occurring β-(1→5)-linked D-galacto-furanosyl heptamer containing the artificial linkage arm L-homoserine 6695
Vekemans J.A.J.M. Franken G.A.M. Chittenden G.J.F. and **Godefroi E.F.** An efficient synthesis of (S)-5-hydroxymethyl-2(5H)-furanone 2299
Venemalm L see Bergman J. 3741
Venkataraman H. and **Cha J.K.** Total synthesis of citreomontanin and its C$_{18}$Z polyene isomer 2455
Venkateswaran R.V see Ahmad Z. 4329
Venkatramanan M.K see Padwa A. 755
Venturini I see Gennari C. 227
Verardo G. Strazzolini P. and **Giumanini A.G.** Addition of a methylene group across the ester carbonyl function 3011
Verbeek J see Batelaan J.G. 2163
Vercauteren J see Belgacem L. 3573, see Henin J. 1271
Vercauteren J. Bideau A. and **Massiot G.** A model for the construction of rings I to V of strychnine 1267
Verhecken A see Wouters J. 1199
Vermeo B see Nógrádi M. 2899
Vernhet C see Corriu R.J.P. 2963
Verpeaux J.N see Alam N. 6171
Veschambre H see Fauve A. 5770, 5037
Veyrieres A see Alais J. 3345
Viari A. Ballini J.P. Vigny P. Blonski C. Dousset P. and **Shire D.** Plasma desorption mass spectrometric analysis of iligo-nucleoside methylphosphonates 3349
Vicens J see Casabianca H. 6595
Vidal M see Vincens M. 1259
Viehe H.G see Stévenart-De Meamaeker N. 2591
Viger A see Schambel P. 4161
Vigneron J.-P see Jazwinski J. 3489
Vigny P see Viari A. 3349
Vilar E.T see Martínez A.G. 6441, see Martinez A.G. 1929
Vilarrasa J see Bartra M. 5941, see Garcia J. 341
Villieras J see Alami N.E. 59, see Amri H. 5521
Vinader V see Molina P. 4451
Vincens M. Grimaldo Moron J.T. Pasqualini R. and **Vidal M.** Synthèse de nouveaux sels de tetraphosphonium macrocycliques 1259
Vinick F.J. Nowakowska J. and **Jung S.** An efficient synthesis of 1-phenyl-1-piperidino-trans-4-methylcyclohexane: unanticipated total stereoselectivity in the catalytic hydrogenation of an olefin 741
Vismara E see Fontana F. 6373
Viso A see Arjona O. 5549
Vitagliano A see De Felice V. 2757
Vo-Quang L see Vo-Quang Y. 6167, 4057
Vo-Quang Y. Marais D. Vo-Quang L. Le Goffic F. Thiéry A. Maestracci M. Arnaud A. and **Galzy P.** Bacteria in organic synthesis: Y-alkoxy-α-aminoacids from related α-aminonitriles 4057
Vo-Quang Y. Gravey A.M. Simonneau R. Vo-Quang L. Lacoste A.M. and **Le Goffic F.** Towards new inhibitors of D-alanine: D-alanine ligase: the synthesis of 3-amino butenylphosphonic and amino-phosphonamidic acids 6167
Vogel P see Demarchi B. 2239, see Le Drian C. 1523
Vohra R see Kessar S.V. 5323
Volante R.P see Lynch J.E. 1385, 3994, see Ryan K.M. 2103
Volkmann R.A see Reed L.A. 3431
Vollhardt K.P.C see Amer I. 1321
Volpe T. Revial G. Pfau M. and **d'Angelo J.** Enantioselective synthesis of ring-C aromatic steroids by asymmetric Michael-type alkylation of chiral imines 2367
Von Langen D.J see Godfrey J.D.,Jr. 1603
Vottero P.J.A see Bouhroum S. 5529
Vougioukas A.E see Reetz M.T. 793
Vougioukas A.E. and **Kagan H.B.** Lanthanides as Lewis-acid catalysts in aldol addition, cyanohydrin-forming and oxirane ring opening reactions 5513
Vougioukas A.E. and **Kagan H.B.** Oxirane ring opening reactions with thiols catalyzed by lanthanide complexes 6065
Vrielink J.J see Schakel M. 5747
Vu C.T see Jung M.E. 5977
Vukićević R see Konstantinović S. 6511, see Mihailović M.Lj. 4343

Waanders P.P. Thija L. and **Zwanenburg B.** Stereocontrolled total synthesis of the macrocyclic lactone(-)-aspicilin 2409
Wada I see Harada T. 4181
Wada M. Aiura H. and **Akiba K.** A new synthesis of β-lactams from lithium ester enolates and enolizable aldimines 3377
Wada T see Hotoda H. 1681
Waddell S.T see Wiberg K.B. 151
Wagland A.M see Mellor J.M. 5339
Wagner H.N.,Jr see Lever J.R. 4015
Wagner R.W. Lawrence D.S. and **Lindsey J.S.** An improved synthesis of tetramesitylporphyrin 3069
Wah S.T see Han B.H. 3957
Wakabayashi S see Hayakawa Y. 2259, see Nokami J. 649
Wakamatsu K see Ichinose Y. 3709
Wakamiya T see Teshima T. 3509
Wakamiya T. Yamanoi K. Kanou K. and **Shiba T.** Synthesis of dehydroxy-methylbulgecin A 5887
Wakasa T see Kitano Y. 6351
Wali A see Gandhi R.P. 6679
Walia S see Dureja P. 895
Walker B.J see Gilheany D.G. 3843
Walker C.V see Brown D.W. 2171
Walker M.D see Davidson R.S. 2981
Walkup R.D. Silicon-functionalized silyl enol ethers: a novel dialkylchlorosilyl enol ether and its conversion to alkoxy- and aminosilyl enol ethers 511
Walkup R.D. and **Park G.** Stereo-selectivity in the synthesis of substituted 2-(2-tetrahydro-furanyl)acrylates via intra-molecular oxymercurations or oxypalladations of allenes 1023
Walkup R.D. and **Cunningham R.T.** Studies on the syntheses of the aplysiatoxins: synthesis of a selectively-protected form of the C$_{21}$-C$_{14}$(dihydroxybutanoate) 4019
Wallace R.H see Huffman J.W. 3315
Wallace T.W see Coutts S.J. 5195
Waller A.G see Hartshorn M.P. 6701
Wallerstein M see Apeloig Y. 5917
Walwyn D.R see Kirby A.J. 2421
Wang B see Chen Z. 1673
Wang D see Wei Z.Y. 3441, see Xu Y. 499
Wang G see Grob C.A. 1247
Wang K.K. and **Dhumrongvaraporn S.** A simple synthesis of allylsilanes via tris[(trimethylsilyl)-methyl]borane 1007
Wang K.K. and **Yang K.E.** Synthesis of allylsilanes and β-(trimethyl-silyl)ketones via lithium 1-alkynyltrialkylborates 1003
Wang S see Howe G.P. 2629
Wang X see Huang Z. 1527
Wang X.C. Wong H.N.C. and **Mak T.C.W.** Synthesis of cyclooct[2,1-b:3,4-b']diquinoline and cyclo-octa[2,1-b:3,4-b']di[1,8]-naphthyridine, and X-ray cryustal structures of cyclo-octa[2,1-b:3,4-b']diquinoline and its 2:1 complex with copper (I) perchlorate 5833
Ward J.G see Reese C.B. 2309
Warmus J.S see Roush W.R. 2447
Warner J.C see Taylor E.C. 1977
Warrellow G.J see Moody C.J. 6089
Warren S see Aggarwal V.K. 1925
Warrener R.N see Butler D.N. 6507
Warrener R.N. Russell R.A. Solomon R. Pitt I.G. and **Butler D.N.** Transfer technology: an improved protocol for chemical synthesis 6503
Wasson R see Gilchrist T.L. 1573
Watanabe H see Kimura I. 1921
Watanabe J. Hisatome M. and **Yamakawa K.** Synthesis of [4][3,](1,2,3,4)ferrocenophane 1427

Watanabe M.M see Kusumi T. 4695
Watanabe Y see Kondo T. 6229, see Mitsudo T. 4417, see Ozaki S. 4691
Watanabe Y. Nakahira H. Bunya M., and **Ozaki S.** An efficient method for polyphosphorylation of inositol derivatives 4179
Watanabe Y. Ueno Y. Tanaka C. Okawara M. and **Endo T.** Radical cyclization via dichloromethyl radical. Stereoselective synthesis of cis-2,4-disubstituted pyrrolidine derivatives 3953
Watanabe Y. Ogasawara T. Shiotani N. and **Ozaki S.** Stepwise phosphorylation of vicinal diol and sterically hindered alcohol directed toward D-myo--inositol 2,4,5-trisphosphate 2607
Watson B.T see Buchwald S.L. 3895, see Buchwald S.L. 3245
Watt D.S see Dolence E.K. 43, see Richardson S.K. 2335
Wattley R.V see Lynch J.E. 3994, 1385
Webb K.S see Posner G.H. 5071
Webb R.R.,II. and **Martin J.C.** A convenient synthesis of S-HPMPA 4963
Webb T.R see Matteucci M.D. 2469
Weber A.E see Evans D.A. 39
Weerawarna K.S see Mitchell R.H. 5119
Wege D see Anthony I.J. 4217
Wei J see Davis F.A. 5115
Wei Z.Y. Li J.S. Wang D. and **Chan T.H.** Lewis acid promoted condensation of carbonyl compounds with alkoxyallylsilanes - synthesis of substituted tetrahydropyrans 3441
Weidmann K see Trah S. 4403, 4399
Weiler L see Harris F.L. 2941, see Neeland E. 35, see Spino C. 731
Weissman S.A. and **Baxter S.G.** Cycloaddition of phosphenium ions to norbornadiene and quadricyclane 603
Weith H.L see Coull J.M. 745
Welzel P see Berlage U. 3095, 3091
Wen X see Shi L. 2155
Wender P.A. and **Cooper C.B.** Indole synthesis based on triazole photochemistry: total synthesis of 7-methoxymitosene 6125
Wender P.A. and **Snapper M.L.** Intramolecular nickel catalyzed cycloadditions of bis-dienes:^{1}3 approaches to the taxane skeleton 2221
Wender P.A. and **Ihle N.C.** Nickel-catalyzed intramolecular [4+4] cycloadditions: 2. Allylic stereoinduction and modelling studies in the preparation of bicyclo[6.4.0]dodecadienes 2451
Wentrup C see Bock H. 617
Werbitzky O see Klier K. 2677
West E.M see Squillacote M.E. 275
West J.B. and **Wong C.-H.** Use of nonproteases in peptide synthesis 1629
West R see Campbell M. 3865
Westerduin P. Veeneman G.H. Pennings Y. van der Marel G.A. and **van Boom J.H.** Preparation of a fragment of the cell wall teichoic acid of bacillus licheniformis ATCC 9945 via a solid phase approach 1557
Weston J.B see Blade R.J. 3857
Whitby R. and **Kocieński P.** A synthesis of 1,6-dioxaspiro[4.5]dec-3-enes 3619
White B.D. Fronczek F.R. Gandour R.D. and **Gokel G.W.** Molecular structures of 4,13-diaza-18-crown-6 derivatives having glycyl-glycine sidearms: two potassium iodide complexes 1753
White B.D. Arnold K.A. and **Gokel G.W.** One- and two-armed lariat ether peptide derivatives: syntheses and cation binding properties 1749
White C.L see Jackson Y.A. 5635
White J.D. and **Dantanarayana A.P.** A synthetic route to the hexahydrobenzofuran nucleus of avermectins via diazoketone cyclization 6417
White J.D. Kuo S. and **Vedananda T.R.** Stereospecific synthesis of the C(3)-C(10) segment of aplasmomycin from (R)-pulegone 3061
Whiting D.A see Clawson P. 3155
Whitter W.L see Rittle K.E. 521
Wiberg K.B. and **McClusky J.V.** Tricyclo[2.1.0.0^{1,3}]pentane 5411
Wiberg K.B. and **Waddell S.T.** [1.1.1]Propellane: reaction with electron deficient alkenes and alkynes 151
Wicha J see Achmatowicz B. 2999
Widdowson D.A see Clough J.M. 2685, see Taylor S.J.C. 6391
Widom J.M. and **Ganem B.** A mild method for extracting amines under neutral conditions 4389
Wiechers A see Bredenkamp M.W. 3729, 3725
Wiechers G see Grimme W. 6035
Wijnberg J.B.P.A. and **de Groot Ae.** A selective base-induced rearrangement of perhydronaphthalenes to 1,5-cis-fused 10-methylene perhydroazulenes 3007
Wilby A.H see Heckles K. 103
Wiley M.R see Keck G.E. 139
Wilk A see Uznański B. 3401
Wilk B.K see Moss R.A. 1969
Wilkenloh J see Dehmlow E.V. 5489
Wilkins D.J see Cullis P.M. 4211, see Jackson A.H. 4901
Williams D.E. Andersen R.J. Parkanyi L. and **Clardy J.** Gersolide, a diterpenoid with a new rearranged carbon skeleton from the soft coral Gersemia rubiformis 5079
Williams D.J see Ashton P.R. 6367, see Baker G.H. 5565, see Ramsay M.V.J. 5353, see Taylor S.J.C. 6391
Williams D.R. and **Klingler F.D.** Stereoselective allylation for preparation of L-hexose derivatives 869
Williams E.A see St C. Black D. 6691
Williams J.M see Kini A.M. 4153
Williams N.E see Anderson D.W. 2661
Williams R.V see Page P.C.B. 4455
Williams S.R see Rossiter J.T. 5173
Willis C.L. A new approach to the synthesis of 2B- and 3B-hydroxygibberellins 6705
Willis C.L. A novel one-step oxidation of terminal epoxides to allylic aldehydes 2175
Wilson A.A see Lever J.R. 4015
Wilson R.M see Adam W. 4407
Wincott F.E. Danishefsky S.J. and **Schulte G.** Model studies directed toward the avermectins: a route to the spiroketal subunit 4951
Winkler J.D see Henegar K.E. 1051
Winter T.J see Peterson J.R. 6109
Wireko F see Garcia-Garibay M. 4789, 1741
Witzel T see Giese B. 2571
Wlostowska J see Moss R.A. 4779
Wlostowski M see Moss R.A. 4779
Wolf P see Denarié M. 5823
Wolff G see Diyizou Y.L. 5743
Wolkanin P.J see Leśnikowski Z. 5535
Wong C.-H see West J.B. 1629
Wong H see Kaneko T. 517
Wong H.N.C see Hung C.W. 2393, see Wang X.C. 5833
Wong H.N.C. Man Y.-M. and **Mak T.C.W.** Synthesis of tetrabenzo[b,h,n,t]tetraphenylene and crystal structure of its 1:1 clathrate inclusion compound with p-xylene 6359
Woo N.T see Prabhakaran P.C. 3994
Wood W.W. and **Rashid A.** The "off-template" problem: synthesis and alkylation of a fused-butyrolactone from D-glucose 1933
Woodward P.R see Ley S.V. 3019, 345
Wouters J. and **Verhecken A.** The chemical nature of flavokermesic acid 1199
Wright A.E. McConnell O.J. Kohmoto S. Lui M.S. Thompson W. and **Snader K.M.** Duryne, a new cytotoxic agent from the marine sponge Cribrochalina dura 1377
Wright C. Shulkind M. Jones K. and **Thompson M.** A formal total synthesis of geneserine 6389
Wright G.J see Hartshorn M.P. 6701
Wright M.E. Preparation of two new bis(2-pyridyl)silane ligands and the copolymerization of mesi(2-pyridyl)$_2$(CH=CH$_2$) with styrene and divinylbenzene 3233
Wright S.W see Corey E.J. 739, 4917
Wu H see Huang X. 801
Wu J.-P see Kozikowski A.P. 5125
Wu S.-H see Bold G. 1973
Wulff W.D see Peterson G.A. 1381

Xia W see Shi L. 2155
Xiang Y.B see Corey E.J. 5403
Xie L see Huang X. 801
Xu C see San-Martin A. 6013, see Seto H. 3357
Xu Y. Sun H. Wang D. Iwashita T. Komura H. Kozuka M. Naya K. and **Kubo I.** Structure of adenanthin 499

Yadav J.S see Rama Rao A.V. 2183, 6497
Yadav W.S. and **Gupta S.C.** Novel photoreorganisation of 4-oxo-4H-1-benzopyrans: synthesis of pyranobenzopyrones 2049
Yadav-Bhatnagar N see Barton D.H.R. 3111
Yajima T. Tsuchiya A. and **Tezuka M.** Formation of dialkylaminoiacetonitrile from N,N-dialkylamides in an RF plasma 4177
Yamada A see Mead D. 259
Yamada H. and **Nishizawa M.** Total synthesis of baiyunoside by a novel 2' discriminated glycosidation 4315
Yamada K see Masuyama Y. 443
Yamada M see Tabushi I. 5695
Yamada N see Mori K. 5673
Yamada S see Suginome H. 3963
Yamada T. Goto K. Mitsuda Y. and **Tsuji J.** O-Allyl ether as a new protective group for oximes and its palladium-catalyzed deprotection 4557
Yamada Y see Kimura I. 1921, see Makita A. 805, see Mori K. 5673, see Nagaoka H. 6641, 2021, see Shono T. 4073, see Soai K. 4841
Yamaga H. Fujise Y. and **Itô S.** [7]- and [9](3,5)troponophanes and the corresponding hydroxytropyliophanes 585
Yamagishi A see Aoyama Y. 2143
Yamaguchi H see Arimoto M. 6289
Yamaguchi M see Fukuoka S. 6205, 4711, see Hanamoto T. 6195, 6329, 6191, see Katsuki T. 651, see Kuroda S. 803, see Matsukawa

M. 5877, see Otsubo K. 4435, 4437, see Tabuchi T. 215
Yamaguchi M. Hasebe K. Uchida M. Irie A. and **Minami T.** A biomimetic synthesis of polycyclic quinones 2017
Yamaguchi M. Hamada M. Nakashima H. and **Minami T.** A stereoselective construction of the adjacent tertiary and quaternary carbons by the Michael addition 1785
Yamaguchi S see Shizuri Y. 1791, 3831, 1795
Yamaguchi Y see Shono T. 4411
Yamakage S see Fujii M. 5713
Yamakawa K see Nishitani K. 655, see Satoh T. 2603, see Watanabe J. 1427
Yamakawa Y see Mitsudo T. 4417
Yamamoto A see Hayashi T. 4837, see Osakada K. 6321
Yamamoto E see Nishiguchi T. 4565
Yamamoto H see Furuta K. 5841, see Ishihara K. 6613, see Maruoka K. 5723, see Tamura Y. 5709
Yamamoto K see Isoe S. 5865, see Kimura I. 1917
Yamamoto K. Kanoh M. Yamamoto N. and **Tsuji J.** Asymmetric conjugate addition of zincates or cuprates containing an optically active azaenolate of erythro-isopropylidene-2-methoxy-1,2-diphenylamine to 2-cycloalkenones 6347
Yamamoto N see Yamamoto K. 6347
Yamamoto S see Leblanc Y. 3449
Yamamoto T see Osakada K. 6321
Yamamoto Y see Akiba K. 3367, see Iwasaki H. 6355, see Kato T. 1439, see Kume T. 6305
Yamamura K see Tabushi I. 4299, 2269
Yamamura K. Okada Y. Ono S. Kominami K. and **Tabushi I.** New liquid crystalline viologens exhibiting electric stimulus-response behavior 6475
Yamamura S see Shizuri Y. 6661, 1795, 3831, 1791
Yamanoi K see Wakamiya T. 5887
Yamaoka S see Nakayama J. 1799, see Ozaki S. 4691
Yamashita Y see Uemura M. 641
Yamazaki H see Kawada Y. 445
Yamazaki S see Nishinaga A. 6309
Yanagiya M see Hasegawa K. 1671, see Hashimoto M. 5665
Yanase M see Takano S. 1783
Yang C see Grob C.A. 1247
Yang F.Z. Trost M.K. and **Fristad W.E.** Simple route to substituted tetralones 1493
Yang J see Huang Y.Z. 2159, see Shi L. 2155
Yang K.E see Wang K.K. 1003
Yang N.C see King J.L. 3919
Yang Z.W see Fourrey J.L. 1769
Yankep E. and **Charles G.** Homologation des dérivés halogènes 427
Yao E.-Y see Quin L.D. 1077
Yashunsky D.V see Sviridov A.F. 3835, 3839
Yasuda S. Hirasawa T. and **Hanaoka M.** A new and convenient synthesis of protoberberine alkaloids: (±)-tetrahydropalmatine, (±)-sinactine, (±)-canadine, and (±)-stylopine 2399
Yasui K see Kondo S. 5861
Yasukawa K see Fusetani N. 1187
Yasukouchi T see Hayakawa K. 5895
Yasumoto T see Murata M. 5869
Yasuoka M see Ruangrungsi N. 3679
Ye M. Chai W.-G. Li L.-P. and **Zhao Y.-F.** Structural effect on the iodolactonization of unsaturated organophosphorus compounds 2615
Yeh M.-H see Barton T.J. 6421
Yohannes D see Engler T.A. 5267
Yokomatsu T see Kano S. 6331
Yokomizo K see Kinjo J. 369
Yokoyama A see Hirota H. 435
Yokoyama T see Smith A.B. 3659
Yokoyama Y see Smith A.B. 3663
Yoneda F see Tanaka K. 4173
Yoneda R see Harusawa S. 4189
Yonemitsu O see Horita K. 3253, see Tone H. 4569
Yonezawa Y see Shin C. 3827
Yoon M.S see Cha J.S. 6231
Yorgey P.S see Prabhakaran P.C. 3994
Yoshida H see Matsumoto K. 5707, see Ueda T. 4579
Yoshida J. Sakaguchi K. Isoe S. and **Hirotsu K.** Electro-initiated [2+2+2] cycloaddition of molecular oxygen, olefin, and 1,3-diketone 667
Yoshida J. and **Isoe S.** Electrochemical oxidation of α-silylcarbamates 6621
Yoshida J. Murata T. and **Isoe S.** Electrochemical oxidation of 1-trimethylsilyl-1,3-dienes 211
Yoshida J. Murata T. and **Isoe S.** Erratum 1234
Yoshida Z see Tamaru Y. 325, 3497
Yoshifuji M. Nakamura T. and **Inamoto N.** 2,4,6-tri-t-butylphenyllithium as a base--kinetic deprotonation of benzyl methyl ketone 6325
Yoshihara T see Koshino H. 73
Yoshikawa M. Murakami N. Taniyama T. Hamamoto Y. Nakae T. and **Kitagawa I.** Intramolecular carbonyl-mediated electrochemical oxidation: skeletal rearrangement of an oleanene triterpene and its oligoside 2029
Yoshikawa S see Kawano H. 1905
Yoshikoshi A see Miyashita M. 4293
Yoshimura J see Hashimoto H. 3505
Yoshioka H see Kanemoto S. 6313, 663, see Shimizu M. 3119, 1677
Yoshizaki M see Hayashi T. 3693
Yoshizumi H see Maeda M. 633
Young D.J. and **Robinson M.J.T.** 1,3-Oxygen to oxygen rearrangements of group IV esters 3631
Young D.W see Cable K.M. 4101
Yuhara M see Minami I. 629, 2737
Yus M see Corey E.J. 3547, see Najera C. 6709

Zahalka H.A. and **Alper H.** Rhodium carbonyl-2-methoxyethanol. An effective catalytic system for the decarboxylation of formate esters 2215
Zahra J.P see Dulcere J.P. 2009
Zamarlik H see Gnonlonfoun N. 4053
Zamir L.O. Sauriol F. and **Nguyen C.-D.** New route to (3RS) (5R) (5-^{3}H)- and (3RS) (5S) 5-^{3}H)-mevalonolactones 3059
Zamojski A see Dziewiszek K. 1569
Zani C.L. de Oliveira A.B. and **Snieckus V.** Efficient directed ortho metalation-based route to cytotoxic furanonaphthoquinone netural products 6561
Zanirato P see Spagnolo P. 961
Zappia G see Rao T.S. 4897
Zdero C see Hess T. 5643
Zefirov N.S. Zhdankin V.V. Dan'kov Yu.V. Sorokin V.D. Semerikov V.N. Koz'min A.S. Caple R. and **Berglund B.A.** Erratum 242
Zeggaf C see Jouin P. 1665, 1661
Zeiss H.-J. An efficient asymmetric synthesis of both enantiomers of phosphinothricin 1255
Zenk M.H see Rueffer M. 5307, see Stadler R. 1251, see Uesato S. 4431
Zhang J see Huang Y.Z. 2159
Zhang M.-H see Lightner D.A. 4033, 1047
Zhang P see Ding W. 81
Zhang X see Brown D.W. 985
Zhang Y see Negishi E. 5793
Zhang Y. Jiang J. and **Chen Y.** Cp_2TiCl_2-catalyzed reaction of Grignard reagents with isocyanates, formation of carboxamide with rearranged carbon-skeleton 3815
Zhang Z see Turro N.J. 5637
Zhao Y.-F see Ye M. 2615
Zhdankin V.V see Zefirov N.S. 242
Zheng Z see Ziegler F.E. 5973
Zhou W see Ding H. 2599
Zhou X.-X see Bazin H. 3275
Zhu J. and **Lu X.** Umpolung in allylic phosphonates. Regioselective reaction of acetoxy allylic phosphonates with nucleophiles catalyzed by palladium(0) complex 1897
The synthesis of neophyllithium and its reaction with anthracene 5989
Ziegler F.E. and **Kneisley A.** 3-Methyl-γ-butyrolactone as a source of 2-methyl-3-hydroxyketones and 2-methyl-1,3-diols: A synthesis of the $C_{1,9}$-$C_{2,7}$ fragment of rifamycin S by linear iteration 1725
Ziegler F.E. and **Zheng Z.** Functionalized cyclopentanes via radical cyclizations using thiocarbonate derivatives as initiators and terminators 5973
Ziegler F.E. and **Jaymes B.H.** Reconstitution of Forskolin from A ring C dihydropyran-4-one degradation product thereof 2339
Ziegler M.L see Gleiter R. 195, see Märkl G. 2119
Zipkin R.E see Taffer I.M. 6543
Zipperer B see Fletschinger M. 2517
Zipperer B. Fletschinger M. Hunkler D. and **Prinzbach H.** cis-aza-/oxa- bis-o-homobenzenes - dihydroazocines/hydrooxocins 2513
Zulaica E see Bosch J. 231
Zuman P see Almstead N. 1627
Zuobi K see Gutman A.L. 3861
Zwanenburg B see Klunder A.J.H. 1329, 357, 3027, 3147, see Waanders P.F. 2409
Zwierzak A see Koziara A. 6513

FREE Sample Copies Available On Request

SCIENCE BULLETIN (KEXUE TONGBAO)

An International Journal

Chairman: **Y DUZHENG,** *Academia Sinica, Beijing, People's Republic of China*

Science Bulletin aims to provide a rapid publication service for short communications of research currently being undertaken in China. Papers are refereed by a distinguished panel of Editors ensuring that only research at the highest level is included.
Now available in English, this publication provides scientists outside China with a rapid overview of the latest developments in Chinese science and technology. The journal covers all major areas of science and technology including mathematics, chemistry, physics, biology, astronomy, agriculture, engineering materials, medicine, computer science and earth sciences.

A Selection of Papers

Laser induced emission band in Cs.Ar excimer molecule, **L YIQUN.**
Double sea quark model and the EMC effect, **Z WEI.**
The relation of acoustical coagulation of aerosol particles to sound field parameters, **W YAOJUN & W RONGJUE.**
Study of photodissociation rate of nitrosyl ruthenium nitrates, **Y YUFU** *et al.*
Electronic structure and chemical bonding of tetra(cyclopentadienly) cerium ($Ce(C_5H_5)_4$), **R JINGQING & X GUANGXIAN.**
Separation of uranium isotope in liquid system by CW CO_2 laser, **X BAOYU** *et al.*
Synthesis of the lanthanum acetate monohydrate and the determination of its dehydration enthalpy, **W SHURONG** *et al.*
Study on the complex site of transition metal ions with antibiotics, **C LIANG** et al.
Effect of the change of local vertical line deflection on astronomical time observation, **Y JINSHENG.**
Application of Japanese GMS low-cloud winds to wind field analysis, **S GONGWANG** *et al.*
Division of silurian strata and tabulate and heliolitida assemblages in the Haerke Mountain in Xinjiang, **W BAOYU.**

Indexed/Abstracted in: Chemical Abstracts

Subscription Information

1988: Volume 33 (26 issues)
Annual subscription (1988) **DM 745.00**
Two-year rate (1988/89) **DM 1415.50**
ISSN: 0250-7862

Advertising rate card available on request. Back issues and current subscriptions are also available in microform.
The German Mark (DM) prices shown include postage and insurance, and apply in Europe, Africa, Asia/Australasia (with the exception of Japan). For the rest of the world including Japan apply to the nearest Pergamon office. Prices are subject to change without notice.

PERGAMON PRESS 1948–1988

PERGAMON PRESS

Headington Hill Hall, Oxford OX3 0BW, UK Fairview Park, Elmsford, New York 10523, USA

5A/4/10/87

Back Issues of Pergamon International Research Journals

Back issues of this and other essential Pergamon journals are available in hard copy or microform. New subscribers to a journal may purchase back issues of that publication in hard copy and microform editions at 25% discount, on the standard price. Stocks of back issues are maintained at all of Pergamon's numerous worldwide offices, and orders may be placed with confidence at the location most convenient to you. Should any issue of a volume be temporarily out of stock at the time of ordering, a photoduplicated copy will be supplied at no extra charge to complete your order.

Save up to 33% by Purchasing Complete Sets

Customers wishing to purchase complete sets can do so at a saving of 25% to 33% less than the individual volume price.

Hard Copies

Complete sets of back volumes of journals are available in hard copy and microform at discounts ranging from 25% to 33%.

The Microform Alternative

A very competitive price alternative to the hard copy is microform which represents a substantial saving of a further 50% on microfilm and 20% on microfiche

Microform at 50%: Special Trade-in Price for Back Issues

A hard copy back issue volume of any Pergamon Press journal, or the immediately preceding volume in hard copy, may be traded-in against the same volume or volumes in microform. The trade-in allowance is 50% off the listed price of the microfilm or microfiche, and applies to both separate reels and complete back issue sets.

Back Issues Price List

Full details of the rates for back issues of all Pergamon journals can be found in our Back Issues Price List. Please contact your nearest Pergamon office for a copy.

PERGAMON PRESS Headington Hill Hall, Oxford OX3 0BW, England
Fairview Park, Elmsford, New York 10523, USA

2/80/G/3

INSTRUCTIONS TO CONTRIBUTORS FOR THE PREPARATION OF MANUSCRIPTS FOR DIRECT REPRODUCTION

Tetrahedron Letters is a medium for the rapid publication of short communications in English, French or German and offers maximum dissemination of outstanding developments in organic chemistry.

The Letters attempts to provide rapid publication of important **new** contributions. Communications may announce either experimental or theoretical results of special interest, and will be evaluated for their novelty, timeliness and general interest. In accepting papers, the editors are guided by the opinions of referees who are chosen from panels of experts or from specialists in the community of organic chemists. **Authors are encouraged to suggest names of several experts in the field** when papers are first submitted or at any time in the evaluation process.

An attempt is made to distinguish contributions meeting the above requirements, and having an element of urgency, from otherwise worthwhile work which could more properly await publication in a complete form accompanied by full experimental details. Alternatively, as for example, where the main interest lies in medicinal aspects of the work, it may be preferable to publish the results in a more specialized journal.

When submitting a communication, authors must include a brief statement justifying acceptance.

The typewritten manuscript is reproduced photographically, and each communication is a separate entity. Authors are requested to send papers of 2 or 4 pages. Longer papers will not be accepted. Articles of 3 or just over 3 pages may be returned to the authors for shortening.

SUMMARY

Authors must include a short abstract in English of approximately three lines typed in single spacing. This should appear immediately after the address and before the commencement of the communication.

GRAPHICAL ABSTRACTS

Authors are requested to supply a graphical abstract in finished, camera-ready form at the time the Letter is first submitted. These abstracts should aim at presenting the essence of the Letter in a concise, pictorial form, useful for rapid scanning of the Journal and for the compilation of data bases. Carefully drawn structural formulae are desired which serve to illustrate the theme of the paper. Appropriate text should be incorporated, not to exceed the space limitations (5 × 20 cm). In publication, abstracts will be reduced by 25%.

PREPARATION OF MANUSCRIPTS

In the introductory section of the communication, the author should attempt to outline the significance of the work and the rationale for urgent publication. Where new general methods are described, typical experimental procedures should be provided.

Manuscripts should be typed to one and a half spaces, using a black ribbon (blue ink cannot be reproduced) on good quality white bond paper. The typist should ensure a clean, clear impression on the letters. Any good quality paper may be used, provided the actual typing area fills the space as outlined below, the margins being provided during reproduction. **A duplicate (photocopy) must accompany the original.**

The title should be all in capital letters, centred on the width of page 1 with the title at least 5 cm from the top of the page. After one line space, type the authors' names and addresses on separate lines, capitalizing the first letter of all main words. The author or authors to whom correspondence should be addressed by readers of the journal should be indicated by an asterisk. The typing area of page 1, including the title, should be 20 cm wide by 26 cm deep.

The typing area of all other pages should be extended to cover an area 20 cm wide by 28 cm deep (roughly ¼ inch margin on 8¼ by 11⅝ in (A4) paper).

CAMERA-READY REQUIREMENTS, FORMULAE AND TABLES

To maintain a finished, artistic appearance of the Journal, authors are asked to use whatever resources are available to them to produce manuscripts of pleasing appearance. Direct reproduction of camera-ready papers requires the author to provide the manuscript in a finished artistic format making the best possible use of the space within two or four completely utilized pages. Manuscripts may be cut and pasted, with tables and formulae placed appropriately within the manuscript. Formulae and other graphical material should be drawn with special care and pasted up exactly as the page is to appear in the Journal, generally avoiding freehand illustration. The size of formulae may vary according to the nature of the illustrations but these should neither be overpowering nor so small that they are hard to read after the usual reduction (by a factor of 25%). *Regional Editors may return otherwise acceptable papers for modification if the quality of the figures or structural formulae is poor or the overall layout is carelessly composed. Originals are preferred, but high-quality reproductions are acceptable if they are clear with good black and white contrast.*

ASSISTANCE IN PREPARING MANUSCRIPTS FOR DIRECT REPRODUCTION

If authors have problems in the preparation of their manuscripts such as allocation of space, reproduction of formulae, charts or tables, they may contact members of the Board of Editors for advice.

HAZARDOUS COMPOUNDS

Authors are encouraged to draw attention to hazards by adding the word CAUTION followed by a brief descriptive phrase and literature reference if appropriate.

TRADEMARKS

Authors are required to acknowledge trademark protection in the standard fashion, e.g. Selectride®, Exaltolide® (although not for words which have entered general usage: pyrex, etc.).

MAILING OF MANUSCRIPTS

Communications in English should be sent in duplicate directly to the Executive Editor for the particular areas as outlined below. Communications in the French language should be sent to Professor Ourisson; those in the German language to Professor Steglich. Extra delay will be involved if papers are sent to other Executive Editors as they will be forwarded for refereeing to the Editor of the particular region involved. The appropriate Editor is normally determined by the address of the author to whom the correspondence should be sent (as indicated by an asterisk). *Where question arises, the area chosen should correspond to the laboratory where the work was performed.*

1. Professor W. Steglich (*contributions from the German-speaking area in German or in English*), *Institut für Organische Chemie und Biochemie der Universität Bonn, D-5300 Bonn 1, Gerhard-Domagk-Strasse 1, BRD.*

2. Professor G. Ourisson (*contributions from the French-speaking area in French or in English*), *Centre National de la Recherche Scientifique, Centre de Neurochimie, 5 rue Blaise Pascal, 67084 Strasbourg, Cedex, France.*

3. Professor S. Ito (*Japan, China including Taiwan, North and South Korea, Hong Kong and Macau*), *Tetrahedron Regional Office, Sendai-Naka P.O. Box 521, Sendai 980, Japan.*

4. Professor H. H. Wasserman (*North, Central and South America*), *Department of Chemistry, Yale University, P.O. Box 6666, New Haven, CT 06511, USA.*

5. Professor N. K. Kochetkov (*USSR*), *N. D. Zelinsky Institute of Organic Chemistry, Academy of Sciences USSR, Leninsky Prospekt 47, Moscow B-334, USSR.*

6. Professor A. McKillop (*all regions other than those specified under 1–5 above*), *University of East Anglia, School of Chemical Sciences, University Plain, Norwich NR4 7TJ, England.*

7. Dr. T. Stephen, *Co-ordinating Editor* (*for receipt of contributions at Oxford*), *8 Lewis Close, Risinghurst, Headington, Oxford OX3 8JD, England.*

Note: The contents of papers shall be the sole responsibility of the authors and publication shall not imply the concurrence of Editors or Publisher.

RAPRA
NEW TRADE NAMES

in the Rubber and Plastics Industries
1987

includes Buyer's Guide and Company Addresses

Edited by **Elaine Davison,** *Rapra Technology Ltd., Shawbury, Shrewsbury, UK*

Published on behalf of Rapra by Pergamon Press

Rapra New Trade Names is published annually, and lists new trade names applicable to the rubber and plastics industries as noted by Rapra from trade literature, journals and books over the previous twelve months.

Subject coverage includes: thermoplastics and thermosetting resins, rubbers, adhesives, compounding materials and chemicals, finished products and machinery.

Over 3,000 trade names together with a full product description are listed. This listing is supported by a separate classification listing and companies list, which allows the publication to be used as a buyer's guide.

Rapra Trade Names, a database containing more than 20,000 entries going back to 1976 and based from the New Trade Names Directory, is also available online via Pergamon ORBIT InfoLine.

Contents:

Trade Name List -
the trade names are listed in alphabetical order, followed by a description, company name and reference.

Company List -
alphabetical company list with details of the trade names they have used.

Classifcation List -
trade names listed with description, company name and reference.

Company Name and Address -
alphabetical company listing with addresses.

Journals -
list of current journals taken by Rapra, with abbreviations.

1987. 255pp. DM 210.00

Pergamon Press

In the UK and all other countries:
Headington Hill Hall, Oxford, OX3 0BW, UK

In the USA, Central and South America,
Fairview Park, Elmsford, New York 10523, USA

The German Mark (DM) price shown includes postage and insurance, and applies in Europe, Africa, Asia/Australasia (with the exception of Japan). For the rest of the world, including Japan, apply to the nearest Pergamon office. Prices are subject to change without notice.

Printed in Great Britain by Express Litho Service (Oxford)